



To our latest publication - Now even bigger and better than ever!

Inside you will find our most comprehensive range yet with over 8,000 Part No.'s, featuring 100's of new lines, helping to provide you with the ultimate selection of quality workshop consumables and tools trusted and used by all trade professionals

| Assorted Boxes | 1 - 26 | |
|--------------------------|-----------|---------|
| Electrical Assembly | 27 - 68 | J |
| Light + Power | 69 - 112 | |
| Threaded Fasteners | 113 - 138 | |
| Hardware + Trim Clips | 139 - 184 | |
| Trim Clips by OEM Ref | 185 - 200 | |
| Tubing + Air Line | 201 - 236 | Ō |
| Auto, Commercial + Plant | 237 - 286 | |
| Grease + Chemicals | 287 - 318 | |
| Sealants + Adhesives | 319 - 336 | |
| Hygiene + Safety | 337 - 388 | <u></u> |
| Welding, Gas + Abrasives | 389 - 414 | 0 |
| Cutting + Drilling | 415 - 432 | |
| General Hand Tools | 433 - 466 | X |
| Specialist Tools | 467 - 482 | |

Storage + Security

Product + Part No. Index

Essentials

معما

8

483 - 495

496 - 504

505 - 542

Quality Brands You Can Depend On

Our expanding range of quality consumables and tools consists of market leading industrial brands you can trust. confidently rely and depend on each and every time















































































































































21 Grease Nipples22 Terminals

25 Fuses

25

22

24 Cable Accessories

26 Empty Boxes + Storage System



 \odot



Set Screws **High Tensile - Metric**

Zinc plated steel. DIN 933 Grade 8.8.

Box of

AB9N 150 Pieces

1 x M5: x 25 mm. 1 x M6: x 25 mm. 2 x M8: x 25, 40 mm. 2 x M10: x 25, 40 mm.







M5 Fasteners

Zinc plated steel. DIN 933 Grade 8.8 (Set Screws High Tensile). DIN 934 (Steel Nuts). DIN 125 (Flat Washers).

Box of

AB163N 550 Pieces

5 x Set Screws: M5 x 16, 20, 25, 40, 50 mm. 1 x Steel Nuts: M5. 1 x Flat Washers: M5.




M6 Fasteners

Zinc plated steel.
DIN 933 Grade 8.8 (Set Screws High Tensile).
DIN 934 (Steel Nuts). DIN 125 (Flat Washers).

Part No. Box of

AB128N 485 Pieces

5 x Set Screws: M6 x 16, 20, 25, 35, 50 mm. 1 x Steel Nuts: M6. 1 x Flat Washers: M6.



AB 'Flip Box'

Standard size transparent polypropylene box. Complete with 8 dividers. Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

Part No. Qty Description **ABM** 1 **AB Flip Box**



Zinc plated steel. DIN 933 Grade 8.8 (Set Screws High Tensile). DIN 934 (Steel Nuts). DIN 125 (Flat Washers).

245 Pieces **AB129N**

5 x Set Screws: M8 x 20, 25, 40, 50, 75 mm, 1 x Steel Nuts: M8. 1 x Flat Washers: M8.



M10 Fasteners

Zinc plated steel. DIN 933 Grade 8.8 (Set Screws High Tensile). DIN 934 (Steel Nuts). DIN 125 (Flat Washers).

Part No.

AB130N

150 Pieces 4 x Set Screws: M10 x 25, 40, 50, 75 mm, 1 x Steel Nuts: M10, 1 x Flat Washers: M10.



Stainless Steel Set Screws - Metric

Stainless Steel. DIN 933 Grade A2.

Part No. Box of

120 Pieces 1 x M5: x 25 mm, 1 x M6: x 25 mm, 1 x M8: x 25 mm. 1 x M8: x 40 mm. 2 x M10: x 25, 40 mm.





0

0

موو





Set Screws High Tensile - Metric Fine

Zinc plated steel. DIN 961 Grade 8.8.

Part No. AB11N 140 Pieces

1 x M5 (x 0.50 mm Pitch): x 25 mm. 1 x M6 (x 0.75 mm Pitch): x 25 mm. 2 x M8 (x 1.00 mm Pitch): x 25. 40 mm.

1 x M10 (x 1.25 mm Pitch): x 40 mm. 1 x M12 (x 1.50 mm Pitch) x 55 mm.



Set Screws High Tensile - UNC

Zinc plated steel. ANSI B18.2.1.1965 Grade 8.8 Equivalent.

Part No. Box of AB7N 150 Pieces

2 x 1/4" UNC: x 3/4", x 1". 2 x 5/16" UNC: x 1", x 1 1/2". 2 x 3/8" UNC: x 1", x 1 1/2".



Set Screws High Tensile - UNF

Zinc plated steel. ANSI B18.2.1.1965 Grade 8.8 Equivalent. Part No. Box of

AB5N 150 Pieces

1 x 3/16" UNF: x 1". 1 x 1/4" UNF: x 1". 2 x 5/16" UNF: x 1", x 1 1/2". 2 x 3/8" UNF: x 1", 1 1/2".



- Can be free-standing or wall mounted.

Part No. Qty Description **ABR** 1 **Storage Rack**



AB 'Max Box' Carrying Case
Made from cold rolled steel, finished in grey baked enamel.

Holds up to 5 boxes (NOT included).

- Keyhole slots enable case to be wall-mounted.
- · Bolt holes enable cases to be stacked.

Qty Description

SB101 1 **Carrying Case**







 \odot

000

Л





Socket Screws Cap Head - Metric Black

Black. DIN 912 Grade 12.9.

Part No. Box of

AB92 100 Pieces

2 x M5: x 30, 40 mm. 2 x M6: x 30, 40 mm. 2 x M8: x 30, 40 mm. 2 x M10: x 30, 40 mm.




Socket Screws, Button Head - Metric Black

Black. Grade 10.9.

Part No. Box of

AB204N 115 Pieces

2 x M5: x 12, 16 mm. 4 x M6: x 12, 16, 25, 30 mm. 3 x M8: x 20, 25, 30 mm. 1 x M10: x 40 mm.



Grub Screws - Metric

Black. DIN 916.

Part No. Box of **AB17 250 Pieces**

1 x M4: x 8 mm. 2 x M5: x 5, 10 mm. 3 x M6: x 6, 8, 10 mm. 3 x M8: x 8, 10, 12 mm. 1 x M10: x 10 mm.



Grub Screws - Metric

Black. Flat Point, Cone Point, Dog Point.

Part No. Box of

AB219 130 Pieces

3 x Flat Point: M5 x 10, M8 x 35, M8 x 40.

2 x Cone Point: M6 x 12, M8 x 12. 2 x Dog Point: M8 x 16, M10 x 25.



Grub Screws - UNC/BSW

Black. DIN 916.
Part No. Box of

AB18 275 Pieces

4 x 3/16" UNC/BSW: x 3/16", 1/4", 5/16", 3/8".

3 x 1/4" UNC/BSW: x 1/4", 5/16", 1/2".

3 x 5/16" UNC/BSW: x 1/4, 5/16", 1/2". 1 x 3/8" UNC/BSW: x 3/8".



Grub Screws - UNF

Black. DIN 916.

Part No. Box of

AB16 225 Pieces

100000 - 100000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000

3 x 3/16" UNF: x 3/16", 1/4", 3/8". 3 x 1/4" UNF: x 1/4", 5/16", 7/16". 2 x 5/16" UNF: x 5/16, 3/8". 1 x 3/8" UNF: x 3/8".



Socket Screws Cap Head - Metric Black

Black. DIN 912 Grade 12.9.

Part No. Box of

AB562 270 Pieces

2 x M4: 12, 20 mm. 4 x M5: 16, 20, 30, 40 mm. 5 x M6: 12, 16, 20, 30, 40 mm. 4 x M8: 12, 20, 30, 40 mm. 2 x M10: 30, 40. 1 x M12: 50.



Socket Screws Cap Head

- Metric

Zinc plated steel. DIN 912 Grade 12.9.

Part No. Box of

AB563 300 Pieces

2 x M3: x 8, 16 mm. 2 x M4: x 20, 30 mm. 6 x M5: x 10, 16, 25, 30, 35, 40 mm. 4 x M6: x 20, 25, 30, 35 mm. 4 x M8: x 16, 20, 30, 45 mm. 3 x M10: x 25, 30, 40 mm. 1 x M12: x 25 mm.





0

0

990



Machine Screws (Body Screws) Pan Head, Pozi - Metric

Zinc plated steel. DIN 7985.

Part No. Box of

AB134N 290 Pieces

3 x M4: x 12, 35, 50 mm. 4 x M5: x 20, 25, 40, 50 mm. 2 x M6: x 20, 25 mm.



Machine Screws (Body Screws) Countersunk, Pozi - Metric

Zinc plated steel. DIN 965.

Part No. Box of

AB135N 250 Pieces

2 x M5: x 20, 25 mm. 3 x M6: x 20, 25, 50 mm. 1 x M8: x 20 mm.



Machine Screws Cheese Head, Slotted - Metric

Zinc plated steel. DIN 84 Grade 4.8. Part No. Box of

AB209N 435 Pieces

8 x M3: x 6, 8, 10, 12, 20, 25, 30, 50 mm. 2 x M4: x 6, 12 mm. 1 x M5: x 8. 2 x M6: 10, 20 mm.





Machine Screws with Nuts, Round Head, Slotted - BA

Zinc plated steel. BS 57.

Part No. Box of

AB3 1.025 Pieces 8 x Machine Screws: 6BA x 3/4", 6BA x 1",

4BA x 3/4", 4BA x 1", 4BA x 2",

2BA x 1, 2BA x 1 1/2", 2BA x 2". 3 x Nuts: 6BA, 4BA, 2BA.



Machine Screws with Nuts, Round Head, Slotted - BA

Brass. BS 57.

Part No. Box of

AB4N 410 Pieces

10 x Machine Screws: 6BA x 1/2", 6BA x 3/4", 6BA x 1", 4BA x 1/2", 4BA x 3/4", 4BA x 1", 2BA x 1/2", 2BA x 3/4", 2BA x 1", 2BA x 1 1/2". 3 x Nuts: 6BA, 4BA, 2BA.



AB68N 840 Pieces

6 x Machine Screws: M3 x 8 mm, M3 x 20 mm, M4 x 20 mm, M4 x 40 mm, M5 x 25 mm, M5 x 50 mm. 3 x Nuts: M3, M4, M5. 3 x Washers: M3, M4, M5.





































Steel Nuts - Metric (Popular Sizes)

Zinc plated steel. DIN 934. Part No. Box of

AB10N 370 Pieces 5 x Sizes: M5, M6, M8, M10, M12.



Steel Nuts - Metric

Zinc plated steel. DIN 934. Part No. Box of

AB202N 275 Pieces 8 x Sizes: M4, M5, M6, M8, M10, M12, M14, M16.



Steel Nuts - Metric Fine

Zinc plated steel. DIN 934. Part No. Box of

AB12N 350 Pieces

7 x Sizes: M5 x 0.50 mm, M6 x 0.75 mm, M8 x 1.00 mm, M10 x 1.00 mm, M10 x 1.25 mm, M12 x 1.25 mm, M12 x 1.50 mm.

































Stainless Steel Nuts - Metric

Stainless Steel. DIN 934 Grade A2.

Part No. Box of

AB155 250 Pieces

4 x Sizes: M5, M6, M8, M10.



Steel Nuts - UNF

Zinc plated steel. ANSI B18.2.2.

Part No. Box of **AB6N** 325 Pieces

4 x UNF: 3/16", 1/4", 5/16", 3/8".



Steel Nuts - UNC

Zinc plated steel. ANSI B18.2.2.

Part No. Box of

AB8N 350 Pieces

3 x UNC: 1/4", 5/16", 3/8".




Serrated Flange Nuts Metric

Zinc plated steel. DIN 6923. Part No. Box of

AB104N 330 Pieces 5 x Sizes: M5, M6, M8, M10, M12.







Nylon Lock Nuts - Metric (Popular Sizes)

Zinc plated steel. P-Type. DIN 982. Part No.

4 x Sizes: M6, M8, M10, M12.

AB15N

Box of 300 Pieces



Nylon Lock Nuts - Metric

Zinc plated steel. P-Type. DIN 982. Part No. Box of

AB201N 275 Pieces 8 x Sizes: M4, M5, M6, M8, M10, M12, M14, M16.



Stainless Steel Nylon Lock Nuts - Metric Stainless Steel. T-Type. DIN 985 Grade A2.

Part No. Box of **AB156N** 225 Pieces 4 x Sizes: M5, M6, M8, M10.



Nylon Lock Nuts - UNF

Zinc plated steel. BS 4929 Equivalent.

Part No. Box of AB13N

290 Pieces 5 x UNF: 1/4", 5/16", 3/8", 7/16", 1/2".



Threaded Inserts - Regular

Zinc plated steel.

Part No. Box of AB78N 250 Pieces 5 x Sizes: M4, M5, M6, M8, M10.




Threaded Inserts - Half Hex

Zinc plated steel.







Nylon Lock Nuts - ÚNC

Zinc plated steel. BS 4929 Equivalent.

4 x UNC: 1/4", 5/16", 3/8", 1/2".

Part No. Box of AB14N 275 Pieces



Threaded Inserts - Cylindrical Head Full Hex

Zinc plated steel. Large flange.

Part No. Box of 250 Pieces **AB181**

5 x Sizes: M4, M5, M6, M8, M10



Threaded Inserts Splined

Zinc plated steel. Part No. Box of

AB183 225 Pieces

4 x Sizes: M4, M5, M6, M8.































Flat Washers 'Form A' -Metric

Zinc plated steel. DIN 125 Type A. Heavy Gauge. Part No. Box of

AB76N 800 Pieces

9 x Sizes: M3, M4, M5, M6, M8, M10, M12, M16, M20.



Flat Washers 'Table 3' - Imperial

Zinc plated steel. BS 3410 Table 3 (Heavy Gauge). Box of

AB20N 800 Pieces 6 x Sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2".

Part No.





AB157 650 Pieces

4 x Sizes: M5*, M6, M8, M10.





Flat Washers 'Form C' - Metric

Zinc plated steel. BS 4320 Form C.

Part No.

AB119N 620 Pieces 6 x Sizes: M6, M8, M10, M12, M14, M16.



Flat Washers 'Table 4' - Imperial

Zinc plated steel BS 3410 Table 4 (Heavy Gauge).

Part No. Box of

AB109N 920 Pieces

5/8" x 1 3/8".



Shim Washers

Zinc plated steel.

Part No. Box of AB28N 315 Pieces

8 x 0.010 Thick: 3/16" x 7/16", 1/4" x 9/16", 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8", 1/2" x 1", 5/8" x 1 1/4", 3/4" x 1 1/2". 7 x 0.015 Thick: 1/4" x 9/16", 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8", 1/2" x 1", 5/8" x 1 1/4", 3/4" x 1 1/2".

BEST



6 x Sizes: 3/16" x 1/2", 1/4" x 5/8", 5/16" x 3/4", 3/8" x 7/8", 1/2" x 1 1/8",



Lock Washers Serrated - Internal

Zinc plated steel. DIN 6798.

Part No. Box of

AB27N 800 Pieces 6 x Sizes: M5, M6, M8, M10, M11, M13.



Lock Washers Serrated External

Zinc plated steel.

Part No. Box of **AB208N** 440 Pieces 8 x Sizes: M4, M5, M6, M8, M10, M12, M14, M16.



AB 'Flip Box'

Standard size transparent polypropylene box. Complete with 8 dividers. Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

| Part No. | Qty | Description | |
|----------|-----|-------------|--|
| ABM | 1 | AB Flip Box | |





Spring Washers - Imperial

Zinc plated steel. Rectangular Section ANSI B18.21.1 Table 2.

Part No. Box of

AB21N 800 Pieces 6 x Sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2".




Spring Washers - Metric

Zinc plated steel. Rectangular Section. DIN 127B.

Part No. Box of

8 x Sizes: M4, M5, M6, M8, M10, M12, M16, M20.

1.015 Pieces AB77N



Stainless Steel Spring Washers - Metric

Stainless Steel. Square Section. DIN 7980 Grade A2.

Part No. Box of **AB158** 650 Pieces

4 x Sizes: M5, M6, M8, M10.



Bonded Seals (Dowty Washers) - BSP

Metal with black nitrile rubber (NBR). Self centralising.

Part No. Box of

AB67N 100 Pieces

7 x Sizes: 1/8" BSP, 1/4" BSP, 3/8" BSP, 1/2" BSP, 5/8" BSP, 3/4" BSP, 1" BSP.



Bonded Seals (Dowty Washers) - Metric

Metal with black nitrile rubber (NBR). Self centralising.

Part No. Box of

AB107 90 Pieces

8 x Sizes: M10, M12, M14, M16, M18, M20, M22, M24.



Repair Washers - Imperial

Zinc plated steel. 1.37/1.69 mm thickness.

Part No. Box of

AB22N 220 Pieces

6 x Sizes (I.D. x O.D.): 3/16" x 1", 1/4" x 1", 1/4" x 1 1/2", 5/16" x 1", 5/16" x 1 1/2", 3/8" x 1 1/2".



























Fibre Washers - Metric

DIN 7603A.

Part No. Box of **AB143**

600 Pieces 8 x Sizes: M5 x 9 x 1.0, M6 x 10 x 1.0, M8 x 12 x 1.0, M10 x 14 x 1.0, M12 x 18 x 1.5, M14 x 20 x 1.5, M16 x 22 x 1.5, M18 x 24 x 1.5.



Fibre Washers - Imperial

WS 010. Part No.

Box of

AB25N 600 Pieces

8 x Sizes: 13/64" x 3/8", 1/4" x 3/8", 5/16" x 5/8", 3/8" x 5/8", 29/64" x 11/16", 1/2" x 11/16", 5/8" x 7/8", 49/64" x 1".



Copper Washers Imperial

WS 086.

Box of

Part No. AB24N 400 Pieces

6 x Sizes: 3/16" x 7/16", 1/4" x 9/16", 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8", 1/2" x 1" (M5, M6, M8, M10, M12).





Copper Sealing Washers - Metric

DIN 7603A.

Part No. Box of

AB106 250 Pieces

16 x Sizes: M5 x 9 x 1.0, M6 x 10 x 1.0, M6 x12 x 1.0, M8 x 12 x 1.0, M8 x 14 x 1.0, M10 x 14 x 1.0, M10 x 16 x 1.0, M12 x 16 x 1.5, M12 x 18 x 1.5. M14 x 18 x 1.5. M14 x 20 x 1.5. M16 x 20 x 1.5 M16 x 22 x 1.5, M18 x 22 x 1.5, M18 x 24 x 1.5, M20 x 26 x 1.5 mm.





Part No. **AB23** Box of 225 Pieces



Part No.

AB149 260 Pieces

Box of

11 x Sizes: M6 x 10. M8 x 11. M10 x 13. M10 x 14. M12 x 16. M12 x 18. M14 x 18, M14 x 20, M16 x 20, M17 x 21, M22 x 27.



Part No. Box of

AB24N

400 Pieces

6 x Sizes: 3/16" x 7/16", 1/4" x 9/16", 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8", 1/2" x 1" (M5, M6, M8, M10, M12).



Copper Sealing Washers (Diesel Injector Washers)

M21 x 25 x 1.0 (LUCAS NW5/59), M22 x 27 x 1.0 (LUCAS NW5/60)

Copper. DIN 7603A.

Part No.

AB142 250 Pieces

16 x Sizes: M6 x 10 x 1.0 (BOSCH 2916 710 602), M8 x 11.5 x 1.0 (LUCAS NW5-17W4, BOSCH 2916 710 646), M10 x 13.5 x 1.0 (BOSCH 2916 710 605), M10 x 14 x 1.0 (BOSCH 2916 710 649) M10 x 20 x 1.0 (MAN/PERKINS P.2411126), M10 x 20 x 2.0 (LUCAS 5339401, PERKINS P.0920113), M12 x 16 x 1.5 (BOSCH 2916 710 607), M12 x 18 x 1.5 (BOSCH 2916 710 608), M14 x 18 x 1.5 (BOSCH 2916 710 609), M14 x 20 x 1.5 (BOSCH 2916 710 610) M16 x 20 x 1.5 (BOSCH 2916 710 611), M17 x 21 x 1.5 (BOSCH 2916 710 611, CM 14025557),



Sump Plug Washers

Part No. Box of

AB117N 265 Pieces

4 x Copper Compression: 12 x 17 x 2.00, 14 x 20 x 2.0, 16 x 22 x 2.0, 18 x 24 x 2.0 mm. 4 x Flat Copper: 10 x 20 x 2.00, 12 x 17 x 1.5, 14 x 20 x 1.5, 14 x 20 x 2.0 mm. 2 x Aluminium: 14 x 22 x 2.0, 18 x 24 x 1.5 mm. 2 x Flanged Rubber O-ring: 11 x 21 2.5, 13 x 22 x 3.0 mm. 1 x Nitrile Rubber O-Ring: 18 x 2 NBR. 1 x Fibre: 12 x 24 x 2.0 mm. 1 x Bonded Seal: 16.7 x 24 mm.



AB 'Flip Box'

Standard size transparent polypropylene box. Complete with 8 dividers. Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

| Part No. | Qty | Description |
|----------|-----|-------------|
| ABM | 1 | AB Flip Box |

9

0

موو



O-Rings - Metric

Nitrile rubber. BS 4518.

Part No. Box of **AB81** 325 Pieces

4 x I.D. x Thickness: 4.1 x 1.6, 6.1 x 1.6, 10.1 x 1.6, 12.1 x 1.6. 4 x I.D. x Thickness: 7.6 x 2.4, 9.6 x 2.4, 11.6 x 2.4, 12.6 x 2.4 2 x I.D. x Thickness: 19.5 x 3.0. 24.5 x 3.0.



O-Rings - Imperial

Nitrile rubber. BS 1806.

Part No. Box of

AB61 325 Pieces 10 x ARP/BS: 008, 010, 011, 012, 013, 014, 016, 116, 118, 120.



BEST SELLER

O-Ring Splicing Kit Nitrile rubber.

Part No. Description

AB126 14 Piece Kit 5 x Imperial Nitrile Rubber Cord, 1 m Lengths: 1/16", 3/32", 1/6", 3/16", 1/4". 6 x Metric Nitrile Rubber Cord, 1 m Lengths: 1.6, 2, 3, 4, 5, 5.7 mm. 1 x Trimming Knife. 1 x Cutting Block. 1 x S.A.S Super Glue: 5g.









O-Rings Service Kit - Metric

Nitrile rubber. BS 4518.

Part No. Box of

404 Pieces AB100

30 x Sizes (Peg Ref) I.D. x Thickness: 3 x 2 (006), 4 x 2 (007), 5 x 2 (008), 6 x 2 (009), 7 x 2 (010), 8 x 2 (011), 3 X 2 (000), 4 X 2 (007), 3 X 2 (008), 0 X 2 (003), 7 X 2 (017), 14 X 2 5 (113), 19 X 2 5 (116), 19 X 3 (210), 20 X 3 (211), 22 X 3 (212), 24 X 3 (213), 25 X 3 (214), 27 X 3 (215), 28 X 3 (216), 30 X 3 (217), 32 X 3 (218), 33 X 3 (219), 35 X 3 (220), 36 X 3 (221), 38 X 4 (325), 41 X 4 (326), 44 X 4 mm (327).



O-Rings Service Kit - Imperial

Nitrile rubber. BS 1806.

Part No.

Box of

382 Pieces **AB101** 30 x Sizes (ARP/BS) I.D. x Thickness:

2.90 x 1.78 (006), 3.68 x 1.78 (007), 4.48 x 1.78 (008), 5.28 x 1.78 (009), 6.07 x 1.78 (010), 7.66 x 1.78 (011), 9.25 x 1.78 (012), 9.19 x 2.62 (110), 10.78 x 2.62 (111), 12.37 x 2.62 (112), 13.95 x 2.62 (113), 15.54 x 2.62 (114), 17.13 x 2.62, (115), 18.72 x 2.62 (116), 18.64 x 3.53 (210), 20.22 x 3.53 (211), 21.82 x 3.53 (212),

23.40 x 3.53 (213), 24.99 x 3.53 (214), 26.58 x 3.53 (215), 28.17 x 3.53 (216), 29.75 x 3.53 (217), 31.34 x 3.53 (218), 32.92 x 3.53 (219), 34.52 x 3.53 (220), 36.10 x 3.53 (221), 37.69 x 3.53 (222), 37.47 x 5.33 (325), 40.65 x 5.33 (326), 43.82 x 5.33 (327).



Air Conditioning O-Rings Kit

Highly saturated nitrile O-rings for use with Freon R134a.

Supplied in a hinged plastic case.

Part No. Description

HAC200 270 Piece Kit

18 x Sizes (I.D. x Thickness):
5.29 x 1.78 (7/32" x 1/16"), (1/4" x 1/16"), 6.07 x 1.78,
6.8 x 1.9, 7.65 x 1.78 (5/16" x 1/16"), 7.8 x 1.9, 8x 2, 8.8 x 1.9 (20 pcs).
10.82 x 1.78 (7/16" x 1/16"), 10.77 x 2.62 (7/16" x 3/32"),
11 x 2, 12 x 2, (15 pcs), 13.9 x 1.8, 13.95 x 2.62 (9/16" x 3/32"),
14 x 2, 12 x 2, 17 x 2, 17.17 x 1.78 (11/16" x 1/16"),
17.04 x 3.53 mm (11/16" x 1/8") (10 pcs).

































Self-Drilling Screws Pan Head - Phillips

Zinc plated steel. DIN 7504N.

Box of Part No.

AB137 500 Pieces

3 x No. 6: x 1/2", 3/4", 1". 3 x No. 8: x 1/2", 3/4", 1". 5 x No. 10: x 1/2", 3/4", 1". 1/2", x 2".



Self-Drilling Screws **Hex Head**

Zinc plated steel. DIN 7504K. Part No. Box of

AB138 400 Pieces

3 x No. 8: x 1/2", 3/4", 1".3 x No. 10: x 1/2", 3/4", 1". 3 x No. 12: x 1", 1 1/2", 2".



Self-Tapping Screws Countersunk - Pozi

AB Type. Zinc plated steel. DIN 7982/C/Z.

Part No. Box of

AB63N 550 Pieces

4 x No. 6: x 5/8", 3/4", 1", 1 1/2".4 x No. 8: x 5/8", 3/4", 1", 1 1/2". 4 x No. 10: x 5/8", 3/4", 1", 1 1/2".



Self-Tapping Screws Pan Head - Pozi (Small Sizes)

AB Type. Zinc plated steel. DIN 7981/C/Z.

Part No. Box of

AB2 700 Pieces

1 x No. 4: x 1/2". 2 x No. 6: x 1/2", 3/4". 3 x No. 8: x 1/2", 3/4", 1". 3 x No. 10: x 1/2", 3/4", 1". 2 x No. 12: x 3/4", 1".



Self-Tapping Screws Pan Head - Pozi (Large Sizes)

AB Type. Zinc plated steel. DIN 7981/C/Z.

Part No. Box of **AB94**

300 Pieces

4 x No. 10: x 1/2", 3/4", 1", 1 1/2". 3 x No. 12: x 3/4", 1", 1 1/2". 2 x No. 14: x 1", 1 1/2".



Stainless Steel Self-Tapping Screws Pan Head - Pozi

AB Type. Stainless Steel. DIN 7981 Grade A2.

Part No. Box of

450 Pieces **AB141**

3 x No. 6: x 1/2", 3/4", 1". 3 x No. 8: x 1/2", 3/4", 1". 3 x No. 10: x 1/2", 3/4", 1".









Multi-Use Screws Countersunk - Pozi

Zinc plated steel.

Part No. Box of **AB140** 525 Pieces

3 x No. 6: x 3/4", 1", 1 1/2". 4 x No. 8: x 3/4", 1", 1 1/2", 2". 3 x No. 10: x 1 1/2", 2", 2 1/2". 1 x No. 12: x 2".



Self-Tapping Screws Flanged - Pozi Black

AB Type. Black zinc plated steel. BS 4174.

Box of Part No.

700 Pieces 2 x No. 6: x 1/2", 3/4". 4 x No. 8: x 1/2", 3/4", 1", 1 1/2". 3 x No. 10: x 1/2", 3/4", 1".



Self-Tapping Screws Flanged Pan Head - TORX® Black

AB Type. Black zinc plated steel. BS 4174. Part No. Box of

450 Pieces **AB168N**

1 x No. 6: x 5/8". 1 x No. 7: x 3/4". 3 x No. 8: x 5/8", 3/4", 1". 1 x No. 10: x 5/8".



AB 'Flip Box'

Standard size transparent polypropylene box. Complete with 8 dividers. Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

Part No. Qty Description **ABM AB Flip Box**





Number Plate Fasteners with Plastic Head - Short

Self tapping screws with plastc head, 4.8 x 18 mm.

Part No. Box of

AB184 260 Pieces 4 x Colours: White Yellow, Black, Blue.



Number Plate Fasteners White, Yellow, Black.

Part No. Box of 240 Pairs

1 x Self-Tapping Screw, Pan Head - Pozi: 8 x 3/4" (4.9 x 19 mm). 3 x Hinged Caps: White, Yellow, Black. 3 x Plastic Bolts & Nuts: White, Yellow, Black.



Security Number Plate Fasteners

Slotted One Way/Clutch Head Screws (Tamperproof).

Part No. Box of

AB222 200 Pieces

1 x Self-Tapping Screw, Pan-Head - One-Way: 8 x 3/4" (4.9 x 19 mm). 4 x Hinged Caps: White, Yellow, Black, Blue.































Sheet Metal Screws & J-Nuts

Zinc plated steel. BS 4174 (Screws).

Part No. Box of

AB51N 350 Pieces

3 x Washer-Faced Screws: No. 8, 10, 12. 1 x Screws with Captive Washers: No. 14.

4 x J-Nuts: No. 8, 10, 12, 14.



Sheet Metal Screws with Captive Washer

Zinc plated steel. DIN 7976 (Screws).

Part No. Box of

AB132 300 Pieces 2 x 8 (4.2 mm): x 1/2" (13 mm), 3/4" (19 mm).

2 x 10 (4.8 mm): x 1/2" (13 mm), 3/4" (19 mm). 2 x 12 (5.5 mm): x 1/2" (13 mm), 3/4" (19 mm). 2 x 14 (6.3 mm): x 1/2" (13 mm), 3/4" (19 mm).



U-Nuts

Zinc plated steel.

Part No. Box of

AB166 200 Pieces

10 x Sizes: No. 4, 6 (x 2), 8 (x 4), 10, 12, 14.





U-Nuts & J-Nuts

Zinc plated steel.

Part No.

AB49N 250 Pieces

5 x U-Nuts: No. 6, 8, 10, 12, 14. 4 x J-Nuts: No. 8, 10, 12, 14.



Chimney Nuts

Zinc & Black. Part No.

Box of **60 Pieces**

1 x Zinc: M5.





Flat Clips (Push-on Fixes)

Zinc plated steel. Part No.

AB50 1,000 Pieces

3 x Round, Imperial: 3/32", 1/8", 3/8". 3 x Round, Metric (Imperial): 5 mm (3/16"), 6 mm (1/4"), 8 mm (5/16"). 3 x Rectangular: 3/32", 1/8", 5/32".





Standard size transparent polypropylene box. Complete with 8 dividers. Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

| Part No. | Qty | Description |
|----------|-----|-------------|
| ABM | 1 | AB Flip Box |



0

0

موما

ဇ္



POP AVDEL 'Avex' **Multi-grip Rivets with Washers**

Aluminium. Part No.

AB48N

440 Pieces

Box of

2 x Standard Flange, 3.2: x 10, 13 mm. 2 x Standard Flange, 4.0: x 12, 15 mm.

2 x Standard Flange, 4.8: x 13, 19 mm. 1 x Large Flange, 4.8: x 19 mm. 1 x Washers, M3 x 13.



Black Rivets

Black anodised aluminium.

Part No. Box of

AB112 200 Pieces

1 x Standard Flange, 3.2 x 8 mm. 1 x Standard Flange, 4.0 x 10. 1 x Standard Flange, 4.8 x 14 mm. 1 x Large Flange, 3.2 x 10 mm. 2 x Large Flange, 4.0: x 10, 14 mm. 2 x Large Flange, 4.8: x 14, 18 mm.



Sealed Type (Closed End)

Aluminium. DIN 7337. Part No. Box of

200 Pieces **AB146N**

5 x Sizes: 4.8 x 10, 12, 14, 16, 18 mm.



Trim Buttons

Part No.

220 Pieces **AB151**

1 x Canoe Clip: FIX1. 1 x Self Pierce: FIX34.

1 x Trim Buttons: FIX35

2 x Multi-Step: FIX30, FIX33.

3 x Fir-Tree Fixings: FIX20, FIX21, FIX29.

are on Page 477



Fir-Tree Fixings

Box of

180 Pieces



Drive Rivets

Part No.

220 Pieces **AB152**

8 x Sizes: FIX31, FIX39, FIX42, FIX43, FIX44, FIX45, FIX65, FIX66



Part No.

AB253

2 x Trim Buttons: FIX164, FIX163.

4 x Fir-Trees: FIX29, FIX20, FIX21, FIX218.





Screw-Type Rivets

Part No.

Box of

AB172 130 Pieces

8 x Sizes: FIX31, FIX117, FIX118, FIX119, FIX120, FIX121, FIX122, FIX123.



Locking Nuts

Part No.

AB153 220 Pieces

3 x Round: FIX9, FIX28, FIX38.

1 x Reverse Round: FIX71.

1 x Square: FIX23. 1 x Square Reverse: FIX22.

2 x Large Locking Nuts: FIX73, FIX74



































Split Pins - Imperial (Small Sizes)

Zinc plated steel. DIN 94 / BS 1574.

Part No. Box of

AB32N 800 Pieces

8 x Sizes, 0.D. x Length: 1/16" x 1" (1.6 x 25 mm), 5/64" x 1" (2.0 x 25 mm), 3/32" x 1" (2.4 x 25 mm), 3/32" x 1 1/2" (2.4 x 38 mm), 7/64" x 1 1/2" (2.8 x 38 mm), 1/8" x 1 1/2" (3.2 x 40 mm), 9/64" x 1 1/2" (3.6 x 40 mm), 5/32" x 1 5/8" (4.0 x 40 mm).



Split Pins - Imperial & Metric

Zinc plated steel. DIN 94 / BS 1574 (Imperial). DIN 94 / ISO 1234 (BS 7774) (Metric).

370 Pieces

Part No. Box of

AB206

4 x Imperial Sizes, O.D. x Length: 1/32" x 3/8" (1.0 x 10 mm), 5/64" x 1" (2.0 x 25 mm), 9/64" x 1 1/2" (3.6 x 38 mm), 3/16" x 2" (4.8 x 51 mm). 6 x Metric Sizes, O.D. x Length: 2.0 x 14 mm (5/64" x 9/16"), 20 x 20 mm (5/64" x 3/4"), 2.5 x 28 mm (3/32" x 1 3/32"), 3.2 x 20 mm (1/8" x 3/4"), 3.2 x 32 mm (1/8" x 1 1/4"), 4.0 x 36 mm (5/32" x 1 3/8").



Spring Roll Pins - Imperial

Black

 Part No.
 Box of

 AB35
 300 Pieces

11 x Sizes, O.D. x Length: 3/32" x 1", 1/8" x 1", 1/8" x 1 1/2", 5/32" x 1", 5/32" x 1 1/2", 3/16" x 1", 3/16" x 1 1/2", 1/4" x 1 1, 1/2", 5/16" x 1", 5/16" x 2".



Split Pins - Imperial (Large Sizes)

Zinc plated steel. DIN 94 / BS 1574.

Part No. Box of

AB73 225 Pieces

5 x Sizes, O.D. x Length: 1/8" x 1 1/2" (3.2 x 38 mm), 5/32" x 2" (4.0 x 51 mm), 3/16" x 2" (4.8 x 51 mm), 1/4" x 3" (6.3 x 76 mm), 5/16" x 3" (7.9 x 76 mm).



Clevis Pins

BS 1574.

Part No. Box of

AB33 200 Pieces

8 x Sizes: 3/16" x 5/8", 3/16" x 7/8", 1/4" x 1/2", 1/4" x 1 1/16", 9/32" x 7/8", 5/16" x 1", 3/8" x 1 1/4", M6 x 20 (1/4" x 7/8").



Spring Roll Pins - Metric


Black. DIN 1481.

Part No. Box of

AB80 300 Pieces

12 x Sizes, O.D. x Length: 2.5 x 24 mm, 2.5 x 36 mm, 3 x 24 mm, 3 x 40 mm, 4 x 24 mm, 4 x 40 mm, 5 x 24 mm, 5 x 40 mm, 6 x 24 mm, 6 x 40 mm, 8 x 24 mm, 8 x 55 mm.





Zinc plated steel. DIN 94 / BS 1574.

Part No. Box of

AB508 850 Pieces

12 x Sizes, 0.D. x Length: 1/16" x 1" (1.6 x 5 mm), 5/64" x 1" (2.0 x 25 mm), 3/32" x 1" (2.5 x 25 mm), 3/32" x 1 1/2" (2.4 x 38 mm), 7/64" x 1 1/2" (2.8 x 38 mm), 1/8" x 1 1/2" (3.2 x 38 mm), 5/64" x 1 1/2" (3.6 x 38 mm), 5/32" x 1 5/8" (4.0 x 41 mm), 5/32" x 2" (4.0 x 51 mm), 3/16" x 2" (4.8 x 51 mm), 1/4" x 2" (6.3 x 76 mm), 5/16" x 3" (7.9 x 76 mm).





Black. DIN 1481.

Part No. Box o

AB555 340 Pieces

19 x Sizes, O.D. x Length: 3 x 20 mm, 3 x 24 mm, 3 x 30 mm, 4 x 24 mm, 4 x 40 mm, 4 x 50 mm, 5 x 16 mm, 5 x 20 mm, 5 x 24 mm, 5 x 28 mm, 5 x 32 mm, 5 x 35 mm, 5 x 40 mm, 5 x 45 mm, 6 x 30 mm,

6 x 45 mm, 8 x 32 mm, 8 x 45 mm.

 \odot

0

موو

ၛ



R-Clips Zinc plated.

Part No. Box of AB88N 80 Pieces

5 x Sizes (Wire Ø x Length): 2.5 x 45, 3 x 54, 4 x 75, 5 x 107, 6 x 117 mm.



E-Retainers - Metric DIN 6799.

Part No. Box of

AB127N 725 Pieces

8 x Sizes (Shaft Ø): 1.7, 2.75, 3.5, 4.5, 6.0, 7.0, 13.0, 15.5 mm.



E-Retainers - Imperial DIN 6799 (BS 3673/2).

Part No. Box of AB55N 800 Pieces

10 x Sizes (Shaft Ø): 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8".



Circlips Internal Metric

DIN 472.

Part No. Box of

AB173 230 Pieces

13 x Sizes: 11, 13, 16, 19, 21, 22, 25, 30, 35, 38, 40, 42, 47 mm.



Circlips External - Metric

DIN 471.

Part No. Box of

AB174 350 Pieces

16 x External Sizes: 7, 8, 10, 12, 14, 15, 17, 18, 20, 22, 24, 25, 30, 35, 40,



Circlips Internal & External - Metric

DIN 472 (Internal), DIN 471 (External).

Part No. Box of

AB37N 280 Pieces

10 x Internal Sizes: 11, 13, 16, 19, 21, 22, 25, 30, 35, 38 mm. 10 x External Sizes: 11, 13, 16, 19, 21, 22, 25, 30, 35, 38 mm.



















AB 'Flip Box'

Standard size transparent polypropylene Complete with 8 dividers. Dimensions / 214 x 43 x 138 mm (8 3/8" x 1 3/4" x

Part No. Qty Description **ABM** 1 **AB Flip Box**







Woodruff Keys - Imperial

Part No. Box of

AB47N 96 Pieces

15 x Sizes: 1/16" x 1/2", 3/32" x 1/2", 1/8" x 1/2", 1/8" x 5/8", 5/32" x 5/8", 5/32" x 5/8", 5/32" x 3/4", 3/16" x 3/4", 3/16" x 7/8", 3/16" x 11/8", 7/32" x 7/8", 7/32" x 11/8", 1/4" x 1", 1/4" x 1 1/6", 5/16" x 1 1/4", 3/8" x 1 1/4".




Expansion Springs

Part No. Box of **AB72 70 Pieces**

Speedfit*

7 x Sizes (Free Length x 0.D.): 29.5 x 6.4 mm, 31.5 x 5.0 mm, 33.3 x 6.8 mm, 56.5 x 7.8 mm, 74 x 10.3 mm, 90 x 11.4 mm, 126 x 9.4 mm.



Compression Springs

Part No. **AB89**

10 x Sizes (Free Length x 0.D.): 21.2 x 8.9 mm. 22.5 x 9.0 mm.































Woodruff Keys & **Key Steel - Metric**

Part No. Box of

AB216 24 Pieces

3 x Woodruff Keys: 4 x 6.5 x 16 mm, 4 x 9 x 22 mm, 6 x 9 x 22 mm. 4 x Key Steel, Parallel: 8 x 7 x 25 mm, 8 x 7 x 32 mm, 8 x 7 x 36 mm, 12 x 8 x 50 mm.



JG 'Speedfit' Push-Fit Tube Couplings - Straights, Metric

Plastic. Black. Part No.

AB97N 22 Pieces 6 x Sizes: 4, 5, 6, 8, 10, 12 mm.

Box of



Quick-Fit Couplings - Straights, Metric

Plastic, Black.

Part No. Box of

AB187 24 Pieces

6 x Sizes: 4, 5, 6, 8, 10, 12 mm.



Standard size transparent polypropylene b. Complete with 8 dividers. Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

| Part No. | Qty | Description | |
|----------|-----|-------------|--|
| ABM | 1 | AB Flip Box | |
| | | | |



JG 'Speedfit' Push-Fit Tube Couplings - Elbows & Tees, Metric

Plastic. Black.

Part No. Box of

AB99 17 Pieces

4 x Tees: 6, 8, 10, 12 mm. 4 x Elbows: 6, 8, 10, 12 mm.





Plastic, Black.

Part No. Box of **AB188** 17 Pieces

4 x Tees: 6, 8, 10, 12 mm. 4 x Elbows: 6, 8, 10, 12 mm.



Tube Couplings Brass

- Metric

Part No. Box of AB95N 27 Pieces

6 x Sizes: 4, 5, 6, 8, 10, 12 mm.



Olives Stepped - Metric

Part No. Box of

AB111N 185 Pieces

6 x Sizes: 4, 5, 6, 8, 10, 12 mm.



Olives Stepped & Barrel Imperial

Part No. Box of

AB64N **450 Pieces**

7 x Stepped: 1/8", 5/32", 3/16", 1/4", 5/16", 3/8", 1/2". 7 x Barrel: 1/8", 5/32", 3/16", 1/4", 5/16", 3/8", 1/2".































Brass Push-Fit Couplings - Straights, Metric

Part No. Box of

AB189 18 Pieces

6 x Sizes: 4, 5, 6, 8, 10, 12 mm.



Pipe Repair Kit

Part No. Box of

AB74 72 Pieces

6 x O-Clips: 7/16", 1/2", 9/16", 5/8", 3/4", 7/8". 6 x Pipe Joiners (Hose I.D.): 3/16", 1/4", 5/16", 3/8", 1/2", 5/8".



Mini Hose Clips

Part No. Box of

AB102 100 Pieces

10 x Sizes (Ø Range): 7 - 9, 8 - 10, 9 - 11, 10 - 12, 11 - 13, 12 - 14, 13 - 15, 14 - 16, 15 - 17, 16 - 18 mm.



Stainless steel. DIN 1.4301 / UNS S30400.

Part No. Box of

160 Pieces

8 x Size Ranges: 7.0 - 8.5 mm, 8.5 - 10.0 mm, 9.8 - 11.8 mm, 11.8 - 3.8 mm, 13.2 - 15.8 mm, 15.6 - 17.8 mm, 17.1 - 20.0 mm, 20.2 - 22.8 mm.



OETIKER '167' O-Clips - Single Ear Clamps



O-Clips - 2-Ear Clamps

Zinc plated steel. DIN 1.0338 / SAE 1008/1010.

Part No.

AB38 140 Pieces

Box of

6 x Sizes (Ø Range): 3/8" (8 - 11 mm), 7/16" (9 - 11 mm), 1/2" (11 - 13 mm), 9/16" (13 - 15 mm), 5/8" (15 - 18 mm), 3/4" (17 - 20 mm).










Brake Nuts

For 3/16" pipe.

Part No.





1 x Brake Nuts, Fully Threaded Males: 10 x 1.00 mm. 1 x Part Threaded Males: 12 x 1.00 mm.

1 x Long Females: 3/8" UNF x 24 TPI. 1 x Short Females: 10 x 1.00 mm.

1 x Female Connector: M10 x 1.00mm.



Brake Tubing Connectors & Brake Bleed Screws - UNF & Metric

For 3/16" pipe. Part No.

AB85N **63 Pieces** 1 x Male Connector: 10 x 1.00 mm.

2 x Female Connectors: 3/8" UNF x 24 TPI, 10 x 1.00 mm. 2 x 3-way Connectors: 3/8" UNF x 24 TPI, 10 x 1.00 mm.

5 x Brake Bleed Screws: 1/4" UNF x 28 TPI, 3/8" UNF x 24 TPI, M7 x 1.00 mm,

M8 x 1.25 mm, M10 x 1.00 mm.



Brake Shoe Hold-Down Kit

Part No. Box of

AB145N 200 Pieces

3 x Pins, Suits: FORD, GM, ROVER. 2 x Washers: LOCKHEED, GIRLING.

4 x Springs, Suits: FORD, VAUXHALL/GM, Lockheed, BL.



BEST



























Exhaust Manifold Studs & Nuts - Metric

Box of

AB116 72 Pieces 2 x Nuts, Copper Flashed Steel (Size x Pitch):

M8 x 1.25 mm, M10 x 1.50 mm. 2 x Nuts, Brass (Size x Pitch): M8 x 1.25 mm, M10 x 1.25 mm. 5 x Studs (Size x Pitch x Length): M8 x 1.25 mm x 37 mm, M10 x 1.25 x 37 mm, M10 x 1.50 mm x 38 mm, M10 x 1.50 mm x 52 mm, M10 x 1.50 mm x 55 mm.



Copper Sealing Washers (Diesel Injector Washers)

Copper. DIN 7603A. Box of

Part No.

AB142 250 Pieces

16 x Sizes: M6 x 10 x 1.0 (BOSCH 2916 710 602) M8 x 11.5 x 1.0 (LUCAS NW5-17W4, BOSCH 2916 710 646), M10 x 13.5 x 1.0 (BOSCH 2916 710 605), M10 x 14 x 1.0 (BOSCH 2916 710 649), M10 x 20 x 1.0 (MAN/PERKINS P:2411126),

M10 x 20 x 20 (LUCAS 5339401, PERKINS PO920113), M12 x 16 x 15 (BOSCH 2916 710 607), M12 x 18 x 1.5 (BOSCH 2916 710 608), M14 x 18 x 1.5 (BOSCH 2916 710 609), M14 x 20 x 1.5 (BOSCH 2916 710 610), M16 x 20 x 1.5 (BOSCH 2916 710 611), M17 x 21 x 1.5 (BOSCH 2916 710 611), GM 14025557), M21 x 25 x 1.0 (LUCAS NW5/59), M22 x 27 x 1.0 (LUCAS NW5/60).



Sump Plug Washers Box of

Part No.

AB117N 265 Pieces

4 x Copper Compression: 12 x 17 x 2.00, 14 x 20 x 2.0, 16 x 22 x 2.0, 18 x 24 x 2.0 mm.

4 x Flat Copper: 10 x 20 x 2.00, 12 x 17 x 1.5, 14 x 20 x 1.5,

4 X Hat Cupper, 10 A 20 A 20 A, 20 A, 20 A, 14 X 20 X 20 M m.
2 X Aluminium: 14 X 22 X 2.0, 18 X 24 X 1.5 mm.
2 X Flanged Rubber O-ring: 11 X 21 2.5, 13 X 22 X 3.0 mm.
1 X Nitrie Rubber O-Ring: 18 X 2 NBR. 1 X Fibre: 12 X 24 X 2.0 mm.

1 x Bonded Seal: 16.7 x 24 mm.











Dust Covers for Vehicle Ball Joints

Black rubber. Complete with rubber O-rings.

Part No. Box of

10 Kits **AB220**

2 x Each Kit: DC1, DC2, DC3, DC4, DC5.



Core Plugs Cup Type Metric

Zinc plated mild steel. Part No. Box of

AB120 60 Pieces

10 x Sizes: 18, 22, 24, 26, 28, 30, 32, 34, 36, 48 mm.





Zinc plated mild steel. Part No.

Box of

AB30N 38 Pieces

8 x Sizes: 7/8", 1 1/4", 1 1/2", 1 5/8", 1 3/4", 1 7/8" (48 mm), 1 5/16", 2".




Accelerator & **Clutch Springs**

Part No. Box of

AB29 40 Pieces

8 x Sizes (Free Length x O.D.): 53 x 12.4 mm, 61.2 x 15.4 mm, 63.4 x 13 mm, 66 x 13.1 mm, 77.4 x 23.15 mm, 82.5 x 12.95 mm, 84.2 x 10.9 mm, 86 x 13.3 mm.




Grease Nipples - Metric & Imperial

Part No. Box of

AB46 130 Pieces

3 x Straights (Size x Pitch): M6 x 1.00 mm, M8 x 1.00 mm, M10 x 1.00 mm. 3 x Straights: 1/4" UNF, 1/4" BSP, 1/8" BSP Gas. 1 x Straight: 1/8" BSP Gas. Button Head (Tat Type).

1 x Straight: 1/4" UNF Long. 3 x Angled 45° (Size x Pitch): M6 x 1.00 mm, M8 x 1.00 mm, M10 x 1.00 mm. 3 x Angled 45°: 1/4" UNF, 1/4" BSP, 1/8" BSP Gas.



Grease Nipples - Metric & Imperial, Straights

Part No. Box of

AB207N 80 Pieces

4 x Straights (Size x Pitch): M6 x 1.00 mm, M8 x 1.00 mm, M8 x 1.25 mm,

M10 x 1.00 mm. 3 x Straights: 1/4" UNF, 1/4" BSP, 1/8" BSP Gas

1 x Long Straight: 1/4" UNF.



AB 'Flip Box'

Standard size transparent polypropyleng Complete with 8 dividers. Dimensions (214 x 43 x 138 mm (8 3/8" x 1 3/4" x

| Part No. | Qty | Description |
|----------|-----|-------------|
| ABM | 1 | AB Flip Box |



Grease Nipples - Metric

Part No. Box of

AB115N 125 Pieces

4 x Straights (Size x Pitch): M6 x 1.00 mm, M8 x 1.00 mm, M8 x 1.25 mm, M10 x 1.00 mm.

4 x Angled 45° (Size x Pitch): M6 x 1.00 mm, M8 x 1.00 mm, M8 x 1.25 mm, M10 x 1.00 mm.

4 x Angled 90° (Size x Pitch): M6 x 1.00 mm, M8 x 1.00 mm, M8 x 1.25 mm, M10 x 1.00 mm.




Grease Nipple - Imperial

1 x Long Straights: 1/4" UNF.

Part No.

Box of 90 Pieces



1 x Button Head (Tat Type): 1/8" BSP Gas.

3 x Straights: 1/4" UNF, 1/4" BSP, 1/8" BSP Gas. 3 x Angled 45°: 1/4" UNF, 1/4" BSP, 1/8" BSP Gas. 3 x Angled 90°: 1/4" UNF, 1/4" BSP, 1/8" BSP Gas.





 \odot

000

 \odot







Terminals Insulated - Red & **Blue with Crimping Pliers** Box of



AB43 206 Pieces

2 x Push-on Females: 6.3 mm Red, 6.3 mm Blue. 1 x Piggyback: 6.3 mm Blue.

2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue.

2 x Bullets: Ø 4.0 mm Red, 5.0 mm Blue. 2 x Butes: Ø 4.0 mm Red, 5.0 mm Blue. 2 x Butes of 5.2 mm 0.0 Red, 4.0 mm O.D. Blue. 3 x Bigs: Ø 5.3 mm (2BA) Red, 5.3 mm (2BA) Blue , 6.4 mm (1/4") Blue.

1 x Crimping Pliers.



Terminals Insulated Red & Blue

Part No.



Box of **AB110N** 210 Pieces

5 x Push-on Females: 2.8 mm Red, 4.8 mm Red, 4.8 mm Blue, 6.3 mm Red, 6.3 mm Blue.

1 x Push-on Female, Fully Insulated: 6.3 mm Blue.

2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue. 2 x Bullets: Ø 4.0 mm Red, 5.0 mm Blue.

2 x Receptacle Sockets: Ø 4.0 mm Red, 5.0 mm Blue. 2 x Butt Connectors: 3.3 mm O.D. Red, 4.0 mm O.D. Blue.



Terminals Insulated

Part No. Box of

AB42

340 Pieces 5 x Push-on Females: 2.8 mm Red. 4.8 mm Blue. 6.3 mm Red.

6.3 mm Blue, 9.5 mm Yellow. 1 x Piggyback: 6.3 mm Blue. 2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue.

1 x Bullet: Ø 5.0 mm Blue. 1 x Receptacle Socket: Ø 5.0 mm Blue. 1 x Butt Connector: 4.0 mm O.D. Blue. 4 x Rings: Ø 4.3 mm Red.

5.3 mm (2BA) Blue, 6.4 mm (1/4") Blue, 8.4 mm (5/16") Blue.

2 x Bullet Connectors: Single, Double.



Terminals Insulated - Red

Part No. Box of

AB160 260 Pieces

3 x Push-on Females: 2.8, 4.8, 6.3 mm.

1 x Push-on Female, Fully Insulated: 6.3 mm. 1 x Piggyback: 6.3 mm.

1 x Push-on Male: 6.3 mm. 1 x Bullet: Ø 4.0 mm.

1 x Receptacle Socket: Ø 4.0 mm. 1 x Butt Connector: 3.3 mm O.D. 4 x Rings: Ø 4.3 mm, 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16")



Terminals Insulated - Blue

Part No.

Box of

AB161 280 Pieces

2 x Push-on Females: 4,8,6,3 mm. 1 x Push-on Female, Fully Insulated: 4,8 mm. 1 x Piggyback: 6,3 mm. 1 x Push-on Male: 6,3 mm. 1 x Bullet: Ø 5,0 mm. 1 x Receptacle Socket: Ø 5,0 mm. 1 x Butt Connector: 4,0 mm 0,0. 6 x Rings: 4,3 mm, 5,3 mm (2BA), 6,4 mm (1,14°), 8,4 mm (5/16°), 10.5 mm (3/8°), 13.0 mm (1/2°).



Terminals Insulated - Yellow

Part No. Box of

AB162 110 Pieces

2 x Push-on Females: 6.3, 9.5 mm.

2 x Push-on Females, Fully Insulated: 6.3, 9.5 mm.

1 x Push-on Male: 6.3 mm. 1 x Butt Connector: 5.5 mm O.D.

5 x Rings: Ø 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16"),

10.5 mm (3/8"), 13.0 mm (1/2").



Terminals Insulated - Red

Part No. Box of

600 Pieces

3 x Push-on Females: 2.8, 4.8, 6.3 mm. 3 x Push-on Females, Fully Insulated: 2.8, 4.8, 6.3 mm.

1 x Piggyback: 6.3 mm. 1 x Push-on Male: 6.3 mm. 1 x Bullet: Ø 4.0 mm. 1 x Receptacle Socket: Ø 4.0 mm.

1 x Butt Connector: 3.3 mm. 1 x Pin (12 mm): Ø 1.9 mm. 1 x Blade (18 mm): 2.3 mm. 1 x Forks: 3.7 mm (4BA). 4 x Rings: Ø 4.3 mm, 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16")





Terminals Insulated - Blue

Part No.

600 Pieces

2 x Push-on Females: 4.8, 6.3 mm. 2 x Push-on Females, Fully Insulated: 4.8, 6.3 mm. 1 x Piggyback: 6.3 mm. 1 x Push-on Male: 6.3 mm. 1 x Bullet: Ø 5.0 mm. 1 x Receptacle Socket: Ø 5.0 mm. 1 x Butt Connector: 4.0 mm O.D. 2 x Forks: 3.7 mm (4BA), 5.2 mm (2BA). 1 x Blade (18 mm): 2.3 mm. 1 x Pin (12 mm): Ø1.9 mm.

5 x Rings: Ø 4.3 mm, 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16"), 10.5 mm (3/8").



 \odot

0

موو





Terminals - Non-Insulated

Box of





Heat Shrink Terminals, Adhesive Lined - Butt Connectors

Part No. Box of **AB190** 220 Pieces

3 x Colours (Ø): Red (3.7 mm), Blue (5.0 mm), Yellow (6.5 mm)



Heat Shrink Terminals, Adhesive Lined - Red & Blue

Part No. Box of **AB125** 130 Pieces

2 x Push-on Females: 6.3 mm Red, 6.3 mm Blue. 2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue.

2 x Butt Connectors: Ø 3.7 mm Red, 5.0 mm Blue.

4 x Rings, Standard Length: Ø 5.3 mm (2BA) Red, 6.4 mm (1/4") Red, 6.4 mm (1/4") Blue, 8.4 mm (5/16") Blue.



Copper Tube Terminals

Part No. Box of **40 Pieces AB114N**

10 x Sizes (for Cable Size x Bolt Hole Size): 10 mm² x 8 mm, 16 mm² x 8 mm, 25 mm² x 6 mm, 25 mm² x 8 mm, 35 mm² x 8 mm, 35 mm² x 10 mm, 50 mm² x 8 mm, 50 mm² x 10 mm, 70 mm² x 10 mm,





Heat Shrink Tubing - 50 mm Lengths

Polyolefin. Shrink Ratio: 2:1.

Part No. Box of 172 Pieces 4 x Sizes: 3.2, 4.8, 6.4, 12.7 mm. 4 x Colours: Black, Blue, Red, Yellow



Heat Shrink Tubing - 100 mm Lengths

Polyolefin. Shrink Ratio: 2:1.

Part No. Box of **AB221** 100 Pieces 2 x Sizes: 4.8. 6.4 mm. 2 x Colours: Black, Red.



Copper Tube Butt Connectors

Part No. Box of 110 Pieces

6 x Sizes (for Cable Diameter): 10, 16, 25, 35, 50, 70 mm²































Grommets - Wiring Black PVC.

Part No. Box of

AB192N 220 Pieces

7 x Sizes, for hole Ø x l.D.: 6.4 x 4.0, 9.3 x 7.7, 12.3 x 9.5, 15.8 x 12.0, 20.2 x 15.8, 25.0 x 19.5, 31.0 x 24.0 mm.



Grommets - Blanking

Black PVC. Part No.

AB191N 220 Pieces

Box of

7 x Sizes, for hole Ø: 6.4, 9.3, 12.3, 15.8, 20.0, 25.0, 31.7 mm.



Blanking & Wiring Grommets

Black PVC.

Part No. Box of AB244 250 Piece

AB244 250 Pieces 7 x Blanking (for Holes Ø) 6.4, 9.3, 12.3, 15.8, 20.0, 25.0 mm. 7 x Wiring (for Holes Ø x I.D). 6.4 x 4.0, 9.3 x 7.7, 12.3 x 9.5, 15.8 x 12.0, 20.2 x 15.8, 25.0 x 19.5 mm.



P-Clips Nylon, Black,

Part No. Box of

artino. Don or

AB193 160 Pieces

5 x Sizes (for Cable Ø): 4.8, 6.0, 9.0, 12.0, 19.1 mm.








Cable Tie Bases & Cradle Mounts

Bases: Self adhesive with 2 screw holes. Cradle Mounts: Polyamide. Operating Temperature: -40 to 85°C.

Part No. Box of

AB178N 120 Pieces

4 x Cradle Mounts; Sizes (Colour): 5, 9 mm (Black), 5, 9 mm (White) 4 x Cable Tie Bases, Sizes (Colour): 3.5, 4.8 mm (Black), 3.5, 4.8 mm (White)





0

0

990

ၛ



Mini Blade Fuses

Part No. Box of

AB165N 200 Pieces

10 x Amperages: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A.




Standard Blade Fuses with Fuse Holders

Part No. Roy of

AB164 105 Pieces

9 x Standard Blade Fuses, Amperages: 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A. 1 x Holder: White.



RoHS. Voltage Rating: 12 or 24 V. Standard blade fuse style.

- · LED on top of the fuse glows when it has blown.
- No more guesswork and testing of troublesome circuits.
- Instant identification of blown fuses Saves time & effort. Part No. Box of

AB224 75 Pieces

7 x Amperages: 5, 7,5, 10, 15, 20, 25, 30 A.



LITTELFUSE



LITTELFUSE ATOF® Standard Blade Fuses with Fuse Holders

Standard type blade fuse. Nylon housing.

Part No. Box of

120 Pieces

10 x Amperages: 2, 3, 5, 7.5, 10, 15, 20, 25, 30, 40 A.




LITTELFUSE MAXI™ Blade Fuses

Nylon housing.

Part No. Box of

AB176 29 Pieces

7 x Amperages: 20, 30, 40, 50, 60, 70, 80 A.





LITTELFUSE Low Profile MINI® Blade Fuses

Nylon housing. Part No. Box of

AB175N 75 Pieces

7 x Amperages: 5, 7.5, 10, 15, 20, 25, 30 A.



LITTELFUSE MICRO2™ Blade Fuses

32 V. Nylon housing. Part No. Box of

AB179 175 Pieces

7 x Amperages: 5, 7.5, 10, 15, 20, 25, 30 A.



Glass & Torpedo Fuses

Torpedo (Ceramic Type/Continental) Fuses to DIN 72581/1.

Part No. Box of

AB194 350 Pieces

8 x Glass Fuses: 2, 5, 10, 15, 20, 25, 35, 50 A. 4 x Torpedo (Ceramic Type/Continental): 5, 8, 16, 25 A.




































Standard size transparent polypropylene box. Complete with 8 dividers. Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

- · Hinged lid overlaps on all sides of the box tray.
- 2 x Snap latches for secure closing.
- 8 x Removable dividers provide up to 10 compartments in various configurations.
- Boxes can be stacked or stored in a Storage Rack (Part No. ABR).

Description Part No. **ABM** 1 **AB Flip Box**



Storage Rack for AB 'Flip Box'PVC coated wire. Dimensions (H xW x D):
460 x 300 x 210 mm. (Boxes shown <u>NOT</u> included).

Holds up to 10 boxes for fast and easy retrieval.

Storage Rack

· Can be free-standing or wall mounted.

Part No. Qty Description

ABR



AB 'Max Box'

Large size transparent Dimensions (W x H x D): 333 x 58 x 228 mm (13 1/8" x 2 5/16" x 9").

- High strength, oil-resistant transparent polypropylene.
- Reinforced hinges and two snap latches give secure closure and prevent parts moving between compartments.
- Can be stacked or stored in Carrying Case (Part No. SB101).
- Available in 6 configurations.




Part No. **Qty Compartments**

SB112 12 Fixed



Part No. **Qty Compartments**

SB116 16 Fixed




Qty Compartments Part No. **SB118** 18 Fixed



Part No. **Qty Compartments SB124** 24 Fixed 1



Part No. **Qty Compartments SB106** 1 6 Fixed



Part No. Compartments **24 Adjustable** c/w 20 Dividers **SB100**



AB 'Max Box' Carrying Case

Made from cold rolled steel, finished in grey baked enamel.

- Holds up to 5 boxes (NOT included).
- Keyhole slots enable case to be wall-mounted.

Carrying Case

Bolt holes enable cases to be stacked.

Qty Description Part No. 1

SB101



AB 'Max Box' **Carrying Case Locking Hinge**

Holds boxes in place whilst being transported. Can be locked with a padlock (NOT included). (Boxes NOT included).

Part No. Qty Description

1 **Locking Hinge SB102**



0

0















Red Insulated Terminals

Cable Size: 0.5 - 1.5 mm²

Push-on Females

| | Part No. | Pack of | Width |
|------|----------|---------|--------|
| | ET3 | 100 | 2.8 mm |
| 1111 | FT4 | 100 | 4.8 mm |

| LI C | ET6 | 100 | 6.3 mm |
|------|-----|-----|--------|
| | | | |

| Push- | on Females, |
|---------|-------------|
| Fully I | insulated ´ |
| | |

| - | ET44 | 100 | 2.8 mm |
|---|------|-----|--------|
| | ET45 | 100 | 4.8 mm |



| ET9 | 100 | 6.3 mm |
|-----|-----|--------|
| | | |

Piggybacks

| Part No. | Pack of | Width |
|----------|---------|--------|
| ET13 | 100 | 6.3 mm |



| Part No. | Pack of | Width |
|----------|---------|--------|
| ET36 | 100 | 6.3 mm |



Push-on Males, Fully Insulated

| Part No. | Pack of | Width |
|----------|---------|--------|
| ET48 | 100 | 6.3 mm |



BEST

Bullets

| Part No. | Pack of | Ø |
|----------|---------|--------|
| ET15 | 100 | 4.0 mm |



| Part No. | Pack of | Ø |
|----------|---------|--------|
| ET18 | 100 | 4.0 mm |

Butt Connectors

| DECT |
|--------|
| BEST |
| SELLER |

| Part No. | Pack of | 0.D. |
|----------|---------|--------|
| ET33 | 100 | 3.3 mm |
| ЕТЗЗК | 1,000 | 3.3 mm |

Red Insulated Terminals

Cable Size: 0.5 - 1.5 mm²

Forks

| ET51 | 100 | 3.7 mm |
|------|-----|--------|
| ET53 | 100 | 5.3 mm |



Part No. Pack of Width

Blades

| Part No. | Pack of | Blade W x L |
|----------|---------|-------------|
| ET55 | 100 | 2.3 x 18 mm |
| | | |

Pins

| Part No. | Pack of | Pin Ø x Length |
|----------|---------|----------------|
| ET57 | 100 | 1.9 x 12 mm |


Rings

| Part NO. | PdCK UI | ט |
|----------|---------|---|
| | | |











ET25 100 **6.4 mm**



ET28 100 **8.4 mm**

Assorted Box of Terminals Insulated - Red

Part No. Box of

AB160 260 Pieces

- 3 x Push-on Females: 2,8,4,8,6,3 mm. 1 x Push-on Female, Fully Insulated: 6.3 mm. 1 x Push-on Male: 6.3 mm. 1 x Push-on Male: 6.3 mm. 1 x Bullet: Ø 4.0 mm. 1 x Rutt Connector: 3,3 mm. 0.0

- 1 x Butt Connector: 3.3 mm 0.D. 4 x Rings: Ø 4.3 mm, 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16").



VINE SECONDER MICH.

THE THE SAN SHE WAS BEEN



'Max Box' Assortment of **Terminals** Insulated - Red

Part No. Box of

AB501 600 Pieces

3 x Push-on Females: 2.8, 4.8, 6.3 mm. 3 x Push-on Females, Fully Insulated: 2.8, 4.8, 6.3 mm. 1 x Piggyback: 6.3 mm. 1 x Push-on Male: 6.3 mm. 1 x Bullet: Ø 4.0 mm. 1 x Receptacle Socket: Ø 4.0 mm. 1 x Butt Connector: 3.3 mm. 1 x Pin (12 mm): Ø 1.9 mm. 1 x Blade (18 mm): 2.3 mm. 1 x Forks: 3.7 mm (4BA). 4 x Rings: Ø 4.3 mm, 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16").





990

ဇ္

Blue Insulated Terminals

Cable Size: 1.5 - 2.5 mm²

Push-on Females

| | Part No. | Pack of | Width |
|---|----------|---------|--------|
| T | ET5 | 100 | 4.8 mm |
| | | | |
| | ET7 | 100 | 6.3 mm |



Push-on Females, **Fully Insulated** Pack of Size Part No.

| ET46 | 100 | 4.8 mm | |
|-------|-------|--------|--|
| ET10 | 100 | 6.3 mm | |
| ET10K | 1,000 | 6.3 mm | |



Piggybacks

| | Part No. | Pack of | Width | |
|---|----------|---------|--------|--|
| | ET14 | 100 | 6.3 mm | |
| • | | | | |



Push-on Males

| Part No. | Pack of | Ø | |
|----------|---------|--------|--|
| ET37 | 100 | 6.3 mm | |
| ET37K | 1,000 | 6.3 mm | |



Bullets

| Part No. | Pack of | Ø | |
|----------|---------|--------|--|
| ET16 | 100 | 5.0 mm | |



Receptacle Sockets

| | p.u | | | | |
|----------|---------|--------|--|--|--|
| Part No. | Pack of | Ø | | | |
| ET19 | 100 | 5.0 mm | | | |



Butt Connectors

| Part No. | Pack of | 0.D. | |
|--------------|---------|--------|--|
| ET34 | 100 | 4.0 mm | |
| ET34K | 1,000 | 4.0 mm | |



Forks

| Part No. | Pack of | Width |
|----------|---------|--------|
| ET52 | 100 | 3.7 mm |
| | | |



Blades

| Part No. | Pack of | Blade W x L |
|----------|---------|-------------|
| ET56 | 100 | 2.3 x 18 mm |
| | | |

100 **5.3 mm**




Pins

| Part No. | Pack of | Pin Ø x Length |
|----------|---------|----------------|
| ET58 | 100 | 1.9 x 12 mm |




Blue Insulated Terminals


Cable Size: 1.5 - 2.5 mm²



Blue Fully Insulated Terminals

Cable Size: 1.5 - 2.5 mm²





| Part No. | Box of | | | |
|-----------------------------------|------------|--|--|--|
| AB161 | 280 Pieces | | | |
| 2 x Push-on Females: 4.8, 6.3 mm. | | | | |

1 x Push-on Female, Fully Insulated: 4.8 mm.
1 x Push-on Male: 6.3 mm.
1 x Push-on Male: 6.3 mm.
1 x Bullet: Ø 5.0 mm.
1 x Receptacle Socket: Ø 5.0 mm.

1 x Receptacle Socket, br. 5.0 min. 1 x Butt Connector: 4.0 mm 0.D. 6 x Rings: 4.3 mm, 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16"), 10.5 mm (3/8"), 13.0 mm (1/2").



THE REST WAS THE PARTY OF



'Max Box' Assortment of Terminals Insulated - Blue

Part No. Box of

AB502 600 Pieces

2 x Push-on Females: 4.8, 6.3 mm. 2 x Push-on Females, Fully Insulated: 4.8, 6.3 mm. 1 x Piggyback: 6.3 mm. 1 x Push-on Male: 6.3 mm. 1 x Bullet: Ø 5.0 mm. 1 x Receptacle Socket: Ø 5.0 mm. 1 x Butt Connector: 4.0 mm 0.D. 2 x Forks: 3.7 mm (4BA), 5.2 mm (2BA). 1 x Blade (18 mm): 2.3 mm. 1 x Pin (12 mm): Ø 1.9 mm. 5 x Rings: Ø 4.3 mm, 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16"), 10.5 mm (3/8").

































Yellow Insulated Terminals

Cable Size: 4.0 - 6.0 mm²

Push-on Females No Pack of Width

| Personal Property lives | Part N |
|-------------------------|--------|
| 2220 | ET8 |

| FTΩ | 100 | 6.3 mm | |
|-----|-----|--------|--|



ET12 100 9.5 mm

Push-on Females. Fully Insulated Pack of Width



ET11 100 **6.3 mm**



ET49 100 9.5 mm



Push-on Males

| rt No. | Pack of | Widt |
|--------|---------|------|
| | | |

ET38 100 6.3 mm





ET35 100 5.5 mm



Bullets

Part No. Pack of Ø

100 5.0 mm

ET17

Receptacle Sockets



Pack of Ø

ET50 100 5.0 mm



Part No.

Pack of Pin Ø x Length **ET59** 100 2.9 x 14 mm



Rings

Part No. Pack of Ø



100 **5.3 mm ET24**





100 **6.4 mm**



100 8.4 mm



ET32 100 10.5 mm



ET43 100 13.0 mm



Assorted Box of Terminals Insulated - Yellow

AB162 110 Pieces

2 x Push-on Females: 6.3, 9.5 mm.

2 x Push-on Females, Fully Insulated: 6.3, 9.5 mm.

1 x Push-on Male: 6.3 mm.

1 x Butt Connector: 5.5 mm O.D.

5 x Rings: Ø 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16"),

10.5 mm (3/8"), 13.0 mm (1/2").







'Max Box' **Assortment of** Terminals Insulated

Part No Rox of

AB509 600 Pieces

4 x Push-on Females: 2.8 mm Red. 6.3 mm Red. 6.3 mm Blue. 9.5 mm Yellow.

3 x Push-on Females, Fully Insulated: 6.3 mm Red, 6.3 mm Blue, 6.3 mm Yellow.

1 x Piggyback: 6.3 mm Blue. 2 x Push-on Males: 6.3 mm Red. 6.3 mm Blue.

2 x Bullets: Ø 4.0 mm Red, 5.0 mm Blue. 2 x Receptacle Sockets: Ø 4.0 mm Red, 5.0 mm Blue.

3 x Butt Connectors: 3.3 mm Red, 4.0 mm Blue, 5.5 mm O.D. Yellow.

3 x block confections 3.5 mm (28A) Red, 5.3 mm (2BA) Blue, 6.4 mm (1/4") Blue, 6.4 mm (1/4") Yellow, 8.4 mm (5/16") Blue, 8.4 mm (5/16") Yellow, 10.5 mm (3/8") Yellow.

Assorted Box of Terminals Insulated

Part No.

Box of

AB42 340 Pieces

5 x Push-on Females: 2.8 mm Red, 4.8 mm Blue, 6.3 mm Red, 6.3 mm Blue, 9.5 mm Yellow.

1 x Piggyback: 6.3 mm Blue.

2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue.

1 x Bullet: Ø 5.0 mm Blue.

1 x Receptacle Socket: Ø 5.0 mm Blue.

1 x Butt Connector: 4.0 mm O.D. Blue.

4 x Rings: Ø 4.3 mm Red, 5.3 mm (2BA) Blue,

6.4 mm (1/4") Blue, 8.4 mm (5/16") Blue.

2 x Bullet Connectors: Single, Double.



Assorted Box of Terminals Insulated - Red & Blue

Part No.

Box of

AB110N 210 Pieces

5 x Push-on Females: 2.8 mm Red, 4.8 mm Red,

4.8 mm Blue, 6.3 mm Red, 6.3 mm Blue.

1 x Push-on Female, Fully Insulated: 6.3 mm Blue.

2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue.

2 x Bullets: Ø 4.0 mm Red, 5.0 mm Blue.

2 x Receptacle Sockets: Ø 4.0 mm Red, 5.0 mm Blue.

2 x Butt Connectors: 3.3 mm O.D. Red, 4.0 mm O.D. Blue.



Assorted Box of Terminals Insulated - Red & Blue with Crimping Pliers

Part No.

AB43 206 Pieces

2 x Push-on Females: 6.3 mm Red, 6.3 mm Blue.

1 x Piggyback: 6.3 mm Blue.

2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue.

2 x Bullets: Ø 4.0 mm Red, 5.0 mm Blue. 2 x Receptacle Sockets: Ø 4.0 mm Red, 5.0 mm Blue.

2 x Butt Connectors: 3.3 mm O.D. Red, 4.0 mm O.D. Blue. 3 x Rings: Ø 5.3 mm (2BA) Red, 5.3 mm (2BA) Blue , 6.4 mm (1/4") Blue.

1 x Crimping Pliers.




 \odot

0

موو

Bullets & Connectors

Brass Bullets





Bullet Connectors

| Part No. | Pack of | Туре | Hole Ø | |
|----------|---------|--------|--------|--|
| ET1 | 100 | Single | 4.6 mm | |



Bullet Connectors

| Part No. | Pack of | Туре | Holes Ø | |
|----------|---------|---------|------------|--|
| ET2 | 100 | Double | 4.6 mm | |
| EIZ | 100 | שומטטופ | 4.0 111111 | |







ET41 100 **Up to 2.50 mm**² 6.3 mm

Fits Width



ET482 100 **0.50 - 2.00 mm²** 4 mm

Male Bullet

| Part No. | | For Cable | Fits Ø |
|----------|-----|-----------------------------|--------|
| ET481 | 100 | 0.50 - 2.00 mm ² | 4 mm |

Non-Insulated Terminals

Push-on Females - 2.8 mm Brass

| Part No. | Pack of | For Cable |
|-------------|---------|-----------------------------|
| ET423 | 50 | 0.75 - 1.50 mm ² |
| Suits: BMW. | | |



Pack of For Cable **ET410** 20 0.50 - 1.00 mm² Suits: VW/AUDI/SAAB/FORD/BMW.

Push-on Females - 6.3 mm Zinc

| _ | Part No. | Pack of | For Cable |
|---|--------------|----------|-----------------------------|
| 9 | ET420 | 50 | 0.50 - 1.00 mm ² |
| | Suits: VW/Al | JDI/VOLV | D/FORD/BMW/GM. |

Bullets Female - 1.6 mm Ø





Push-on Females - 6.3 mm Brass

| Part No. | Pack of | For Cable | |
|----------|---------|----------------|--|
| ET60 | 100 | 1.00 - 2.50 mm | |

Bullets Male - 1.6 mm Ø





Push-on Females - 6.3 mm Zinc

art No. Back of For Cable

| raitino. | rackui | r or capie |
|-------------|----------|-----------------------------|
| ET421 | 50 | 1.00 - 2.50 mm ² |
| Suits: VW/A | AUDI/VOL | VO/FORD/BMW/GM. |

Bullets Female - 1.6 mm Ø

Pack of For Cable **ET407** 20 0.75 - 1.50 mm²



Push-on Males - 6.3 mm Zinc

| | Part No. | Pack of | For Cable | |
|---|-------------|----------|-----------------------------|--|
| ı | ET429 | 50 | 0.50 - 1.00 mm ² | |
| | Suits: VW/A | AUDI/VOL | /O/FORD/BMW/GM. | |
| | | | | |

Bullets Male - 3.5 mm Ø



Suits: SAAB/FORD/BMW.



Push-on Males - 6.3 mm Brass

| Part No. | Pack of | For Cable | | |
|----------------------------------|---------|----------------|--|--|
| ET61 | 100 | 1.00 - 2.50 mm | | |
| Suits: VW/AUDI/VOLVO/FORD/BMW/GM | | | | |

Bullets Female - 3.5 mm Ø

| | Part No. | Packoi | FOR CADIE | |
|-----------------|--------------|----------|-----------------------------|--|
| SHOW SHAPE SHOW | ET405 | 20 | 0.50 - 1.00 mm ² | |
| | Suits: VW/Al | JDI/VOLV | D/SAAB/BMW. | |
| | | | | |



Push-on Males - 6.3 mm Zinc

| | Part No. | Pack of | For Cable |
|---|----------|---------|-----------------------------|
| l | ET428 | 50 | 1.00 - 2.50 mm ² |

Bullets Male - 3.5 mm Ø Pack of For Cable





Bullets Male - 4.0 mm Ø

Part No. Pack of For Cable ET401 100 0.50 - 2.00 mm²

Bullets Female - 3.5 mm Ø





Bullets Female - 4.0 mm Ø

| Part No. | Pack OI | FOR CADIE |
|----------|---------|-----------------------------|
| ET402 | 100 | 0.50 - 2.00 mm ² |
| | | |

Terminals - 4.8 mm Part No. Pack of For Cable

| i ui cito. | i acitoi | i di cabic |
|--|----------|-----------------------------|
| ET491 | 20 | 0.50 - 2.00 mm ² |
| Suits: VW/AUDI/VOLVO/SAAB/FORD/BMW/GM. | | |



Flags - 6.3 mm

| Part No. | Pack of | For Cable |
|----------|---------|-----------------------------|
| ET432 | 50 | 1.50 - 2.50 mm ² |

Terminals - 4.8 mm

Part No. Pack of For Cable **ET492** 20 1.50 - 2.50 mm² Suits: VW/AUDI/VOLVO/SAAB/FORD/BMW/GM.





 (\circ)

 \odot



Red Heat Shrink Terminals, Adhesive Lined

Cable Size: 0.5 - 1.5 mm²



Push-on Females

| Part No. | Pack of | Width |
|----------|---------|--------|
| ET204 | 25 | 6.3 mm |

| Push-on Males | | | |
|---------------|---------|--------|--|
| Part No. | Pack of | Width | |
| ET203 | 25 | 6.3 mm | |



Rings

Standard length.

| iciigui. | | | |
|----------|--------|----------------------------|----------------------------------|
| Pack of | Ø | | |
| 25 | 5.3 mm | (2BA) | |
| 25 | 6.4 mm | (1/4") | |
| | 25 | Pack of Ø 25 5.3 mm | Pack of Ø 25 5.3 mm (2BA) |



Butt Connectors

| Part No. | Pack of | Ø |
|----------|---------|--------|
| ET91 | 25 | 3.7 mm |
| ET91A | 100 | 3.7 mm |
| ET91K | 1,000 | 3.7 mm |



| Part No. | Pack of | Ø | |
|----------|---------|--------|--|
| ET91 | 25 | 3.7 mm | |
| ET91A | 100 | 3.7 mm | |
| ET91K | 1,000 | 3.7 mm | |



| AB125 | 130 Pieces |
|--------------|------------|
|--------------|------------|

2 x Push-on Females: 6.3 mm Red, 6.3 mm Blue. 2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue. 2 x Butt Connectors: Ø 3.7 mm Red, 5.0 mm Blue. 4 x Rings, Standard Length: Ø 5.3 mm (2BA) Red, 6.4 mm (1/4") Red, 6.4 mm (1/4") Blue, 8.4 mm (5/16") Blue.



Blue Heat Shrink Terminals, Adhesive Lined Cable Size: 1.5 - 2.5 mm²

Push-on Females

| Part No. | Pack of | Width |
|----------|---------|--------|
| ET224 | 25 | 6.3 mm |



Push-on Males

| Part No. | Pack of | Width |
|----------|---------|--------|
| ET223 | 25 | 6.3 mm |





Butt Connectors

Part No.

| 2011 401410.2 | | | |
|---------------|---------|--------|--|
| Part No. | Pack of | Ø | |
| ET92 | 25 | 5.0 mm | |
| ET92A | 100 | 5.0 mm | |
| ЕТ92К | 1,000 | 5.0 mm | |

Assorted Box of Heat Shrink Terminals, Adhesive Lined - Butt Connectors

Part No. Box of **AB190** 220 Pieces

3 x Colours (Ø): Red (3.7 mm), Blue (5.0 mm), Yellow (6.5 mm)



Heat Shrink Butt Connectors - Solder Type

Shrink ratio: 3:1.

| Part No. | Pack of | |
|----------|---------|--|
| ET301 | 10 | |
| ET302 | 10 | |
| ET303 | 10 | |
| ET304 | 10 | |

| Stripe Colour | For Cable |
|---------------|---------------------------|
| Clear | 0.1 - 0.5 mm ² |
| Red | 0.5 - 1.0 mm ² |
| Blue | 1.0 - 2.5 mm² |
| Yellow | 2.5 - 6.0 mm ² |



Yellow Heat Shrink Terminals, Adhesive Lined Cable Size: 4.0 - 6.0 mm²



| Part No. | Pack of | Ø | |
|----------|---------|--------|---------|
| ET241 | 25 | 6.4 mm | (1/4") |
| ET242 | 25 | 8.4 mm | (5/16") |
| | | | |



000

ဇ္

Windproof Jet Flame Torch

Refills with standard butane gas chargers (suits Part No. SAS50). Colour/model may vary.

Windproof jet flame

| raitino. | ŲLY | Description |
|----------|-----|------------------------|
| TL130 | 1 | Jet Flame Torch |



| Part No. | Pack of | Amperage |
|----------|---------|----------|
| ECC25 | 25 | 25 A |
| ECC50 | 25 | 50 A |



Crocodile Clips - Red & Black Insulated Grips

| Part No. | Pack of | Amperage |
|----------|-----------------------|----------|
| ECC5 | 24 (12 x Each Colour) | 5 A |





Copper Tube Butt Connectors


| Part No. | Pack of | Cable Size | (Cable Entry Ø) |
|----------|---------|--------------------|-----------------|
| ET80 | 25 | 10 mm ² | (4.5 mm) |
| ET81 | 25 | 16 mm ² | (5.4 mm) |
| ET82 | 25 | 25 mm ² | (6.8 mm) |
| ET83 | 10 | 35 mm ² | (8.2 mm) |
| ET84 | 10 | 50 mm ² | (9.5 mm) |
| ET85 | 10 | 70 mm ² | (11.2 mm) |

Assorted Box of Copper Tube Butt Connectors

Part No. Box of

AB123N 110 Pieces

6 x Sizes (for Cable Diameter): 10, 16, 25, 35, 50, 70 mm².





Copper Tube Terminals (Cable Lugs)

| Part No. | Pack of | Cable Ø x Bolt Hole | (Cable Entry Ø) |
|-------------|---------|-----------------------------|-----------------|
| ET69 | 10 | 10 mm ² x 8 mm | (4.5 mm) |
| ET62 | 50 | 10 mm ² x 12 mm | (4.5 mm) |
| ET70 | 10 | 16 mm² x 8 mm | (5.4 mm) |
| ET79 | 50 | 16 mm² x 12 mm | (5.4 mm) |
| ET71 | 10 | 25 mm ² x 6 mm | (6.8 mm) |
| ET72 | 10 | 25 mm ² x 8 mm | (6.8 mm) |
| ET63 | 50 | 25 mm ² x 12 mm | (6.8 mm) |
| ET73 | 10 | 35 mm² x 8 mm | (8.8 mm) |
| ET74 | 10 | 35 mm ² x 10 mm | (8.8 mm) |
| ET64 | 20 | 35 mm ² x 12 mm | (8.8 mm) |
| ET75 | 10 | 50 mm ² x 8 mm | (9.5 mm) |
| ET76 | 10 | 50 mm ² x 10 mm | (9.5 mm) |
| ET77 | 10 | 70 mm ² x 10 mm | (11.2 mm) |
| ET78 | 10 | 70 mm ² x 12 mm | (11.2 mm) |
| ET65 | 1 | 120 mm ² x 16 mm | (15.0 mm) |
| ET66 | 1 | 185 mm ² x 12 mm | (19.0 mm) |
| ET68 | 1 | 240 mm ² x 12 mm | (21.0 mm) |
| | | | |

Assorted Box of Copper Tube Terminals

| i di cito. | DONOI |
|------------|-----------|
| AB114N | 40 Pieces |

10 x Sizes (for Cable Size x Bolt Hole Size); 10 mm² x 8 mm, 16 mm² x 8 mm, 25 mm² x 6 mm, 25 mm² x 8 mm, 35 mm² x 8 mm, 35 mm² x 10 mm, 50 mm² x 8 mm, 50 mm² x 10 mm, 70 mm² x 10 mm, 70 mm² x 12 mm.


































Multiple Connectors

For 6.3 mm male terminals. Suits Part No. ET61.







Dimensions (H x L x W)

Dimensions (H x L x W)

10.0 x 23.0 x 12.8 mm

10.0 x 23.0 x 12.8 mm

Single Male Housing

2-way Male Housing

2-way (T-shape) Male Housing

Pack of

25

Pack of

25

Part No.

Part No.

ETB612T

3-way

4-way Male Housing

Pack of

Dimensions (H x L x W)

14.0 x 22.9 x 23.9 mm

Part No.

ETB614

6-wav

ETB612

| Part No. | Pack of | Dimensions (H x L x W) |
|----------|---------|------------------------|
| ETB611 | 25 | 6.5 x 21.4 x 10.0 mm |



| ETB622 | 25 | 13.5 x 32.5 x 15.5 mm | |
|--------|----|-----------------------|--|
| | | | |
| | | | |
| | | | |



| Part No. | | Dimensions (H x L x W) | |
|----------|----|------------------------|--|
| ETB622T | 25 | 20.0 x 32.5 x 2.5 mm | |
| | | | |



| 3-way Female I | Housin | g | |
|-------------------|---------|------------------------|--|
| Part No. | Pack of | Dimensions (H x L x W) | |
| ETB623 | 25 | 20.4 x 31.7 x 15.2 mm | |
| | | | |



| Male Ho | using | | |
|----------|---------|------------------------|--|
| Part No. | Pack of | Dimensions (H x L x W) | |
| ETB613 | 25 | 18.0 x 22.8 x 15.2 mm | |
| | | | |



| Female | Housir | g | |
|---------------|---------|------------------------|--|
| Part No. | Pack of | Dimensions (H x L x W) | |
| ETB624 | 25 | 17.1 x 32.5 x 27.9 mm | |
| | | | |



| 6-way Female | Housin | ng |
|-----------------|---------|------------------------|
| Part No. | Pack of | Dimensions (H x L x W) |
| ETB626 | 25 | 18.1 x 32.3 x 31.5 mm |



| Male Housing | | | |
|--------------|---------|------------------------|--|
| Part No. | Pack of | Dimensions (H x L x W) | |
| ETB616 | 25 | 15.0 x 24.0 x 37.6 mm | |
| | | | |



4-way

Push-on Males - 6.3 mm Brass

| Part No. | Pack of | For Cable |
|-------------|----------|----------------|
| ET61 | 100 | 1.00 - 2.50 mm |
| Suits: VW/ | AUDI/VOI | VO/FORD/BMW/GM |



Push-on Females - 6.3 mm Brass Pack of For Cable

100 **1.00 - 2.50 mm**


000

ထွ

0







HELLERMANN TYTON 'Helacon' Mini Wire Connectors


450v 24A. Transparent wire connectors. Suitable for 2.5 mm² solid and stranded cable.

- Voltage test entry on the front guarantees safety during application, installation and maintenance.
- Provides a proper fixing that can be optically checked through the transparent housing.

| Part No. | Pack of | Туре | Colour |
|----------|---------|--------|------------|
| ETB102 | 100 | 2 Hole | Yellow |
| ETB103 | 100 | 3 Hole | Orange |
| ETB104 | 75 | 4 Hole | Clear |
| ETB105 | 50 | 5 Hole | Light Blue |
| ETB106 | 50 | 6 Hole | Purple |
| ETB108 | 40 | 8 Hole | Black |



'Helacon' mini wire connectors are used for fast, easy and reliable connection and distribution of cable and conductors. Simply insert the cable completely into the connect. A double spring mechanism provides a secure installation and will support fitters especially in awkward situations like difficult-to-reach areas and overhead work. To change or correct a wire, simply hold and twist it left and right while pulling the connector.



| Part No. | Pack of | Amperage |
|----------|-----------|----------|
| ETB2.5 | 10 Blocks | 2.5 A |
| ETB5 | 10 Blocks | 5 A |
| ETB15 | 10 Blocks | 15 A |
| ETB30 | 10 Blocks | 30 A |



Ceramic Terminal Block

76A, 450V. Temperature rating: 500°C.

| Part No. | Qty | Туре | Cable Size |
|----------|-----|--------|------------|
| ETB50 | 1 | 2 Pole | 16 mm² |



3M 'Scotchlok' Connectors

| Part No. | Pack of | Colour | 3M No. | |
|----------|---------|--------|---------|--|
| ESL1 | 100 | Red | No. 905 | |



3M 'Scotchlok' Connectors

| Part No. | Pack of | Colour | 3M No. | |
|----------|---------|--------|---------|--|
| ESL2 | 100 | Blue | No. 560 | |



3M 'Scotchlok' Connectors - 'T' Tap

| Part No. | Pack of | Colour | 3M No. |
|----------|---------|--------|---------|
| ECI 5 | 50 | Rlug | No. 952 |



3M 'Scotchlok' Connectors - Self-Stripping Blade Fuse Holders

| Part No. | Pack of | Colour | 3M No. | |
|----------|---------|--------|---------|--|
| ESL6 | 20 | Blue | No. 972 | |



Snap-Lock Connectors

| Part No. | Pack of | Colour | |
|----------|---------|--------|--|
| ESL51 | 100 | Red | |



Snap-Lock Connectors

| Part No. | Pack of | Colour | |
|----------|---------|--------|--|
| ESL52 | 100 | Blue | |



000

 \odot

Supaseal Connectors

Ideal for applications where a waterproof joint/seal is required for electrical cabling.
The system comprises of the connector, the pin and the seal and is suitable for cable sizes from 0.5 mm² to 1.5mm². Use Part No. TL936 for a professional crimp.



| Part No. | Qty | Size | Туре | 1 |
|----------|-----|--------|--------|---|
| ET513 | 50 | 1.5 mm | Female | 4 |
| ET514 | 50 | 1.5 mm | Male | |
| | | | | |

Supaseal **Rubber Seals**

Colour Part No. Qty ET512 Yellow





























Assorted Box of Supaseal Connectors

| Turcito. | DUNUI |
|----------|------------|
| AB520 | 424 Pieces |

6 x 1-way Female. 6 x 1-way Male. 12 x 2-way Female. 12 x 2-way Male. 5 x 3-way Female. 5 x 3-way Male. 4 x 4-way Female. 4 x 4-way Male. 3 x 5-way Female. 3 x 5-way Male. 2 x 6-way Female. 2 x 6-way Male. 180 x Yellow Rubber Seals. 90 x 1.5 mm Female Pin. 90 x 1.5 mm Male Pin.

Ratchet Crimping Pliers





Supaseal Male 1-way Connectors

| Part No. | Qty | Contacts | Type |
|----------|-----|----------|------|
| ET501 | 10 | 1-way | Male |



Supaseal **Male 2-way Connectors**

| Part No. | Qty | Contacts | Type |
|----------|-----|----------|------|
| ET503 | 10 | 2-way | Male |





Supaseal **Male 4-way Connectors**

| Part No. | Qty | Contacts | Туре |
|----------|-----|----------|------|
| ET507 | 10 | 4-way | Male |



10

ET509





Part No. Contacts Type ET511 6-way Male

TL936

1



Supaseal Female 1-way Connectors

| Part No. | Qty | Contacts | Туре | |
|----------|-----|----------|--------|--|
| ET500 | 10 | 1-way | Female | |



5

Supaseal Female 2-way Connectors

| Part No. | Qty | Contacts | Type |
|----------|-----|----------|--------|
| ET502 | 10 | 2-way | Female |



Supaseal Female 3-way Connectors

| Part No. | Qty | Contacts | Type |
|----------|-----|----------|--------|
| ET504 | 10 | 3-way | Female |



Supaseal Female 4-way Connectors

| Part No. | Qty | • | Туре |
|----------|-----|-------|--------|
| ET506 | 10 | 4-way | Female |



Supaseal Female 5-way Connectors

| Part No. | Qty | Contacts | Туре | |
|----------|-----|----------|--------|--|
| ET508 | 10 | 5-way | Female | |



Supaseal Female 6-way Connectors

| i ciliaic o | | ruy co | illicetoi. |
|-------------|-----|----------|------------|
| Part No. | Qty | Contacts | Type |
| ET510 | 10 | 6-way | Female |
| | | | |

Wiring Grommets

Black PVC. Fits 1.6 mm panel thickness.

| Black Tell its 210 itmi parter directivessi | | | | | |
|---|---------|-------|-----------------|--|--|
| Part No. | Pack of | Size | For Hole x I.D. | | |
| EG28 | 100 | 6 mm | 6.4 x 4.0 mm | | |
| EG29 | 100 | 9 mm | 9.3 x 7.7 mm | | |
| EG30 | 100 | 12 mm | 12.3 x 9.5 mm | | |
| EG31 | 100 | 16 mm | 15.8 x 12.0 mm | | |
| EG32 | 100 | 20 mm | 20.2 x 15.8 mm | | |
| EG33 | 100 | 25 mm | 25.0 x 19.5 mm | | |
| EG34 | 100 | 32 mm | 31.0 x 24.0 mm | | |
| EG35 | 100 | 38 mm | 37.4 x 31.5 mm | | |
| EG36 | 100 | 50 mm | 50.5 x 44.5 mm | | |
| | | | | | |

Assorted Box of Grommets - Wiring

Black PVC.
Part No. Box of

AB192N 220 Pieces

7 x Sizes, for hole Ø x l.D.: 6.4 x 4.0, 9.3 x 7.7, 12.3 x 9.5, 15.8 x 12.0, 20.2 x 15.8, 25.0 x 19.5, 31.0 x 24.0 mm.



Blanking Grommets

Black PVC. Fits 1.6 mm panel thickness.

| EG1 100 6 mm 6.4 x 8.5 mm EG2 100 9 mm 9.3 x 13.4 mm EG3 100 12 mm 12.3 x 16.2 mm EG4 100 16 mm 15.8 x 19.0 mm EG5 100 20 mm 20.0 x 24.2 mm EG6 100 25 mm 25.0 x 29.2 mm EG7 100 32 mm 31.7 x 38.1 mm EG8 100 38 mm 37.7 x 44.4 mm | Part No. | Pack of | Size | For Hole x O.D. | |
|--|----------|---------|-------|-----------------|--|
| EG3 100 12 mm 12.3 x 16.2 mm EG4 100 16 mm 15.8 x 19.0 mm EG5 100 20 mm 20.0 x 24.2 mm EG6 100 25 mm 25.0 x 29.2 mm EG7 100 32 mm 31.7 x 38.1 mm | EG1 | 100 | 6 mm | 6.4 x 8.5 mm | |
| EG4 100 16 mm 15.8 x 19.0 mm EG5 100 20 mm 20.0 x 24.2 mm EG6 100 25 mm 25.0 x 29.2 mm EG7 100 32 mm 31.7 x 38.1 mm | EG2 | 100 | 9 mm | 9.3 x 13.4 mm | |
| EG5 100 20 mm 20.0 x 24.2 mm EG6 100 25 mm 25.0 x 29.2 mm EG7 100 32 mm 31.7 x 38.1 mm | EG3 | 100 | 12 mm | 12.3 x 16.2 mm | |
| EG6 100 25 mm 25.0 x 29.2 mm EG7 100 32 mm 31.7 x 38.1 mm | EG4 | 100 | 16 mm | 15.8 x 19.0 mm | |
| EG7 100 32 mm 31.7 x 38.1 mm | EG5 | 100 | 20 mm | 20.0 x 24.2 mm | |
| | EG6 | 100 | 25 mm | 25.0 x 29.2 mm | |
| EG8 100 38 mm 37.7 x 44.4 mm | EG7 | 100 | 32 mm | 31.7 x 38.1 mm | |
| | EG8 | 100 | 38 mm | 37.7 x 44.4 mm | |
| EG9 100 50 mm 50.5 x 57.2 mm | EG9 | 100 | 50 mm | 50.5 x 57.2 mm | |

Assorted Box of Grommets - Blanking

Black PVC.

Part No. Box of

AB191N 220 Pieces

7 x Sizes, for hole Ø: 6.4, 9.3, 12.3, 15.8, 20.0, 25.0, 31.7 mm.



Assorted Box of Blanking & Wiring Grommets

Black PVC.

Part No. Box of

AB244 250 Pieces

7 x Blanking (for Holes Ø) 6.4, 9.3, 12.3, 15.8, 20.0, 25.0 mm. 7 x Wirring (for Holes Ø x l.D.) 6.4 x 4.0, 9.3 x 7.7, 12.3 x 9.5, 15.8 x 12.0, 20.2 x 15.8, 25.0 x 19.5 mm.



Easy-Fit Grommet

Black PVC. Fits 1.6 mm panel thickness.







































Heat Shrink Tubing - BlackPolyolefin. Shrink Ratio: 2:1.

| Polydierin. Stirrik Ratio. 2.1. | | | |
|---------------------------------|--------|-------------------|--|
| Part No. | Length | I.D. (Pre Shrink) | |
| EHS13 | 11 m | 3.2 mm | |
| EHS41 | 25 m | 3.2 mm | |
| EHS14 | 10 m | 4.8 mm | |
| EHS42 | 20 m | 4.8 mm | |
| EHS43 | 15 m | 6.4 mm | |
| EHS44 | 15 m | 9.5 mm | |
| EHS45 | 10 m | 12.7 mm | |



| i diyolciii. 3 | i Oryoletin. Shi ink Rado. 2.1. | | | |
|----------------|---------------------------------|-------------------|--|--|
| Part No. | Length | I.D. (Pre Shrink) | | |
| EHS13RE | 11 m | 3.2 mm | | |
| EHS41RE | 25 m | 3.2 mm | | |
| EHS14RE | 10 m | 4.8 mm | | |
| EHS42RE | 20 m | 4.8 mm | | |
| EHS43RE | 15 m | 6.4 mm | | |
| EHS44RE | 15 m | 9.5 mm | | |
| EHS45RE | 10 m | 12.7 mm | | |



Assorted Pack of Heat Shrink Tubing - 200 mm Lengths Polyolefin. Shrink Ratio: 2:1.

Part No. Pack of **AP33** 30 Pieces

4 x Sizes: 3.2, 4.8, 6.4, 12.7 mm. 5 x Colours: Black, Blue, Red, White & Yellow.



Adhesive Lined Heat Shrink Tubing - Black

Polyolefin. Shrink Ratio: 3:1.

| Length | I.D. (Pre Shrink) |
|--------|----------------------------|
| 1.22 m | 4.8 mm |
| 1.22 m | 9.5 mm |
| 1.22 m | 12.7 mm |
| 1.22 m | 19.1 mm |
| | 1.22 m 1.22 m 1.22 m |







Part No. Box of

AB103 172 Pieces

4 x Sizes: 3.2, 4.8, 6.4, 12.7 mm. 4 x Colours: Black, Blue, Red, Yellow.



Assorted Box of Heat Shrink Tubing - 100 mm Lengths

Polyolefin. Shrink Ratio: 2:1.

Part No. Box of

AB221 100 Pieces

2 x Sizes: 4.8, 6.4 mm. 2 x Colours: Black, Red.



Self-Fusing Silicone Rubber Tape

RoSH compliant to 2022/95/EC.

- No Adhesive.
- Withstands temperatures: +260°C (+500°F).
- Remains flexible to -60°C (-85°F).
- 700 PSI tensile strength.
- Insulates to 8,000 Volts per layer.
- Stretches 300%.

| Part No. | Qty | Colour | Width x Length |
|----------|-----|--------|----------------|
| VC415 | 1 | Black | 25 mm x 3 m |



Non-Adhesive Loom Tape

| EPT5 | 2 | Black | 19 mm x 33 m | | |
|-------------------|---------|--------|----------------|--|--|
| Part No. | Pack of | Colour | Width x Length | | |
| NON adhesive PVC. | | | | | |



000







PVC Insulation Tape

19 mm Wide x 20 m Long. Flame Retardant to BS EN 60454 Type 2.

| Part No. | Pack of | Colour |
|----------|---------|---------------------|
| EPT1 | 10 | Black |
| EPT11 | 10 | Blue |
| EPT17 | 10 | Brown |
| EPT12 | 10 | Green |
| EPT13 | 10 | Green/Yellow Stripe |
| EPT18 | 10 | Grey |
| EPT14 | 10 | Red |
| EPT15 | 10 | White |
| EPT16 | 10 | Yellow |
| | | |



Assorted Pack of PVC Insulation Tape

| EPT3 | 10 Pieces |
|----------|-----------|
| Part No. | Pack of |





| Part No. | Pack of | Colour | Width x Length |
|----------|---------|--------|----------------|
| EPT4 | 2 | Black | 19 mm x 10 m |



Loom Tape - Linen

Natural rubber adhesive system.

| Part No. | Pack of | Colour | Width x Length | |
|----------|---------|--------|----------------|--|
| EPT6 | 2 | Black | 19 mm x 50 m | |



PVC Tape - 2" Wide

| EPT2 | 1 | Black | 50 mm x 33 m |
|----------|-----|--------|----------------|
| Part No. | Qty | Colour | Width x Length |





NITTO '21A' PVC Insulation Tape

0.20 mm Tape Thickness (200 Micron).

| Part No. | Pack of | Colour | Width x Length | |
|----------|----------|--------|----------------|--|
| EPT21 | 10 Rolls | Black | 19 mm x 20 m | |





ADVANCE 'AT7' PVC Insulation Tape

Flame Retardant to BS EN 60454 Type 2.

| Part No. | Pack of | Colour | Width x Length |
|----------|----------|--------|----------------|
| EPT7 | 10 Rolls | Black | 19mm x 20 m |





ADVANCE High Temperature 'AT74' PVC Insulation Tape

Flame retardant, high temperature PVC electrical insulation tape. 0.15 mm Tape Thickness (150 Micron).

| FPT74 | 10 Rolls | Black | 19 mm x 33 m |
|--------|-----------|--------|-------------------|
| EI 1/4 | 10 1(011) | Diucit | 13 IIIII X 33 III |





































Battery Terminals - Twin Screw

Plated brass.

| Part No. | Pack of | Polarity | Cable | Entry Ø | |
|----------|---------|------------|--------------------|---------|--|
| BT1 | 10 | + Positive | 25 mm ² | 8.5 mm | |
| BT2 | 10 | - Negative | 25 mm ² | 8.5 mm | |



PVC Battery Terminal Covers - L-Shape Left Entry For cable up to 50 mm² (14 mm Ø). Suits Part No.s BT1, BT2, BT3 & BT4.

| Part No. | Pack of | Colour/Polarity | Cable Up To | Entry Ø |
|----------|---------|------------------|--------------------|---------|
| BTC2 | 10 | Red + Positive | 50 mm ² | 14 mm |
| BTC1 | 10 | Black - Negative | 50 mm ² | 14 mm |



Battery Terminals - Twin Screw

| Part No. | Pack of | Polarity | Cable | Entry Ø | |
|----------|---------|------------|--------------------|---------|--|
| BT3 | 10 | + Positive | 60 mm ² | 10.5 mm | |
| BT4 | 10 | - Negative | 60 mm ² | 10.5 mm | |



PVC Battery Terminal Covers - L-Shape Right Entry For cable up to 50 mm² (14 mm Ø). Suits Part No.s BT1, BT2, BT3 & BT4.

| Part No. | Pack of | Colour/Polarity | Cable Up To | Entry Ø |
|----------|---------|------------------|--------------------|---------|
| BTC4 | 10 | Red + Positive | 50 mm ² | 14 mm |
| BTC3 | 10 | Black - Negative | 50 mm ² | 14 mm |



Battery Terminals - Post Type with Nuts

Plated brass.

| Part No. | Pack of | Polarity | Post Size | |
|----------|---------|------------|-----------|--|
| BT25 | 5 | + Positive | M10 | |
| BT26 | 5 | - Negative | M10 | |



Battery Terminals - Post Type with Wing Nuts

Plated brass. Suitable for FORD Cargo.

Battery Terminals

| Part No. | Pack of | Polarity | Post Size | |
|----------|---------|------------------------------|-----------|--|
| BT23 | 5 | + Positive | M10 | |
| BT24 | 5 | Negative | M10 | |





Plated brass

| i luttu b | rided brass. | | | | |
|-----------|--------------|------------|--------------------|---------|--|
| Part No. | Pack of | Polarity | Cable | Entry Ø | |
| BT21 | 5 | + Positive | 70 mm² | 14.0 mm | |
| BT22 | 5 | - Negative | 70 mm ² | 14.0 mm | |



| Plated bra | ass. | | | |
|------------|---------|------------|--|--|
| Part No. | Pack of | Polarity | | |
| BT27 | 5 | + Positive | | |
| BT28 | 5 | - Negative | | |

O

موم

အ



Plug-In Bases with SAE Configuration 9-Pole for Relays

Takes 5 x 6.3 mm, 4 x 2.8 mm.

| ERL100 | 10 | Relay Plug-In Bases |
|----------|---------|---------------------|
| Part No. | Pack of | Description |



S-A-S Battery Terminal Protector

Suitable for use on batteries and earthing straps in cars, buses, trains and plant hire equipment.

- · Protects against corrosion
- · Improves electrical continuity thus improving starting
- · Contains an indicator to visualise acid leaks (turns red)
- · Waterproofs terminals Dark of Sizo

| raitiv. | rack or | SIZE |
|---------|---------|---------------|
| SAS3 | 6 | 500ml Aerosol |



KS TOOLS Battery Terminal Cleaning Tool

Made from forged aluminium with steel milled inserts.

- Removes corrosion from car battery terminal. • Scraper for battery positive terminal (+).
- Scraper for battery negative terminal (-).
- · Conical mill for battery terminals (+ and -).

| Part No. | Qty | Description |
|----------|-----|-------------|
| | | |

Battery Terminal Cleaning Tool K700.1195 1



Battery Retaining Bracket Sets

| BT7 | 10 | Bracket Sets |
|-------------|-------------|--------------|
| Part No. | Pack of | Description |
| Ziric piate | u. Oniversa | аррисации. |






Relay - 4 Pin High Temperature Design

Complete with metal fixing plate and 30 amp blade fuse (standard type).

| Part No. | Qty | Volts | Amps |
|----------|-----|--------|------|
| ERL5 | 1 | DC 12V | 30 A |



Relay - 4 Pin

Complete with metal fixing plate.

| Part No. | Qty | Volts | Amps | Contact Type |
|----------|-----|--------|------|---------------|
| ERL1 | 1 | DC 12V | 30 A | Normally Open |





Complete with metal fixing plate.

| Part No. | Qty | Volts | Amps | Contact Type |
|----------|-----|--------|------|---------------|
| ERL11 | 1 | DC 12V | 40 A | Normally Open |



Relay - 5 Pin

Complete with metal fixing plate.

| Part No. | Qty | Volts | Amps | Contact Type |
|----------|-----|--------|---------|---------------|
| ERL7 | 1 | DC 12V | 20/30 A | Normally Open |



Relay - 5 Pin Change Over

Complete with metal fixing plate

| ERL4 | 1 | DC 24V | 10/20 A |
|----------|-----|----------------|---------|
| Part No. | Qty | Volts | Amps |
| | | retai mang pia | |



Relay - 4 Pin Make & Break

| Part No. | Qty | Volts | Amps |
|----------|-----|--------|------|
| ERL6 | 1 | DC 12V | 70 / |





































Motor Run Capacitor - Spade Connectors EN 60252-1 VDE approved. RoHS. Plastic case with 6.3 x 0.8 mm fast-on terminals (6.4 mm spade connectors) to PN-EN6120. M8 x 10 mm thread complete with M8 serrated nut.

| Part No. | Qty | Rated Capacitance | Dia x Body Length |
|----------|-----|-------------------|-------------------|
| CPR14 | 1 | 14uF | 35 x 83 mm |
| CPR16 | 1 | 16uF | 35 x 83 mm |
| CPR20 | 1 | 20uF | 40 x 83 mm |
| CPR25 | 1 | 25uF | 45 x 83 mm |
| CPR30 | 1 | 30uF | 45 x 83 mm |
| CPR35 | 1 | 35uF | 50 x 83 mm |
| CPR40 | 1 | 40uF | 45 x 119 mm |



| Part No. | Qty | Rated Capacitance | Dia x Body Length |
|----------|-----|-------------------|-------------------|
| CPR14M | 1 | 14uF | 40 x 70 mm |
| CPR25M | 1 | 25uF | 45 x 78 mm |
| CPR40M | 1 | 40uF | 45 x 114 mm |
| CPR50M | 1 | 50uF | 45 x 114 mm |
| CPR60M | 1 | 60uF | 50 x 119 mm |
| CPR70M | 1 | 70uF | 55 x 119 mm |
| CPR80M | 1 | 80uF | 60 x 119 mm |



| EC15 | 1 | Safety Cut Out Switch |
|--------------|----------|----------------------------|
| Part No. | Qty | Description |
| 16A, 25UVAC. | 101115 c | rneater on it turned over. |



12V Illuminated Indicator Light

Fits 12 mm round hole, 6.3 mm male blade terminals.

| Part No. | Pack of | COIOUr |
|----------|---------|--------|
| EC85 | 10 | Red |
| EC82 | 10 | Amber |
| EC84 | 10 | Green |
| EC83 | 10 | Blue |



12V LED Warning Light - Round

Fits 20 mm round hole, 6.3 mm male blade terminals.

| Tito 20 min rooma noie, 0.5 min male blade terminals. | | | | |
|---|---------|--------|--|--|
| Part No. | Pack of | Colour | | |
| EC88A | 1 | Red | | |
| EC88 | 10 | Red | | |
| EC89A | 1 | Amber | | |
| EC89 | 10 | Amber | | |
| EC91 | 10 | Green | | |
| EC90A | 1 | Blue | | |
| EC90 | 10 | Blue | | |





Heater & Vacuum On/Off Switches 16(4)A. 250VAC. Panel cut out 'A' style: 27.2 x 22.3 mm.

| 10(4)A, 250VAC. Pariel Cut out A Style. 27.2 x 22.5 mm. | | | |
|---|-----|-----------------|--|
| Part No. | Qty | Switch Colour | |
| EC13 | 1 | Black | |
| EC14 | 1 | Illuminated Red | |



Images



0

موم





12V Illuminated Toggle Switch - On/OffFits 12.5 mm round hole, 20A.("NOT Illuminated).

| Part No. | Pack of | Colour |
|----------|---------|---------|
| EC9 | 10 | Black * |
| EC77 | 10 | Red |
| EC74A | 1 | Amber |
| EC74 | 10 | Amber |
| EC76A | 1 | Green |
| EC76 | 10 | Green |
| EC75A | 1 | Blue |
| EC75 | 10 | Blue |



12V LED Spot Rocker Switch - On/Off Fits 12.5 mm hole, 16A. 6.3 mm blade terminals.

| Part No. | Pack of | Colour |
|----------|---------|--------|
| EC73 | 10 | Red |
| EC70 | 10 | Amber |
| EC72 | 10 | Green |
| EC71A | 1 | Blue |
| EC71 | 10 | Blue |



12V LED Metal Toggle Switch - On/Off Fits 12.5 mm round hole, 25A, Silver contacts. Heavy Duty, 6.3 mm male blade terminals.

| Part No. | Pack of | Colour |
|----------|---------|--------|
| EC66 | 10 | Red |
| EC63 | 10 | Amber |
| EC65 | 10 | Green |
| EC64 | 10 | Blue |





12V LED Rocker Switch - On/Off Fits 12.5 mm hole, 16A. 6.3 mm blade terminals.

| Part No. | Pack of | Colour |
|-------------|---------|--------|
| EC81 | 10 | Red |
| EC78A | 1 | Amber |
| EC78 | 10 | Amber |
| EC80 | 10 | Green |





























12V Metal Toggle Switch - On/Off

Fits 12.5 mm round hole, 25A, Silver contacts. Heavy Duty, 6.3 mm male blade terminals.

| Part No. | Pack of | Type |
|----------|---------|--------|
| EC67 | 10 | On/Off |





12V Metal Toggle Switch - On/Off/On

Fits 12.5 mm round hole, 25A, Silver contacts. Heavy Duty, 6.3 mm male blade terminals.

| Part No. | Pack of | Туре |
|----------|---------|-----------|
| EC68 | 10 | On/Off/On |





























Heavy Duty, 6.3 mm male blade terminals.

| Part No. | Pack of | Colour |
|----------|---------|--------|
| EC66 | 10 | Red |
| EC63 | 10 | Amber |
| EC65 | 10 | Green |
| EC64 | 10 | Blue |
| | | |





12V Push Button Switch - Brass

20A. Fits 19 mm round hole. Vandal resistant. Zinc plated.

| Part No. | Pack of | Description | |
|----------|---------|---------------|--|
| FC86 | 5 | Duch Switches | |




12V Push Button Switch

- Heavy Duty

Fits 26 mm round hole 16A. Plastic. Stays on while the button is pressed. Part No. Pack of Description

| EC87 | 10 | Push | Switches |
|------|----|------|----------|





12V Metal Toggle Switch - Flash/Off/Flash

Fits 12.5 mm round hole, 25A, Silver contacts. Heavy Duty, 6.3 mm male blade terminals.

| Part No. | Pack of | Type |
|----------|---------|-----------------|
| EC69 | 10 | Flash/Off/Flash |





12V Metal Toggle Switch - Flash/Off

Fits 12.5 mm round hole, 25A, Silver contacts. Heavy Duty, 6.3 mm male blade terminals.

| Part No. | Pack of | Туре | | |
|----------|---------|-----------|--|--|
| EC62 | 10 | Flash/Off | | |




12V/24V Push/Pull Switch

Fits 8 mm round hole, 16A @ 12V, 8A @ 24V, screw terminals.

| Part No. | Pack of | Type |
|----------|---------|-----------|
| EC60 | 10 | Long Neck |



| Part No. | Pack of | Type | |
|----------|---------|------------|--|
| FC61 | 10 | Short Neck | |



250 A continuous, 2500 A for 10 seconds. Heavy duty. (Image shown <u>NOT</u> actual size).

| Part No. | Qty | Description | |
|----------|-------|--------------|--|
| EC94 | 1 Set | Switch & Key | |
| EC95 | 1 | Spare Key | |
| | | | |





12V Battery Isolator Switch

100 A continuous, 500 A for 5 seconds. (Image shown NOT actual size).

| Part No. | Qty | Description | | | | |
|----------|-------|--------------|--|--|--|--|
| EC92 | 1 Set | Switch & Key | | | | |
| EC93 | 5 | Spare Keys | | | | |































Littelfuse LITTELFUSE ATOF® **Standard Blade Fuses** Nylon housing.

| Part No. | Pack of | Amperage |
|----------|---------|----------|
| EFB1 | 50 | 1 A |
| EFB2 | 50 | 2 A |
| EFB3 | 50 | 3 A |
| EFB4 | 50 | 4 A |
| EFB5 | 50 | 5 A |
| EFB7.5 | 50 | 7.5 A |
| EFB10 | 50 | 10 A |
| EFB15 | 50 | 15 A |
| EFB20 | 50 | 20 A |
| EFB25 | 50 | 25 A |
| EFB30 | 50 | 30 A |
| EFB40 | 50 | 40 A |



Standard type blade fuse. Nylon housing.

Part No.

AB41N 120 Pieces

10 x Amperages: 2, 3, 5, 7.5, 10, 15, 20, 25, 30, 40 A.



'Max Box' Assortment of LITTELFUSE Blade Fuses & Holders

Nylon housing.

Part No. Box of

AB503 321 Pieces

11 x ATOF* Standard Blade Fuses: 2, 3, 4, 5, 7.5, 10, 15, 11 X ATOF* Standard Blade Fuses: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A
1 x ATOF* Standard Blade Fuse Holders: 20 A.
1 x MINI* Blade Fuse Holders - Splash Proof: 20 A.
1 x Standard Blade Fuse Holders - Splash Proof: 20 A.




111

Standard Blade Fuse Circuit Breakers

RoHS. Voltage Rating: 28V DC. Standard size blade fuse style.

· Manual trip/reset button on top of the fuse.







Standard **Blade Fuses**

| Part No. | Pack of | Amperage |
|----------|---------|----------|
| EFX3 | 50 | 3 A |
| EFX4 | 50 | 4 A |
| EFX5 | 50 | 5 A |
| EFX7.5 | 50 | 7.5 A |
| EFX10 | 50 | 10 A |
| EFX10K | 1,000 | 10 A |
| EFX15 | 50 | 15 A |
| EFX15K | 1,000 | 15 A |
| EFX20 | 50 | 20 A |
| EFX20K | 1,000 | 20 A |
| EFX25 | 50 | 25 A |
| EFX30 | 50 | 30 A |

Assorted Box of Standard Blade Fuses with Fuse Holders

Box of Part No.

AB164 105 Pieces

9 x Standard Blade Fuses, Amperages: 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A. 1 x Holder: White.



LED Standard Blade Fuses

RoHS. Voltage Rating: 12 or 24V. Standard blade fuse style.

· LED on top of the fuse glows when it has blown.

· No more guesswork and testing of troublesome circuits.

Instant identification of blown fuses - Saves time & effort.



Assorted Box of **LED Standard Blade Fuses**

RoHS. Voltage Rating: 12 or 24V. Standard blade fuse style.

| Part No. | Box of |
|--------------|----------------------------------|
| AB224 | 75 Pieces |
| 7 x Amperage | s: 5, 7.5, 10, 15, 20, 25, 30 A. |






















LITTELFUSE In-Line ATOF® Standard Blade Fuse Holders

| Part No. | Pack of | | Amperage | Cable Size |
|----------|---------|---|----------|------------|
| EFH20 | 10 | • | 20 A | 2 mm² |
| EFH30 | 10 | | 30 A | 3 mm² |



LITTELFUSE In-Line ATOF® Standard Blade Fuse Holders - Splash Proof

| Part No. | Pack of | | Amperage | Cable Size |
|----------|---------|---|----------|---------------------|
| EFH5 | 10 | • | 20 A | 1.5 mm ² |
| EFH530 | 10 | | 30 A | 3 mm² |







In-Line Standard Blade Fuse Holders

| Part No. | Pack of | | Amps | Cable Size | |
|----------|---------|---|------|------------|--|
| EFH150 | 10 | • | 20A | 2 mm² | |



LED In-Line Standard Blade Fuse Holders - Splash Proof

RoHS. Voltage Rating: 12 or 24 V. Fitted lid prevents water ingress. For use with standard blade fuses.

• Built-in LED glows when fuse has blown.

| Part No. | Pack of | | Amperage | Cable Size |
|----------|---------|---|----------|------------|
| EFH220 | 10 | • | 20A | 2 mm² |
| EFH230 | 10 | | 30A | 3 mm² |



| art No. | Pack of | Colour |
|---------|---------|--------|
| FH6 | 10 | White |



Can be clipped together to make a multiple fuse box.

Part No. Park of Description

| | | | 2001,010 |
|---|------|----|---------------|
| E | FH8 | 10 | Fuse Holders |
| E | FH9 | 10 | Clear Covers |
| E | FH10 | 10 | Fixing Plates |
| _ | | | |

































Assorted Box of LITTELFUSE Low Profile MINI® Blade Fuses

Part No. Box of **AB175N** 75 Pieces 7 x Amperages: 5, 7.5, 10, 15, 20, 25, 30 A.







| 32 V. INVIOLI | Housing. | | | |
|---------------|----------|--|--|--|
| Part No. | Pack of | | | |
| EFBM25 | 25 | | | |

| Pack of | | Amperage |
|---------|--|--|
| 25 | | 5 A |
| 25 | | 7.5 A |
| 25 | | 10 A |
| 25 | | 15 A |
| 25 | | 20 A |
| 25 | | 25 A |
| 25 | | 30 A |
| | 25 25 25 25 25 25 25 | 25 25 25 25 25 25 25 25 |

Assorted Box of LITTELFUSE MICRO2™ **Blade Fuses**

32 V. Nylon housing.

Part No. Box of

AB179 175 Pieces

7 x Amperages: 5, 7.5, 10, 15, 20, 25, 30 A.







Mini Blade Fuses

| Part No. | Pack of | Amperage |
|----------|---------|----------|
| EFX102 | 50 | 2 A |
| EFX103 | 50 | 3 A |
| EFX104 | 50 | 4 A |
| EFX105 | 50 | 5 A |
| EFX107 | 50 | 7.5 A |
| EFX110 | 50 | 10 A |
| EFX110K | 1,000 | 10 A |
| EFX115 | 50 | 15 A |
| EFX115K | 1,000 | 15 A |
| EFX120 | 50 | 20 A |
| EFX120K | 1,000 | 20 A |
| EFX125 | 50 | 25 A |
| EFX130 | 50 | 30 A |

Assorted Box of Mini Blade Fuses

Box of Part No.

AB165N 200 Pieces


10 x Amperages: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A.





In-Line Mini Blade Fuse Holders - Splash Proof

| Part No. | Pack of | | Amps | Cable Size | |
|----------|---------|---|------|------------|--|
| EFH140 | 10 | • | 20A | 2 mm² | |





O

000

ထွ



| Nylon hous | sing. | | | _ | - |
|------------|---------|----------|--|---|---|
| Part No. | Pack of | Amperage | | | |
| EFB102 | 25 | 2 A | | | |
| EFB103 | 25 | 3 A | | | |
| EFB104 | 25 | 4 A | | | |
| EFB105 | 25 | 5 A | | | |
| EFB107 | 25 | 7.5 A | | | |
| EFB110 | 25 | 10 A | | | |
| EFB115 | 25 | 15 A | | | |
| EFB120 | 25 | 20 A | | | |
| EFB125 | 25 | 25 A | | | |
| EFB130 | 25 | 30 A | | | |

Littelfuse 111 LITTELFUSE MAXI™ Blade Fuses Nylon housing. Part No. Pack of Amperage **EFB220** 10 20 A 30 A **EFB230** 10 **EFB240** 10 40 A 50 A **EFB250** 10 **EFB260** 10 60 A **EFB270** 10 70 A 80 A **EFB280** 10

Assorted Box of LITTELFUSE MINI® Blade Fuses

Nylon housing. Part No. Box of

AB118 100 Pieces

10 x Amperages: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A.



Assorted Box of LITTELFUSE MAXI™ Blade Fuses

Nylon housing. Part No. Box of

AB176 29 Pieces

Littelfuse

7 x Amperages: 20, 30, 40, 50, 60, 70, 80 A.





LITTELFUSE In-Line MINI® Blade Fuse Holders - Splash Proof

| Part No. | Pack of | | Amperage | Cable Size |
|----------|---------|---|----------|---------------------|
| EFH4 | 10 | • | 20 A | 2.1 mm ² |
| EFH430 | 10 | | 30 A | 3.3 mm ² |





LED in-Line Mini Blade Fuse Holders - Splash Proof

RoHS. Voltage Rating: 12 or 24 V. Fitted lid prevents water ingress. For use with mini blade fuses.

• Built-in LED glows when fuse has blown.

| Part No. | Pack of | | Amperage | Cable Size |
|----------|---------|---|----------|------------|
| EFH120 | 10 | • | 20A | 2 mm² |
| EFH130 | 10 | | 30A | 3 mm² |





LITTELFUSE MAXI™ **Fuse Holder - Splash Proof** 80 amp. For Cable size 4-6 mm².

Description Part No. Qty **EFH84** 1 **Fuse Holder**






000

0








| Standard ty | pe. |
|-------------|-----|
|-------------|-----|

| Part No. | Pack of | Amperage |
|----------|---------|----------|
| EFJ20 | 10 | 20 A |
| EFJ30 | 10 | 30 A |
| EFJ40 | 10 | 40 A |
| EFJ50 | 10 | 50 A |
| EFJ60 | 10 | 60 A |

Littelfuse



LITTELFUSE Low Profile JCASE® Cartridge Fuses

| Standard | +1 1100 |
|----------|---------|
| | |
| | |


| Part No. | Pack of | Amperage | |
|----------|---------|----------|--|
| EFJ120 | 10 | 20 A | |
| EFJ130 | 10 | 30 A | |
| EFJ140 | 10 | 40 A | |
| EFJ150 | 10 | 50 A | |
| EFJ160 | 10 | 60 A | |
| | | | |

Littelfuse



| Partinu. | PdCK UI | Alliperage | |
|---------------|---------|------------|--|
| EFA320 | 10 | 20 A | |
| EFA340 | 10 | 40 A | |
| EFA360 | 10 | 60 A | |

Littelfuse



| LIIIELFU | | | |
|----------|---------|------|-----|
| PAL Auto | Fuses - | Type | 294 |

| Part No. | Pack OI | Amperage | |
|----------|---------|----------|--|
| EFA150 | 10 | 50 A | |
| EFA160 | 10 | 60 A | |
| EFA180 | 10 | 80 A | |
| | | | |



0

موم

-9



Torpedo Fuses

Torpedo (Ceramic Type/Continental) Fuses to DIN 72581/1.

| Part No. | Pack of | Amperage | Colour |
|----------|---------|----------|--------|
| EFC5 | 100 | 5 A | Yellow |
| EFC8 | 100 | 8 A | White |
| EFC16 | 100 | 16 A | Red |
| EFC25 | 100 | 25 A | Blue |

Assorted Box of Glass & Torpedo Fuses

Torpedo (Ceramic Type/Continental) Fuses to DIN 72581/1.


Part No. Box of

AB194 350 Pieces

8 x Glass Fuses: 2, 5, 10, 15, 20, 25, 35, 50 A. 4 x Torpedo (Ceramic Type/Continental): 5, 8, 16, 25 A.



Littelfuse




| Part No. | Pack of | Amperage |
|----------|---------|----------|
| EFM150 | 10 | 150 A |
| EFM175 | 10 | 175 A |
| EFM250 | 10 | 250 A |
| EFM500 | 10 | 500 A |



| Domestic | Mains | Fuses |
|-----------------|--------------|--------------|
| RS 1362 | | |

| DO 1001. | | |
|----------|---------|----------|
| Part No. | Pack of | Amperage |
| EFD3 | 50 | 3 A |
| EFD5 | 50 | 5 A |
| EED12 | 50 | 12 A |





Glass Fuses

| Part No. | Pack of | Amperage | Length |
|----------|---------|----------|--------|
| EFG2 | 100 | 2 A | 30 mm |
| EFG5 | 100 | 5 A | 30 mm |
| EFG10 | 100 | 10 A | 30 mm |
| EFG15 | 100 | 15 A | 30 mm |
| EFG20 | 100 | 20 A | 30 mm |
| EFG25 | 100 | 25 A | 30 mm |
| EFG35 | 100 | 35 A | 30 mm |
| EFG50 | 100 | 50 A | 30 mm |

Assorted Box of Glass & Torpedo Fuses


Torpedo (Ceramic Type/Continental) Fuses to DIN 72581/1.

Part No. Box of

AB194 350 Pieces

8 x Glass Fuses: 2, 5, 10, 15, 20, 25, 35, 50 A. 4 x Torpedo (Ceramic Type/Continental): 5, 8, 16, 25 A.





Glass Fuse Holders

In-line type with insulated connectors.

| Part No. | Pack of | | Amperage | Cable Size |
|----------|---------|---|----------|------------|
| EFH1 | 10 | • | 8 A | 1 mm² |
| EFH11 | 10 | • | 17 A | 2 mm² |





Mini Glass Fuses

Radio type.

| Part No. | Pack of | Amperage | Length |
|----------|---------|----------|--------|
| EFG101 | 50 | 1 A | 25 mm |
| EFG102 | 50 | 2 A | 25 mm |





000

အ



Cable Tie Bases - Plastic

Self-adhesive with 2 screw holes.

| Part No. | Pack of | For Tie Width |
|----------|---------|---------------|
| EAC9BK | 50 | 3.5 mm |
| EAC4BK | 50 | 4.8 mm |

| Colour | Base Size |
|--------|---------------|
| Black | 19 mm x 19 mm |
| Black | 28 mm x 28 mm |
| | |



Cable Tie Bases - Plastic

Self-adhesive with 2 screw holes.

| 00 00000 | = | 50.011 | | |
|----------|---------|---------------|--------|---------------|
| Part No. | Pack of | For Tie Width | Colour | Base Size |
| EAC9 | 50 | 3.5 mm | White | 19 mm x 19 mm |
| EAC4 | 50 | 4.8 mm | White | 28 mm x 28 mm |
| | | | | |



Cable Tie Cradles

Polyamide. Operating Temperature:

| Part No. | Qty | Max Tie Width |
|----------|-----|---------------|
| EMC5BK | 100 | 5 mm |
| ЕМС9ВК | 100 | 9 mm |

| -4 | 0 to 85°C. | | |
|----|------------|------------|--|
| | Colour | Screw Size | |
| | Black | M3 | |
| | Black | M5 | |
| | | | |





| ruiyaiiliu | | | | | |
|------------|-----|---------------|--------|------------|--|
| Part No. | Qty | Max Tie Width | Colour | Screw Size | |
| EMC5 | 100 | 5 mm | White | М3 | |
| EMC9 | 100 | 9 mm | White | M5 | |



Assorted Box of Cable Tie Bases & Cradle Mounts

Bases: Self adhesive with 2 screw holes.

| Operating Temperature: -40 to 85°C. | | | | |
|-------------------------------------|--------|--|--|--|
| Part No. | Box of | | | |

| AB178N | 120 | Piece | :S |
|-----------------|------------|-----------|-------|
| 4 x Cradle Mour | nts: Sizes | (Colour): | 5 9 n |

our): 5, 9 mm (Black), 5, 9 mm (White)

4 x Cable Tie Bases, Sizes (Colour): 3.5, 4.8 mm (Black),





| Sell-adiliesive | ₽. | | | | | |
|-----------------|---------|-------------|---|--------|---------------|--|
| Part No. | Pack of | For Ø Up To | (| Colour | Base Size | |
| EAC1 | 50 | 5 mm | | White | 19 mm x 19 mm | |
| EAC2 | 50 | 8 mm | 1 | White | 25 mm x 25 mm | |
| EAC3 | 50 | 14 mm | | White | 33 mm x 28 mm | |



Self-adhesive.

| Part No. | Pack of |
|------------------------|---------------------|
| AP5 | 50 Pieces |
| 3 x Sizes (for Ø Up To | o): 5, 8 and 14 mm. |





JCS Rubber Lined P-Clips

Hole Dia 6 mm. Mild steel, zinc plated. EPDM rubber lined to prevent chafing caused by vibration.

| Dart No. | Dack of | Ciro. |
|---------------|---------|-------|
| Part No. | Pack of | Size |
| EAC105 | 50 | 5 mm |
| EAC106 | 50 | 6 mm |
| EAC108 | 50 | 8 mm |
| EAC110 | 50 | 10 mm |
| EAC113 | 50 | 13 mm |
| EAC116 | 50 | 16 mm |
| EAC121 | 50 | 21 mm |
| EAC125 | 50 | 25 mm |
| EAC129 | 50 | 29 mm |
| EAC135 | 50 | 35 mm |
| EAC138 | 50 | 38 mm |
| EAC144 | 25 | 44 mm |
| EAC148 | 25 | 48 mm |
| EAC152 | 25 | 52 mm |
| EAC160 | 25 | 60 mm |
| | | |

Assorted Pack of JCS Rubber Lined P-Clips

| Part No. | Pack of | | | |
|-----------------------|-----------------------|-----|-----|-------|
| EAC100 | 60 Pieces | | | |
| 5 x Sizes: 6, 21, 29, | 35 mm. 10 x Sizes: 8. | 10. | 13. | 16 mr |





P-Clips

Nylon. Black.

| Part No. | Pack of | For Cable Ø | |
|----------|---------|-------------|--|
| EAC405 | 100 | 4.8 mm | |
| EAC406 | 100 | 6.0 mm | |
| EAC409 | 100 | 9.0 mm | |
| EAC412 | 100 | 12.0 mm | |
| EAC419 | 50 | 19.1 mm | |



Nylon. Black.

Part No. Box of

AB193 160 Pieces

5 x Sizes (for Cable Ø): 4.8, 6.0, 9.0, 12.0, 19.1 mm.





အ

000

O



Cable Clips - Metal Permanent self-adhesive.

Galvanised mild steel, white acrylic coated.

| Part No. | Pack of | Size | for Cable Ø |
|----------|---------|--------|-------------|
| EAC26 | 100 | Medium | 8 mm |
| EAC27 | 25 | Large | 12 mm |



Cable Clips - Metal Self-adhesive.

| Part No. | Pack of | Diameter |
|----------|---------|----------|
| EAC6 | 50 | 9.5 mm |



Chassis Clips - Steel

| Part No. | Pack of | Cable Grip | Length |
|----------|---------|------------|--------|
| EAC13 | 50 | 6 mm | 40 mm |



Cable Gland - Metric

DIN EN 50262/VDE 0619.
Body material Polyamide 6 with neoprene seal. IP68 rating.
Temp range: -30°C to 80°C. Locking nut included.

| Part No. | Qty | Size | Cable Range | |
|----------|-----|------|-------------|--|
| ECG16 | 10 | M16 | 5 - 10 mm | |
| ECG20 | 10 | M20 | 10 - 14 mm | |
| ECG25 | 10 | M25 | 13 - 18 mm | |
| ECG32 | 2 | M32 | 18 - 25 mm | |
| ECG40 | 2 | M40 | 22 - 32 mm | |
| ECG50 | 1 | M50 | 30 - 38 mm | |



| Part No. | Qty | Size | Cable Range | |
|----------|-----|--------|-------------|--|
| EPG13 | 10 | PG13.5 | 6 - 12 mm | |
| EPG16 | 10 | PG16 | 10 - 14 mm | |
| EPG21 | 5 | PG21 | 13 - 18 mm | |
| EPG29 | 2 | PG29 | 18 - 25 mm | |
| EPG36 | 1 | PG36 | 22 - 32 mm | |
| EPG42 | 1 | PG42 | 30 - 38 mm | |





Conduit - Split

Nvlon.

| INVIOLE. | | | |
|----------|--------|-------|----------------|
| Part No. | Length | Size | I.D. x O.D. |
| ECS10 | 10 m | 10 mm | 6.9 x 9.9 mm |
| ECS11 | 10 m | 16 mm | 11.5 x 15.5 mm |
| ECS16 | 10 m | 21 mm | 16.5 x 20.7 mm |
| ECS19 | 10 m | 24 mm | 19.5 x 23.5 mm |
| ECS31 | 25 m | 10 mm | 6.5 x 10.0 mm |
| ECS33 | 25 m | 21 mm | 16.9 x 21.2 mm |
| ECS34 | 25 m | 26 mm | 21.3 x 25.6 mm |
| | | | |





| TAYTOTT. | | | | |
|----------|--------|-------|----------------|--|
| Part No. | Length | Size | I.D. x O.D. | |
| ECS41 | 25 m | 10 mm | 6.5 x 10.0 mm | |
| ECS42 | 25 m | 16 mm | 11.8 x 16.0 mm | |
| ECS43 | 25 m | 21 mm | 16.9 x 21.2 mm | |
| ECS44 | 25 m | 26 mm | 21.3 x 25.6 mm | |



Spiral Binding - Black

| Porytriene. | | | |
|-------------|--------|------------|-----------|
| Part No. | Length | Band Width | Range |
| ECS29 | 10 m | 9 mm | 9 - 65 mm |































Cable Ties - Black

| Standard type. N | vianutactured fro | OM NYION 6.6. |
|------------------|-------------------|-----------------|
| Part No. | Pack of | Length x Width |
| ECT210 | 100 | 100 mm x 2.5 mm |
| ECT210/5 | 5 x 100 | 100 mm x 2.5 mm |
| ECT210/10 | 10 x 100 | 100 mm x 2.5 mm |
| ECT210/55K | 550 x 100 | 100 mm x 2.5 mm |
| ECT216 | 100 | 160 mm x 2.5 mm |
| ECT216/5 | 5 x 100 | 160 mm x 2.5 mm |
| ECT216/10 | 10 x 100 | 160 mm x 2.5 mm |
| ECT216/40K | 400 x 100 | 160 mm x 2.5 mm |
| ECT220 | 100 | 200 mm x 2.5 mm |
| ECT220/5 | 5 x 100 | 200 mm x 2.5 mm |
| ECT220/10 | 10 x 100 | 200 mm x 2.5 mm |
| ECT220/30K | 300 x 100 | 200 mm x 2.5 mm |
| | | |

| | | The state of the s |
|------------|-----------|--|
| Part No. | Pack of | Length x Width |
| ECT314 | 100 | 140 mm x 3.6 mm |
| ECT314/5 | 5 x 100 | 140 mm x 3.6 mm |
| ECT314/10 | 10 x 100 | 140 mm x 3.6 mm |
| ECT314/30K | 300 x 100 | 140 mm x 3.6 mm |
| ECT320 | 100 | 200 mm x 3.6 mm |
| ECT320/5 | 5 x 100 | 200 mm x 3.6 mm |
| ECT320/10 | 10 x 100 | 200 mm x 3.6 mm |
| ECT320/20K | 200 x 100 | 200 mm x 3.6 mm |
| ECT330 | 100 | 300 mm x 3.6 mm |
| ECT330/5 | 5 x 100 | 300 mm x 3.6 mm |
| ECT330/10 | 10 x 100 | 300 mm x 3.6 mm |
| ECT330/17K | 170 x 100 | 300 mm x 3.6 mm |
| | | |

| Part No. | Pack of | Length x Width |
|---------------|-----------|-----------------|
| ECT416 | 100 | 160 mm x 4.8 mm |
| ECT416/5 | 5 x 100 | 160 mm x 4.8 mm |
| ECT416/10 | 10 x 100 | 160 mm x 4.8 mm |
| ECT416/16K | 160 x 100 | 160 mm x 4.8 mm |
| ECT420 | 100 | 200 mm x 4.8 mm |
| ECT420/5 | 5 x 100 | 200 mm x 4.8 mm |
| ECT420/10 | 10 x 100 | 200 mm x 4.8 mm |
| ECT420/15K | 150 x 100 | 200 mm x 4.8 mm |
| ECT425 | 100 | 250 mm x 4.8 mm |
| ECT425/5 | 5 x 100 | 250 mm x 4.8 mm |
| ECT425/10 | 10 x 100 | 250 mm x 4.8 mm |
| ECT425/12K | 120 x 100 | 250 mm x 4.8 mm |
| ECT430 | 100 | 300 mm x 4.8 mm |
| ECT430/5 | 5 x 100 | 300 mm x 4.8 mm |
| ECT430/10 | 10 x 100 | 300 mm x 4.8 mm |
| ECT430/11K | 110 x 100 | 300 mm x 4.8 mm |
| ECT437 | 100 | 370 mm x 4.8 mm |
| ECT437/5 | 5 x 100 | 370 mm x 4.8 mm |
| ECT437/10 | 10 x 100 | 370 mm x 4.8 mm |
| ECT437/9K | 90 x 100 | 370 mm x 4.8 mm |
| ECT439 | 100 | 390 mm x 4.8 mm |
| ECT439/5 | 5 x 100 | 390 mm x 4.8 mm |
| ECT439/10 | 10 x 100 | 390 mm x 4.8 mm |
| ECT439/85 | 85 x 100 | 390 mm x 4.8 mm |
| ECT443 | 100 | 430 mm x 4.8 mm |
| ECT443/5 | 5 x 100 | 430 mm x 4.8 mm |
| ECT443/10 | 10 x 100 | 430 mm x 4.8 mm |
| ECT443/75 | 75 x 100 | 430 mm x 4.8 mm |
| | | |

| Part No. | Pack of | Length x Width |
|---------------|----------|-----------------|
| ECT720 | 100 | 200 mm x 7.6 mm |
| ECT720/5 | 5 x 100 | 200 mm x 7.6 mm |
| ECT720/10 | 10 x 100 | 200 mm x 7.6 mm |
| ECT720/7K | 70 x 100 | 200 mm x 7.6 mm |
| ECT730 | 100 | 300 mm x 7.6 mm |
| ECT730/5 | 5 x 100 | 300 mm x 7.6 mm |
| ECT730/10 | 10 x 100 | 300 mm x 7.6 mm |
| ECT730/5K | 50 x 100 | 300 mm x 7.6 mm |
| ECT737 | 100 | 370 mm x 7.6 mm |
| ECT737/5 | 5 x 100 | 370 mm x 7.6 mm |
| ECT737/10 | 10 x 100 | 370 mm x 7.6 mm |
| ECT737/4K | 40 x 100 | 370 mm x 7.6 mm |
| ECT745 | 100 | 450 mm x 7.6 mm |
| ECT745/5 | 5 x 100 | 450 mm x 7.6 mm |
| ECT745/10 | 10 x 100 | 450 mm x 7.6 mm |
| ECT745/25 | 25 x 100 | 450 mm x 7.6 mm |
| ECT754 | 100 | 540 mm x 7.6 mm |
| ECT754/5 | 5 x 100 | 540 mm x 7.6 mm |
| ECT754/10 | 10 x 100 | 540 mm x 7.6 mm |
| ECT754/2K | 20 x 100 | 540 mm x 7.6 mm |



| Part No. | Pack of | Length x Width |
|-----------------|----------|------------------|
| ECT943 | 100 | 430 mm x 9.0 mm |
| | | |
| ECT943/5 | 5 x 100 | 430 mm x 9.0 mm |
| ECT943/10 | 10 x 100 | 430 mm x 9.0 mm |
| ECT943/25 | 25 x 100 | 430 mm x 9.0 mm |
| ECT953 | 100 | 530 mm x 9.0 mm |
| ECT953/5 | 5 x 100 | 530 mm x 9.0 mm |
| ECT953/10 | 10 x 100 | 530 mm x 9.0 mm |
| ECT953/2K | 20 x 100 | 530 mm x 9.0 mm |
| ECT971 | 100 | 710 mm x 9.0 mm |
| ECT971/5 | 5 x 100 | 710 mm x 9.0 mm |
| ECT971/10 | 10 x 100 | 710 mm x 9.0 mm |
| ECT971/2K | 20 x 100 | 710 mm x 9.0 mm |
| ECT978 | 100 | 780 mm x 9.0 mm |
| ECT978/5 | 5 x 100 | 780 mm x 9.0 mm |
| ECT978/10 | 10 x 100 | 780 mm x 9.0 mm |
| ECT978/2K | 20 x 100 | 780 mm x 9.0 mm |
| ECT9102 | 100 | 1020 mm x 9.0 mm |
| ECT9102/5 | 5 x 100 | 1020 mm x 9.0 mm |
| ECT9102/1K | 10 x 100 | 1020 mm x 9.0 mm |
| | | |



| Part No. | Pack of | Length x Width |
|------------|----------|-------------------|
| ECT1258 | 100 | 580 mm x 12.7 mm |
| ECT1258/5 | 5 x 100 | 580 mm x 12.7 mm |
| ECT1258/12 | 12 x 100 | 580 mm x 12.7 mm |
| ECT12103 | 100 | 1030 mm x 12.7 mm |
| ECT12103/6 | 6 x 100 | 1030 mm x 12.7 mm |























Cable Ties - Natural Standard type. Manufactured from Nylon 6.6.

| Pack of | Length x Width |
|-----------|---|
| 100 | 100 mm x 2.5 mm |
| 5 x 100 | 100 mm x 2.5 mm |
| 10 x 100 | 100 mm x 2.5 mm |
| 550 x 100 | 100 mm x 2.5 mm |
| 100 | 160 mm x 2.5 mm |
| 5 x 100 | 160 mm x 2.5 mm |
| 10 x 100 | 160 mm x 2.5 mm |
| 400 x 100 | 160 mm x 2.5 mm |
| 100 | 200 mm x 2.5 mm |
| 5 x 100 | 200 mm x 2.5 mm |
| 10 x 100 | 200 mm x 2.5 mm |
| 300 x 100 | 200 mm x 2.5 mm |
| | 100 5 x 100 10 x 100 550 x 100 100 5 x 100 10 x 100 400 x 100 100 5 x 100 100 100 5 x 100 |

| Part No. | Pack of | Length x Width |
|-------------|-----------|-----------------|
| ECTW314 | 100 | 140 mm x 3.6 mm |
| ECTW314/5 | 5 x 100 | 140 mm x 3.6 mm |
| ECTW314/10 | 10 x 100 | 140 mm x 3.6 mm |
| ECTW314/30K | 300 x 100 | 140 mm x 3.6 mm |
| ECTW320 | 100 | 200 mm x 3.6 mm |
| ECTW320/5 | 5 x 100 | 200 mm x 3.6 mm |
| ECTW320/10 | 10 x 100 | 200 mm x 3.6 mm |
| ECTW320/20K | 200 x 100 | 200 mm x 3.6 mm |
| ECTW330 | 100 | 300 mm x 3.6 mm |
| ECTW330/5 | 5 x 100 | 300 mm x 3.6 mm |
| ECTW330/10 | 10 x 100 | 300 mm x 3.6 mm |
| ECTW330/17K | 170 x 100 | 300 mm x 3.6 mm |
| | | |

| Part No. | Pack of | Length x Width |
|-------------|-----------|-----------------|
| ECTW416 | 100 | 160 mm x 4.8 mm |
| ECTW416/5 | 5 x 100 | 160 mm x 4.8 mm |
| ECTW416/10 | 10 x 100 | 160 mm x 4.8 mm |
| ECTW416/16K | 160 x 100 | 160 mm x 4.8 mm |
| ECTW420 | 100 | 200 mm x 4.8 mm |
| ECTW420/5 | 5 x 100 | 200 mm x 4.8 mm |
| ECTW420/10 | 10 x 100 | 200 mm x 4.8 mm |
| ECTW420/15K | 150 x 100 | 200 mm x 4.8 mm |
| ECTW425 | 100 | 250 mm x 4.8 mm |
| ECTW425/5 | 5 x 100 | 250 mm x 4.8 mm |
| ECTW425/10 | 10 x 100 | 250 mm x 4.8 mm |
| ECTW425/12K | 120 x 100 | 250 mm x 4.8 mm |
| ECTW430 | 100 | 300 mm x 4.8 mm |
| ECTW430/5 | 5 x 100 | 300 mm x 4.8 mm |
| ECTW430/10 | 10 x 100 | 300 mm x 4.8 mm |
| ECTW430/11K | 110 x 100 | 300 mm x 4.8 mm |
| ECTW437 | 100 | 370 mm x 4.8 mm |
| ECTW437/5 | 5 x 100 | 370 mm x 4.8 mm |
| ECTW437/10 | 10 x 100 | 370 mm x 4.8 mm |
| ECTW437/9K | 90 x 100 | 370 mm x 4.8 mm |
| ECTW439 | 100 | 390 mm x 4.8 mm |
| ECTW439/5 | 5 x 100 | 390 mm x 4.8 mm |
| ECTW439/10 | 10 x 100 | 390 mm x 4.8 mm |
| ECTW439/85 | 85 x 100 | 390 mm x 4.8 mm |
| ECTW443 | 100 | 430 mm x 4.8 mm |
| ECTW443/5 | 5 x 100 | 430 mm x 4.8 mm |
| ECTW443/10 | 10 x 100 | 430 mm x 4.8 mm |
| ECTW443/75 | 75 x 100 | 430 mm x 4.8 mm |
| | | |

| Part No. | Pack of | Length x Width |
|------------|----------|-----------------|
| ECTW720 | 100 | 200 mm x 7.6 mm |
| ECTW720/5 | 5 x 100 | 200 mm x 7.6 mm |
| ECTW720/10 | 10 x 100 | 200 mm x 7.6 mm |
| ECTW720/7K | 70 x 100 | 200 mm x 7.6 mm |
| ECTW730 | 100 | 300 mm x 7.6 mm |
| ECTW730/5 | 5 x 100 | 300 mm x 7.6 mm |
| ECTW730/10 | 10 x 100 | 300 mm x 7.6 mm |
| ECTW730/5K | 50 x 100 | 300 mm x 7.6 mm |
| ECTW737 | 100 | 370 mm x 7.6 mm |
| ECTW737/5 | 5 x 100 | 370 mm x 7.6 mm |
| ECTW737/10 | 10 x 100 | 370 mm x 7.6 mm |
| ECTW737/4K | 40 x 100 | 370 mm x 7.6 mm |
| ECTW745 | 100 | 450 mm x 7.6 mm |
| ECTW745/5 | 5 x 100 | 450 mm x 7.6 mm |
| ECTW745/10 | 10 x 100 | 450 mm x 7.6 mm |
| ECTW745/25 | 25 x 100 | 450 mm x 7.6 mm |
| ECTW754 | 100 | 540 mm x 7.6 mm |
| ECTW754/5 | 5 x 100 | 540 mm x 7.6 mm |
| ECTW754/10 | 10 x 100 | 540 mm x 7.6 mm |
| ECTW754/2K | 20 x 100 | 540 mm x 7.6 mm |
| | | |

| Part No. | Pack of | Length x Width |
|-------------|----------|------------------|
| ECTW943 | 100 | 430 mm x 9.0 mm |
| ECTW943/5 | 5 x 100 | 430 mm x 9.0 mm |
| ECTW943/10 | 10 x 100 | 430 mm x 9.0 mm |
| ECTW943/25 | 25 x 100 | 430 mm x 9.0 mm |
| ECTW953 | 100 | 530 mm x 9.0 mm |
| ECTW953/5 | 5 x 100 | 530 mm x 9.0 mm |
| ECTW953/10 | 10 x 100 | 530 mm x 9.0 mm |
| ECTW953/2K | 20 x 100 | 530 mm x 9.0 mm |
| ECTW971 | 100 | 710 mm x 9.0 mm |
| ECTW971/5 | 5 x 100 | 710 mm x 9.0 mm |
| ECTW971/10 | 10 x 100 | 710 mm x 9.0 mm |
| ECTW971/2K | 20 x 100 | 710 mm x 9.0 mm |
| ECTW978 | 100 | 780 mm x 9.0 mm |
| ECTW978/5 | 5 x 100 | 780 mm x 9.0 mm |
| ECTW978/10 | 10 x 100 | 780 mm x 9.0 mm |
| ECTW978/2K | 20 x 100 | 780 mm x 9.0 mm |
| ECTW9102 | 100 | 1020 mm x 9.0 mm |
| ECTW9102/5 | 5 x 100 | 1020 mm x 9.0 mm |
| ECTW9102/1K | 10 x 100 | 1020 mm x 9.0 mm |
| | | |

| Part No. | Pack of | Length x Width |
|-------------|----------|-------------------|
| ECTW1258 | 100 | 580 mm x 12.7 mm |
| ECTW1258/5 | 5 x 100 | 580 mm x 12.7 mm |
| ECTW1258/12 | 12 x 100 | 580 mm x 12.7 mm |
| ECTW12103 | 100 | 1030 mm x 12.7 mm |
| ECTW12103/6 | 6 x 100 | 1030 mm x 12.7 mm |
| - | | |



























Cable Ties - Silver/Grey Standard type. Manufactured from Nylon 6.6.

| Part No. | Pack of | Length x Width |
|-------------|-----------|-----------------|
| ECTG420 | 100 | 200 mm x 4.8 mm |
| ECTG420/5 | 5 x 100 | 200 mm x 4.8 mm |
| ECTG420/10 | 10 x 100 | 200 mm x 4.8 mm |
| ECTG420/15K | 150 x 100 | 200 mm x 4.8 mm |
| ECTG430 | 100 | 300 mm x 4.8 mm |
| ECTG430/5 | 5 x 100 | 300 mm x 4.8 mm |
| ECTG430/10 | 10 x 100 | 300 mm x 4.8 mm |
| ECTG430/11K | 110 x 100 | 300 mm x 4.8 mm |
| ECTG437 | 100 | 370 mm x 4.8 mm |
| ECTG437/5 | 5 x 100 | 370 mm x 4.8 mm |
| ECTG437/10 | 10 x 100 | 370 mm x 4.8 mm |
| FCTG437/9K | 90 x 100 | 370 mm x 4 8 mm |

Cable Ties - Green

Standard type. Manufactured from Nylon 6.6. Pack of Length x Width

| | | 20180171 111011 |
|--------------|-----------|-----------------|
| ECT420GR | 100 | 200 mm x 4.8 mm |
| ECT420GR/5 | 5 x 100 | 200 mm x 4.8 mm |
| ECT420GR/10 | 10 x 100 | 200 mm x 4.8 mm |
| ECT420GR/15K | 150 x 100 | 200 mm x 4.8 mm |
| ECT430GR | 100 | 300 mm x 4.8 mm |
| ECT430GR/5 | 5 x 100 | 300 mm x 4.8 mm |
| ECT430GR/10 | 10 x 100 | 300 mm x 4.8 mm |
| ECT430GR/11K | 110 x 100 | 300 mm x 4.8 mm |
| ECT437GR | 100 | 370 mm x 4.8 mm |
| ECT437GR/5 | 5 x 100 | 370 mm x 4.8 mm |
| ECT437GR/10 | 10 x 100 | 370 mm x 4.8 mm |
| FCT437GR/9K | 90 x 100 | 370 mm x 4.8 mm |

Cable Ties - Blue

Standard type, Manufactured from Nylon 6.6.

| Stariuaru type, iviai | ioractored from | Nylon o.o. |
|-----------------------|-----------------|-----------------|
| Part No. | Pack of | Length x Width |
| ECT420BU | 100 | 200 mm x 4.8 mm |
| ECT420BU/5 | 5 x 100 | 200 mm x 4.8 mm |
| ECT420BU/10 | 10 x 100 | 200 mm x 4.8 mm |
| ECT420BU/15K | 150 x 100 | 200 mm x 4.8 mm |
| ECT430BU | 100 | 300 mm x 4.8 mm |
| ECT430BU/5 | 5 x 100 | 300 mm x 4.8 mm |
| ECT430BU/10 | 10 x 100 | 300 mm x 4.8 mm |
| ECT430BU/11K | 110 x 100 | 300 mm x 4.8 mm |
| ECT437BU | 100 | 370 mm x 4.8 mm |
| ECT437BU/5 | 5 x 100 | 370 mm x 4.8 mm |
| ECT437BU/10 | 10 x 100 | 370 mm x 4.8 mm |
| ECT437BU/9K | 90 x 100 | 370 mm x 4.8 mm |
| | | |

Cable Ties - Yellow

Standard type, Manufactured from Nylon 6.6.

| Staridard type. Wid | inoractor ca morn | 11yloi1 0.0. |
|---------------------|-------------------|-----------------|
| Part No. | Pack of | Length x Width |
| ECT420YE | 100 | 200 mm x 4.8 mm |
| ECT420YE/5 | 5 x 100 | 200 mm x 4.8 mm |
| ECT420YE/10 | 10 x 100 | 200 mm x 4.8 mm |
| ECT420YE/15K | 150 x 100 | 200 mm x 4.8 mm |
| ECT430YE | 100 | 300 mm x 4.8 mm |
| ECT430YE/5 | 5 x 100 | 300 mm x 4.8 mm |
| ECT430YE/10 | 10 x 100 | 300 mm x 4.8 mm |
| ECT430YE/11K | 110 x 100 | 300 mm x 4.8 mm |
| ECT437YE | 100 | 370 mm x 4.8 mm |
| ECT437YE/5 | 5 x 100 | 370 mm x 4.8 mm |
| ECT437YE/10 | 10 x 100 | 370 mm x 4.8 mm |
| ECT437VE/9K | 90 x 100 | 370 mm x 4.8 mm |





Standard type. Manufactured from Nylon 6.6.

| Stariuaru type, ivia | noracioned morn | Nylon o.o. |
|----------------------|-----------------|-----------------|
| Part No. | Pack of | Length x Width |
| ECT420RE | 100 | 200 mm x 4.8 mm |
| ECT420RE/5 | 5 x 100 | 200 mm x 4.8 mm |
| ECT420RE/10 | 10 x 100 | 200 mm x 4.8 mm |
| ECT420RE/15K | 150 x 100 | 200 mm x 4.8 mm |
| ECT430RE | 100 | 300 mm x 4.8 mm |
| ECT430RE/5 | 5 x 100 | 300 mm x 4.8 mm |
| ECT430RE/10 | 10 x 100 | 300 mm x 4.8 mm |
| ECT430RE/11K | 110 x 100 | 300 mm x 4.8 mm |
| ECT437RE | 100 | 370 mm x 4.8 mm |
| ECT437RE/5 | 5 x 100 | 370 mm x 4.8 mm |
| ECT437RE/10 | 10 x 100 | 370 mm x 4.8 mm |
| ECT437RE/9K | 90 x 100 | 370 mm x 4.8 mm |
| | | |



Assorted Pack of Cable Ties - Coloured

Standard type. Manufactured from Nylon 6.6.

Part No. Pack of Length x Width **AP41** 200 200 x 4.8 mm









Stainless Steel 316.

| Part No. | Pack of | Length x Width | |
|----------|---------|----------------|--|
| ECT107 | 50 | 362 x 4.6 mm | |
| ECT108 | 50 | 521 x 4.6 mm | |



| Starriess steel. | | | | | | |
|------------------|---------|-------|-------------|--|--|--|
| Part No. | Pack of | Size | Range | | | |
| HCV1 | 20 | Small | 19 - 40 mm | | | |
| HCV2 | 20 | Large | 50 - 110 mm | | | |

000

အ

HELLERMANN TYTON Cable Ties - Black

Standard type.

| | -) | | | |
|----------|---------|----------------|----------|--|
| Part No. | Pack of | Length x Width | Mfr Ref. | |
| ECT1N | 100 | 100 x 2.5 mm | T18R | |
| ECT5N | 200 | 120 x 4.8 mm | LK2 | |
| ECT35 | 100 | 150 x 3.5 mm | T30R | |
| ECT2 | 100 | 200 x 4.6 mm | T50R | |
| ECT2D | 500 | 200 x 4.6 mm | T50R | |
| ECT3 | 100 | 270 x 4.8 mm | LK2A | |
| ECT6 | 100 | 300 x 7.6 mm | T120I | |
| ECT7 | 100 | 390 x 4.6 mm | T50L | |
| ECT7D | 500 | 390 x 4.6 mm | T50L | |
| ECT4 | 100 | 390 x 7.6 mm | T120R | |
| ECT9 | 100 | 465 x 7.6 mm | T120M | |
| ECT8 | 50 | 540 x 13.0 mm | LK5 | |
| ECT10 | 50 | 760 x 7.6 mm | 120L | |
| | | | | |

HellermannTyton

HELLERMANN TYTON Metal Content Ties

Dark blue nylon. Metal content dispersed throughout the head and strap ensures identification by metal detectors and X-ray machines.

| Part No. | Pack of | Length x Width |
|----------|---------|----------------|
| ECT38 | 100 | 150 x 3.5 mm |
| ECT39 | 100 | 200 x 4.6 mm |
| ECT40 | 100 | 390 x 4.6 mm |
| ECT41 | 100 | 380 x 7.6 mm |

HellermannTyton



HELLERMANN TYTON Cable Ties - Mounting Head Type - Black

| Part No. | Pack of | Length x Width | Mfr Ref. | |
|----------|---------|----------------|----------|--|
| ECT21 | 100 | 215 x 4.6 mm | T50MR | |
| ECT22 | 100 | 400 x 7.6 mm | T120MR | |

HellermannTyton

50

ECT26



DE863220

300 x 6.0 mm



HELLERMANN TYTON Cable Ties - Natural (White)

Standard type.

| Part No. | Pack of | Length x Width | MTr Ret. |
|----------|---------|----------------|----------|
| ECTW1N | 100 | 100 x 2.5 mm | T18R |
| ECTW35 | 100 | 150 x 3.5 mm | T30R |
| ECTW2 | 100 | 200 x 4.6 mm | T50R |
| ECTW3 | 100 | 270 x 4.8 mm | LK2A |
| ECTW6 | 100 | 300 x 7.6 mm | T120I |
| ECTW7 | 100 | 390 x 4.6 mm | T50L |
| ECTW4 | 100 | 390 x 7.6 mm | T120R |
| ECTW9 | 100 | 465 x 7.6 mm | T120M |
| ECTW8 | 50 | 540 x 13.0 mm | LK5 |
| | | | |

HellermannTyton



HELLERMANN TYTON Cable Ties - Releasable - Black

| Part No. | Pack of | Length x Width | Mfr Ref. |
|----------|---------|----------------|----------|
| ECT20 | 100 | 250 x 7.5 mm | REL250 |

HellermannTyton



HELLERMANN TYTON Cable Ties - Releasable - Black

 $\label{eq:firstree} \textit{Fir-tree base (Mounting Hole: 6.3 - 7.0 mm, Maximum Panel Thickness: 7.0 mm)}.$

| Part No. | Pack of | Width x Length | Mfr Ref. |
|----------|---------|----------------|-----------|
| ECT25 | 100 | 5.0 x 170 mm | REL30SDP6 |

HellermannTyton



HELLERMANN TYTON Cable Ties - Releasable - Black

Panel fixing type.

| Part No. | Pack of | Width x Length | Mfr Ref. | |
|----------|---------|----------------|----------|--|
| ECT23 | 100 | 4.6 x 215 mm | RT50R/SF | |



White Panel Fixing Cable Ties

| TTIME I GI | | mig capic ries |
|------------|---------|----------------|
| Part No. | Pack of | TieWxL |
| FIX859 | 20 | 4.5 x 200 mm |



000

အ

0

Heavy Duty Cable Tie **Tensioning Tool**

Rigid metal construction. For tie widths: 2.2 - 4.8 mm. Suitable for nylon cable ties <u>ONLY</u>.

· Automatic cut-off action. Part No. Qty Description

TL932 1 **Cable Tie Tool**



Crimping Pliers - Ratchet Type

For insulated terminals.

| Part No. | Qty | Description |
|----------|-----|-------------------------|
| TL935 | 1 | Ratchet Crimping Pliers |



Crimping Pliers - Ratchet TypeSupplied with 2 x jaw sets for insulated and non-insulated terminals.

| Part No. | Qty | Description |
|----------|-----|-------------------------|
| TL930 | 1 | Ratchet Crimping Pliers |



Supaseal

Crimping Pliers - Ratchet Type • Ergonomically designed handle for ease of use

- · Ratchet ensures correct crimping pressure
- Crimp range 0.5mm 2.0mm²

| Part No. | Qty | Description | |
|----------|-----|-------------------------|--|
| TL936 | 1 | Ratchet Crimping Pliers | |



Crimping Pliers - Standard

For insulated terminals.

| Part No. | Qty | Description |
|----------|-----|--------------------------|
| TL933 | 1 | Standard Crimping Pliers |





| TL934 | 1 | Heavy Duty Crimping Pliers | |
|--------------------------|-----|----------------------------|--|
| Part No. | Qty | Description | |
| Tot insolated terminals. | | | |

Copper Tube Terminal Indent Crimping Tool

For copper tube terminals: 10 - 120 mm².

| Part No. | Ųty | Description |
|----------|-----|----------------------|
| TL940 | 1 | Indent Crimping Tool |



| | o. cb0 . c | | |
|----------|------------|---------------------------------|--|
| Part No. | Qty | Description | |
| TL931 | 1 | Wire Stripper, Cutter & Crimper | |





NWS Wire Stripper - Fully Insulated For wire: 0.2 - 6.0 mm².

Adjusts automatically to diameter of wire.

Includes side cutter.

| Part No. | Qty | Description |
|----------|-----|---------------|
| TLA341 | 1 | Wire Stripper |





KS TOOLS Automatic Wire Strippers

Insulated handles, green for easy cable size differentiation. Self adjusting, self closing. Adjustable length stop. Length: 170 mm.

- · For stripping electrical single and multi core cable without causing damage.
- 4 Position holed blade for wire sizes: 0.5, 1.2, 1.6, 2.0 mm.

| Part No. | Qty | For Cable Diameter | Handle Colour |
|-----------|-----|--------------------|---------------|
| K115.1028 | 1 | 0.5 - 2.0 mm | Green |





KS TOOLS **Automatic Wire Strippers**

Insulated handles, red for easy cable size differentiation. Self adjusting, self closing. Adjustable length stop. Length: 170 mm.

- · For stripping electrical single and multi-core cable without causing damage.
- 5 Position holed blade for wire sizes: 1.0, 1.6, 2.0, 2.6, 3.2 mm.

| Part No. | Qty | For Cable Diameter | Handle Colour |
|-----------|-----|--------------------|---------------|
| K115.1029 | 1 | 1.0 - 3.2 mm | Red |
| | | | |



موه

ဇ္

0





NWS Boot Lace (End-Sleeve) **Terminal Crimping Pliers**

Supplied complete with approx. 150 x Assortment of Boot Lace Terminals (0.5 - 2.5 mm²).DIN 46228 (Boot Lace Terminals).

| Part No. | ŲLY | Description |
|----------|-----|----------------------------------|
| TL252 | 1 | Boot Lace Terminal Pliers |



| • COT2 DOLT2 O | ih ro iki | 3.3, Strips cable 1.3/2.3 min , trimp and benu facili |
|----------------|-----------|---|
| Part No. | Qty | Length |
| TNV5/190 | 1 | 190 mm |





NWS Cable Cutter

Special tool steel, drop-forged, oil-hardened. Titanium finish head, soft grip 2-component handles. Spring opening.

- · Adjustable screw-joint.
- For stripping and cutting copper and aluminium cable up to 25 mm Ø (70 mm²).

| Part No. | Qty | Length | |
|----------|-----|--------|----------|
| TNR7/210 | 1 | 210 mm | (8 1/4") |





NWS VDE Side Cutter

'Soft-Grip' 2-component handles. Matt chromium plated heads. Optimised slip guards according to IEC 60900. 1,000V.

| Part No. | Qty | Length | |
|----------|-----|--------|----------|
| TNV4/160 | 1 | 160 mm | (6 1/4") |



NWS Electricians' Miniature Side Cutters

Box jointed with double leaf spring. Soft wire capacity: 1.2 mm Ø.

| Part No. | Qty | Length |
|----------|-----|--------|
| TNE3 | 1 | 115 mm |





NWS VDE Combination Pliers

'Soft-Grip' 2-component handles. Matt chromium plated heads. Optimised slip guards according to IEC 60900. 1,000V.

| Part No. | Qty | Length | |
|----------|-----|--------|------|
| TNV1/180 | 1 | 180 mm | (7") |
| TNV1/205 | 1 | 205 mm | (8") |





NWS VDE Long (Chain) Nose Pliers

'Soft-Grip' 2-component handles. Matt chromium plated heads. Optimised slip guards according to IEC 60900. 1,000V.

| Part No. | Qty | Length |
|----------|-----|--------|
| TNV2/205 | 1 | 205 mm |



NWS VDE Pliers Set

Optimised slip guards according to IEC 60900. 1,000V.Induction hardened precision edges. 2-component safety grip. For hard and soft wire.

Description 1 Set 3 Piece Set **KN782**

1 x VDE Combination:180 mm. 1 x VDE Chain Nose: 205 mm. 1 x VDE Side Cutter: 160 mm



NWS 'ErgoMulti' **High Leverage VDE Combination Pliers**

Insulation to IEC 60900 1,000V. Tool steel, drop-forged, oil-hardened Matt chromium plated heads. 'Soft-Grip' 2-component handles with soft inlay.

- · Ergonomically angled head for strain-free working.
- · Optimum power transmission from improved leverage.
- With lock and opening spring.

| Part No. | Qty | Length | |
|----------|-----|--------|------|
| TNV9/200 | 1 | 200 mm | (8") |



NWS 'ErgoMulti' **Ergonomic Electricians' Pliers**

Tool steel, drop-forged, oil-hardened matt chromium plated heads. 'Soft-Grip' 2-component handles with soft inlay.

- · Ergonomically angled head for strain-free working.
- Optimum power transmission from improved leverage.
- · With lock and opening spring.

| Part No. | Qty | Length | |
|----------|-----|--------|------|
| TNR9/200 | 1 | 200 mm | (8") |





































NWS 'MultiCutter' 3-in-1 VDE Wire **Stripping Pliers**

Insulation to IEC 60900 1,000V. Matt chromium plated heads. 'Soft-Grip' 2-component handles with soft inlay.

- · Precision cutting edges, induction hardened.
- · V-shaped cutting edges for stripping of wires.
- Cable stripper function: Ø 8 13 mm.

| Part No. | Ųŧy | Lengui |
|----------|-----|--------|
| TNV6/180 | 1 | 180 mm |

(7")



NWS 'ErgoCombi' High Leverage VDE Combination Pliers

Insulation to IEC 60900 1,000V. Tool steel, drop-forged, oil-hardened Matt chromium plated heads. 'Soft-Grip' 2-component handles with soft inlay

- · Ergonomically angled head for strain-free working.
- Optimum power transmission from improved leverage.
- . Can also be used as a snanner

| - | u | uiju | 2 | oscu | uJ | u | spanner. | |
|------|-----|------|---|------|----|---|----------|--|
| Part | No. | | | Qty | | L | ength | |

| TNV8/200 | 1 | 200 mm | (8") |
|----------|---|--------|------|
| | | | |







NWS 'MultiCutter' 3-in-1 Wire Stripping Pliers

Special tool steel, drop-forged, oil-hardened. Precision cutting edges, induction hardened for hard and soft wires.

V-shaped cutting edges for stripping of wires and stranded conductors.

Cable stripper function for all common cables from 8 - 13 mm Ø

| cabic 3d ip | JCI 101 | iction for all committee | i cubics ii oi |
|-------------|---------|--------------------------|----------------|
| art No. | Qty | Length | |
| NR6/180 | 1 | 180 mm | (7") |



TNR6/180 1



oil-hardened Matt chromium plated heads. 'Soft-Grip' 2-component handles with soft inlay.

- · Ergonomically angled head for strain-free working.
- · Optimum power transmission from improved leverage.
- Can also be used as a spanner.

| Part No. | Qty | Length | |
|----------|-----|--------|------|
| TNR8/200 | 1 | 200 mm | (8") |







DIN 7437 / 7348. Insulation to IEC 60900 1,000V. Black finish alloy hardened special steel blade. 2-component handle with hanging hole.

| Part No. | Qty | Tip Width x Height | Shaft Length Shaft Length |
|----------|-----|--------------------|---------------------------|
| TNS120 | 1 | 3.5 x 0.6 mm | 100 mm |
| TNS130 | 1 | 4.0 x 0.8 mm | 100 mm |
| TNS140 | 1 | 5.5 x 1.0 mm | 125 mm |
| TNS150 | 1 | 6.5 x 1.2 mm | 150 mm |





NWS VDE Screwdriver - PH

DIN 7437 / 7348. Insulation to IEC 60900 1,000 V. Black finish alloy hardened special steel blade. 2-component handle with hanging hole.

| Part No. | Qty | Tip No. | Shaft Length |
|----------|-----|---------|--------------|
| TNS200 | 1 | PH0 | 60 mm |
| TNS210 | 1 | PH1 | 80 mm |
| TNS220 | 1 | PH2 | 100 mm |





NWS VDE Screwdriver - PZ

DIN 7437 / 7348. Insulation to IEC 60900 1,000 V. Black finish alloy hardened special steel blade. 2-component handle with hanging hole.

| Part No. | Qty | Tip No. | Shaft Length |
|----------|-----|---------|--------------|
| TNS300 | 1 | PZ0 | 60 mm |
| TNS310 | 1 | PZ1 | 80 mm |
| TNS320 | 1 | PZ2 | 100 mm |



NWS VDE

DIN 7437 / 7348. Insulation to IEC 60900 1.000 V. Black finish alloy hardened special steel blade.

| 2 component nariate with nariang note. | | | | | | | |
|--|-------|-------------|--|--|--|--|--|
| Part No. | Qty | Description | | | | | |
| TNS500 | 1 Set | 5 Piece Set | | | | | |

4 x Slotted (width x shaft length): 2.5 x 75, 4.0 x 100, 5.5 x 125 mm. 1 x PH Head (PH No.x shaft length): PH1 x 80 mm. 1 x Voltage Tester, GS tested for 120-250V AC: 65 mm blade length







DIN 7437 / 7348. Insulation to IEC 60900 1,000 V. Black finish alloy hardened special steel blade. 2-component handle with hanging hole.

| TNS700 | 1 Set | 7 Piece Se | t | |
|-----------------------|--------------|-------------------|--------------------|--|
| 2 x PH Head (PH No | o.x shaft le | ngth): PHO x 60 m | | |
| 1 x Voltage Tester, (| S tested for | or 120-250V AC: 6 | 5 mm blade length. | |







 \odot

(o

موو







Commercial Thick Wall Auto Cable, Single - 1.00 mm²

14/0.30 mm, 8.75 amps.

Designed for commercial applications.

| Part No. Length | | Colour |
|----------------------|---|--------|
| EC2000BK 50 m | | Black |
| EC2000BN 50 m | 1 | Brown |
| EC2000BU 50 m | n | Blue |
| EC2000GR 50 m | 1 | Green |
| EC2000PU 50 m | 1 | Purple |
| EC2000RE 50 m | 1 | Red |
| EC2000WH 50 m | 1 | White |
| EC2000YE 50 m | 1 | Yellow |



32/0.20 mm, 16.5 amps. ISO 6722 : 2011 (Class B).

Suitable for: Side/Tail Lamps, Map/Interior Lamps, Number Plate, Reversing Lamps, Stereos, Alarms, Aerials, Screen Wash Motors, Air Horns.

| Part No. | Length | Colour | |
|----------|--------|--------|--|
| EC200BK | 50 m | Black | |
| EC200BN | 50 m | Brown | |
| EC200BU | 50 m | Blue | |
| EC200GR | 50 m | Green | |
| EC200PU | 50 m | Purple | |
| EC200RE | 50 m | Red | |
| EC200WH | 50 m | White | |
| EC200YE | 50 m | Yellow | |
| | | | |



Commercial Thick Wall Auto Cable, Single - 2.00 mm²

28/0.30 mm, 17.5 amps.

Designed for commercial applications.

| Part No. | Length | Colour |
|----------|--------|--------|
| EC3000BK | 50 m | Black |
| EC3000BN | 50 m | Brown |
| EC3000BU | 50 m | Blue |
| EC3000GR | 50 m | Green |
| EC3000PU | 50 m | Purple |
| EC3000RE | 50 m | Red |
| EC3000WH | 50 m | White |
| EC3000YE | 50 m | Yellow |
| · · | | |



Thin Wall Auto Cable, Single - 2.00 mm² 28/0.30 mm, 25.0 amps. ISO 6722 : 2011 (Class B).

Suitable for: Headlamps, Halogen Lamps, Fog Lamps, Spot Lamps, Cigar Lighters, Rear Screen Heaters.

| Part No. | Length | Colour |
|----------|--------|--------|
| EC300BK | 50 m | Black |
| EC300BN | 50 m | Brown |
| EC300BU | 50 m | Blue |
| EC300GR | 50 m | Green |
| EC300PU | 50 m | Purple |
| EC300RE | 50 m | Red |
| EC300WH | 50 m | White |
| EC300YE | 50 m | Yellow |
| | | |

































Thin Wall Auto Cable, Single - 3.00 mm²

44/0.30 mm. 33.0 amps. ISO 6722: 2011 (Class B). Suitable for: Ammeter Circuits Rattery Supply

| - Joitubic Ioi | · Allillicte | circoits, butter y soppry. |
|----------------|--------------|----------------------------|
| Part No. | Length | Colour |
| EC400BK | 30 m | Black |
| EC400BN | 30 m | Brown |
| EC400RE | 30 m | Red |



Thin Wall Auto Cable, Single - 4.50 mm²

65/0.30 mm, 42 amps. ISO 6722: 2011 (Class B).


• Suitable for: Dynamo, Ammeter & Alternator Circuits.

| Part No. | Length | Colour | |
|----------|--------|--------|--|
| EC500BK | 30 m | Black | |
| EC500BN | 30 m | Brown | |
| EC500RE | 30 m | Red | |
| | | | |



Thin Wall Auto Cable, Single - 8.50 mm² 120/0.30 mm, 63 amps. ISO 6722: 2011 (Class B).

| Part No. | Length | Colour |
|----------|--------|--------|
| EC600BK | 30 m | Black |
| EC600BN | 30 m | Brown |
| EC600RE | 30 m | Red |



 $2 \times 32/0.20$ mm, 16.5 amps. ISO 6722 : 2011 (Class B). Suitable for use at temperature: 70° C

| Part No. | Length | Outer Colour |
|----------|--------|--------------|
| EC702 | 30 m | Black |
| EC712 | 100 m | Black |



4 x 24/0.20 mm, 41.0 amps. ISO 6722 : 2011 (Class B).

| Part No. | Length | Outer Colour |
|----------|--------|--------------|
| EC900 | 30 m | Black |



Auto Cable, 5-Core - 5 x 0.75 mm²

5 x 24/0.20 mm, 14.0 amps. ISO 6722 : 2011 (Class B).

| Part No. | Length | Outer Colour |
|----------|--------|--------------|
| EC901 | 30 m | Black |



Auto Cable, 7-Core - 6 x 1.00 mm² & 1 x 2.00 mm²

6 x 32/0.20 mm, 16.5 amps & 1 x 28/0.30 mm, 25.0 amps. ISO 6722 : 2011 (Class B).

| Part No. | Length | Outer Colour |
|----------|--------|--------------|
| EC903 | 30 m | Black |



Auto Cable, 7-Core - 6 x 1.50 mm² & 1 x 2.50 mm²

6 x 21/0.30 mm, 21.0 amps & 1 x 35/0.30 mm, 29.0 amps. ISO 6722 : 2011 (Class B).

| Part No. | Length | Outer Colour |
|----------|--------|--------------|
| EC904 | 30 m | Grey |



Auto Cable, 7-Core - 7 x 0.75 mm²

7 x 24/0 20 mm 14 0 amns ISO 6722 · 2011 (Class B)

| Part No. | Length | Outer Colour |
|----------|--------|--------------|
| EC902 | 30 m | Black |



Flat Twin - 2 x 2.00 mm²

 $2\times28/0.30$ mm, 25.0 amps. ISO 6722 : 2011 (Class B). Suitable for use at temperature: $70^{\circ}\text{C}.$

| Part No. | Length | Outer Colour |
|----------|--------|--------------|
| EC703 | 30 m | Black |
| EC713 | 100 m | Black |



Commercial Thick Wall Auto Cable, Flat Twin - 2 x 1.00 mm²

2 x 14/0 30 mm, 8.75 amps. Designed for commercial applications

| 2 x 14/0.50 mm, 0.75 dmps. Designed for commercial applications. | | |
|--|--------|--------------|
| Part No. | Length | Outer Colour |
| EC7020 | 30 m | Black |
| EC7120 | 100 m | Black |



Commercial Thick Wall Auto Cable, Flat Twin - 2 x 2.00 mm²

| 2 x 26/0.30 mm, 17.3 amps. Designed for confinercial applications. | | |
|--|--------|--------------|
| Part No. | Length | Outer Colour |
| EC7030 | 30 m | Black |
| EC7130 | 100 m | Black |

موو

9

 \odot

Auto Cable, Stereo Twin Speaker - 2 x 0.38 mm²

2 x 12/0.20 mm, 2.00 amps.

Part No. Length Colour

EC1102 100 m Black with White Stripe



Auto Cable, Stereo Twin Speaker - 2 x 0.75 mm² for Hi-Fi Systems

2 x 24/0.20 mm, 6.00 amps.

Part No. Length Colour

EC1104 100 m Black with Red Stripe



Flexible Battery/Starter Cable - 25 mm²

196/0.40 mm. 170 amp.

- Suitable for use at temperatures: -15°C to 70°C.
- · Resistant to petrol, lubricating oil and diluted acids.

| Part No. | Length | Colour |
|----------|--------|--------|
| EC801 | 10 m | Black |
| EC801RE | 10 m | Red |



Flexible Battery/Starter Cable - 40 mm²

315/0.40 mm. 300 amp.

- Suitable for use at temperatures: -15°C to 70°C.
- · Resistant to petrol, lubricating oil and diluted acids.

| Part No. | Length | Colour |
|----------|--------|--------|
| EC802 | 10 m | Black |
| EC802RE | 10 m | Red |




Flexible Battery/Starter Cable - 60 mm²

475/0.40 mm. 415 amp.

- Suitable for use at temperatures: -15°C to 70°C.
- · Resistant to petrol, lubricating oil and diluted acids.

| Part No. | Length | Colour |
|----------|--------|--------|
| EC803 | 10 m | Black |
| EC803RE | 10 m | Red |
| | | |



- Tough Rubber Sheath Suitable for single phase.

| Part No. | Length | Outer Colour | Size | Amps |
|----------|--------|--------------|--------------------------|------|
| EC1201 | 50 m | Black | 3 x 0.75 mm ² | 6A |
| EC1205 | 50 m | Black | 3 x 1.00 mm ² | 10A |
| EC1202 | 50 m | Black | 3 x 1.50 mm ² | 15A |



Domestic Mains Cable 3-Core - PVC

Suitable for single phase.

| Part No. | Length | Outer Colour | Size | Amps | |
|----------|--------|--------------|--------------------------|------|--|
| EC1204 | 50 m | Black | 3 x 1.50 mm ² | 15A | |
| EC1207 | 50 m | White | 3 x 1.50 mm ² | 15A | |
| EC1211 | 50 m | Orange | 3 x 1.50 mm ² | 15A | |



Heavy Duty 'H07' Mains Cable 2-Core - Tough Rubber Sheath

HO7RN-F BS EN 60228. Voltage rating: 450-750V. EPR: Type EM2, PCP: Tpe EM2.

- · Designed to provide high flexibility and have the capacity to withstand chemical, mechanical and thermal stress.
- · Suitable for handling equipment, mobile power supplies, worksites, stage and audio visual equipment, port areas and dams.
- Temperature rating: -30°C to 60°C for fixed installations.

| Part No. | Qty | Outer Colour | 0.D. | Amps |
|----------|------|--------------|--------------------------|------|
| EC1221 | 50 m | Black | 2 x 1.00 mm ² | 10 A |
| EC1222 | 50 m | Black | 2 x 1.50 mm ² | 16 A |
| EC1223 | 50 m | Black | 2 x 2.50 mm ² | 25 A |



Heavy Duty 'H07' Mains Cable 3-Core - Tough Rubber Sheath

H07RN-F BS EN 60228. Voltage rating: 450-750V. EPR: Type EM2, PCP: Tpe EM2.

- Designed to provide high flexibility and have the capacity to withstand chemical, mechanical and thermal stress.
- Suitable for handling equipment, mobile power supplies, worksites stage and audio visual equipment, port areas and dams.
- Temperature rating: -30°C to 60°C for fixed installations.



































Cable Rack

Approx. Length: Overall 530 mm, Working 460 mm.

For cable reels with 25 mm core x 135 mm reel diameter (cable reels NOT included).

- Wall mounted or free-standing
- Retaining bar can be easily lifted off to reload
- · Also takes heat shrink tubing reels · Dispense cable without removing reels

| Part No. | Qty | Description |
|----------|-----|-------------|
| ECR | 1 | Cable Rack |





240V 13A.

Manufactured to BS EN 6124.
Heavy duty with thermal cut-out.
Cable size: 1.25 mm² (H05VV-F).
Maximum load: 720W fully wound,
3,120W fully unwound.
Fitted with 13A mains plug.

- · 4 x Safety shutter sockets
- · Power on/off switch

| Part No. | ŲĮ | Lengui |
|----------|----|-----------|
| ERP25 | 1 | 25 m Reel |
| ERP50 | 1 | 50 m Reel |
| | | |





240V 10A. Heavy duty with thermal cut-out. Manufactured to BS EN 61242. Cable size: 1.25 mm² Fitted with 13A mains plug.

· 4 x Sockets

ERP74

· Sturdy construction with easy wind handle

4-Way

| Part No. | Ųly | Lengui |
|----------|-----|----------|
| ERP18 | 1 | 10 m Ree |



2 m



Surge Protector with 2 x USB Sockets

240V 2.1A. Surge protection via the 13A socket to protect any connected electronic equipment. £ Unlimited connected equipment warranty

· 2 x USB charger outputs ideal for use with mobile devices

| Part No. | Qty | Description |
|----------|-----|------------------------|
| ERP71 | 1 | Surge Protector |



RCD Safety Adaptor

| ERP20 | 1 | RCD Safety Adaptor | - |
|----------|-----|--------------------|---|
| Part No. | Qty | Description | |
| 240 V. | | | |



3-Pin Rubber Plugs

13 amp with safety sleeving. BS 1363/A.

| Part No. | Pack of | Colour | |
|----------|---------|--------|--|
| ERP51 | 10 | White | |
| EDDE2 | 10 | Black | |



Domestic **Mains Fuses**

BS 1362.

| Part No. | Pack of | Amperage | |
|----------|---------|----------|--|
| EFD3 | 50 | 3 A | |
| EFD5 | 50 | 5 A | |
| EFD13 | 50 | 13 A | |
| | | | |



Trailing Sockets


Safety shutters. BS 1363/A. Supplied without cable or plug.

| Part No. | Pack of | Type | Colour |
|----------|---------|--------|--------|
| ERP54 | 2 | Single | Black |



Trailing Sockets

Safety shutters. BS 1363/A. Supplied without cable or plug.





Trailing Sockets

Safety shutters. BS 1363/A. Supplied without cable or plug.

| Part No. | Qty | Туре | Colour |
|----------|-----|-------|--------|
| ERP57 | 1 | 4-Way | White |



000

9

0

Lead Connectors

10A Black Manufactured to BS 5733

| TOA. DIUCK. | . IVIUITOTUC | .or ca to b3 37 33. | | |
|-------------|--------------|---------------------|--|--|
| Part No. | Pack of | Pin Type | | |
| ERP62 | 2 | 2-Pin | | |
| ERP63 | 2 | 3-Pin | | |





Transformer Trip Switches (Circuit Breakers) 125/250VAC. 32VDC.

Two panel sockets

| Part No. | Pack of | Amperage |
|----------|---------|----------|
| EC50 | 1 | 5 A |
| EC51 | 1 | 8 A |
| EC52 | 1 | 10 A |
| EC53 | 1 | 12 A |
| EC54 | 1 | 15 A |
| EC55 | 1 | 20 A |
| EC56 | 1 | 25 A |
| EC57 | 1 | 30 A |



Transformer Trip Switch (Circuit Breakers) - Weatherproof Cover

Protects switch from moisture ingress and dust. Clear silicone rubber bubble screws over push button. Complete with 'Circuit Breaker - Press To Reset' washer. (Suits Part No.'s EC50 - EC57).

| Part No. | Pack of | Suits Thread | |
|----------|---------|--------------|--|
| EC49 | 5 | M11 | |



| Part No. | Qty | Length | |
|----------|-----|-----------|--|
| ERP125 | 1 | 25 m Reel | |
| ERP150 | 1 | 50 m Reel | |



110V Plugs - Yellow IP44. 100-130V.

| JO V. | | | |
|---------|------|-----------------------------|------------------------------|
| Pack of | Amps | | |
| 1 | 16 A | | |
| 5 | 16 A | | |
| 1 | 32 A | | |
| | | Pack of Amps 1 16 A 5 16 A | Pack of Amps 1 16 A 5 16 A |



110V Couplers - Yellow

IP44 100-130V

| Part No. | Pack of | Amps | | |
|----------|---------|------|--|--|
| ERP69A | 1 | 16A | | |
| ERP69 | 5 | 16A | | |
| ERP81 | 1 | 32A | | |



110V Panel Sockets - Yellow

IP44. 100-130V.

| Part No. | Pack of | Amperage | Flange Size |
|----------|---------|----------|--------------------|
| ERP77 | 1 | 16 A | 60 mm ² |
| ERP76 | 1 | 16 A | 75 mm² |
| ERP79 | 1 | 32 A | 75 mm² |



110V Angled Panel Socket - Yellow

IP44. 100-130V.

| ERP78 1 16 A 70 x 85 mm | Part No. | Pack of | Amperage | Flange Size | |
|---------------------------------------|----------|---------|----------|-------------|--|
| | ERP78 | 1 | 16 A | 70 x 85 mm | |



































| Part No. | Pack of | Amps | |
|----------|---------|------|--|
| ERP83 | 1 | 16 A | |
| ERP89 | 1 | 32 A | |



240V Couplers - Blue

| IP44. 200-250\ | /. |
|----------------|----|
|----------------|----|

| Part No. | Pack of | Amps | |
|----------|---------|------|--|
| ERP84 | 1 | 16 A | |
| ERP90 | 1 | 32 A | |





























| ERSR230 | 1 | Shut Release |
|----------|-----|--------------|
| Part No. | Otv | Description |
| | | |



240V Panel Sockets - Blue

| 1F44. 200-230V | | | | | | | |
|----------------|---------|----------|--|-------------|--|--|--|
| Part No. | Pack of | Amperage | | Flange Size | | | |
| ERP82 | 1 | 16 A | | 60 mm² | | | |
| ERP85 | 1 | 16 A | | 75 mm² | | | |
| ERP88 | 1 | 32 A | | 75 mm² | | | |



240V Angled Panel Sockets - Blue

IP44. 200-250V.

| Part No. | Pack of | Amperage | Flange Size |
|----------|---------|----------|-------------|
| ERP86 | 1 | 16 A | 70 x 85 mm |





400V Couplers - Red IP44. 380-415V (4 Pin), 230-400V (5 Pin).

| Part No. | Pack of | Type | Amperage |
|---------------|---------|-------|----------|
| ERP106 | 1 | 4 Pin | 16 A |
| ERP107 | 1 | 4 Pin | 32 A |
| ERP108 | 1 | 5 Pin | 16 A |
| ERP109 | 1 | 5 Pin | 32 A |



| Part No. | Pack of | Type | Amperage |
|----------|---------|-------|----------|
| ERP102 | 1 | 4 Pin | 16 A |
| ERP103 | 1 | 4 Pin | 32 A |
| ERP104 | 1 | 5 Pin | 16 A |
| ERP105 | 1 | 5 Pin | 32 A |



400V Panel Sockets

IP44. 380-415V (4 Pin), 230-400V (5 Pin).

Part No. Pack of Type Amperage **ERP110** 4 Pin 16 A **ERP111** 1 4 Pin 32 A **ERP112** 5 Pin 16 A 1 **ERP113** 1 5 Pin 32 A



230V AC. Installation on the right side of the MCB.

| Part No. | Qty | Description |
|----------|-----|-------------|
| ERST230 | 1 | Shunt Trip |



RCD Circuit Breaker - 2 Pole

| EN61008-1. | AC Typ | e. 30mA | |
|------------|--------|----------|--|
| Part No. | Qty | Amperage | |
| ERCD253 | 1 | 25 A | |
| ERCD243 | 1 | 40 A | |
| ERCD633 | 1 | 63 A | |
| ERCD413 | 1 | 100 A | |



Switch Disconnector - 1 Pole

| ΞN | 6 | 0 | 9 | 47 | -3 | |
|----|---|---|---|----|----|--|
| | | | | | | |

| Part No. | Qty | Amperage | |
|----------|-----|----------|--|
| ERSD125 | 1 | 25 A | |
| ERSD140 | 1 | 40 A | |
| ERSD163 | 1 | 63 A | |



RCD Circuit Breaker - 4 Pole

| EN61008-1. | AC Type. | 30mA |
|------------|----------|---------|
| Part No | Otv | Amnerae |

| Part No. | Qty | Amperage | |
|----------|-----|----------|--|
| ERCD425 | 1 | 25 A | |
| ERCD443 | 1 | 40 A | |
| ERCD463 | 1 | 63 A | |



Switch Disconnector - 3 Pole

| EN60947-: | 3 |
|-----------|---|
|-----------|---|

| EN00947-3 | | |
|-----------|-----|----------|
| Part No. | Qty | Amperage |
| ERSD340 | 1 | 40 A |
| ERSD363 | 1 | 63 A |
| ERSD380 | 1 | 80 A |
| ERSD310 | 1 | 100 A |



Switch Disconnector - 4 Pole EN60947-3

| Part No. | Qty | Amperage | |
|----------|-----|----------|--|
| ERSD410 | 1 | 100 A | |



MCB Circuit Breaker - 3 Pole EN60898-1. C Type

| Qty | Amperage | |
|-----|---------------------------------------|--|
| 1 | 16 A | |
| 1 | 20 A | |
| 1 | 25 A | |
| 1 | 32 A | |
| 1 | 40 A | |
| 1 | 50 A | |
| 1 | 63 A | |
| | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 16 A 1 20 A 1 25 A 1 32 A 1 40 A 1 50 A |

MCB Circuit Breaker - 1 Pole

EN60898-1. C Type

| Part No. | Qty | Amperage | |
|----------|-----|----------|--|
| ERCB116 | 1 | 16 A | |
| ERCB120 | 1 | 20 A | |
| ERCB125 | 1 | 25 A | |
| ERCB132 | 1 | 32 A | |
| | | | |



































• 90° lens · Shock sensor saves recordings when a collision is detected Part No. QtyQty Description **ERDCP20** HD 2.0" Dash Camera

Dash Camera 12/24 DC with hardwire kit and 32GB Micro SD Card included.

• 2.4" screen provides clear footage even when driving at night

c/w 32GB

Micro SD

720p HD resolution

RING HD 2.4"

NEW

RING


- Adjustable 110° lens to capture a wide view of the road
- · Automatically switches on and off with your engine
- · Audio and loop recording
- Shock sensor saves recordings when a collision is detected
- · Lockable Micro SD slot to prevent tampering
- Includes 32GB Micro SD card

Description

ERVEP1 HD 2.4" Dash Camera



















Part No.

· Lockable Micro SD slot to prevent tampering

· Includes 64GB Micro SD card

77

















102 RING Autobulb Kits 103 RING Autobulb Stands

104 Power Inverters 105 Battery Chargers

106 Jump Leads 107 Jump Start Power Packs

108 Batteries


81

93

105

108

















112





RING Adjustable LED Head Torch

Complete with 3 x AAA batteries.

- · Bright white LED providing 50 lumens light output
- Provides high beam for maximum light output, a low beam for energy saving and flashing beam for attention
- · Adjustable head strap with padding for comfortable use
- 8 hours battery life (approx)
- · Adjusts through 90° to focus on work area

Part No.

ERT5174 Adjustable LED Head Torch







- · Red LED flashing mode in case of emergencies
- 8 hours battery life (approx)
- · Adjusts through 45° to focus on work area

Part No. Description

ERT5191 High Performance LED Head Torch





LEDLENSER 'NEO4' 240lm LED Head Torch/Rear Red LED

IP57 rating. 7-year warranty. Supplied with 3 x AAA Alkaline batteries.

- · 240lm provides light up to 30m
- 3 x Modes: High Power (240lm), Low Power (20lm), Blink
- Runtime: 6hrs (240lm), 40hr (20lm)
- · Lightweight: 100g (with batteries)

Part No. Qty Description

ETLNE4 1 240lm LED Head Torch/Rear Red LED



LEDLENSER 'H5 CORE' 350lm LED Head Torch

IP67 rating. 7-year warranty. Supplied with 2 x AA Alkaline batteries.

- 3 x modes: Boost (350lm), Standard Power (200lm), Low Power (15lm)
- Advanced Focus System[™] Flood (near), spot (distance) and any level in-between
 Directable light Angle the light beam up or down within 160°
- 100% dust tight. Watertight in water between 15 cm an 1 m for up to 30 minutes
- Anti-microbial headstrap material Helps inhibit the growth of harmful microorganism, can also be detached for washing
- · Low Battery warning Allows time to replace batteries before power runs out
- Transport Lock mode Prevent battery drain if switch is depressed in transit.

Part No.

ETLH5 350lm LED Head Torch



LEDLENSER 'iH5' 200Lm LED Head Torch

Supplied with 1 x AA Alkaline battery.

- 2 modes: Power (200lm), Low Power (20lm)

Advanced Focusing System:
 Flood (near) - Spot (distance up to 130m)

- · Weight 92g including batteries
- · Directable light angle within 60°
- IP54 rating
- · Rubber coated head-strap prevents movement on helmets
- · 7 year warranty

Part No. ETL1H5 1 200Lm LED Head Torch



لموما

0



· 360° light rotation

70



LEDLENSER 'NEO6R' 240lm Rechargable LED Head Torch/Rear Red LED

Supplied with 1 x rechargeable battery, USB cable and chest belt.

- 240 Lumens (high) 30m beam, 6hr run time.
 20 Lumens (low) 10m beam, 40hr runtime
- · Red safety light
- 7 year warranty

Part No. Qty Description

240lm LED Recharge Head Torch/Rear LED ETLNE6R



LEDLENSER



LEDLENSER 'H5R CORE' 500lm Magnetic Rechargable LED Head Torch

rechargeable battery pack and magnetic contact charging cable.

Part No.

ETLH5R



- · Head diameter: 41 mm
- · Weight: 259 g including batteries
- 3 x modes: Boost (1,000lm), Standard Power (600lm), Low Power (15lm)
- · Advanced focusing system Flood (near), spot (distance) and any level in-between
- Transport Lock mode Prevent battery drain if switch is depressed in transit
- · Recharge time: 3.5 hours

Part No. ETLH7R 1,000lm LED Mag Charge Head Torch







LEDLENSER 'iH5R' 400lm LED Magnetic **Rechargable Helmet/Head Torch**

IP54 water-resistance rating. 7-year warranty. Supplied with magnetic charging cable (USB) pouch and helmet mounting kit.

- 2 x modes Power (400lm / 4hrs run time), Low Power (20lm / 35hrs run time)
- Hands-free, compact head torch for everyday use
- Advanced Focus System[™] Flood (near), spot (distance) and any level in-between
- 60° Tiltable Head
- · Non-slip rubber lining on headband with helmet mounting kit
- Metal clip provides alternative attachment options

ETL1H5R 400lm LED Mag Charge Helmet/Head Torch



For safe transport/storage of head torch Part No. ERL1H5R. Supplied with USB cable and snap hook.

- Easy charging of head torch via magnetic charge system
- · Power bank function provided with a capacity of 5,000mAh
- · Battery charge level indicator

ETL1H5RPC Powerbank & Head Torch Charger Case



































COAST Rechargable LED Penlight

Super-slim inspection torch designed to access the tightest possible areas and provide the best possible vision. USB, 230V mains and 12V/24V DC in-vehicle charging adaptors included.

- Lightweight (60 grams) and perfectly balanced for use held between thumb and forefinger for maximum extension
- Low glare inspection beam with crisp circular edges and consistent light level ideal for inspection in tight spaces
- Unique 'pro-flex' charging system, simply insert tip of torch into charger dock (no need to open or remove battery)
- · Lithium-Polymer Battery for reliability and long service life
- · COAST 5 year warranty





LEDLENSER 'P5R CORE' 500lm Magnetic Rechargable LED Torch

IP68 rating. 7-year warranty. Magnetic charge system. Small enough to carry comfortably in a pocket.

- · Beam range up to 250 meters on Boost
- · Weight: 106g with rechargeable batteries
- 7 x modes: Boost (500lm), Standard Power (350lm), Mid-Power (130lm), Low Power (15lm), Blink, S.O.S & Strobe
- Exceptional protection against water and dust ingress
- · Transport lock mode prevents accidental battery drain
- · Recharge time: 2 hours

Part No. Qty

ETLP5R 500lm LED Mag Charge Torch





• The pen-like LED torch focusable up to 90m

- 3 x modes: High Power (200lm), Mid-Power (90lm), Low Power (15lm)
- Advanced Focus System[™] A seamless beam focusing for flood (near) or spot (distance) illumination and any level in-between
- · Fully protected against solid objects and resistant to splashing water
- Aircraft grade aluminium Provides strength, durability & corrosion resistant
- Recharges via the supplied USB cable in just 2.5 hours

| Part No. | ŲĮ | Descripcion |
|----------|----|--------------------|
| ETLP4R | 1 | 200lm LED Penlight |



LEDLENSER 'P7R CORE' 1,400lm Magnetic Rechargable LED Torch

IP68 rating. 7-year warranty. Supplied with wrist-strap and fuss-free magnetic contact charging cable.

- · Flicker-free light
- · Delivers a beam up to 300 meters on Boost
- · Weight: 202g with rechargable batteries
- 7 x Modes: Boost (1,400lm), Standard Power (1,000lm), Mid-Power (440lm), Low Power (15lm), Position, S.O.S & Strobe
- Transport lock mode
- · Recharge time 4.5 hours

Part No. Description

ETLP7R 1,400lm LED Mag Charge Torch

















0



















































Part No.

EHL300B

EHL300R

EHL300LR

EHL300LY

Qty

1

1

1



Colour

Black/Blue

Black/Red

Hi-Vis Orange

Hi-Vis Yellow









ELWIS PRO 'D2' Magnetic Flexible High-CRI LED Hand Lamp/Torch

Complete with USB charging lead <u>ONLY</u>. Mains adaptor plug <u>NOT</u> included.

- CRI 95+ High colour rendering index The best quality light to work with, ideal for painting and refinishing
- Directional light with 2 different light outputs (125 & 250 Lumens)
- Run time: 8 or 4 hours front / 10 hours torch
- IP54 Ingress Protection Rating
- · 180° flexible function
- Magnet built into bottom and two magnets built into the back of the lamp
- Strong nylon hook at top
- Low battery warning (5 x flash 5 minutes before battery turns off)

EHL1002 1

Flexible Hand Lamp










































RING 50w **COB LED Work Light**

Voltage: 100-230V AC. Includes 3 m mains cable. Adjustable floor stand and carry handle.

- . COB LED provides 3200 lumens of light output to illuminate work area clearly
- Provides a pure white light that replicates natural daylight
- Wide angle of light output that has uniform intensity for greater coverage of the work area
- Tough robust die cast aluminium and tempered glass construction to withstand the robust working condition in a workshop
- Construction has an Ingress Protection rating of IP65 that protects from total dust and from low pressure water jet ingress making it suitable for indoor and outdoor use
- · Cool operating temperature for comfort and safety

ERWL50 **50W COB Work Light**





LEDLENSER 'iF2R' 200lm Rechargeable LED Work Light and Torch

IP54 rating. 7-year warranty. Provides convenient lighting for tight spaces or for illuminating small areas. Position in different ways with the base, hook and magnet. Supplied with magnetic charging cable.

- 3 modes: Power Flood (200lm), Low Power Flood (100lm) and Power Spot (75lm)
- · Perfect for workshops or sites
- · Equipped with a small spotlight to use as a torch
- · Adjustable base, magnet and hook for mounting and positioning flexibility

Part No

EHLF2R 1 200lm Rechargeable LED Work Light





LEDLENSER 'iF3R' 1,000lm Rechargeable **LED Work Light**

IP54 rating. 7-year warranty. Supplied with magnetic charging cable.

- 2 Modes: Power (1000lm), Low Power (100lm)
- Compact design: only 14 cm long
- . On the lowest setting it wil run for up to 15 hours
- Charges via magnetic charge system, so it's even waterproof when the ports aren't covered (IP54)
- · Small worklight with outstanding light output
- · Adjustable base, magnet and hook for flexible mounting and positioning

Part No Description

EHLF3R 1,000lm Rechargeable LED Work Light



10W COB LED Work Light

Voltage: 100-230V AC. Includes 3 m mains cable. Adjustable floor stand and carry handle.

- · Provides 800 Lumens of light output
- Wide angle, uniform intensity lighting replicating daylight
- · Tough robust design
- · Cool operating temperature

Qty Description Part No. **ERWL10** 10W COB Work Light



0

0


موو







NEW





LED Adjustable Work Lamp - 6" Rectangular

IP67. EMC approved. Housing: Aluminium. Lens: Acrylic. Stainless steel mounting bracket

• 8 x High Performance LEDs 24 Watt/1680 Lumens

· Can be used as standard or side mount with swivel function

Part No. Voltage Description ECE Reg EBW6 12-28V 6" Adiustable



LED High Power Work Lamp - 4" Square

IP67. EMC approved. Housing: Aluminium. Lens: Acrylic. Stainless steel mounting bracket

- 16 x High Performance LEDs
- 48 Watt/3200 Lumens

| Part No. | Qty | Voltage | Description | ECE Reg |
|----------|-----|---------|-------------|---------|
| EBW5 | 1 | 12-28V | 4" Square | 10 |




LED Work Lamp - 4" Square

IP67. EMC approved. Housing: Aluminium. Lens: Acrylic. Stainless steel mounting bracket

- 5 x High Performance LEDs
- 15 Watt/1050 Lumens

| Part No. Qty Voltage Description ECE Reg | | | | | |
|--|---|--------|-----------|----|--|
| EBW2 | 1 | 12-28V | 4" Square | 10 | |






RING 15W LED Square Work Lamp - 105 mm

IP67. Certification: ECE R10. Cable length 300 mm. Housing: Thermoplastic. Lens: Polycarbonate. • 5 x 3W LEDs

| • 750 Lumens | | | | .ightweight | |
|--------------|-----|---------|---------------|-------------|--|
| Part No. | Qty | Voltage | Description | ECE Reg | |
| ERCV9608 | 1 | 10-30V | 105 mm Square | R10 | |



IP67. EMC approved. Housing: Aluminium. Lens: Acrylic. Supplied with 9.5M cable with switched in-vehicle adaptor.


- 6 x High Performance LEDs
- 18 Watt/1350 Lumens

ECE Reg

10

- Magnetic Base
- Shock Resistant

| Part No. | Qty | Voltage | Description |
|----------|-----|---------|-------------|
| EBW1 | 1 | 12-28V | 4" Round |





IP67. EMC approved. Housing: Aluminium. Lens: Polycarbonate. Stainless steel mounting bracket.

- 6 x High Performance LEDs
- 18 Watt/1350 Lumens

Part No. Qty Voltage Description ECE Reg EBW3 12-28V 6" Oval 10



IP67. EMC approved. Housing: Aluminium.

Lens: Polycarbonate. Stainless steel mounting bracket.

• 6 x High Performance LEDs

• 18 Watt/1350 Lumens


| Part No. | Qty | Voltage | Description | ECE Reg | |
|----------|-----|---------|----------------|---------|--|
| EBW4 | 1 | 12-28V | 5" Rectangular | 10 | |



RING 15W LED Square Work Lamp with Switch

IP67. Certification: ECE R10. Cable length 300 mm. Housing: Aluminium. Lens: Polycarbonate.

 5 x 3W LEDs Integrated switch Colour temperature: 5600K Qty Voltage Description **ECE Reg**











































IP56. Robust design. Reverse polarity protection. -30°C to + 50°C extreme temperature reliability. Takes H1 halogen bulb (<u>NOT</u> included).

| Part No. | Qty | Colour | Voltage | ECE Reg | |
|-----------------|-----|----------|---------|---------|--|
| EBC104 | 1 | Amber | 12/24V | R65 | |
| ERCV9420 | 1 | DIN Pole | | | |









Reverse polarity protection. -30°C to + 50°C extreme temperature reliability. Takes H1 halogen bulb (NOT included).

| Part No. | Qty | Colour | Voltage | ECE Reg | |
|----------|-----|--------|---------|---------|--|
| EBC103 | 1 | Amber | 12/24V | R65 | |











IP56. Robust design. Reverse polarity protection. -30°C to + 50°C extreme temperature reliability. Takes H1 halogen bulb (NOT included).

| Part No. | Qty | Colour | Voltage | ECE Reg | |
|-----------------|-----|----------|---------|---------|--|
| EBC105 | 1 | Amber | 12/24V | R65 | |
| ERCV9420 | 1 | DIN Pole | | | |



















IP56. Robust design. Reverse polarity protection. -30°C to + 50°C extreme temperature reliability. Takes H1 halogen bulb (NOT included).

| Part No. | Qty | Colour | Voltage | ECE Reg | |
|----------|-----|--------|---------|---------|--|
| EBC101 | 1 | Amber | 12/24V | R65 | |



IP56. Robust design.

| Part No. | Qty | Colour | voitage | ECE Reg |
|----------|-----|--------|---------|---------|
| EBC103 | 1 | Amber | 12/24V | R65 |



LAP ELECTRICAL Halogen Rotating Beacon - Magnetic Base

IP56. Robust design. Reverse polarity protection. -30°C to $+50^{\circ}\text{C}$ extreme temperature reliability. Takes H1 halogen bulb (NOT included).

• 70 mph rated magnet

| Part No. | Qty | Colour | Voltage | ECE Reg |
|----------|-----|--------|---------|---------|
| EBC102 | 1 | Amber | 12/24V | R65 |



EMC approved (ECE R10). Reverse polarity protection. -15°C to +40°C extreme temperature reliability. Maintenance free worm drive mechanism. Supplied with 12V and 24V H1 halogen bulbs.

· Ideal for Refuse Trucks, Agriculture Plant & Contracting

| EBC203 1 Amber 12/24V R65 | Part No. | Qty | Colour | Voltage | ECE Reg |
|---------------------------|----------|-----|--------|---------|---------|
| | EBC203 | 1 | Amber | 12/24V | R65 |

0

000

ထွ



60 MPH speed rating. Reg 65 compliant. IP67 rated. 20 x programmable patterns. 2.4 m cable. In-vehicle power adaptor with flash and on/off switch included. Dimensions (H x W x D): 41 x 251 x 170 mm. 3 years warranty.

| Part No. | Qty | DC Voltage | Watts |
|----------|-----|------------|-------|
| ERCV9822 | 1 | 9-30V | 40W |





LED Rotating Beacon - Magnetic Base

IP65. EMC approved (ECE R10). Fully encapsulated electronics. 40 x LEDs. ABS base and polycarbonate lens.

- 40mph rated magnet
- 3 x Flash patterns Simulated rotating, double flash and quad flash.

| Part No. | Qty | Colour | Voltage | ECE Reg |
|----------|-----|--------|---------|---------|
| EBC302 | 1 | Amber | 12/24V | R65 |



LED Rotating Beacon - Single Point

IP65. EMC approved (ECE R10). Fully encapsulated electronics. 40 x LEDs. ABS base and polycarbonate lens.

3 x Flash patterns - Simulated rotating, double flash and quad flash.

| Part No. | Qty | Colour | Voltage | ECE Reg | |
|---------------|-----|--------|---------|---------|--|
| EBC301 | 1 | Amber | 12/24V | R65 | |





IP65. EMC approved (ECE R10). Fully encapsulated electronics. 40 x LEDs. ABS base and polycarbonate lens.

· 3 x Flash patterns - Simulated rotating, double flash and guad flash.

| Part No. | Qty | Colour | Voltage | ECE Reg | |
|----------|-----|----------|---------|---------|--|
| EBC305 | 1 | Amber | 12/24V | R65 | |
| FRCV9420 | 1 | DIN Pole | | | |



| Part No. | Qty | Colour | Voltage | ECE Reg | |
|---------------|-----|--------|---------|---------|--|
| EBC303 | 1 | Amber | 12/24V | R65 | |
| EBC303G | 1 | Green | 12/24V | R65 | |































LED Interior Lamp - 18 x SMD LED 3W

Lamp material: Aluminium. Lens material: Acrylic. Supplied with stainless steel fixings



| Part No. | Qty | Width x Length | 12-24V | Lumens | |
|----------|-----|----------------|--------|--------|--|
| EBL270 | 1 | 28 x 266 mm | 12-24V | 380 | |




LED Interior Lamp - 45 x SMD LED 6W

Lamp material: Aluminium. Lens material: Acrylic. Supplied with stainless steel fixings



| Part No. | Qty | Width x Length | Voltage | Lumens | |
|----------|-----|----------------|---------|--------|--|
| EBL570 | 1 | 28 x 570 mm | 12-24V | 900 | |



LED Interior Swivel Lamp - 6 x LED 6W

Lamp material: Aluminium. Lens material: Acrylic. Supplied with stainless steel fixings and 400 mm cable.

Lens swivels 180° On/Off switch

| Part No. | Qty | Depth x Length | Voltage | Lumens |
|----------|-----|----------------|---------|--------|
| EBL330 | 1 | 51 x 327 mm | 12-24V | 600 |



RING 'TruckMaster' Baton LED Strip Light

Dimensions (H x W): 33 x 19 mm.

| Part No. | Qty | Width | DC Voltage | Lumens | |
|-----------------|-----|--------|------------|--------|--|
| ERCV5012 | 1 | 300 mm | 12/24V | 400 | |
| ERCV5013 | 1 | 600 mm | 12/24V | 800 | |





16A, 250VAC. Turns a heater off if turned over.

| Part No. | | Description |
|----------|---|-----------------------|
| EC15 | 1 | Safety Cut Out Switch |



Metal-Halide Bulbs

Giant Edison screw cap (40 mm). Dia x Length: 46 x 225 mm. Provides 10,000 hours of "Day Light" (10 Years).

| Part No. | Qty | Watts | Output | Сар | |
|----------|-----|-------|--------|---------|--|
| EMH250 | 1 | 250W | 4200K | GES/E40 | |
| EMH400 | 1 | 400W | 4200K | GES/E40 | |



Metal-Halide Bulbs

Giant Edison screw cap (40 mm). Dia x Length: 76 x 335 mm. Provides 10,000 hours of "Day Light" (10 Years). Suits VT-1 type tower lights.

| Part No. | Qty | Watts | Output | Сар |
|----------|-----|-------|--------|---------|
| EMH1000 | 1 | 1000W | 4200K | GES/E40 |



Fluorescent Hand Lamp - Replacement Tube

4 Pin type.

| Part No. | Qty | Description |
|----------|-----|----------------------|
| EHL640 | 1 | 11W Replacement Tube |



Fluorescent Tube - Single

Suits BEDSONS 'Smartlamp'.

| Part No. | Qty | Wats | Length | |
|----------|-----|------|--------|--|
| EHL55 | 1 | 8W | 12" | |



Halogen Bulbs

Size 12 x 117 mm. Base R7S for general lighting.

| Part No. | Qty | Volts | Watts | |
|----------|-----|-------|-------|--|
| EHL30 | 1 | 240V | 230W | |
| EHL12 | 1 | 240V | 400W | |
| EHL29 | 1 | 110V | 500W | |

موما

ဇ္

0

LED Classic Bulbs - Edison Screw

E27 Cap. 60W equivalent. Colour Temperature: 4,000K (Daylight). NOT dimmable.

- A+ rated
- · 30% energy saving of CFLs
- Double lifetime of CFLs, 15,000 hours

| Part No. | Qty | Voltage | Watts | |
|----------|-----|---------|-------|--|
| EHLED4A | 1 | 240V | 10W | |
| EHLED4 | 10 | 240V | 10W | |



LED Classic Bulbs - Standard Bayonet Cap

B22 Cap (SBC). 60W equivalent. Colour Temperature: 4,000K (Daylight). NOT dimmabl

- A+ rated
- · 30% energy saving of CFLs
- Double lifetime of CFLs, 15,000 hours

| Part No. | Qty | Voltage | Watts | |
|----------|-----|---------|-------|--|
| EHLED6A | 1 | 240V | 10W | |
| EHLED6 | 10 | 240V | 10W | |
| | | | | |





RING Hand Lamp Bulbs

Pearl glass. Small bayonet cap (SBC).

| Part No. | Qty | Volts | Watts | |
|----------|-----|-------|-------|--|
| EHL805 | 10 | 12V | 12W | |
| EHL810 | 10 | 12V | 24W | |



R7S Push in type. For use with most common heaters. Length: 350 mm.

| Part No. | Qty | Voltage | |
|----------|-----|---------|--|
| EH1 | 1 | 110V | |
| EH2 | 1 | 240V | |



Fly lead type with 300 mm leads. For use with most common heaters. Length: 350

| Part No. | Qty | Voltage` | |
|----------|-----|----------|--|
| ЕН3 | 1 | 110V | |
| EH4 | 1 | 240V | |



Ceramic Terminal Block

76A, 450V. Temperature rating: 500°C.

| Part No. | Qty | Туре | Cable Size |
|----------|-----|--------|------------|
| ETB50 | 1 | 2 Pole | 16 mm² |
| | | | |



R7S Ceramic Lamp Holder 600V, 1500W, 5KV Pulse Rated. Suits Part No.s EH1 & EH2.

| Part No. | Qty | Description |
|----------|-----|---------------------|
| ETB51 | 1 | Ceramic Lamp Holder |



R7S Metal Lamp Holder Suits Part No.s EH1 & EH2

| ETB52 | 1 | R7S Metal Lamp Holder | | | |
|-------------------|---------------------------|-----------------------|--|--|--|
| Part No. | Qty | Description | | | |
| Julia i di t ivo. | 31 di (10.3 El 11 & El 12 | | | | |





























NEOLUX® GERMAN TECHNOLOGY



H1 Cap P14.5s NEOLUX Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. | |
|----------|-----|-------------|--------|---------|--|
| EB448 | 10 | 12V 55W | E | H1 | |
| EB466 | 10 | 24V 70W | E | H1 | |
| | | | | | |



HB3 Cap P20d NEOLUX Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EB9005 | 10 | 12V 60W | Е | HB3 |

11

NEOLUX® GERMAN TECHNOLOGY



H3 Cap PK22s NEOLUX Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EB453 | 10 | 12V 55W | E | H3 |
| EB460 | 10 | 24V 70W | E | H3 |

NEOLUX® GERMAN TECHNOLOGY



H7 Cap Px26d NEOLUX Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. | | | |
|----------|-----|-------------|--------|---------|--|--|--|
| EB477 | 10 | 12V 55W | E | H7 | | | |
| EB474 | 10 | 24V 70W | E | H7 | | | |



NEOLUX® GERMAN TECHNOLOGY



HB4 Cap P22d NEOLUX Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EB9006 | 10 | 12V 51W | Е | HB4 |





O

موم

NEOLUX°



H4 Cap P43t NEOLUX Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EB472 | 10 | 12V 60/55W | E | H4 |
| EB475 | 10 | 24V 75/70W | Е | H4 |

NEOLUX®

- Direct replacement for existing Gas Discharge Bulbs.
- Long life 2500 hours.
- High luminance (nom 3200lm).
- · 'E' approved.



D2S Cap P32d-2 NEOLUX HID Gas Discharge Bulbs

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EB85122 | 1 | 85V 35W | E | D2S |



NEOLUX

- Direct replacement for existing Gas Discharge Bulbs.
- Long life 2500 hours.
- High luminance (nom 3200lm).
- · 'E' approved.



D1S Cap PK32d-2 NEOLUX HID Gas Discharge Bulbs

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EB85402 | 1 | 85V 35W | E | D1S |



NEOLUX offer a broad range of vehicle lamps produced with high quality standards for price-conscious customers. In considering the needs of their customers, NEOLUX applies German technology standards at all stages of the supply chain. For more than 90 years, NEOLUX has been providing excellent value for money products.

NEOLUX automotive bulbs are specified in accordance with strict German quality standards and comply with ECE R37 respectively and R99 as far as relevant.

NEOLUX halogen bulbs conform to ECE R37 and ECE R99 regulations, making them approved for use across Europe and many other countries around the world which have agreed to follow UNECE 1958 agreement. Thanks to an innovative design, NEOLUX halogen bulbs surpass ECE safety regulations for UV radiation. They are suitable for the most types of headlights with glass or plastic lenses.







0



NEOLUX® GERMAN TECHNOLOGY



P21W Cap BA15d NEOLUX Stop, Flasher, Reverse Lamps

| EB346 | 10 | 24V 21W | E | P21W |
|----------|-----|-------------|--------|---------|
| Part No. | Qty | Volts/Watts | E Mark | ECE No. |

NEOLUX® GERMAN TECHNOLOGY



P21W Cap BA15s NEOLUX Stop, Flasher, Reverse Lamps

SCC.

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EB382 | 10 | 12V 21W | E | P21W |
| EB241 | 10 | 24V 21W | E | P21W |

NEOLUX® GERMAN TECHNOLOGY




PY21W Cap BAU15s NEOLUX Stop, Flasher, Reverse Lamps

Off Set Pin (SCC).

| Part No. | Qty | Volts/Watts | Colour | E Mark | ECE No. |
|----------|-----|-------------|--------|--------|---------|
| EB581 | 10 | 12V 21W | Amber | E | PY21W |

NEOLUX® GERMAN TECHNOLOGY






P21/5W Cap BAY15d NEOLUX Stop/Tail Lamps

OSP Index (SBC).

| Part No. | Qty | Volts/Watts | EMark | ECE No. |
|----------|-----|-------------|-------|---------|
| EB380 | 10 | 12V 21/5W | E | P21/5W |
| EB334 | 10 | 24V 24/6W | | - |

NEOLUX® GERMAN TECHNOLOGY



P21/4W Cap BAZ15d NEOLUX Fog/Tail Lamps

SBC Index.

| F | Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|---|----------|-----|-------------|--------|---------|
| | EB566 | 10 | 12V 21/4W | E | P21/4W |

NEOLUX® GERMAN TECHNOLOGY





1:1



W2.1 x 9.5d NEOLUX Side and Tail Lamps

Wedge Base.

| Part No. | Qty | Volts/Watts | | E Mark | ECE No. |
|----------|-----|-------------|-------|--------|---------|
| EB501 | 10 | 12V 5W | | E | W5W |
| EB501A | 10 | 12V 5W | Amber | E | WY5W |
| EB507 | 10 | 24V 5W | | E | W5W |

موم

အ



Cap BA15s NEOLUX Side and Tail Lamps

SCC. Part No. Volts/Watts E Mark ECE No. Qty **EB207** 10 12V 5W E R5W **EB245** 10 12V 10W E **R10W EB149** 10 24V 5W E R5W





S8.5d NEOLUX Festoon

| Part No. | Qty | Volts/Watts | Size (mm) | E Mark | ECE No. | |
|----------|-----|-------------|-----------|--------|---------|--|
| EB239 | 10 | 12V 5W | 11 x 38 | | C5W | |
| EB269 | 10 | 12V 10W | 11 x 30 | | - | |
| EB264 | 10 | 12V 10W | 11 x 44 | | - | |
| EB242 | 10 | 24V 5W | 11 x 38 | | C5W | |

NEOLUX® GERMAN TECHNOLOGY



Cap BA9s NEOLUX Side and Tail Lamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. | |
|----------|-----|-------------|--------|---------|--|
| EB233 | 10 | 12V 4W | E | T4W | |
| EB249 | 10 | 24V 4W | E | T4W | |
| | | | | | |





W2.3W x 4.6d NEOLUX Wedge Base Panel Lamps

Wedge Base.

| Part No. | Qty | Volts/Watts | EMark | ECE No. | |
|----------|-----|-------------|-------|---------|--|
| EB286 | 10 | 12V 1.2W | | - | |
| EB508 | 10 | 24V 1.2W | | - | |



R5W Cap BA15d NEOLUX Side and Tail Lamps

SBC.

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EB209 | 10 | 12V 5W | E | R5W |
| EB150 | 10 | 24V 5W | E | R5W |





1:1

























€UROLEC



H1 Cap P14.5s EUROLEC Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|---------------|-----|-------------|--------|---------|
| EUB448 | 10 | 12V 55W | E | H1 |
| EUB466 | 10 | 24V 70W | E | H1 |





H3 Cap PK22s EUROLEC Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|---------------|-----|-------------|--------|---------|
| EUB453 | 10 | 12V 55W | E | H3 |
| EUB460 | 10 | 24V 70W | E | H3 |

€UROLEC



H7 Cap Px26d EUROLEC Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|---------------|-----|-------------|--------|---------|
| EUB499 | 10 | 12V 55W | E | H7 |
| EUB474 | 10 | 24V 70W | E | H7 |





HB3 Cap P20d EUROLEC Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EUB9005 | 10 | 12V 60W | E | HB3 |





HB4 Cap P22d EUROLEC Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------------|-----|-------------|--------|---------|
| EUB9006 | 10 | 12V 51W | E | HB4 |





O





H4 Cap P43t EUROLEC Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EUB472 | 10 | 12V 60/55W | E | H4 |
| EUB475 | 10 | 24V 75/70W | E | H4 |

€UROLEC

- Direct replacement for existing Gas Discharge Bulbs.
 Long life 2500 hours.
- High luminance (nom 3200lm).
- 'E' approved.



| EUKUL | EC HID | |
|----------|---------|-------------|
| Gas Dis | scharge | Bulbs |
| Part No. | Otv | Volts/Watts |

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EUB85122 | 1 | 85V 35W | Е | D2S |

€UROLEC

D2S Cap P32d-2



€UROLEC

- Direct replacement for existing Gas Discharge Bulbs.
 Long life 2500 hours.



D1S Cap PK32d-2 EUROLEC HID Gas Discharge Bulbs

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EUB85402 | 1 | 85V 35W | E | D1S |

€UROLEC

- Direct replacement for existing Gas Discharge Bulbs.
 Long life 2500 hours.
 High luminance (nom 3200lm).
 'E' approved.



D2R Cap P32d-3 EUROLEC HID Gas Discharge Bulbs

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|-----------------|-----|-------------|--------|---------|
| EUB85126 | 1 | 85V 35W | E | D2R |





























Autolamps



P21W Cap BA15d AUTOLAMPS Stop, Flasher, Reverse Lamps

| SI | BC. | |
|----|-----|--|
| _ | | |

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EP335 | 10 | 12V 21W | E | P21W |
| EP346 | 10 | 24V 21W | E | P21W |

PY21W Cap BAU15s EUROLEC Stop, Flasher, Reverse Lamps

Off Set Pin (SCC).

€UROLEC

€UROLEC

| | ,- | | | | |
|----------|-----|-------------|--------|---------------|---------|
| Part No. | Qty | Volts/Watts | Colour | E Mark | ECE No. |
| EU581 | 10 | 12V 21W | Amber | E | PY21W |





1:1

1:1

P21W Cap BA15s EUROLEC

Stop, Flasher, Reverse Lamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EU382 | 10 | 12V 21W | E | P21W |
| EU241 | 10 | 24V 21W | E | P21W |

P21/5W Cap BAY15d EUROLEC Stop/Tail Lamps

OSP Index (SBC).

| Part No. | Qty | Volts/Watts | EMark | ECE No. |
|----------|-----|-------------|-------|---------|
| EU380 | 10 | 12V 21/5W | E | P21/5W |
| EU334 | 10 | 24V 24/6W | E | P21/5W |





P21W Cap BA15s AUTOLAMPS Stop, Flasher, Reverse Lamps

| S | C | C | |
|---|---|---|--|
| | | | |

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EP339 | 10 | 24V 24W | | - |





| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EU566 | 10 | 12V 21/4W | E | P21/4W |











88











111

1:1







€UROLEC



W2.1 x 9.5d EUROLEC Side and Tail Lamps

| W | ec | lge | В | as | e |
|---|----|-----|---|----|---|
|---|----|-----|---|----|---|

| Part No. | Qty | Volts/Watts | | E Mark | ECE No. |
|----------|-----|-------------|-------|--------|---------|
| EU501 | 10 | 12V 5W | | E | W5W |
| EU501A | 10 | 12V 5W | Amber | E | WY5W |
| EU507 | 10 | 24V 5W | | E | W5W |

€UROLEC



1:1

Cap BA15s EUROLEC Side and Tail Lamps

| SCC. |
|----------|
| Dart No. |

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EU207 | 10 | 12V 5W | E | R5W |
| EU245 | 10 | 12V 10W | E | R10W |
| EU149 | 10 | 24V 5W | E | R5W |

€UROLEC



1:1

11

1:1

Cap BA9s EUROLEC Side and Tail Lamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EU233 | 10 | 12V 4W | E | T4W |
| EU249 | 10 | 24V 4W | E | T4W |

Autolamps



R5W Cap BA15d AUTOLAMPS Side and Tail Lamps

SBC.

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EP209 | 10 | 12V 5W | E | R5W |

€UROLEC



R5W Cap BA15d EUROLEC Side and Tail Lamps

SBC.

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| EU150 | 10 | 24V 5W | E | R5W |
| | | | | |

€UROLEC



S8.5d EUROLEC Festoon

| Part No. | Qty | Volts/Watts | Size (mm) | ECE No. | |
|----------|-----|-------------|-----------|---------|--|
| EU239 | 10 | 12V 5W | 11 x 38 | C5W | |
| EU269 | 10 | 12V 10W | 11 x 30 | C10W | |
| EU242 | 10 | 24V 5W | 11 x 38 | C5W | |

Autolamps



1:1

S8.5d AUTOLAMPS **Festoon**

| Part No. | Qty | Volts/Watts | Size (mm) | ECE No. | |
|--------------|-----|-------------|-----------|---------|--|
| EP269 | 10 | 12V 10W | 11 x 30 | - | |

€UROLEC



EUROLEC Wedge Base Panel Lamps

Wedge Base.

| Part No. | Qty | Volts/Watts | ECE No. |
|----------|-----|-------------|---------|
| EU286 | 10 | 12V 1.2W | - |
| EU508 | 10 | 24V 1.2W | - |

Autolamps



Cap B8.5D AUTOLAMPS Printed Circuit Board Base

| Part No. | Qty | Volts/Watts | Colour | ECE No. | |
|----------|-----|-------------|--------|--------------|--|
| FP286T | 10 | 12V 1 2W | Black | - | |







































H3 Cap PK22s RING Halogen Headlamps

| Part No. | Qty | Volts/Watts | - E Mark | ECE No. |
|----------|-----|-------------|-----------------------|---------|
| ER453 | 1 | 12V 55W | E | H3 |
| ER460 | 1 | 24V 70W | E | H3 |
| ER442 | 1 | 48V 45W | (for Fork Lift Truck) | - |
| ER443 | 1 | 80V 55W | (for Fork Lift Truck) | - |







H7 Cap Px26d RING 'Xenon150' Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| ERW1577 | 2 | 12V 55W | E | H7 |

RING



H7 Cap Px26d RING Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark ECE No. | |
|----------|-----|-------------|----------------|--|
| ER477 | 1 | 12V 55W | E H7 | |
| ER474 | 1 | 24V 70W | E H7 | |







H7 Cap Px26d RING Fog Light Upgrade LED Bulbs Ice White LED fog light. HID Xenon look.

| Part No. | Qty | Volts/Watts | Colour Temp | ECE No. |
|------------|-----|-------------|-------------|---------|
| ERW477FLED | 2 | 12V 2W | 6000K | H7 |

RING 'Xenon150' Performance Bulbs

- Provides up to 150% more light on the road
- All upgrade bulbs are street legal 'E' approved
- No additional wiring or switches required
- Produces exceptional night driving performance
- Allows more time to react to potential hazards, better reflections from road markings and signs



















O











H1 Cap P14.5s RING Halogen Headlamps

| Part No. | Qty | Volts/Watts | | E Mark | ECE No. |
|----------|-----|-------------|--------|--------|---------|
| ER448 | 1 | 12V 55W | | E | H1 |
| ER448EQ | 1 | 12V 55W | (Spot) | E | H1 |
| ER466 | 1 | 24V 70W | | E | H1 |





H4 Cap P43t RING Halogen Headlamps

| Part No. | Qty | Volts/Watts | | E Mark | ECE No. |
|--------------|-----|-------------|--------------------|--------|---------|
| ER472 | 1 | 12V 60/55W | | E | H4 |
| ER473 | 1 | 12V 100/55W | (for Off Road Use) | | - |
| ER475 | 1 | 24V 75/70W | | E | H4 |








H1 Cap P14.5s RING 'Xenon150' Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| ERW1548 | 2 | 12V 55W | E | H1 |







| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| ERW1572 | 2 | 12V 55W | E | H4 |
































HB3 Cap P20d RING Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| ER9005 | 1 | 12V 60W | E | HB3 |





HB4 Cap P22d RING Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| ER9006 | 1 | 12V 51W | E | HB4 |



H8 Cap PGJ19-1 RING Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| ER708 | 1 | 12V 35W | Е | H9 |





H4 Halogen Conversion Cap P45t (UEC) RING Headlamps For 410 and 429 type bulbs.

| Part No. | Qty | Volts/Watts | ECE No. |
|----------|-----|-------------|---------|
| ER12 | 1 | 12V 60/55W | - |
| ER24 | 1 | 24V 75/70W | - |
| | | | |





0

موم

8







H9 Cap PGJ19-5 RING Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| ER709 | 1 | 12V 65W | Е | H9 |





RING Asymmetric Headlamps - Cap P45t (UEC)

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| ER410 | 10 | 12V 45/40W | E | R2 |
| ER429 | 10 | 24V 55/50W | E | R2 |




H11 Cap PGJ19-2 RING Halogen Headlamps

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| ER711 | 1 | 12V 55W | E | H11 |







| Part No. | Qty | Volts/Watts | EMark | ECE No. |
|----------|-----|-------------|-------|---------|
| ERW1511 | 2 | 12V 55W | E | H11 |





































| Part No. | Qty | Volts/Watts | E Mark | ECE No. | |
|----------|-----|-------------|--------|---------|--|
| ER395 | 1 | 12V 35/35W | E | S2 | |



RING HID Gas Discharge Bulbs - D2S Cap P32d-2

| Part No. | - Qty | Volts/Watts | EMark | ECE No. | |
|----------|-------|-------------|-------|---------|--|
| ER85122 | 1 | 85V 35W | E | D2S | |





RING HID Gas Discharge Bulbs - D1S Cap PK32d-2

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| ER85402 | 1 | 85V 35W | E | D1S |





RING HID Gas Discharge Bulbs - D2R Cap P32d-3

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| ER85126 | 1 | 85V 35W | E | D2R |



موم

O









RING Stop, Flasher, Reverse Lamps - P21W Cap BA15d

| > | р | |
|---|---|--|
| | | |

| Part No. | Qty | Volts/Watts | | E Mark | ECE No. |
|---------------|--------|-------------|------------|--------|---------|
| ERB335 | 10 x 1 | 12V 21W | | E | P21W |
| ER335 | 10 | 12V 21W | | E | P21W |
| ERB346 | 10 x 1 | 24V 21W | | E | P21W |
| ER346 | 10 | 24V 21W | | E | P21W |
| ER291 | 10 | 24V 21W | Heavy Duty | E | P21W |





RING Stop, Flasher, Reverse Lamps - W21W W3 x 16d

| Part No. | Qty | Volts/Watts | | E Mark | ECE No. |
|----------|--------|-------------|-------|--------|---------|
| ERB582 | 10 x 1 | 12V 21W | | E | W21W |
| ER582 | 10 | 12V 21W | | E | W21W |
| ERB585 | 10 x 1 | 12V 21W | Amber | E | WY21W |
| ER585 | 10 | 12V 21W | Amber | Е | WY21W |





RING Stop, Flasher, Reverse Lamps - P21W Cap BA15s

SCC.

| Part No. | Qty | Volts/Watts | Colour | ECE No. | |
|----------|--------|-------------|--------|---------|--|
| ERB343 | 10 x 1 | 12V 21W | Amber | - | |
| ER343 | 10 | 12V 21W | Amber | - | |





RING Stop, Flasher, Reverse Lamps - P21W Cap BA15s

| C | _ | ^ |
|---|---|---|
| J | L | L |

| Part No. | Qty | Volts/Watts | | E Mark | ECE No. |
|----------|--------|-------------|------------|---------------|---------|
| ERB382 | 10 x 1 | 12V 21W | | E | P21W |
| ER382 | 10 | 12V 21W | | E | P21W |
| ERB241 | 10 x 1 | 24V 21W | | E | P21W |
| ER241 | 10 | 24V 21W | | E | P21W |
| ER290 | 10 | 24V 21W | Heavy Duty | E | P21W |
| ER339 | 10 | 24V 24W | | | - |
| ER345 | 10 | 28V 26W | Long Life | | - |
| | | | | | |







RING LED Bulbs Stop, Flasher, Reverse -P21W Cap BA15s SCC. Ice White LED light.

Illuminates quicker than a standard bulb.

| Part No. | Qty | Volts/Watts | Colour Temp | ECE No. |
|------------|-----|-------------|-------------|---------|
| ERW382LED | 2 | 12V 4W | 6000K | P21W |
| ERB2416LED | 1 | 24V 4W | 6000K | P21W |
| | | | | |





RING Stop, Flasher, Reverse Lamps - PY21W Cap BAU15s

Off Set Pin (SCC).

| Part No. | Qty | Volts/Watts | Colour | E Mark | ECE No. | |
|----------|--------|-------------|--------|--------|---------|--|
| ERB581 | 10 x 1 | 12V 21W | Amber | E | PY21W | |
| ER581 | 10 | 12V 21W | Amber | E | PY21W | |
| ER588 | 10 | 24V 21W | Amber | E | PY21W | |
| | | | | | | |





















RING Stop/Tail Lamps - W21/5W W3 x 16q

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|--------|-------------|--------|---------|
| ERB580 | 10 x 1 | 12V 21/5W | E | W21/5W |
| ER580 | 10 | 12V 21/5W | E | W21/5W |





RING Stop (High Level Brake Lamp), Reverse Lamp - Cap W16W, W2.1x9.5d Capless

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|--------|-------------------------|--------|---------|
| ER921 | 10 | 12V 21CP (Candle Power) | | - |
| ERB955 | 10 x 1 | 12V 16W | E | W16W |
| ER955 | 10 | 12V 16W | Е | W16W |





E Mark ECE No.

RING Side and Tail Lamps - R5W Cap BA15d

| Part No. | Ųty | voits/watts | | E Mark | ECE NO. |
|---------------|--------|-------------|------------|--------|---------|
| ERB209 | 10 x 1 | 12V 5W | | E | R5W |
| ER209 | 10 | 12V 5W | | E | R5W |
| ERB150 | 10 x 1 | 24V 5W | | E | R5W |
| ER150 | 10 | 24V 5W | | E | R5W |
| ER247 | 10 | 24V 5W | Heavy Duty | E | R5W |
| ER875 | 10 | 28V 7W | Long Life | | - |
| | | | | | |





SBC Index.

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|--------|-------------|--------|---------|
| ERB566 | 10 x 1 | 12V 21/4W | E | P21/4W |
| ER566 | 10 | 12V 21/4W | E | P21/4W |
| ER567 | 10 | 24V 21/4W | E | P21/4W |





RING Stop/Tail Lamps - P21/5W Cap BAY15d OSP Index (SBC).

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|--------|-------------|--------|---------|
| ERB380 | 10 x 1 | 12V 21/5W | E | P21/5W |
| ER380 | 10 | 12V 21/5W | E | P21/5W |
| ERB294 | 10 x 1 | 24V 21/5W | E | P21/5W |
| ER294 | 10 | 24V 21/5W | E | P21/5W |
| ER334 | 10 | 24V 24/6W | | - |







RING Stop/Tail LED Bulbs - P21/5W Cap BAY15d

OSP Index (SBC). Ice White LED light. Illuminates quicker than a standard bulb.

| ı | Part No. | Qty | Volts/Watts | Colour Temp | ECE No. | |
|---|-----------|-----|-------------|-------------|---------|--|
| ı | ERW380LED | 2 | 12V 4W | 6000K | P21/5W | |
| п | | | | | | |





O

موه

အ







RING Stop/Tail Lamps - Cap P27/7W W2.5x16q

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| ER180 | 10 | 12V 27/7W | E | P27/7W |





RING Stop/Tail Lamps - P21/5W Cap BA15d

| Part No. | Qty | Volts/Watts | ECE No. |
|----------|-----|-------------|---------|
| ER381 | 10 | 12V 21/5W | - |





RING Panel and Indicator Bulbs - Cap G11 E10/E13 MES (Miniature Edison Screw).

| Part No. | Qty | Volts/Watts | ECE No. |
|----------|-----|-------------|---------|
| ER987 | 10 | 12V 2.2W | - |





RING Side and Tail Lamps - Cap BA15s

| Part No. | Qty | Volts/Watts | | E Mark | ECE No. |
|----------|--------|-------------|------------|--------|---------|
| ERB207S | 10 x 1 | 12V 5W | | E | R5W |
| ER207 | 10 | 12V 5W | | E | R5W |
| ERB245S | 10 x 1 | 12V 10W | | E | R10W |
| ER245 | 10 | 12V 10W | | E | R10W |
| ERB149 | 10 x 1 | 24V 5W | | E | R5W |
| ER149 | 10 | 24V 5W | | E | R5W |
| ER248 | 10 | 24V 5W | Heavy Duty | E | R5W |
| ERB246 | 10 x 1 | 24V 10W | | E | R10W |
| ER246 | 10 | 24V 10W | | E | R10W |
| ER295 | 10 | 24V 10W | Heavy Duty | E | R10W |
| ER874 | 10 | 28V 7W | Long Life | | - |
| | | | | | |





RING Side and Tail LED Bulbs - Cap BA15s SCC. Ice White LED Light.

| ERW207LED 2 | 12V 3W | 6000K | R5W | |
|---------------------|--------|-------|-----|--|
| ERB1496LED 1 | 24V 2W | 6000K | R5W | |



موم

ထွ





RING Side and Tail Lamps - W2.1 x 9.5d

Wedge Base.

| Part No. | Qty | Volts/Watts | | E Mark | ECE No. |
|----------|--------|-------------|-------|--------|---------|
| ERB504 | 10 x 1 | 12V 3W | | E | W3W |
| ER504 | 10 | 12V 3W | | E | W3W |
| ERB501 | 10 x 1 | 12V 5W | | E | W5W |
| ER501 | 10 | 12V 5W | | E | W5W |
| ERB501A | 10 x 1 | 12V 5W | Amber | E | WY5W |
| ER501A | 10 | 12V 5W | Amber | E | WY5W |
| ERB505 | 10 x 1 | 24V 3W | | E | W3W |
| ER505 | 10 | 24V 3W | | E | W3W |
| ERB507 | 10 x 1 | 24V 5W | | E | W5W |
| ER507 | 10 | 24V 5W | | E | W5W |



RING T10 Wedge LED Resistor Kit

For 501-W5W LED bulbs.

Plug and play resistor kit for vehicles with bulb failure warning system.

| Part No. | Qty | Description | Volts |
|-------------------|-----|-------------------------|-------|
| ELED501RES | 2 | LED Resistor Kit | 12V |









RING 'Ice White' LED Bulb

- W2.1 x 9.5d

Wedge base. Filament style LED with ice white light output.

| Part No. | Qty | Volts | Colour Temp | ECE No. |
|--------------|-----|-------|-------------|---------|
| ERB5076FSLED | 1 | 24V | 6000K | W5W |









RING 'Ice White' LED Bulb - W2.1 x 9.5d

Wedge base. Filament syle LED with ice white light output.

| Part No. | Qty | Volts/Watts | Colour Temp | ECE No. |
|------------|-----|-------------|-------------|---------|
| ERB5076LED | 1 | 24V 3W | 6000K | W5W |









RING 'Cool Blue' LED Bulbs - W2.1 x 9.5d

Cool blue light. Wedge base.

| Part No. | Qty | Volts/Watts | Light Temp | ECE No. | |
|-------------|-----|-------------|------------|---------|--|
| ERW50112LED | 2 | 12V 1W | 12000K | W5W | |









RING 'Cool White' LED Bulbs - W2.1 x 9.5d

Cool white light. Wedge base.

| Part No. | Qty | Volts/Watts | Light Temp | ECE No. |
|------------|-----|-------------|------------|---------|
| ERW5014LED | 2 | 12V 1W | 4000K | W5W |









RING 'Ice White' LED Bulbs - W2.1 x 9.5d

Ice white light. Wedge base.

| Part No. | Qty | Volts/Watts | Light Temp | ECE No. |
|------------|-----|-------------|------------|---------|
| ERW5016LED | 2 | 12V 1W | 6000K | W5W |









RING 'Ice White' LED Bulbs - W2.1 x 9.5d

Wedge base. Filament style LED with ice white light output.

| Part No. | Qty | VOITS | Colour Temp | ECE NO. |
|--------------|-----|-------|-------------|---------|
| ERW5016FSLED | 2 | 12V | 6000K | W5W |









RING 'Ice White' LED Bulbs - W2.1 x 9.5d

Wedge base. Latest CANbus technology. No wiring changes needed - simply plug in and play.

 Part No.
 Qty
 Volts/Watts
 Colour Temp
 ECENO.

 ERW501CBLED
 2
 12V 3W
 6000K
 W5W

O

000

ဇ္





RING Side and Tail Lamps - Cap BA9s

| Part No. | Qty | Volts/Watts | | E Mark | ECE No. | |
|----------|--------|-------------|------------|--------|---------|--|
| ERB233 | 10 x 1 | 12V 4W | | E | T4W | |
| ER233 | 10 | 12V 4W | | E | T4W | |
| ERB249 | 10 x 1 | 24V 4W | | E | T4W | |
| ER249 | 10 | 24V 4W | | E | T4W | |
| ER296 | 10 | 24V 4W | Heavy Duty | E | T4W | |







RING 'Ice White' LED Bulbs - Cap BA9s

Filament syle LED with ice white light output.

| Part No. | Pack of | Volts | Light Temp | ECE No. | |
|--------------|---------|-------|------------|---------|--|
| ERW2336FSLED | 2 | 12V | 6000K | T4W | |





RING Panel and Indicator Lamps - Cap BA9s

MCC.

| Part No. | Ųly | VOILS/ WALLS | ELE NO. |
|----------|-----|--------------|---------|
| ER289 | 10 | 24V 2W | - |
| | | | |





RING Panel and Indicator Lamps

- Cap BA7s

Two Lug (Peanut Type).

| Part No. | Qty | Volts/Watts | ECE No. |
|----------|-----|-------------|---------|
| ER281 | 10 | 12V 2W | - |
| ER283 | 10 | 24V 3W | - |



RING Miniature Halogen - Cap BA9s

MCC.

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| ER435 | 10 | 12V 21W | E | H21W |
| ER535 | 10 | 24V 21W | E | H21W |





RING Miniature Halogen - Cap BA9s

MCC.

| Part No. | Qty | Volts/Watts | E Mark | ECE No. |
|----------|-----|-------------|--------|---------|
| ER434 | 10 | 12V 6W | E | H6W |





RING Miniature Halogen - Cap BA9s

| ER470 | 10 | 12V 10W | - |
|----------|-----|-------------|---------|
| Part No. | Qty | Volts/Watts | ECE No. |
| MCC | | | |





RING Miniature Halogen - Cap G4

| Part No. | Qty | Volts/Watts | ECE No. |
|----------|-----|-------------|---------|
| ER570 | 10 | 12V 10W | - |
| ER571 | 10 | 24V 20W | - |





































RING 'Cool White' LED Festoon Bulbs - Cap S8.5d

| Part No. | Qty | Volts/Watts | Size | Colour Temp | ECE No. |
|------------|-----|-------------|------------|-------------|---------|
| ERW2394LED | 2 | 12V 1W | 11 x 39 mm | 4000K | C5W |









RING 'Ice White' LED Festoon Bulbs - Cap S8.5d

| Part No. | Qty | Volts/Watts | Size | Colour Temp | ECE No. | |
|-------------|-----|-------------|------------|-------------|---------|--|
| FRW23961 FD | 2 | 12V 1W | 11 x 39 mm | 6000K | C5W | |









RING 'Cool Blue' LED Festoon Bulbs - Cap S8.5d

| Part No. | | Volts/Watts | | Colour Temp | ECE No. |
|-------------|---|-------------|------------|-------------|---------|
| ERW23912LED | 2 | 12V 1W | 11 x 39 mm | 12000K | C5W |









RING 'Ice White' LED Festoon Bulbs - Cap S8.5d

| Latest CANbus technology. No wiring changes needed - simply plug in and play. | | | | | | |
|---|-----|-------------|------------|-------------|---------|--|
| Part No. | Qty | Volts/Watts | Size | Colour Temp | ECE No. | |
| ERW239CBLED | 2 | 12V 2W | 11 x 39 mm | 6000K | C5W | |



0

ممما





RING Festoon - Cap S8.5d

| Part No. | Qty | voits/watts | Size | E Mark | ECE NO. |
|---------------|--------|-------------|------------|--------|---------|
| ERB272 | 10 x 1 | 12V 10W | 11 x 38 mm | | - |
| ER272 | 10 | 12V 10W | 11 x 38 mm | | - |
| ERB269 | 10 x 1 | 12V 10W | 11 x 30 mm | | - |
| ER269 | 10 | 12V 10W | 11 x 30 mm | | - |
| ERB239 | 10 x 1 | 12V 5W | 11 x 30 mm | E | C5W |
| ER239 | 10 | 12V 5W | 11 x 38 mm | E | C5W |
| ERB264 | 10 x 1 | 12V 10W | 11 x 44 mm | | - |
| ER264 | 10 | 12V 10W | 11 x 44 mm | | - |
| ERB242 | 10 x 1 | 24V 5W | 11 x 38 mm | E | C5W |
| ER242 | 10 | 24V 5W | 11 x 38 mm | E | C5W |
| ER260 | 10 | 24V 5W | 11 x 42 mm | | - |
| ER274 | 10 | 24V 10W | 11 x 41 mm | | - |
| | | | | | |





RING Festoon - Cap S8.5d

| Qty | Volts/Watts | Size | E Mark | ECE No. |
|-----|-------------|-------------------|------------------------------|---------------------------------------|
| 10 | 12V 10W | 15 x 44 mm | E | - |
| 10 | 12V 21W | 15 x 44 mm | E | C21W |
| | 10 | 10 12V 10W | 10 12V 10W 15 x 44 mm | 10 12V 10W 15 x 44 mm E |









RING Ice White'
LED Festoon Bulbs - Cap S8.5d
Filament style LED with ice white light output.

| Part No. | Qty | Volts | Size | Colour Temp | ECE No. |
|--------------|-----|-------|------------|-------------|---------|
| ERW2396FSLED | 2 | 12V | 11 x 39 mm | 6000K | C5W |
| | | | | | |







RING **Printed Circuit Board Base**


| | B8.5D | | |
|--|-------|-----------|--|
| | | 11-14-711 | |

| Part No. | Qty | Volts/Watts | Base Colour ECE No. |
|----------|--------|-------------|---------------------|
| ER509T | 10 | 12V 1.2W | Black - |
| ERB508T | 10 x 1 | 24V 1.2W | Grey - |
| ER508T | 10 | 24V 1.2W | Grey - |
| | | | |



RING **Printed Circuit Board Base** - Cap Kw2x4.6D

| Part No. | Qty | Volts/Watts | Base Colour ECE No. |
|-----------|-----|-------------|---------------------|
| ER508TCWH | 10 | 24V 1.2W | White - |





RING Printed Circuit Board Base - Cap EBSR

| Part No. | Qty | Volts/Watts | Base Colour ECE No. |
|----------|-----|-----------------|---------------------|
| ER1791 | 10 | 24V 1.2W (53mA) | Yellow - |
| ER1471 | 10 | 24V 1.2W (40mA) | Brown - |





RING Printed Circuit Board Base - Cap EBS N10

| Part No. | rt No. | | Base Colour ECE No. | | |
|----------|--------|--------|---------------------|--|--|
| ER8328 | 10 | 24V 2W | Beige - | | |



RING Wedge Base Panel Lamps - W2.3W x 4.6d

Wedge Base.

| Part No. | Qty | Volts/Watts | | ECE No. |
|----------|--------|-------------|------|---------|
| ERB286 | 10 x 1 | 12V 1.2W | | - |
| ER286 | 10 | 12V 1.2W | | - |
| ER286B | 10 | 12V 1.2W | Blue | - |
| ERB508 | 10 x 1 | 24V 1.2W | | - |
| ER508 | 10 | 24V 1.2W | | - |



RING 12V Panel Bulb Kit

12V standard. Supplied in a handy flip-top box.

Part No.

ERPB121 71 Pieces

21 x 12V Standard Panel Bulbs: 509TMOR, 509TMBK, 509TMBE, 509TMGR, 509TMBL, 509TMGR, 509T, 509TGR, 509TBBK, 509TBWH, 509TWGR, 509TWGY, 509TDBK, 509TBBK, 509TBBK, 509TBBK, 509TBBK, 509TBBK, 509TBBK, 509TBGY, 286, 286A, 286B, 286G, 286R, 501A.



RING 12V Special Panel Bulb Kit

12V special. Supplied in a handy flip-top box.

Part No.

ERPB122 69 Pieces

28 x 12v Special Bulbs: 509TMGY, 509TVI, 509TBL, 509TBE, 86021001, 86021002, 509TLBK, 509TKBK, 509TPBK, 509TWBR, 64124, 64122, 509TCTR, R509TCGY / 509TCGY/1.8, 509TCGYFR, 509TCWH, 509TFBK/12, 509TFBK/14, 509TFGY, 512TR, 512PC, 509TQWH, 509TYBK, 512WB, 509TSBK, 88005996, 509TJBR.



RING 24V Panel Bulb Kit

24V standard. Supplied in a handy flip-top box.

ERPB243 70 Pieces

21 x 24V Bulbs: 508TMRE, 5508TMGR, 508TBR, 508T, 508TBGY, 1471, 1791, 6929, 508TWBR, 508TCWH, 508TCTR, 508A, 508B, 508G, 508R, 508TUWH, 508TVWH, 86021003, 86028166, 8328, 86024918.































RING 12V Counter Stand Bulb Rack **Single Boxed Bulbs**

Complete with 126 Bulbs. Dimensions (H x W x D) 480 x 310 x 100 mm.

- · Eye-catching dispenser
- · Boxed and pre-merchandised with 126 bulbs
- All bulbs are 'E' marked where appropriate

| All Duids par-coded | | | | | | |
|---|---|--|------------------------------|----------------------------|--------------------------|--|
| Part No. | Qty | Description | | | | |
| ERU126 | 1 Set | 12V Bulb | Counter St | and | | |
| Stand contents: 5 x ER472 10 x ERB581 | 5 x ER448 10 x ERB382 10 x ERB209 | 10 x ERB380 10 x ERB207S 10 x ERB233 | 10 x ERB245S 10 x ERB501A | 10 x ERB501 10 x ERB286 | 10 x ERB239 6 x ER477 | |





· Also contains 10A blade fuses.

Part No. Qty Description **EBU007** 1 Kit

Kit contains: 1 x Halogen Headlamp: ER472 (12V 60/55W). 4 x Side and Tail Lamps: ER207, ER233, ER245, ER501.

2 x Stop. Flasher. Reverse Lamps: ER382, ER581.







Auto Bulb Kit Supplied in plastic storage box. · All bulbs are 'E' marked. · Also contains 10A blade fuses. Part No. Qty Description **EBU077** 1 Kit 1 Kit contains: 1 x Halogen Headlamp: ER477 (12V 55W). 4 x Side and Tail Lamps: ER207, ER233, ER245, ER501. 2 x Stop, Flasher, Reverse Lamps: ER382, ER581.

1 x Stop/Tail Lamp: ER380. 1 x Fog/Tail Lamp: ER566. 1 x Festoon: ER239.



Qty Description

1 Kit

3 x Stop, Flasher, Reverse Lamps: ER346, ER588, ER241.

Kit contains: 1 x Halogen Headlamp: ER475 (24V 75/70W).

3 x Stop/Tail Lamp: ER507, ER249, ER149. 1 x Festoon: ER242.

1

1 x Side and Tail Lamps: ER150.

Part No.

EBU034





Supplied in plastic storage box.

Part No.

· Also contains 10A blade fuses.

EBU033 1 1 Kit

Kit contains: 1 x Halogen Headlamps: ER474 (24V 70W). 1 x Side and Tail Lamps: ER150.

Qty Description

3 x Stop, Flasher, Reverse Lamps: ER346, ER588, ER241. 3 x Stop/Tail Lamp: ER507, ER249, ER149. 1 x Festoon: ER242.

0

0

موو

ၛ







RING 12V Compact Wall Bulb Dispenser Single Boxed Bulbs

Complete with 175 Bulbs.

Dimensions (H x W x D): 530 x 550 x 85 mm.

- Top 16 fast-moving 12V boxed Auto Bulbs
- · Eye-catching stand
- · Boxed and pre-merchandised with 175 bulbs
- Gravity fed
- · Wall mounted complete with fitting template
- · 16 columns of bulbs
- · All bulbs are 'E' marked where appropriate
- · All bulbs bar-coded

| Part No. | Qty | Description | | | |
|--|--|--|--|---|----------------------------|
| ERU175 | 1 Set | 12V Bulb | Wall Dispe | nser | , |
| Contents: 13 x ERB501A 10 x ERB581 | 13 x ERB207S 13 x ERB955 10 x ERB582 | 13 x ERB239 10 x ERB380 10 x ER448 | 13 x ERB245S 10 x ERB382 8 x ER477 | 13 x ERB286 10 x ERB566 6 x ER472 | 13 x ERB501 10 x ERB580 |



Complete with 194 Bulbs.

Dimensions (H x W x D): 489 x 649 x 87 mm.

- Top 16 fast-moving 12V boxed Auto Bulb
- · Eye-catching stand
- · Boxed and pre-merchandised with 194 bulbs
- · Gravity fed

RING

- Wall mounted complete with fitting template
- 19 columns of bulbs
- · All bulbs are 'E' marked where appropriate
- · All bulbs bar-coded

| | | | | - | - | |
|---|---|---|--|--|---|--|
| Part No. | Qty | Description | | | | |
| ERU194 | 1 Set | 12V Bulb | Wall Dispe | enser | | |
| Stand contents: 11 x ERB581 4 x ERB335 5 x ERB264 14 x ERB239 | 6 x ER472 4 x ERB566 4 x ERB343 5 x ERB233 14 x ERB207S | 16 x ER477 4 x ERB580 4 x ER435 5 x ERB245S 14 x ERB286 | 11 x ER448 4 x ERB582 5 x ERB272 5 x ERB504 | 11 x ERB380 4 x ERB585 5 x ERB955 5 x ERB501A | 11 x ERB382 4 x ER434 5 x ERB269 14 x ERB501 | |

RING





24V Compact Wall Bulb Dispenser Single Boxed Bulbs

Complete with 180 Bulbs. Dimensions (H x W x D): 480 x 535 x 90 mm. Top 16 fast-moving 24V boxed Auto Bulbs.

- Eye-catching stand.
- · Boxed and pre-merchandised with 180 bulbs.
- · Gravity fed.
- Wall mounted complete with fitting template.
- · 16 columns of bulbs.
- · All bulbs are 'E' marked where appropriate.
- · All bulbs bar-coded.

| Part No. | Qty | Description | | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | |
|--|---|---|--|--|------------------------------|
| ERU280 | 1 Set | 24V Bulb | Wall Dispe | nser | |
| Contents: 13 x ERB249. 13 x ERB508T. | 13 x ERB149. 10 x ERB294. 10 x ER460. | 13 x ERB150. 10 x ERB346. 10 x ER466. | 10 x ERB241. 13 x ERB505. 7 x ER474. | 13 x ERB242. 13 x ERB507. 6 x ER475. | 13 x ERB246. 13 x ERB508. |



































RING 'PowerSourcePure' Modified Sine Wave 1000W Inverter









Professional 1000 watt modified sine wave inverter, converts 12 volt battery power into useful 230 volt AC mains power. Tested and certified to the relevant EMC and LVD Directives.

- Operating mode and fault indicators
- Up to 12 hours continuous use
- · Compact heavy duty extruded casing
- · USB charging socket for mobile devices
- · Low power alarm and shut down to prevent inverter draining the battery
- Dimensions (H x W x D): 340 x 170 x 81.5 mm

Part No. Qty Description

ERINVMA10 1 Sine Wave Inverter 1000w



RING 'PowerSource' 12V Inverters

12V DC input modified sine wave (MSW) inverters. Supplied with battery clips for connection directly to the vehicle battery.









Sine Wave Sine Wave **UK Socket**

 Includes high power 2A USB socket suitable for recharging MP3 players, smart phones and tablets.

· Manufactured from lightweight durable ABS.

| Part No. | Qty | Description |
|-----------|-----|---------------|
| ERINVU300 | 1 | 300W Inverter |
| ERINVU500 | 1 | 500W Inverter |
| | | |



RING 'PowerSourcePure' **Modified Sine Wave** 2000w Inverter

Professional 2000 watt modified sine wave inverter, converts 12 volt battery power into useful 230 volt AC mains power. Tested and certified to the relevant EMC and LVD Directives.

- · Operating mode and fault indicators
- Up to 12 hours continuous use
- · Compact heavy duty extruded casing
- · Low power alarm and shut down to prevent inverter draining the battery
- Dimensions (H x W x D): 340 x 170 x 162 mm

Qty Description

ERINVMA20 Sine Wave Inverter 2000w





RING 'Powering' 12V Slimline Flexible 120W Inverter









x2

UK Sockets

Sine Wave

Ultra slim design and flexible coiled cable allows for the inverter to be positioned in the most convenient part of any vehicle.

• Ideal for mobile phones, hand held games consoles, laptops, TVs, etc.

· Includes USB port to allow recharging of electronic devices including MP3 players.

| Part No. | Qty | Description | |
|----------|-----|---------------|--|
| ERINV120 | 1 | 120W Inverter | |
| | | | |

0

0

موو





Battery Charger 12V DC
Compatible with lead acid, gel, calcium,
EFB and AGM batteries. The smart charge
cycle charges the battery twice as fast as a standard car battery charger, and protects against overcharging. Slim line design makes it easy to store, while the one-button functionality makes it easy to use. The charger automatically detects the battery condition and applies the most suitable charging cycle.

- 4A smart battery charger
- · Suitable for 12V vehicles
- · Recommended for START/STOP vehicles
- · IP65 rated: weatherproof

Qty Dimensions

ERSC704 1 128 x 80 x 24 mm 0.506 Kg 12V

Amps Output

NEW





RING

Compatible with lead acid, gel, calcium, EFB and AGM batteries. Keeps batteries in good condition without risk of overcharging. One button operation and large LCD backlit display for ease of use as well as reverse polarity and short-circuit protection for safety. Connect and be sure with the charger adjusting automatically to long-term maintenance mode when the vehicle's battery is full.

- For 12V and 24V vehicles
- Up to 4A or 8A charge rate
- STOP/START compatible
- Cold weather charging mode which protects batteries in cold temperatures
- · One button operation for ease-of-use
- Reverse polarity and short-circuit protection

Weight

Voltage


Amps Output

ERSC808 1 183 x 114 x 64 mm 0.902 Kg 12/24V 8A









230V AC 50Hz Input. 12V, 2-50A programmable 8 stage battery smart charger with multiple charge rate settings.

- Multi-chemistry function to set the specific charge required for different battery
- Power supply function maintains the battery voltage when appliances connected and drawing power.
 Includes LCD display.

Description

ERSCPR50 1 12V Battery Charger



Booster Cables/ Jump Leads - 16 mm²

- Welding cable remains flexible even in extreme cold.
- · Exceptional toughness and durability.
- · Resistant to oil, Heat, abrasion, ozone and most solvents - will not sustain combustion.
- Extra Heavy Duty Clips.
- · Clip insulation can be removed to provide traditional clip design.

| Part No. | Qty | Length | Amp Cont. Amp Max |
|----------|-----|---------------|-------------------|
| BC1 | 1 | 12 ft (3.6 m) | 100 A 300 A |
| BC3 | 1 | 16 ft (4.8 m) | 110 A 300 A |
| BC4 | 1 | 32 ft (9.6 m) | 100 A 300 A |





- Welding cable remains flexible even in extreme cold.
- · Exceptional toughness and durability.
- · Resistant to oil, Heat, abrasion, ozone and most solvents - will not sustain combustion.
- Extra Heavy Duty Clips.
- Clip insulation can be removed to provide traditional clip design.

| Part No. | Qty | Length | Amp Cont. Amp Max |
|----------|-----|---------------|-------------------|
| BC5 | 1 | 16 ft (4.8 m) | 170 A 450 A |



Welding cable remains flexible even in extreme cold.

· Resistant to oil, Heat, abrasion, ozone and most solvents - will not sustain combustion.

• Extra Heavy Duty Clips.

Clip insulation can be removed to provide traditional clip design.

| Part No. | Qty | Length | Amp Cont. Amp Max |
|----------|-----|---------------|-------------------|
| BC9 | 1 | 16 ft (4.8 m) | 240 A 600 A |



| Joine | LCUUJ | Cilba |
|----------|-----------|---------|
| Extra he | avy duty. | Crimpeo |

| Part No. | Qty | Colours | Amp Cont. |
|----------|---------------|-------------|-----------|
| BC2 | 4 (2 x Pairs) | Red & Black | 170 A |



- 100% multi-strand copper conductors.
- · Fully insulated heavy duty clips.
- User instructions on packaging.
- · Flexible PVC coating.
- Colour coded to British Standards.
- Supplied in nylon storage bag.

| Part No. | Qty | Ø x Length | Amperage | |
|----------|-----|----------------------------|----------|--|
| BC350 | 1 | 35 mm² x 4.5 m | 450 A | |
| BC500 | 1 | 50 mm ² x 5.0 m | 600 A | |
| | | | | |





A powerful, safe and compact Lithium Cobalt LiCoO² jump starter, ideal for small to medium cars and vans. Able to start 12V vehicles up to 3L. Also provides power to recharge electronic gadgets. Compact design fits easily into your glove box, without compromising on power.

Powerbank function

· Fast 3hr recharge time - micro USB charging cable included

- · Suitable for small to medium cars and vans up to 3L
- · Intelligent clamps safely manage power between the jump starter and vehicle
- · Reverse polarity, short circuit and anti-spike protection
- · Includes integrated LED torch
- · Rechargeable batteries included

| Part No. | Qty | Dimensions | Voltage | Output |
|----------|-----|------------------|---------|--------|
| ERPPL300 | 1 | 31 x 163 x 90 mm | 12V | 300A |

000

တွ

 \odot

antoworkeronic

Start up to 7L **24V Truck Engines**



sealed lead acid batteries with up to 4 year service life. Rugged metal casing. Supplied with detachable heavy duty 1.1 m. 35 mm² cables.

- Suitable for jumping 12V and 24V vehicles
- Designed for car and commercial retailers, fleet operators and service engineers
- 12V DC Socket
- · Jump starts up to 5.5 litre truck engines · Battery status indicators
- · Reverse polarity warning buzzer and indicator

* Please allow 2-3 days delivery on this product.

Part No.

Qty Description

ERPPS3000A* 12/24V. 3000 A Power Pack

RING 'TradeStart' Professional 12/24V 4000A **Métal Power Pack**

Start up to 5.5L 24V Truck

Engines

Battery type: Spiral AGM with up to 8 year service life. Rugged metal casing with integrated wheels and transport handle. Supplied with detachable heavy duty 1.5 m, 35 mm² cables.

- Suitable for jumping 12V and 24V vehicles
- Designed for car and commercial retailers, fleet operators and service engineers • 12V DC Socket
- Jump starts up to 7 litre truck engines
- · Multi-function LED display
- · Reverse polarity warnings
- * Please allow 2-3 days delivery on this product.

Part No.

ERPPS4000A* 12/24V, 4000 A Power Pack

































PROCELL



PROCELL Alkaline Batteries

| Alkalii le Dattel les | | | | | |
|--|--------|------|-------|-------------|--|
| Dependable power for professional devices. | | | | | |
| Part No. | Box of | Size | Volts | Alt. Ref.'s | |
| BAT308 | 10 | AAA | 1.5V | (LR03) | |





DURACELL Plus Alkaline Batteries

| Part No. | Qty | Size | Volts | Alt. Ref.'s | |
|----------|------|--------------|-------|-------------|--|
| BAT108 | 10 x | 4 AAA | 1.5V | (LR03) | |
| BAT108A | 4 | AAA | 1.5V | (LR03) | |



PROCELL Alkaline Batteries

| Dependable power for professional devices. | | | | | |
|--|--------|------|-------|-------------|--|
| Part No. | Box of | Size | Volts | Alt. Ref.'s | |
| BAT307 | 10 | AA | 1.5V | (LR6) | |



DURACELL Plus Alkaline Ratteries

| Alkalii le Dallei les | | | | | |
|-----------------------|--------|------|-------|-------------|--|
| Part No. | Qty | Size | Volts | Alt. Ref.'s | |
| BAT107 | 20 x 4 | 1 AA | 1.5V | (LR6) | |
| BAT107A | 4 | AA | 1.5V | (LR6) | |



PROCELL Alkaline Batteries

| Dependable power for professional devices. | | | | | | |
|--|--------|------|-------|-------------|--|--|
| Part No. | Box of | Size | Volts | Alt. Ref.'s | | |
| BV1306 | 10 | | 1.5\/ | (I P14) | | |



DURACELL Plus Alkaline Batteries

| Alluli ic batteries | | | | | | | | |
|---------------------|------|------------|-------|-------------|--|--|--|--|
| Part No. | Qty | Size | Volts | Alt. Ref.'s | | | | |
| BAT106 | 10 x | 2 C | 1.5V | (LR14) | | | | |
| BAT106A | 2 | | 1 5V | (I R14) | | | | |





| Dependable power for professional devices. | | | | | |
|--|--------|------|-------|-------------|--|
| Part No. | Box of | Size | Volts | Alt. Ref.'s | |
| BAT305 | 10 | D | 1.5V | (LR20) | |

PROCELL



DURACELL Plus Alkaline Batteries

| / lintainine Batteries | | | | | | |
|------------------------|------|------------|-------|-------------|--|--|
| Part No. | Qty | Size | Volts | Alt. Ref.'s | | |
| BAT105 | 10 x | 2 D | 1.5V | (LR20) | | |
| BAT105A | 2 | D | 1.5V | (LR20) | | |



PROCELL Alkaline Batteries

Dependable power for professional devices.

| Беренаавіе | ро | о. р | . 0. 055.0 | | |
|------------|--------|------|------------|-------------|--|
| Part No. | Box of | Size | Volts | Alt. Ref.'s | |
| BAT309 | 10 | 9V | 9V | (PP3) | |
| | | | | | |



DURACELL Plus Alkaline Batteries

| Part No. | Qty | Size | Volts | Alt. Ref.'s | |
|----------|------|-------------|-------|-------------|--|
| BAT109 | 10 x | 1 9V | 9V | (PP3) | |
| BAT109A | 1 | 9V | 9V | (PP3) | |





| Alkaline Batteries | | | | | | | | |
|--------------------|--------|------|-------|--------------------|--|--|--|--|
| Part No. | Qty | Size | Volts | Alt. Ref.'s | | | | |
| BAT151 | 10 x 2 | AAAA | 1.5V | (25A, U2, LR8D425) | | | | |
| BAT151A | 2 | AAAA | 1.5V | (25A, U2, LR8D425) | | | | |



0



































GP BATTERIES 'Greencell' Heavy Duty Batteries - Zinc Chloride

| Part No. | Qty | Size | Volts | Alt. Ref.'s |
|----------|------|--------------|-------|--------------|
| BAT30 | 10 x | 4 AAA | 1.5V | (HP16, R03S) |
| | | | | |







| Part No. | Box of | Size | Volts | Alt. Ref.'s | | | |
|----------|--------|------|-------|----------------|--|--|--|
| BAT8 | 10 x 4 | AAA | 1.5V | (MN2400, LR03) | | | |
| BAT301 | 24 | AAA | 1.5V | (MN2400, LR03) | | | |
| | | | | | | | |



GP BATTERIES 'Greencell' Heavy Duty Batteries - Zinc Chloride

| Part No. | Qty | Size | Volts | Alt. Ref.'s | |
|----------|--------|------|-------|-------------|--|
| BAT3 | 10 x 4 | AA | 1.5V | (HP7, R6S) | |



GP BATTERIES 'Ultra' Alkaline Batteries

| Part No. | Box of | Size | Volts | Alt. Ref.'s | |
|---------------|--------|-------------|-------|---------------|--|
| BAT7 | 10 x 4 | 4 AA | 1.5V | (MN1500, LR6) | |
| BAT300 | 24 | AA | 1.5V | (MN1500, LR6) | |



GP BATTERIES 'Greencell' Heavy Duty Batteries - Zinc Chloride

| Part No. | Qty | Size | Volts | Alt. Ref.'s |
|----------|--------|------|-------|--------------|
| BAT2 | 10 x 2 | C | 1.5V | (HP11, R14S) |



GP BATTERIES 'Ultra' Alkaline Batteries

| Part No. | Box of | Size | Volts | Alt. Ref.'s | |
|----------|--------|------|-------|----------------|--|
| BAT6 | 10 x 2 | С | 1.5V | (MN1400, LR14) | |





| Part No. | Qty | Size | Volts | Alt. Ref.'s |
|----------|--------|------------|-------|-------------|
| BAT1 | 10 x 2 | 2 D | 1.5V | (HP2, R20S) |



GP BATTERIES 'Ultra' Alkaline Batteries

| Part No. | Box of | Size | Volts | Alt. Ref.'s |
|----------|--------|------|-------|----------------|
| BAT5 | 10 x 2 | D | 1.5V | (MN1300, LR20) |



GP BATTERIES 'Greencell' Heavy Duty Batteries - Zinc Chloride

| Part No. | Qty | Size | VOITS | AIT. Ref.'S |
|----------|--------|------|-------|--------------|
| BAT4 | 10 x 1 | 9V | 9V | (PP3S, 6F22) |
| | | | | |




GP BATTERIES 'Ultra' Alkaline Batteries

| All talli ic Datteries | | | | | |
|------------------------|--------|------|-------|---------------|--|
| Part No. | Box of | Size | Volts | Alt. Ref.'s | |
| ват9 | 10 x 1 | 9V | 9V | (PP3, MN1604, | |



GP Batteries

GP BATTERIES 'Super' Alkaline **Batteries**





Batteries

GP BATTERIES 'Super' Alkaline Batteries





























GP Batteries



GP BATTERIES 'ReCyko Pro' Rechargeable Batteries High capacity NiMH.



| Part No. | Pack | of Size | Capacity | Volts | |
|---------------|------|---------|----------|-------|--|
| BAT208 | 4 | AAA | 800 mAh | 1.2V | |



GP BATTERIES 'ReCyko Pro' Rechargeable Batteries High capacity NiMH.



| Part No. | Pack | JI 312E | Capacity | VUILS |
|---------------|------|---------|----------|-------|
| BAT207 | 4 | AA | 2000 mAh | 1.2V |



GP BATTERIES 'ReCyko+' Rechargeable Batteries



High capacity NiMH.

| Part No. | Pack of | Size | Capacity | Volts |
|---------------|---------|------|----------|-------|
| BAT206 | 2 | С | 3000 mAh | 1.2V |



GP BATTERIES 'ReCyko+' Rechargeable Batteries



High capacity NiMH

| Part No. | Pack o | f Size | Capacity | Volts |
|---------------|--------|--------|----------|---------------|
| BAT205 | 2 | D | 5700 m/ | h 1.2V |



GP BATTERIES 'ReCyko+' Rechargeable Batteries

High capacity NiMH

| BAT209 1 9V 200 mAh 9V | Volts | Capacity | | Pack of | Part No. | |
|--------------------------------------|-------|----------|----|---------|---------------|--|
| | 9V | 200 mAh | 9V | 1 | BAT209 | |



GP BATTERIES Battery Charger Unit

Charges 2 or $4\times$ NiMH D, C, AA, AAA and 1 or $2\times$ 9V. 5 Hour charging (1300 mAh AA). (Batteries NOT included).

Part No. Description

NiMH Battery Charger Unit/Adaptor BAT84 1



BAT186 1



NiMH Battery Charger with Dock



0





DURACELL Hi-Speed Charger with 2 x AA & 2 x AAA 'Duralock' Batteries

Medium Capacity NiMH: AA 1300 mAh, AAAA 750 mAh. 2 x AA ready in 45 minutes.

Part No. Description Otv

1 Set NiMH Charger + 2 x AA & 2 x AAA **BAT185**



DURACELL 'Duralock' **Rechargeable Batteries** Medium capacity NiMH.

| Part No. | Pack of | Size | Capacity | Volts |
|---------------|---------|------|----------|-------|
| BAT118 | 4 | AAA | 750 mAh | 1.2V |



DURACELL 'Duralock' Rechargeable Batteries

Medium capacity NiMH.

| Part No. | Pack of | Size | Capacity | Volts |
|---------------|---------|------|----------|-------|
| BAT117 | 4 | ΔΔ | 1300 mAh | 1.2V |



GP Batteries



GP BATTERIES 'Super' Alkaline Batteries

Box of Size Volts Alt. Ref.'s

BAT51 10 x 2 **AAAA** 1.5V (MN2500, 25A, U2, LR8D425)



GP BATTERIES 'Super' Alkaline Batteries

For pagers

| Part No. | Box of Size | Volts Alt. Ref.'s |
|--------------|-----------------|--------------------|
| BAT80 | 10 x 2 N | 1.5V (MN9100, LR1) |



GP BATTERIES 'Super' Alkaline Batteries

Used by alarm manufacturers Autoblock and Gelhard.

| NOTODIOCIN | uria ac | ii iui u. | | |
|------------|---------|-----------|-------|----------|
| art No. | Pack of | Size | Volts | Alt. Ref |

f.'s BAT12 10 27A 12V (EL812, BRONICA-1)



GP BATTERIES 'Super' Alkaline Batteries

Car alarm/remote: DIAHATSU, FORD, HONDA, MAZDA, MERCEDES, NISSAN, SAAB, TOYOTA, VAUXHALL, VOLVO.

Pack of Size Part No. Volts Alt. Ref.'s

BAT11 10 23A 12V (MN21, V23GA, A23)



GP BATTERIES Lithium Batteries

For use in LED Torches & Digital Cameras.

Pack of Size Volts Alt. Ref.'s Part No.

BAT13 CR123A3V (123, DL123, EL123AP)



DURACELL 'Ultra' Lithium Batteries

| Part No. | Pack of | Size | VOITS | AIT. Ref.'S |
|----------|---------|------|-------|--------------------------|
| BAT131 | 2 | 123 | 3V | (CR123A, DL123, EL123AP) |



GP BATTERIES Lithium Batteries

For use in Digital Cameras. D--1--6 C:--

| Part No. | Pack OI | Size | VOILS | AIL REI.S |
|----------|---------|------|-------|-----------------|
| BAT14 | 10 | CR2 | 3V | (DLCR2, EL1CR2) |



































GP BATTERIES



| | Part No. | Pack of | Size | Volts | | | |
|---|---|---------|--------|-------|--|--|--|
| 6 | BAT40 | 10 | CR1616 | 3V | | | |
| | Car alarm/remote: AUDI, CITROËN, DAEWOO, PEUGEOT, NISSAN, TOYOTA. | | | | | | |

| Part No. | Pack of | Size | Volts | |
|--------------|-----------|---------------------|--------------------------|--|
| BAT28 | 10 | CR1620 | 3V | |
| Car alarm/re | mote: AUD | I, CITROËN, DAEWOO, | PEUGEOT, NISSAN, TOYOTA. | |
| Part No. | Pack of | Size | Volts | |

| Part No. | Pack of | Size | Volts | | |
|----------------------------------|---------|--------------|-------|--|--|
| BAT37 | 10 | CR1632* | 3V | | |
| Car alarm/remote: TOYOTA, LEXUS. | | | | | |
| * NOT hr | anded (| TP BATTERIES | | | |

| Part No. | Pack of | Size | Volts |
|--------------|---------|---------------------------------------|----------------------------------|
| BAT24 | 10 | CR2016 | 3V |
| | | V, CITROËN, FIAT, F , SEAT, VOLVO. | ORD, HONDA, LAND ROVER, PEUGEOT, |

| Part No. | Pack of | Size | Volts |
|---------------|------------|-------------------|------------------|
| BAT25 | 10 | CR2025 | 3V |
| Car alarm/ren | note: CITR | OËN. MERCEDES. PE | EUGEOT. VAUXHALL |

| | Part No. | Pack of | Size | Volts |
|----|--------------|------------|--------|-------|
| > | BAT32 | 10 | CR2032 | 3V |
| ç, | Car alarm/re | mote: CITR | | |

| | Part No. | Pack of | Size | Volts |
|--|---------------|-----------|----------------|-------|
|) | BAT35 | 10 | CR2430 | 3V |
| The same of the sa | Car alarm/ren | note:VOLV | O, MITSUBISHI. | |

| | Part No. | Pack of | Size | Volts | |
|---|-----------------------|---------|--------|-------|--|
| ١ | BAT36 | 10 | CR2450 | 3V | |
| ۲ | Car alarm/remote: BMW | | | | |

GP Batteries



GP BATTERIES Button Cell Batteries - Alkaline Batteries

| Part No. | Pack of | Size | Volts |
|---------------|-------------|--------------|---|
| BAT21 | 10 | LR44 | 1.5V |
| Car alarm/rer | note: CITRO | ËN, PEUGEOT. | Alt. Ref.'s (V13GA, PX76A, A76, AG13, SR44) |

| | Part No. | Pack of | Size | Volts | |
|---|------------------|------------|----------|-------|---|
| 3 | BAT19 | 10 | LR54 | 1.5V | |
| | Alt. Ref.'s (LR: | 1130. AG10 | . GP189) | | _ |



Heavy Duty Lantern Batteries - Zinc Chloride

| Part No. | Pack of | Size | Volts | Alt. Ref.'s | |
|----------|---------|------|-------|--------------|--|
| BAT10N | 6 | 996 | 6V | (4R25, 1209) | |
| BAT10A | 1 | 996 | 6V | (4R25, 1209) | |

EVEREADY



GP Batteries

Assorted Pack of GP BATTERIES

| Alkaline | | & Lithium | Cell |
|----------|---------|-----------|------|
| Part No. | Pack of | | |








| Part No. | Box of | Size | Volts | Alt. Ref.'s |
|----------|--------|------|-------|--------------|
| BAT50 | 12 | 996 | 6V | (4R25, 1209) |

0

موم







| | | h Tensile - Metric 1933 Grade 8.8. |
|-----------------|----------|---------------------------------------|
| Part No. | Pack of | Size x Length |
| HSS110 | 200 | M4 x 10 |
| HSS111 | 200 | M4 x 25 |
| HSS97 | 200 | M5 x 12 |
| HSS36 | 200 | M5 x 16 |
| HSS98 | 200 | M5 x 20 |
| HSS41 | 200 | M5 x 25 |
| HSS99 | 200 | M5 x 30 |
| HSS37 | 200 | M5 x 35 |
| HSS42 | 200 | M5 x 40 |
| HSS43 | 100 | M5 x 50 |
| HSS100 | 200 | M6 x 12 |
| HSS69 | 200 | M6 x 16 |
| HSS40 | 200 | M6 x 20 |
| HSS44 | 200 | M6 x 25 |
| HSS101 | 200 | M6 x 30 |
| HSS38 | 200 | M6 x 35 |
| HSS45 | 200 | M6 x 40 |
| HSS46 | 100 | M6 x 50 |
| HSS102 | 50 | M6 x 60 |
| HSS103 | 50 | M6 x 75 |
| HSS47 | 200 | M7 x 25 |
| HSS48 | 100 | M7 x 40 |
| HSS104 | 200 | M8 x 16 |
| HSS70 | 200 | M8 x 20 |
| HSS50 | 200 | M8 x 25 |
| HSS105 | 100 | M8 x 30 |
| HSS39 HSS51 | 100 | M8 x 35 |
| HSS112 | 100 | M8 x 40 M8 x 45 |
| HSS52 | 100 | M8 x 50 |
| HSS106 | 50 | M8 x 60 |
| HSS113 | 100 | M8 x 70 |
| HSS71 | 50 | M8 x 75 |
| HSS92 | 25 | M8 x 100 |
| HSS107 | 100 | M10 x 20 |
| HSS53 | 100 | M10 x 25 |
| HSS108 | 100 | M10 x 30 |
| HSS72 | 100 | M10 x 35 |
| HSS54 | 100 | M10 x 40 |
| HSS55 | 50 | M10 x 50 |
| HSS109 | 50 | M10 x 60 |
| HSS114 | 50 | M10 x 70 |
| HSS73 | 50 | M10 x 75 |
| HSS115 | 50 | M10 x 80 |
| HSS93 | 25 | M10 x 100 |
| HSS56 | 50 | M12 x 25 |
| HSS116 | 50 | M12 x 35 |
| HSS57 | 50 | M12 x 40 |
| HSS58 | 50 | M12 x 50 |
| HSS74 | 25 | M12 x 75 |
| HSS94 | 25 | M12 x 100 |
| HSS75 | 25 | M14 x 40 |
| HSS76 HSS117 | 25 | M14 x 50 |
| | 25 | M14 x 70 |
| HSS79 HSS95 | 25 25 | M14 x 75 M14 x 100 |
| HSS77 | 25 | M16 x 50 |
| HSS78 | 25 | M16 x 75 |
| HSS96 | 25 | M16 x 100 |
| 113330 | ۷) | MITO V IOO |

Assorted Box of Set Screws High Tensile - Metric

Zinc plated steel. DIN 933 Grade 8.8.

Part No. Box of

AB9N 150 Pieces

1 x M5: x 25 mm. 1 x M6: x 25 mm. 2 x M8: x 25, 40 mm. 2 x M10: x 25, 40 mm.



地大 仏学 50 事 原立 70年 利益

was allow more more to the party of the part





Zinc plated steel. DIN 933 Grade 8.8.

Part No. Box of

AB564 290 Pieces

2 x M4: x 10, 20 mm. 3 x M5: x 10, 16, 30 mm. 5 x M6: x 10, 12, 16, 20, 30 mm. 4 x M8: x 16, 20, 30, 40 mm. 2 x M10: x 25, 30 mm. 3 x M12: x 20, 30, 40 mm.





Set Screws High Tensile - Metric Fine

Zinc plated steel. DIN 961 Grade 8.8.

| Part No. | Pack of | Size x Length | Pitch |
|----------|---------|---------------|---------|
| HSS61 | 200 | M5 x 25 | 0.50 mm |
| HSS62 | 200 | M6 x 25 | 0.75 mm |
| HSS64 | 200 | M8 x 25 | 1.00 mm |
| HSS65 | 200 | M8 x 40 | 1.00 mm |
| HSS66 | 100 | M10 x 40 | 1.25 mm |
| HSS60 | 50 | M12 x 55 | 1.50 mm |

Assorted Box of Set Screws High Tensile - Metric Fine

Zinc plated steel. DIN 961 Grade 8.8.

Part No. Box of

AB11N 140 Pieces

1 x M5 (x 0.50 mm Pitch): x 25 mm. 1 x M6 (x 0.75 mm Pitch): x 25 mm. 2 x M8 (x 1.00 mm Pitch): x 25, 40 mm. 1 x M10 (x 1.25 mm Pitch): x 40 mm. 1 x M12 (x 1.50 mm Pitch) x 55 mm.































Assorted Set Screws with Nuts

Zinc plated steel. DIN 933 Grade 8.8 (Set Screws High Tensile). DIN934 (Steel Nuts).

| Part No. | Pack of | Size | |
|-----------------------------|------------|------|--|
| AP64 | 200 Pieces | М6 | |
| 3 x Lengths: 25, 40, 50 mm. | | | |

| Part No. | Pack of | Size | |
|----------------|----------------|------|--|
| AP67 | 200 Pieces | M10 | |
| 3 x Lengths: 2 | 25, 40, 50 mm. | | |

| Part No. | Pack of | Size | |
|----------|------------|------|--|
| AP68 | 100 Pieces | M12 | |

3 x Lengths: 25, 40, 50 mm.

Assorted Box of M5 Fasteners

Zinc plated steel. DIN 933 Grade 8.8 (Set Screws High Tensile). DIN 934 (Steel Nuts). DIN 125 (Flat Washers).

Part No. Box of

AB163N 550 Pieces

5 x Set Screws: M5 x 16, 20, 25, 40, 50 mm. 1 x Steel Nuts: M5. 1 x Flat Washers: M5.



Assorted Box of M6 Fasteners

Zinc plated steel. DIN 933 Grade 8.8 (Set Screws High Tensile). DIN 934 (Steel Nuts). DIN 125 (Flat Washers).

Part No.

Box of

AB128N 485 Pieces

5 x Set Screws: M6 x 16, 20, 25, 35, 50 mm. 1 x Steel Nuts: M6. 1 x Flat Washers: M6.



Assorted Box of M8 Fasteners

Zinc plated steel. DIN 933 Grade 8.8 (Set Screws High Tensile). DIN 934 (Steel Nuts). DIN 125 (Flat Washers).

Part No. Box

TC110. DOX 01

AB129N 245 Pieces

5 x Set Screws: M8 x 20, 25, 40, 50, 75 mm. 1 x Steel Nuts: M8. 1 x Flat Washers: M8.



Assorted Box of M10 Fasteners

Zinc plated steel. DIN 933 Grade 8.8 (Set Screws High Tensile). DIN 934 (Steel Nuts). DIN 125 (Flat Washers).

Part No. Box

AB130N 150 Pieces

4 x Set Screws: M10 x 25, 40, 50, 75 mm. 1 x Steel Nuts: M10. 1 x Flat Washers: M10.









Stainless Steel Set Screws - Metric

Stainless Steel. DIN 933 Grade A2.

| Part No. | Pack of | Size x Length |
|----------|---------|---------------|
| HIS525 | 100 | M5 x 25 |
| HIS625 | 100 | M6 x 25 |
| HIS825 | 100 | M8 x 25 |
| HIS840 | 50 | M8 x 40 |
| HIS1025 | 50 | M10 x 25 |
| HIS1040 | 50 | M10 x 40 |

Assorted Box of Stainless Steel Set Screws - Metric

Stainless Steel. DIN 933 Grade A2.

Part No. Box of

AB154 120 Pieces

1 x M5: x 25 mm. 1 x M6: x 25 mm. 1 x M8: x 25 mm. 1 x M8: x 40 mm. 2 x M10: x 25, 40 mm.







Plain (Black) Set Screws High Tensile - Metric

Self colour finish steel. DIN 933/BS 3692 Grade 8.8.

| Part No. | Pack of | Size x Length |
|----------|---------|---------------|
| HSB510 | 200 | M5 x 10 |
| HSB670 | 50 | M6 x 70 |
| HSB880 | 25 | M8 x 80 |
| HSB1220 | 25 | M12 x 20 |
| HSB1265 | 25 | M12 x 65 |
| HSB1280 | 25 | M12 x 80 |
| HSB12120 | 25 | M12 x 120 |
| HSB1640 | 25 | M16 x 40 |
| HSB1660 | 25 | M16 x 60 |
| HSB1680 | 25 | M16 x 80 |
| | | |

Metric Thread Pitch Sizes

Below is a listing of the popular standard pitch sizes for all metric (coarse) threaded products.

| Size | Pitch | Size | Pitch |
|------|---------|------|---------|
| M3 | 0.50 mm | M12 | 1.75 mm |
| M4 | 0.70 mm | M14 | 2.00 mm |
| M5 | 0.80 mm | M16 | 2.00 mm |
| M6 | 1.00 mm | M18 | 2.50 mm |
| M7 | 1.00 mm | M20 | 2.50 mm |
| M8 | 1.25 mm | M22 | 2.50 mm |
| M10 | 1.50 mm | M24 | 3.00 mm |



































Serrated Flanged Set Screws - Metric

Zinc plated steel. DIN 6921 Grade 8.8.

| Part No. | Pack of | Size x Length | Thread Type |
|----------|---------|---------------|-------------|
| HFL616 | 100 | M6 x 16 | Full Thread |
| HFL620 | 100 | M6 x 20 | Full Thread |
| HFL820 | 100 | M8 x 20 | Full Thread |
| HFL825 | 100 | M8 x 25 | Full Thread |
| HFL830 | 50 | M8 x 30 | Full Thread |
| HFL125 | 50 | M10 x 25 | Full Thread |
| HFL130 | 50 | M10 x 30 | Full Thread |
| | | | |







Serrated Flanged Bolts - Metric

Zinc plated steel. DIN 6921 Grade 8.8.

| Part No. | Pack of | Size x Length | Thread Type | |
|----------|---------|---------------|-------------|--|
| HFL625 | 100 | M6 x 25 | Part Thread | |
| HFL630 | 100 | M6 x 30 | Part Thread | |
| HFL840 | 50 | M8 x 40 | Part Thread | |
| HFL140 | 50 | M10 x 40 | Part Thread | |
| HFL150 | 25 | M10 x 50 | Part Thread | |

















116



Spanner/Socket Size Guide

Use this guide to help choose the correct size spanner or socket required for standard Set Screw, Nut and Bolt thread sizes. Information for guidance only.

| Size | Pitch |
|------------------------|----------|
| 7/16 UNF (Bolt) | 5/8 AF |
| M10 | 17 mm |
| 7/16 UNF (Nut) | 11/16 AF |
| M12 | 19 mm |
| 1/2 UNF | 3/4 AF |
| M14 | 22 mm |
| 5/8 UNF | 15/16 AF |
| M16 | 24 mm |





Set Screws High Tensile - UNF Zinc plated steel. ANSI B18.2.1.1965 Grade S.

| Part No. | Pack of | Size x Length |
|----------|---------|----------------|
| HSS2 | 200 | 3/16" x 1" |
| HSS3 | 200 | 3/16" x 1 1/2" |
| HSS5 | 200 | 1/4" x 1/2" |
| HSS6 | 200 | 1/4" x 3/4" |
| HSS7 | 200 | 1/4" x 1" |
| HSS8 | 200 | 1/4" x 1 1/2" |
| HSS9 | 200 | 1/4" x 2" |
| HSS10 | 100 | 1/4" x 3" |
| HSS87 | 200 | 5/16" x 1/2" |
| HSS11 | 200 | 5/16" x 3/4" |
| HSS12 | 200 | 5/16" x 1" |
| HSS13 | 200 | 5/16" x 1 1/2" |
| HSS14 | 100 | 5/16" x 2" |
| HSS15 | 100 | 5/16" x 3" |
| HSS16 | 100 | 3/8" x 3/4" |
| HSS17 | 100 | 3/8" x 1" |
| HSS18 | 100 | 3/8" x 1 1/2" |
| HSS19 | 50 | 3/8" x 2" |
| HSS20 | 50 | 3/8" x 3" |
| HSS88 | 50 | 7/16" x 1" |
| HSS80 | 50 | 7/16" x 1 1/2" |
| HSS81 | 50 | 7/16" x 2" |
| HSS89 | 25 | 7/16" x 3" |
| HSS90 | 50 | 1/2" x 1" |
| HSS82 | 50 | 1/2" x 1 1/2" |
| HSS83 | 50 | 1/2" x 2" |
| HSS84 | 25 | 1/2" x 3" |
| HSS91 | 25 | 5/8" x 1 1/2" |
| HSS85 | 25 | 5/8" x 2" |
| HSS86 | 25 | 5/8" x 3" |
| | | |

Assorted Box of Set Screws High Tensile - UNF Zinc plated steel. ANSI B18.2.1.1965

| Grade | 8.8 | Equivalent. |
|----------|-----|-------------|
| Part No. | | Box of |
| | | |

AB5N 150 Pieces 1 x 3/16" UNF: x 1". 1 x 1/4" UNF: x 1". 2 x 5/16" UNF: x 1", x 1 1/2". 2 x 3/8" UNF: x 1", 1 1/2".



Assorted Box of Set Screws High Tensile - UNC

Zinc plated steel. ANSI B18.2.1.1965 Grade 8.8 Equivalent.

| Part No. | DUXUI |
|-------------------------------|--|
| AB7N | 150 Pieces |
| 2 x 1/4" UNC: 2 x 3/8" UNC | x 3/4", x 1". 2 x 5/16" UNC: x 1", x 1 1/2 |





Bolts High Tensile - Metric

| Zinc plated steel. DIN 931 Grade 8.8. | | | |
|---------------------------------------|---------|---------------|--|
| Part No. | Pack of | Size x Length | |
| HB036 | 100 | M6 x 40 | |
| HB070 | 50 | M6 x 130 | |
| HB037 | 100 | M8 x 40 | |
| HB071 | 50 | M8 x 45 | |
| HB072 | 50 | M8 x 50 | |
| HB073 | 50 | M8 x 55 | |
| HB074 | 50 | M8 x 65 | |
| HB075 | 25 | M8 x 80 | |
| HB076 | 25 | M8 x 110 | |
| HB077 | 25 | M10 x 40 | |
| HB026 | 100 | M10 x 50 | |
| HB078 | 25 | M10 x 55 | |
| HB079 | 25 | M10 x 60 | |
| HB080 | 25 | M10 x 65 | |
| HB081 | 25 | M10 x 70 | |
| HB082 | 25 | M10 x 75 | |
| HB083 | 25 | M10 x 90 | |
| HB021 | 100 | M10 x 100 | |
| HB084 | 25 | M10 x 130 | |
| HB085 | 25 | M10 x 150 | |
| HB022 | 100 | M12 x 45 | |
| HB027 | 100 | M12 x 50 | |
| HB023 | 100 | M12 x 60 | |
| HB028 | 50 | M12 x 75 | |
| HB086 | 25 | M12 x 80 | |
| HB087 | 25 | M12 x 90 | |
| HB033 | 25 | M12 x 100 | |
| HB088 | 25 | M12 x 110 | |
| HB089 | 25 | M12 x 120 | |
| HB090 | 25 | M12 x 140 | |
| HB091 | 25 | M12 x 150 | |
| HB029 | 50 | M14 x 50 | |
| HB030 | 50 | M14 x 70 | |
| HB092 | 25 | M14 x 75 | |
| HB093 | 25 | M14 x 80 | |
| HB034 | 25 | M14 x 100 | |
| HB094 | 25 | M16 x 40 | |
| HB024 | 50 | M16 x 45 | |
| HB031 | 50 | M16 x 50 | |
| HB025 | 50 | M16 x 60 | |
| HB032 | 25 | M16 x 70 | |
| HB095 | 10 | M16 x 65 | |
| HB096 | 10 | M16 x 75 | |
| HB097 | 10 | M16 x 80 | |
| HB098 | 10 | M16 x 90 | |
| HB035 | 25 | M16 x 100 | |
| HB099 | 10 | M16 x 110 | |
| HBO100 | 10 | M16 x 120 | |
| HB0101 | 10 | M16 x 130 | |

| Part No. | Pack of | Size x Length |
|----------|---------|---------------|
| HB0102 | 10 | M16 x 150 |
| HBO103 | 10 | M18 x 100 |
| HB0104 | 10 | M20 x 50 |
| HBO105 | 10 | M20 x 60 |
| HB0106 | 10 | M20 x 70 |
| HB0107 | 10 | M20 x 75 |
| HBO108 | 10 | M20 x 80 |
| HBO109 | 10 | M20 x 90 |
| HB0110 | 10 | M20 x 100 |
| HB0111 | 10 | M20 x 130 |
| HB0112 | 5 | M24 x 70 |
| HB0113 | 5 | M24 x 90 |
| HB0114 | 5 | M24 x 120 |
| | | |





Bolts High Tensile - UNF

| Zinc plated s | Zinc plated steel. ANSI B18.2.1.1965 Grade S. | | | | |
|---------------|---|----------------|--|--|--|
| Part No. | Pack of | Size x Length | | | |
| HBO2 | 100 | 5/16" x 2 1/4" | | | |
| HBO3 | 100 | 5/16" x 2 3/4" | | | |
| HBO4 | 100 | 3/8" x 1 1/4" | | | |
| HBO13 | 100 | 3/8" x 1 1/2" | | | |
| HB061 | 100 | 3/8" x 2 1/2" | | | |
| HB062 | 50 | 3/8" x 3" | | | |
| HB063 | 25 | 3/8" x 4" | | | |
| HB05 | 100 | 7/16" x 1 1/2" | | | |
| HB06 | 100 | 7/16" x 2" | | | |
| HB07 | 50 | 7/16" x 3" | | | |
| HBO8 | 50 | 1/2" x 1 1/2" | | | |
| HBO9 | 50 | 1/2" x 2" | | | |
| HBO14 | 50 | 1/2" x 2 1/2" | | | |
| HBO10 | 50 | 1/2" x 3" | | | |
| HBO15 | 25 | 1/2" x 4" | | | |
| HBO64 | 10 | 1/2" x 5" | | | |
| HBO11 | 50 | 5/8" x 2" | | | |
| HBO16 | 25 | 5/8" x 2 1/2" | | | |
| HBO12 | 25 | 5/8" x 3" | | | |
| HBO17 | 25 | 5/8" x 4" | | | |
| HB065 | 10 | 5/8" x 5" | | | |
| HB066 | 25 | 3/4" x 3" | | | |
| HB067 | 25 | 3/4" x 4" | | | |
| HB068 | 10 | 3/4" x 5" | | | |



































Coach Bolts with Steel Nuts, Cup Square Head - Metric, Fully Threaded

| | | - Metric, Fully Threaded |
|----------|-----------|---|
| Part No. | Pack of | 3, Grade 4.8. Cup square head. Size x Length |
| HCS7 | 100 Pairs | M6 x 20 |
| HCS8 | 100 Pairs | M6 x 25 |
| HCS9 | 100 Pairs | M6 x 30 |
| HCS1 | 100 Pairs | M6 x 40 |
| HCS10 | 50 Pairs | M6 x 50 |
| HCS11 | 100 Pairs | M6 x 55 |
| HCS2 | 100 Pairs | M6 x 75 |
| HCS12 | 50 Pairs | M6 x 80 |
| HCS13 | 50 Pairs | M6 x 90 |
| HCS14 | 50 Pairs | M6 x 100 |
| HCS15 | 25 Pairs | M6 x 110 |
| HCS16 | 25 Pairs | M6 x 130 |
| HCS17 | 50 Pairs | M8 x 25 |
| HCS18 | 50 Pairs | M8 x 30 |
| HCS19 | 50 Pairs | M8 x 35 |
| HCS3 | 50 Pairs | M8 x 40 |
| HCS20 | 50 Pairs | M8 x 50 |
| HCS21 | 50 Pairs | M8 x 60 |
| HCS4 | 50 Pairs | M8 x 75 |
| HCS22 | 50 Pairs | M8 x 100 |
| HCS23 | 25 Pairs | M8 x 120 |
| HCS24 | 25 Pairs | M8 x 130 |
| HCS25 | 25 Pairs | M8 x 150 |
| HCS26 | 50 Pairs | M10 x 25 |
| HCS27 | 50 Pairs | M10 x 30 |
| HCS5 | 50 Pairs | M10 x 40 |
| HCS28 | 50 Pairs | M10 x 50 |
| HCS29 | 50 Pairs | M10 x 65 |
| HCS6 | 50 Pairs | M10 x 75 |
| HCS30 | 50 Pairs | M10 x 90 |
| HCS31 | 50 Pairs | M10 x 100 |
| HCS32 | 25 Pairs | M10 x 110 |
| HCS33 | 25 Pairs | M10 x 120 |
| HCS34 | 25 Pairs | M10 x 130 |
| HCS35 | 25 Pairs | M10 x 150 |
| HCS36 | 25 Pairs | M10 x 180 |
| HCS37 | 25 Pairs | M10 x 220 |
| HCS38 | 25 Pairs | M12 x 30 |
| HCS39 | 25 Pairs | M12 x 50 |
| HCS40 | 25 Pairs | M12 x 75 |
| HCS41 | 25 Pairs | M12 x 100 |
| HCS42 | 25 Pairs | M12 x 130 |
| HCS43 | 25 Pairs | M12 x 150 |
| HCS44 | 10 Pairs | M12 x 180 |
| HCS45 | 10 Pairs | M12 x 200 |
| HCS46 | 5 Pairs | M12 x 220 |



Coach Bolts with Steel Nuts, Cup Square Head - Metric

Zinc plated steel. BS 4933.

| Part No. | Pack of | Size x Length |
|----------|-----------|---------------|
| HCB1 | 100 Pairs | M6 x 40 |
| HCB2 | 100 Pairs | M6 x 75 |
| HCB3 | 50 Pairs | M8 x 40 |
| НСВ4 | 50 Pairs | M8 x 75 |
| HCB5 | 50 Pairs | M10 x 40 |
| НСВ6 | 50 Pairs | M10 x 75 |





Roofing Bolts & Nuts - Metric

| zinc piated s | teel. DIN 60. | 3. |
|---------------|---------------|---------------|
| Part No. | Pack of | Size x Length |
| HRF520 | 100 Pairs | M5 x 20 |
| HRF620 | 100 Pairs | M6 x 20 |
| HRF625 | 100 Pairs | M6 x 25 |
| HRF640 | 100 Pairs | M6 x 40 |
| HRF650 | 100 Pairs | M6 x 50 |
| HRF660 | 100 Pairs | M6 x 60 |
| HRF680 | 50 Pairs | M6 x 80 |
| HRF6100 | 50 Pairs | M6 x 100 |
| HRF830 | 100 Pairs | M8 x 30 |
| HRF835 | 100 Pairs | M8 x 35 |
| HRF860 | 50 Pairs | M8 x 60 |
| HRF880 | 50 Pairs | M8 x 80 |





Sleeve Anchors

| | | - | |
|----------|---------|----------|--|
| Part No. | Pack of | Size | |
| HCT10 | 50 | M10 x 50 | |
| HCT12 | 50 | M12 x 75 | |

Metric Thread Pitch Sizes

Below is a listing of the popular standard pitch sizes for all metric (coarse) threaded products.

| Size | Pitch |
|------|---------|
| M3 | 0.50 mm |
| M4 | 0.70 mm |
| M5 | 0.80 mm |
| M6 | 1.00 mm |
| M7 | 1.00 mm |
| M8 | 1.25 mm |
| M10 | 1.50 mm |

| Size | Pitch |
|------|---------|
| M12 | 1.75 mm |
| M14 | 2.00 mm |
| M16 | 2.00 mm |
| M18 | 2.50 mm |
| M20 | 2.50 mm |
| M22 | 2.50 mm |
| M24 | 3.00 mm |



























Exhaust Manifold Studs

| Mild steel. | DIf | Ci Pit-h | 1 |
|-------------|---------|---------------|--------|
| Part No. | Pack of | Size x Pitch | Length |
| HMS11 | 20 | M8 x 1.25 mm | 37 mm |
| HMS12 | 20 | M8 x 1.25 mm | 42 mm |
| HMS13 | 20 | M10 x 1.25 mm | 37 mm |
| HMS14 | 20 | M10 x 1.50 mm | 38 mm |
| HMS15 | 20 | M10 x 1.50 mm | 52 mm |
| HMS16 | 20 | M10 x 1.50 mm | 55 mm |









Exhaust Manifold Nuts - Brass

| Part No. | Pack of | Size x Pitch |
|----------|---------|---------------|
| HBN5 | 50 | M8 x 1.25 mm |
| HBN6 | 50 | M10 x 1.25 mm |









Exhaust Manifold Nuts - Copper Flashed Steel

| HBN7 | 50 | M10 x 1.50 mm | |
|----------|---------|---------------|--|
| HBN8 | 50 | M8 x 1.25 mm | |
| Part No. | Pack of | Size x Pitch | |
| DIN 980. | | | |



Exhaust Manifold Nuts - Zinc Plated Steel

Non-serrated. Flanged tri-lock. 9/16" (14 mm) AF head. DIN 980. Grade 8.8.

| Part No. | Pack of | Size |
|----------|---------|---------------|
| HBN10 | 50 | M10 x 1.25 mm |



Studding - UNF, 36" (91 cm) Lengths

Zinc plated steel. DIN 975.

| Part No. | Pack of | Size | |
|----------|---------|-------|--|
| HSR44 | 5 | 1/4" | |
| HSR45 | 5 | 5/16" | |
| HSR46 | 5 | 3/8" | |
| HSR47 | 5 | 7/16" | |



Studding - Metric, 1 m (39") Lengths

Zinc plated mild steel. DIN 975. Grade 4.8.

| Part No. | Pack of | Size |
|----------|---------|------|
| HSR26 | 5 | M6 |
| H3KZ0 | 5 | IVIO |
| HSR28 | 5 | M8 |
| HSR30 | 5 | M10 |
| HSR32 | 5 | M12 |
| HSR34 | 4 | M14 |
| HSR36 | 4 | M16 |
| HSR38 | 2 | M20 |
| HSR40 | 2 | M24 |

Assorted Pack of Studding - Metric, 1 m (39") Lengths Zinc plated mild steel DIN 975, Grade

| Ziric piateu i | Tillu Steel. Dily 373. uraue 4.0. |
|------------------|-----------------------------------|
| Part No. | Pack of |
| AP50 | 9 Pieces |
| 3 x Sizes: M6, M | 8, M10 |
| | |





Looking for more Exhaust Products?

Exhaust clamps and fittings can be found on Page 266



موه

ၛ





Black Socket Screws, Cap Head - Metric

| Black Socket Screws, Cap Head - Metric Black finish steel. DIN 912 Grade 12.9. | | | | | |
|--|-----------|----------------------------------|----------------------------|-----------------|--|
| Part No. | Pack of | N 912 Grade 12.9 Sizex Length | Thread Type | Hex/Socket Size | |
| HCH38 | 200 | M3 x 8 | Full Thread | 2.5 mm | |
| | 200 | | Full Thread | 2.5 mm | |
| HCH310 HCH312 | 200 | M3 x 10 M3 x 12 | Full Thread | 2.5 mm | |
| HCH320 | 200 | M3 x 20 | Full Thread | 2.5 mm | |
| HCH330 | 200 | M3 x 30 | Part Thread | 2.5 mm | |
| HCH335 | 200 | M3 x 35 | Part Thread | 2.5 mm | |
| HCH410 | 200 | M4 x 10 | Full Thread | 3 mm | |
| HCH412 | 200 | M4 x 12 | Full Thread | 3 mm | |
| HCH416 | 200 | M4 x 16 | Full Thread | 3 mm | |
| HCH420 | 200 | M4 x 20 | Full Thread | 3 mm | |
| HCH425 | 200 | M4 x 25 | Full Thread | 3 mm | |
| HCH430 | 200 | M4 x 30 | Part Thread | 3 mm | |
| HCH440 | 200 | M4 x 40 | Part Thread | 3 mm | |
| HCH450 | 100 | M4 x 50 | Part Thread | 3 mm | |
| HCH56 | 200 | M5 x 6 | Full Thread | 4 mm | |
| HCH510 | 200 | M5 x 10 | Full Thread | 4 mm | |
| HCH512 | 200 | M5 x 12 | Full Thread | 4 mm | |
| HCH516 | 200 | M5 x 16 | Full Thread | 4 mm | |
| HCH520 | 200 | M5 x 20 | Full Thread | 4 mm | |
| HCH525 | 200 | M5 x 25 | Full Thread | 4 mm | |
| HCH530 | 200 | M5 x 30 | Part Thread | 4 mm | |
| HCH540 | 200 | M5 x 40 | Part Thread | 4 mm | |
| HCH550 | 100 | M5 x 50 | Part Thread | 4 mm | |
| HCH580 | 50 | M5 x 80 | Part Thread | 4 mm | |
| HCH610 | 200 | M6 x 10 | Full Thread | 5 mm | |
| HCH612 | 200 | M6 x 12 | Full Thread | 5 mm | |
| HCH615 | 200 | M6 x 15 | Full Thread | 5 mm | |
| HCH616 | 200 | M6 x 16 | Full Thread | 5 mm | |
| HCH620 HCH625 | 200 | M6 x 20 M6 x 25 | Full Thread Full Thread | 5 mm | |
| HCH630 | 200 | M6 x 30 | Full Thread | 5 mm 5 mm | |
| HCH635 | 200 | M6 x 35 | Part Thread | 5 mm | |
| HCH640 | 200 | M6 x 40 | Part Thread | 5 mm | |
| HCH645 | 100 | M6 x 45 | Part Thread | 5 mm | |
| HCH650 | 100 | M6 x 50 | Part Thread | 5 mm | |
| HCH660 | 100 | M6 x 60 | Part Thread | 5 mm | |
| HCH665 | 100 | M6 x 65 | Part Thread | 5 mm | |
| HCH670 | 50 | M6 x 70 | Part Thread | 5 mm | |
| HCH810 | 200 | M8 x 10 | Full Thread | 6 mm | |
| HCH812 | 100 | M8 x 12 | Full Thread | 6 mm | |
| HCH816 | 200 | M8 x 16 | Full Thread | 6 mm | |
| HCH820 | 100 | M8 x 20 | Full Thread | 6 mm | |
| HCH825 | 100 | M8 x 25 | Full Thread | 6 mm | |
| HCH830 | 100 | M8 x 30 | Full Thread | 6 mm | |
| HCH835 | 100 | M8 x 35 | Full Thread | 6 mm | |
| HCH840 HCH845 | 100 50 | M8 x 40 M8 x 45 | Part Thread Part Thread | 6 mm | |
| HCH850 | 50 | M8 x 50 | Part Thread | 6 mm | |
| HCH860 | 50 | M8 x 60 | Part Thread | 6 mm 6 mm | |
| HCH865 | 50 | M8 x 65 | Part Thread | 6 mm | |
| HCH870 | 50 | M8 x 70 | Part Thread | 6 mm | |
| HCH890 | 50 | M8 x 90 | Part Thread | 6 mm | |
| HCH1020 | 50 | M10 x 20 | Full Thread | 8 mm | |
| HCH1025 | 50 | M10 x 25 | Full Thread | 8 mm | |
| HCH1030 | 100 | M10 x 30 | Full Thread | 8 mm | |
| HCH1035 | 50 | M10 x 35 | Full Thread | 8 mm | |
| HCH1040 | 100 | M10 x 40 | Full Thread | 8 mm | |
| HCH1045 | 50 | M10 x 45 | Part Thread | 8 mm | |
| HCH1050 | 25 | M10 x 50 | Part Thread | 8 mm | |
| | | | | | |

| HCH1055 | 25 | M10 x 55 | Part Thread | 8 mm | |
|----------|----|-----------|-------------|-------|--|
| HCH1060 | 25 | M10 x 60 | Part Thread | 8 mm | |
| HCH1070 | 25 | M10 x 70 | Part Thread | 8 mm | |
| HCH1075 | 25 | M10 x 75 | Part Thread | 8 mm | |
| HCH1080 | 25 | M10 x 80 | Part Thread | 8 mm | |
| HCH1090 | 10 | M10 x 90 | Part Thread | 8 mm | |
| HCH10100 | 10 | M10 x 100 | Part Thread | 8 mm | |
| HCH1220 | 50 | M12 x 20 | Full Thread | 10 mm | |
| HCH1225 | 50 | M12 x 25 | Full Thread | 10 mm | |
| HCH1230 | 50 | M12 x 30 | Full Thread | 10 mm | |
| HCH1235 | 50 | M12 x 35 | Full Thread | 10 mm | |
| HCH1240 | 50 | M12 x 40 | Full Thread | 10 mm | |
| HCH1245 | 25 | M12 x 45 | Full Thread | 10 mm | |
| HCH1250 | 50 | M12 x 50 | Full Thread | 10 mm | |
| HCH1260 | 25 | M12 x 60 | Part Thread | 10 mm | |
| HCH1275 | 25 | M12 x 75 | Part Thread | 10 mm | |
| HCH1280 | 25 | M12 x 80 | Part Thread | 10 mm | |
| HCH1290 | 10 | M12 x 90 | Part Thread | 10 mm | |
| HCH12130 | 10 | M12 x 130 | Part Thread | 10 mm | |
| HCH1630 | 10 | M16 x 30 | Full Thread | 14 mm | |
| HCH1640 | 10 | M16 x 40 | Full Thread | 14 mm | |
| HCH1650 | 10 | M16 x 50 | Full Thread | 14 mm | |
| HCH1665 | 10 | M16 x 65 | Part Thread | 14 mm | |
| HCH1680 | 10 | M16 x 80 | Part Thread | 14 mm | |
| HCH1690 | 10 | M16 x 90 | Part Thread | 14 mm | |

Part Thread

Part Thread

Full Thread

Part Thread

Thread Type

Hex/Socket Size

Pack of Size x Length

Part No.

Assorted Box of Socket Screws Cap Head - Metric Black

Black. DIN 912 Grade 12.9.

Part No. Box of

HCH16100 10

10

10

10

5

10

HCH16200

HCH2050

HCH2080

HCH2090

HCH20100 5

HCH20140 5

HCH24100 5

HCH20150

HCH2490

M₁₆ x 100

M₁₆ x 200

M₂₀ x 50

M20 x 80

M20 x 90

M₂₀ x 100

M20 x 140

M20 x 150

M24 x 90

M24 x 100

AB92 100 Pieces

2 x M5: x 30, 40 mm. 2 x M6: x 30, 40 mm. 2 x M8: x 30, 40 mm. 2 x M10: x 30, 40 mm.



'Max Box' **Assortment of Socket Screws** Cap Head - Metric Black

Black. DIN 912 Grade 12.9.

Part No. Box of

AB562 270 Pieces

2 x M4: 12, 20 mm. 4 x M5: 16, 20, 30, 40 mm. 5 x M6: 12, 16, 20, 30, 40 mm. 4 x M8: 12, 20, 30, 40 mm. 2 x M10: 30, 40. 1 x M12: 50.



14 mm

14 mm

17 mm

17 mm

17 mm

17 mm

17 mm 17 mm

19 mm

19 mm

















Socket Screws, Cap Head - Metric

| Zinc plated st | eel. DIN | 912 Grade 12.9. | | |
|----------------|----------|-----------------|-------------|-----------------|
| Part No. | Pack of | Size x Length | Thread Type | Hex/Socket Size |
| HCZ308 | 200 | M3 x 8 | Full Thread | 2.5 mm |
| HCZ316 | 100 | M3 x 16 | Full Thread | 2.5 mm |
| HCZ420 | 100 | M4 x 20 | Full Thread | 3 mm |
| HCZ430 | 100 | M4 x 30 | Part Thread | 3 mm |
| HCZ510 | 100 | M5 x 10 | Full Thread | 4 mm |
| HCZ516 | 100 | M5 x 16 | Full Thread | 4 mm |
| HCZ525 | 100 | M5 x 25 | Full Thread | 4 mm |
| HCZ530 | 50 | M5 x 30 | Part Thread | 4 mm |
| HCZ535 | 50 | M5 x 35 | Part Thread | 4 mm |
| HCZ540 | 50 | M5 x 40 | Part Thread | 4 mm |
| HCZ620 | 100 | M6 x 20 | Full Thread | 5 mm |
| HCZ625 | 100 | M6 x 25 | Full Thread | 5 mm |
| HCZ630 | 100 | M6 x 30 | Full Thread | 5 mm |
| HCZ635 | 50 | M6 x 35 | Part Thread | 5 mm |
| HCZ816 | 50 | M8 x 16 | Full Thread | 6 mm |
| HCZ820 | 50 | M8 x 20 | Full Thread | 6 mm |
| HCZ830 | 50 | M8 x 30 | Full Thread | 6 mm |
| HCZ845 | 25 | M8 x 45 | Part Thread | 6 mm |
| HCZ865 | 50 | M8 x 65 | Part Thread | 6 mm |
| HCZ1025 | 25 | M10 x 25 | Full Thread | 8 mm |
| HCZ1030 | 25 | M10 x 30 | Full Thread | 8 mm |
| HCZ1040 | 25 | M10 x 40 | Full Thread | 8 mm |
| HCZ10130 | 25 | M10 x 130 | Part Thread | 8 mm |
| HCZ1225 | 25 | M12 x 25 | Full Thread | 10 mm |
| HCZ12100 | 10 | M12 x 100 | Part Thread | 10 mm |
| HCZ12110 | 10 | M12 x 110 | Part Thread | 10 mm |
| HCZ1660 | 10 | M16 x 60 | Full Thread | 14 mm |
| | | | | |



'Max Box' Assortment of **Socket Screws** Cap Head - Metric

Zinc plated steel. DIN 912 Grade 12.9. Part No. Box of


AB563 300 Pieces

2 x M3: x 8, 16 mm. 2 x M4: x 20, 30 mm. 6 x M5: x 10, 16, 25, 30, 35, 40 mm. 4 x M6: x 20, 25, 30, 35 mm. 4 x M8: x 16, 20, 30, 45 mm. 3 x M10: x 25, 30, 40 mm. 1 x M12: x 25 mm.

かいしょうかんだいまちゃかったり







Socket Screws, Cap Head - UNC

Zinc plated steel. Grade 12.9.

| Part No. | Pack of | Size x Length | Thread Type |
|----------|---------|-------------------|-------------|
| HCZ1 | 100 | 1/4 UNC x 1/2" | Full Thread |
| HCZ2 | 100 | 1/4 UNC x 1 1/4" | Full Thread |
| HCZ3 | 100 | 1/4 UNC x 1 1/2" | Part Thread |
| HCZ4 | 100 | 1/4 UNC x 1 3/4" | Part Thread |
| HCZ5 | 50 | 1/4 UNC x 2" | Part Thread |
| HCZ6 | 50 | 5/16 UNC x 1" | Full Thread |
| HCZ7 | 50 | 5/16 UNC x 1 1/4" | Full Thread |
| HCZ8 | 50 | 3/8 UNC x 1" | Full Thread |
| HCZ9 | 25 | 3/8 UNC x 1 1/2" | Full Thread |
| HCZ10 | 25 | 3/8 UNC x 2" | Part Thread |
| HCZ11 | 10 | 1/2 UNC x 2" | Full Thread |





Black Socket Screws, Button Head - Metric

Black finish steel. ISO 7380 Grade 10.9.

| DIDCK IIIIISII S | teel. ISC |) / 200 al que 10 | 1.9. | |
|------------------|-----------|-------------------|-------------|-----------------|
| Part No. | Pack of | Size x Length | Thread Type | Hex/Socket Size |
| HBU410 | 200 | M4 x 10 | Full Thread | 3 mm |
| HBU512 | 200 | M5 x 12 | Full Thread | 4 mm |
| HBU516 | 200 | M5 x 16 | Full Thread | 4 mm |
| HBU520 | 200 | M5 x 20 | Full Thread | 4 mm |
| HBU525 | 200 | M5 x 25 | Full Thread | 4 mm |
| HBU610 | 100 | M6 x 10 | Full Thread | 5 mm |
| HBU612 | 100 | M6 x 12 | Full Thread | 5 mm |
| HBU616 | 200 | M6 x 16 | Full Thread | 5 mm |
| HBU625 | 100 | M6 x 25 | Full Thread | 5 mm |
| HBU630 | 100 | M6 x 30 | Full Thread | 5 mm |
| HBU810 | 100 | M8 x 10 | Full Thread | 6 mm |
| HBU816 | 100 | M8 x 16 | Full Thread | 6 mm |
| HBU820 | 100 | M8 x 20 | Full Thread | 6 mm |
| HBU825 | 100 | M8 x 25 | Full Thread | 6 mm |
| HBU830 | 100 | M8 x 30 | Full Thread | 6 mm |
| HBU1040 | 50 | M10 x 40 | Full Thread | 8 mm |
| | | | | |





Socket Screws, Button Head - Metric

Zinc plated steel. ISO 7380 Grade 10.9.

| Part No. | Pack of | Size x Length | Thread Type | Hex/Socket Size | |
|----------|---------|---------------|-------------|-----------------|--|
| HBZ620 | 100 | M6 x 20 | Full Thread | 5 mm | |
| HBZ820 | 100 | M8 x 20 | Full Thread | 6 mm | |
| HBZ830 | 100 | M8 x 30 | Full Thread | 6 mm | |
| HBZ840 | 100 | M8 x 40 | Part Thread | 6 mm | |
| HBZ1030 | 50 | M10 x 30 | Full Thread | 8 mm | |
| HBZ1035 | 50 | M10 x 35 | Full Thread | 8 mm | |
| HBZ1040 | 50 | M10 x 40 | Full Thread | 8 mm | |
| | | | | | |





































Black Socket Screws, Countersunk - Metric

Black finish steel. DIN 7991 Grade 10.9.

| DIGCK HILISH ST | icei. Diiv | 17331 diade 10 | J.J. | |
|-----------------|------------|----------------|-------------|-----------------|
| Part No. | Pack of | Size x Length | Thread Type | Hex/Socket Size |
| НКВ36 | 200 | M3 x 6 | Full Thread | 2.5 mm |
| HKB320 | 200 | M3 x 20 | Full Thread | 2.5 mm |
| HKB412 | 200 | M4 x 12 | Full Thread | 3 mm |
| HKB416 | 200 | M4 x 16 | Full Thread | 3 mm |
| HKB420 | 200 | M4 x 20 | Full Thread | 3 mm |
| HKB440 | 200 | M4 x 40 | Part Thread | 3 mm |
| HKB510 | 200 | M5 x 10 | Full Thread | 4 mm |
| HKB512 | 200 | M5 x 12 | Full Thread | 4 mm |
| HKB516 | 200 | M5 x 16 | Full Thread | 4 mm |
| HKB520 | 200 | M5 x 20 | Full Thread | 4 mm |
| HKB525 | 200 | M5 x 25 | Full Thread | 4 mm |
| HKB530 | 200 | M5 x 30 | Full Thread | 4 mm |
| HKB612 | 200 | M6 x 12 | Full Thread | 5 mm |
| HKB616 | 200 | M6 x 16 | Full Thread | 5 mm |
| HKB620 | 200 | M6 x 20 | Full Thread | 5 mm |
| HKB625 | 200 | M6 x 25 | Full Thread | 5 mm |
| HKB630 | 100 | M6 x 30 | Full Thread | 5 mm |
| HKB640 | 100 | M6 x 40 | Part Thread | 5 mm |
| HKB820 | 100 | M8 x 20 | Full Thread | 6 mm |
| HKB825 | 100 | M8 x 25 | Full Thread | 6 mm |
| HKB830 | 100 | M8 x 30 | Full Thread | 6 mm |
| HKB840 | 100 | M8 x 40 | Full Thread | 6 mm |
| HKB850 | 100 | M8 x 50 | Part Thread | 6 mm |
| HKB860 | 50 | M8 x 60 | Part Thread | 6 mm |
| HKB1020 | 50 | M10 x 20 | Full Thread | 8 mm |
| HKB1025 | 50 | M10 x 25 | Full Thread | 8 mm |
| HKB1035 | 50 | M10 x 35 | Full Thread | 8 mm |
| HKB1040 | 50 | M10 x 40 | Full Thread | 8 mm |
| HKB1050 | 50 | M10 x 50 | Part Thread | 8 mm |
| HKB1225 | 50 | M12 x 25 | Full Thread | 10 mm |
| HKB1250 | 50 | M12 x 50 | Full Thread | 10 mm |
| HKB1650 | 10 | M16 x 50 | Full Thread | 14 mm |
| HKB1670 | 10 | M16 x 70 | Part Thread | 14 mm |
| HKB1675 | 10 | M16 x 75 | Part Thread | 14 mm |
| HKB20100 | 10 | M20 x 100 | Part Thread | 17 mm |
| | | | | |





Socket Screws, Countersunk - Metric

Zinc plated steel. Grade 10.9.

| Part No. | Pack of | Size x Length | Thread Type | Hex/Socket Size |
|----------|---------|---------------|-------------|-----------------|
| HKZ460 | 100 | M4 x 60 | Part Thread | 3 mm |
| HKZ620 | 100 | M6 x 20 | Full Thread | 5 mm |
| HKZ640 | 100 | M6 x 40 | Part Thread | 5 mm |
| HKZ825 | 100 | M8 x 25 | Full Thread | 6 mm |
| HKZ830 | 100 | M8 x 30 | Full Thread | 6 mm |





Machine Screws, Cheese Head, Slotted - Metric

| Zinc plated st | teel. Din | 84 Grade 4.8. | |
|----------------|-----------|---------------|-------------|
| Part No. | Pack of | Size x Length | Thread Type |
| HBH306 | 500 | M3 x 6 | Full Thread |
| HBH308 | 500 | M3 x 8 | Full Thread |
| HBH310 | 500 | M3 x 10 | Full Thread |
| HBH312 | 500 | M3 x 12 | Full Thread |
| HBH320 | 500 | M3 x 20 | Full Thread |
| HBH325 | 500 | M3 x 25 | Full Thread |
| HBH330 | 200 | M3 x 30 | Full Thread |
| HBH350 | 100 | M3 x 50 | Full Thread |
| HBH406 | 500 | M4 x 6 | Full Thread |
| HBH412 | 500 | M4 x 12 | Full Thread |
| HBH508 | 500 | M5 x 8 | Full Thread |
| HBH510 | 100 | M5 x 10 | Full Thread |
| HBH516 | 100 | M5 x 16 | Full Thread |
| HBH550 | 100 | M5 x 50 | Full Thread |
| HBH610 | 100 | M6 x 10 | Full Thread |
| HBH612 | 100 | M6 x 12 | Full Thread |
| HBH616 | 100 | M6 x 16 | Full Thread |
| HBH620 | 100 | M6 x 20 | Full Thread |
| HBH625 | 100 | M6 x 25 | Full Thread |
| | | | |

Hex Key/ Socket Size Guide

Use this guide to help choose the correct size hex key or hex bit socket required for standard Socket Cap Screw thread sizes. Information for guidance only.

| Thread Size | Hex Size |
|-------------|----------|
| М3 | 2.5 mm |
| M4 | 3 mm |
| M5 | 4 mm |
| M6 | 5 mm |
| М8 | 6 mm |

| Thread Size | Hex Size |
|-------------|----------|
| M10 | 8 mm |
| M12 | 10 mm |
| M16 | 14 mm |
| M20 | 17 mm |
| M24 | 19 mm |

Assorted Box of Machine Screws Cheese Head, Slotted - Metric

Zinc plated steel. DIN 84 Grade 4.8.

Part No. Box of

AB209N 435 Pieces

8 x M3: x 6, 8, 10, 12, 20, 25, 30, 50 mm. 2 x M4: x 6, 12 mm. 1 x M5: x 8. 2 x M6: 10, 20 mm.













Machine Screws with Nuts, Pan Head, Slotted - Metric

Zinc plated steel. DIN 85 & 934.

| Part No. | Pack of | Size x Length | Thread Type |
|----------|-----------|---------------|-------------|
| HBA10 | 100 Pairs | M3 x 8 | Full Thread |
| HBA11 | 100 Pairs | M3 x 20 | Full Thread |
| HBA12 | 100 Pairs | M4 x 20 | Full Thread |
| HBA16 | 100 Pairs | M4 x 25 | Full Thread |
| HBA13 | 100 Pairs | M4 x 40 | Full Thread |
| HBA14 | 100 Pairs | M5 x 25 | Full Thread |
| HBA17 | 100 Pairs | M5 x 40 | Full Thread |
| HBA15 | 100 Pairs | M5 x 50 | Full Thread |

Assorted Box of Machine Screws with Nuts & Washers, Pan Head, Slotted - Metric

Zinc plated steel. DIN 85 & DIN 934.

Part No. Box of

AB68N 840 Pieces

6 x Machine Screws: M3 x 8 mm, M3 x 20 mm, M4 x 20 mm, M4 x 40 mm, M5 x 25 mm, M5 x 50 mm. 3 x Nuts: M3, M4, M5. 3 x Washers: M3, M4, M5.



Brass. BS 57.

Part No. Box of

AB4N 410 Pieces

10 x Machine Screws: 6BA x 1/2", 6BA x 3/4", 6BA x 1", 4BA x 1/2", 4BA x 3/4", 4BA x 1", 2BA x 1/2", 2BA x 3/4", 2BA x 1", 2BA x 1 1/2". 3 x Nuts: 6BA, 4BA, 2BA.





Machine Screws, Slotted Countersunk - Metric

Zinc plated steel. BS 57.

| Part No. | Pack of | Size x Length | Thread Type | |
|---------------|---------|---------------|-------------|--|
| HBT510 | 100 | M5 x 10 | Full Thread | |
| HBT516 | 100 | M5 x 16 | Full Thread | |
| HBT525 | 100 | M5 x 25 | Full Thread | |
| HBT550 | 100 | M5 x 50 | Full Thread | |
| HBT625 | 100 | M6 x 25 | Full Thread | |
| HBT650 | 100 | M6 x 50 | Full Thread | |

Metric Thread Pitch Sizes

Below is a listing of the popular standard pitch sizes for all metric (coarse) threaded products.

| Size | Pitch | Size | Pitch |
|------|---------|------|---------|
| M3 | 0.50 mm | M12 | 1.75 mm |
| M4 | 0.70 mm | M14 | 2.00 mm |
| M5 | 0.80 mm | M16 | 2.00 mm |
| M6 | 1.00 mm | M18 | 2.50 mm |
| M7 | 1.00 mm | M20 | 2.50 mm |
| M8 | 1.25 mm | M22 | 2.50 mm |
| M10 | 1.50 mm | M24 | 3.00 mm |



Machine Screws, Pan Head Slotted - Metric

Zinc plated steel.

| Part No. | Pack of | Size x Length | Thread Type |
|---------------|---------|---------------|-------------|
| HBS36 | 100 | M3 x 6 | Full Thread |
| HBS320 | 100 | M3 x 20 | Full Thread |
| HBS325 | 100 | M3 x 25 | Full Thread |
| HBS340 | 100 | M3 x 40 | Full Thread |
| HBS48 | 100 | M4 x 8 | Full Thread |
| HBS416 | 100 | M4 x 16 | Full Thread |
| HBS425 | 100 | M4 x 25 | Full Thread |
| HBS440 | 100 | M4 x 40 | Full Thread |
| HBS512 | 100 | M5 x 12 | Full Thread |
| HBS516 | 100 | M5 x 16 | Full Thread |
| HBS525 | 100 | M5 x 25 | Full Thread |
| HBS540 | 100 | M5 x 40 | Full Thread |
| HBS550 | 100 | M5 x 50 | Full Thread |
| HBS625 | 100 | M6 x 25 | Full Thread |
| HBS640 | 50 | M6 x 40 | Full Thread |
| HBS650 | 50 | M6 x 50 | Full Thread |
| | | | |





Machine Screws with Nuts, Round Head, Slotted - BA

Zinc plated steel. BS 57.

| Part No. | Pack of | Size x Length | Thread Type |
|----------|-----------|---------------|-------------|
| HBA8 | 100 Pairs | 6BA x 3/4" | Full Thread |
| HBA1 | 100 Pairs | 6BA x 1" | Full Thread |
| HBA9 | 100 Pairs | 4BA x 3/4" | Full Thread |
| HBA3 | 100 Pairs | 4BA x 1" | Full Thread |
| HBA4 | 100 Pairs | 4BA x 2" | Full Thread |
| HBA5 | 100 Pairs | 2BA x 1" | Full Thread |
| HBA7 | 100 Pairs | 2BA x 1 1/2" | Full Thread |
| HBA6 | 100 Pairs | 2BA x 2" | Full Thread |
| | | | |

Assorted Box of Machine Screws with Nuts, Round Head, Slotted - BA

Zinc plated steel. BS 57.

Part No. Box of

AB3 1,025 Pieces

8 x Machine Screws: 6BA x 3/4", 6BA x 1", 4BA x 3/4", 4BA x 1", 4BA x 2", 2BA x 1, 2BA x 1 1/2", 2BA x 2". 3 x Nuts: 6BA, 4BA, 2BA.



Looking for Body Screws?

The Machine Screws range continues overleaf











































Machine Screws (Body Screws), Countersunk, Pożi - Metric



Zinc plated steel. DIN 965.

| Part No. | Pack of | Size x Length | Thread Type |
|---------------|---------|---------------|-------------|
| HBC520 | 200 | M5 x 20 | Full Thread |
| HBC525 | 200 | M5 x 25 | Full Thread |
| HBC550 | 200 | M5 x 50 | Full Thread |
| HBC610 | 200 | M6 x 10 | Full Thread |
| HBC612 | 200 | M6 x 12 | Full Thread |
| HBC620 | 200 | M6 x 20 | Full Thread |
| HBC625 | 200 | M6 x 25 | Full Thread |
| HBC650 | 200 | M6 x 50 | Full Thread |
| HBC820 | 200 | M8 x 20 | Full Thread |
| HBC825 | 200 | M8 x 25 | Full Thread |



Zinc plated steel, DIN 965.

| Part No. | Box of | |
|----------|--------|--|



2 x M5: x 20, 25 mm. 3 x M6: x 20, 25, 50 mm.



Thread Insert System Kits

Supplied in a robust plastic storage case.

| Part No. | Qty | Size | Pitch | |
|---------------|-------|------|---------|--|
| HRK105 | 1 Kit | M5 | 0.80 mm | |
| HRK106 | 1 Kit | М6 | 1.00 mm | |
| HRK108 | 1 Kit | M8 | 1.25 mm | |
| HRK110 | 1 Kit | M10 | 1.50 mm | |
| HRK112 | 1 Kit | M12 | 1.75 mm | |
| ICh soutstand | | | | |

1 x Pre-wind Installation Tool. 1 x HSS-G Tap. 1 x HSS Drill: 5.2 mm 1 x Tang Break-off Tool: No. 8. 20 x Inserts.



Insert Replacement Packs - Metric

| Part No. | Pack of | Size | Pitch |
|----------|---------|------|---------|
| HRP105 | 10 | M5 | 0.80 mm |
| HRP106 | 10 | M6 | 1.00 mm |
| HRP108 | 10 | M8 | 1.25 mm |
| HRP110 | 10 | M10 | 1.50 mm |
| HRP112 | 10 | M12 | 1.75 mm |







Machine Screws (Body Screws), Pan Head, Pozi - Metric



| Zinc plated s | teel. Din | l /985. | _ |
|---------------|-----------|---------------|-------------|
| Part No. | Pack of | Size x Length | Thread Type |
| HBP312 | 200 | M3 x 12 | Full Thread |
| HBP330 | 200 | M3 x 30 | Full Thread |
| HBP412 | 200 | M4 x 12 | Full Thread |
| HBP435 | 200 | M4 x 35 | Full Thread |
| HBP450 | 200 | M4 x 50 | Full Thread |
| HBP516 | 200 | M5 x 16 | Full Thread |
| HBP520 | 200 | M5 x 20 | Full Thread |
| HBP525 | 200 | M5 x 25 | Full Thread |
| HBP540 | 100 | M5 x 40 | Full Thread |
| HBP550 | 100 | M5 x 50 | Full Thread |
| HBP68 | 200 | M6 x 8 | Full Thread |
| HBP610 | 200 | M6 x 10 | Full Thread |
| HBP616 | 200 | M6 x 16 | Full Thread |
| HBP620 | 200 | M6 x 20 | Full Thread |
| HBP625 | 200 | M6 x 25 | Full Thread |
| HBP820 | 200 | M8 x 20 | Full Thread |
| HBP825 | 200 | M8 x 25 | Full Thread |
| | | | |

Assorted Box of Machine Screws (Body Screws) Pan Head, Pozi - Metric

Zinc plated steel. DIN 7985.

Part No. Box of AB134N 290 Pieces

3 x M4: x 12, 35, 50 mm. 4 x M5: x 20, 25, 40, 50 mm.



Thread Repair Kit - Spark Plug Inserts

Supplied in a robust plastic storage case.

| Part No. | Qty | Size | Pitch |
|---------------|-------|------|---------|
| HRK214 | 1 Kit | M14 | 1.25 mm |
| Kit contains: | | | |

1 x Pre-wind Installation Tool. 1 x HSS-G Tap: 5 x Inserts M14 x 1.25 mm: 8.4 mm, 12.4 mm, 16.4 mm Reach.



Insert Replacement Packs - Spark Plug M14 x 1.25 mm

| Part No. | Pack of | Size x Pitch | Reach |
|----------|---------|---------------|-------|
| HRP208 | 10 | M14 x 1.25 mm | 1/2" |
| HRP212 | 10 | M14 x 1.25 mm | 3/4" |





Metric Thread Pitch Sizes

Below is a listing of the popular standard pitch sizes for all metric (coarse) threaded products.

| Size | Pitch |
|------|---------|
| M3 | 0.50 mm |
| M4 | 0.70 mm |
| M5 | 0.80 mm |
| M6 | 1.00 mm |
| M7 | 1.00 mm |
| M8 | 1.25 mm |
| M10 | 1.50 mm |





موم

ဇ္







Complete with nose bush and mandrel conversions and inserts. For quick, manual insertion of permanent load bearing threads in materials from 0.20" to 0.128". Supplied in a plastic storage box.

| Part No. | Qty | Description |
|----------|-------|--------------------------|
| TL831 | 1 Kit | Threaded Insert Tool Kit |

1 x Insert Tool. 4 x Nose Bush/Mandrels: 4, 5, 6, 8 mm. 10 x Threaded Inserts: 4, 5, 6, 8 mm.

Suits Part No. TL831.

| Part No. | Qty | Size |
|----------|-------|------|
| TL832 | 1 Kit | 4 mm |
| TL834 | 1 Kit | 6 mm |
| TL833 | 1 Kit | 5 mm |
| TL835 | 1 Kit | 8 mm |



Threaded Inserts - Regular

Zinc plated steel.

| Part No. | Pack of | Size | |
|----------|---------|------|--|
| NST4 | 50 | M4 | |
| NST5 | 50 | M5 | |
| NST6 | 50 | М6 | |
| NST8 | 50 | M8 | |

Threaded Inserts - Half Hex

Zinc plated steel.

| Part No. | Pack of | Size | |
|----------|---------|------|--|
| NST14 | 50 | M4 | |
| NST15 | 50 | M5 | |
| NST16 | 50 | М6 | |
| NST18 | 50 | M8 | |



| Part No. | Pack of | Size | |
|----------|---------|------|--|
| NST14 | 50 | M4 | |
| NST15 | 50 | M5 | |
| NST16 | 50 | M6 | |
| NST18 | 50 | M8 | |
| | | | |



Part No. Box of

| AB78N | 250 Pieces | |
|----------------|--------------------|--|
| 5 x Sizes: M4, | , M5, M6, M8, M10. | |



Assorted Box of Threaded Inserts - Half Hex

Zinc plated steel.

| Part No. | Box of |
|----------|---------|
| AB182 | 225 Pie |

4 x Sizes: M4. M5. M6. M8.





Threaded Inserts - Splined

Zinc plated steel.

| Part No. | Pack of | Size |
|----------|---------|------|
| NST24 | 50 | M4 |
| NST25 | 50 | M5 |
| NST26 | 50 | М6 |
| NST28 | 50 | М8 |
| NST10 | 50 | M10 |

Threaded Inserts - Cylindrical Head Full Hex

Zinc plated steel. Large flange.

| Part No. | Pack of | Size |
|----------|---------|------|
| NST34 | 50 | M4 |
| NST35 | 50 | M5 |
| NST36 | 50 | М6 |
| NST38 | 50 | M8 |
| NST40 | 50 | M10 |



| i ui tito. | i ucit oi | JILC | |
|------------|-----------|------|--|
| NST24 | 50 | M4 | |
| NST25 | 50 | M5 | |
| NST26 | 50 | М6 | |
| NST28 | 50 | М8 | |
| NST10 | 50 | M10 | |

Assorted Box of Threaded Inserts - Splined

Zinc plated steel.

| i ui tito. | DONOI |
|----------------|-------------|
| AB183 | 225 Pieces |
| 4 x Sizes: M4, | M5, M6, M8. |



Assorted Box of Threaded Inserts - Cylindrical Head Full Hex

Zinc plated steel. Large flange.

Part No. Box of **AB181** 250 Pieces 5 x Sizes: M4, M5, M6, M8, M10



















Steel Nuts - Metric

| Zinc plated steel. DIN 934. | | | | | dies. |
|-----------------------------|---------|------|---|--|-------|
| Part No. | Pack of | Size | | | |
| HSN19 | 200 | M3 | | | |
| HSN20 | 200 | M4 | | | |
| HSN21 | 200 | M5 | | | |
| HSN22 | 200 | M6 | | | |
| HSN23 | 200 | M7 | | | |
| HSN24 | 200 | M8 | | | |
| HSN25 | 200 | M10 | | | |
| HSN26 | 100 | M12 | | | |
| HSN28 | 100 | M14 | | | |
| HSN27 | 100 | M16 | | | |
| HSN29 | 25 | M20 | | | |
| HSN30 | 25 | M24 | · | | · |



Zinc plated steel. DIN 934.

Part No.

AB202N 275 Pieces

8 x Sizes: M4, M5, M6, M8, M10, M12, M14, M16.



Zinc plated steel. DIN 934.

Part No.

AB10N 370 Pieces

5 x Sizes: M5, M6, M8, M10, M12.



Steel Nuts - Metric Fine

| Zinc plated steel. DIN 934. | | | | |
|-----------------------------|---------|-----------------|--|--|
| Part No. | Pack of | Size x Pitch | | |
| HSN31 | 200 | M5 x 0.50 mm | | |
| HSN32 | 200 | M6 x 0.75 mm | | |
| HSN33 | 200 | M8 x 1.00 mm | | |
| HSN35 | 100 | M10 x 1.00 mm | | |
| HSN34 | 200 | M10 x 1.25 mm | | |
| HSN37 | 100 | M12 x 1.50 mm * | | |
| HSN36 | 100 | M12 x 1.25 mm * | | |
| HSN38 | 50 | M16 x 1.50 mm * | | |
| | | | | |


Assorted Box of Steel Nuts - Metric Fine

Zinc plated steel. DIN 934.

Part No. Box of

AB12N 350 Pieces

7 x Sizes: M5 x 0.50 mm, M6 x 0.75 mm. M8 x 1.00 mm, M10 x 1.00 mm, M10 x 1.25 mm, M12 x 1.25 mm, M12 x 1.25 mm.



Stainless Steel Nuts - Metric

Stainless Steel. DIN 934 Grade A2.

| Part No. | Pack of | Size |
|----------|---------|------|
| HIN105 | 200 | M5 |
| HIN106 | 200 | M6 |
| HIN108 | 100 | M8 |
| HIN110 | 100 | M10 |


Assorted Box of Stainless Steel Nuts - Metric

Stainless Steel. DIN 934 Grade A2.

Part No. Box of

AB155 250 Pieces

4 x Sizes: M5, M6, M8, M10.



Steel Nuts - UNF

Zinc plated steel. ANSI B18.2.2.

| Part No. | Pack of | Size |
|----------|---------|-----------|
| HSN1 | 200 | 3/16" UNF |
| HSN2 | 200 | 1/4" UNF |
| HSN3 | 200 | 5/16" UNF |
| HSN4 | 200 | 3/8" UNF |
| HSN5 | 100 | 7/16" UNF |
| HSN6 | 100 | 1/2" UNF |
| HSN7 | 100 | 5/8" UNF |
| HSN8 | 50 | 3/4" UNF |

Assorted Box of Steel Nuts - UNF

Zinc plated steel. ANSI B18.2.2.

Part No. Box of AB6N 325 Pieces 4 x UNF: 3/16", 1/4", 5/16", 3/8".




Assorted Box of Steel Nuts - UNC

Zinc plated steel. ANSI B18.2.2.

Part No. Box of

AB8N 350 Pieces 3 x UNC: 1/4", 5/16", 3/8".






موم







BEST SELLER



Nylon Lock Nuts - Metric

Zinc plated steel. P-Type. DIN 982.

| Part No. | Pack of | Size | |
|----------|---------|------|--|
| HNN19 | 200 | M4 | |
| HNN20 | 100 | M5 | |
| HNN21 | 100 | М6 | |
| HNN22 | 100 | M8 | |
| HNN23 | 100 | M10 | |
| HNN24 | 100 | M12 | |
| HNN26 | 50 | M14 | |
| HNN25 | 25 | M16 | |
| HNN27 | 25 | M20 | |

Assorted Box of Nylon Lock Nuts - Metric

Zinc plated steel. P-Type. DIN 982.

Part No. Box of

AB201N 275 Pieces

8 x Sizes: M4, M5, M6, M8, M10, M12, M14, M16.



Assorted Box of


Nylon Lock Nuts - Metric (Popular Sizes)

Zinc plated steel. P-Type. DIN 982.

Part No. Box of

AB15N 300 Pieces

4 x Sizes: M6, M8, M10, M12.







Part No.

AB510 400 Pieces

5 x Sizes, Steel Nuts: M5, M6, M8, M10, M12. 7 x Sizes, Nylon Lock Nuts: M5, M6, M7, M8, M10, M12, M14.



Nylon Lock Nuts - Metric Fine

Zinc plated steel.

| 1-Type. DIN | 985. | | | |
|-------------|---------|------|---------|--|
| Part No. | Pack of | Size | Pitch | |
| HNN32 | 50 | M8 | 1.00 mm | |
| HNN33 | 50 | M10 | 1.00 mm | |
| HNN34 | 50 | M10 | 1.25 mm | |
| HNN35 | 50 | M12 | 1.25 mm | |
| HNN36 | 50 | M12 | 1.50 mm | |



Stainless Steel. T-Type. DIN 985 Grade A2.

| Part No. | Pack of | Size |
|----------|---------|------|
| HIL105 | 100 | M5 |
| HIL106 | 100 | M6 |
| HIL108 | 50 | M8 |
| HIL110 | 50 | M10 |

Assorted Box of Stainless Steel Nylon Lock Nuts - Metric

Stainless Steel. T-Type. DIN 985 Grade A2.

Box of Part No.

AB156N 225 Pieces

4 x Sizes: M5, M6, M8, M10.



Nylon Lock Nuts - UNF

Zinc plated steel. BS 4929 Equivalent.




Assorted Box of Nylon Lock Nuts - UNF

Zinc plated steel. BS 4929 Equivalent.

Part No. Box of

AB13N 290 Pieces 5 x UNF: 1/4", 5/16", 3/8", 7/16", 1/2".



Assorted Box of Nylon Lock Nuts - UNC

Zinc plated steel. BS 4929 Equivalent.

Part No. Box of

AB14N 275 Pieces

4 x UNC: 1/4", 5/16", 3/8", 1/2".



































Thin (Half) Nuts - Metric

| Ziric piateu : | Zinc plateu steel. Din 455 Fai t 2. | | |
|----------------|-------------------------------------|------|--|
| Part No. | Pack of | Size | |
| HNU108 | 200 | M8 | |
| HNU110 | 100 | M10 | |
| HNU112 | 50 | M12 | |
| HNU114 | 50 | M14 | |
| HNU116 | 50 | M16 | |
| | | | |



Serrated Flange Nuts - Metric

Zinc plated steel. DIN 6923. Part No. Pack of Size HSN55 200 **M5** HSN56 200 М6 HSN58 **M8** 200 HSN60 100 M10 HSN62 100 M12 HSN64 50 M14 HSN66 50 M16



Wing Nuts - Metric

Zinc plated steel.

Brass Nuts - BA

Steel Nuts - BA

Zinc plated steel. BS 57.

Pack of Size

6BA

4BA

2BA

6BA

4BA

2BA

Metric Thread Pitch Sizes

Below is a listing of the popular standard pitch sizes for all metric (coarse) threaded products.

100

100

100

Pack of Size

200

200

200

BS 57.

Part No.

HBN40

HBN41

HBN42

Part No.

HSN40

HSN41

HSN42

| p.acca s | | | |
|----------|---------|------|--|
| Part No. | Pack of | Size | |
| HWN1 | 50 | M5 | |
| HWN2 | 50 | М6 | |
| HWN3 | 25 | M8 | |
| HWNA | 25 | M10 | |



Part No. Box of

AB104N 330 Pieces 5 x Sizes: M5, M6, M8, M10, M12.































128



| Size | Pitch |
|------|---------|
| M12 | 1.75 mm |
| M14 | 2.00 mm |
| M16 | 2.00 mm |
| M18 | 2.50 mm |
| M20 | 2.50 mm |
| M22 | 2.50 mm |
| M24 | 3.00 mm |



| Part No. | Pack of | Size | |
|----------|---------|------|--|
| HSN76 | 50 | M6 | |
| HSN78 | 50 | M8 | |



Locknuts For Thermocouples

| GAS63 | 20 | Thermocouple Locknuts | |
|----------|---------|-----------------------|--|
| Part No. | Pack of | Description | |
| Brass | | | |













Exhaust Manifold Nuts - Brass

| Part No. | Pack of | Size x Pitch | | |
|----------|---------|---------------|--|--|
| HBN5 | 50 | M8 x 1.25 mm | | |
| HBN6 | 50 | M10 x 1.25 mm | | |







Exhaust Manifold Nuts - Copper Flashed Steel DIN 980.

| Part No. | Pack of | Size x Pitch |
|----------|---------|---------------|
| HBN8 | 50 | M8 x 1.25 mm |
| HBN7 | 50 | M10 x 1.50 mm |



Exhaust Manifold Nuts - Zinc Plated Steel

Non-serrated. Flanged tri-lock. 9/16" (14 mm) AF head. DIN 980. Grade 8.8.

| Part No. | Pack of | Size |
|----------|---------|---------------|
| HBN10 | 50 | M10 x 1.25 mm |



Repair Washers - Imperial Zinc plated steel. 1.37/1.69 mm thickness.

| Part No. | Pack of | I.D. x O.D. |
|----------|---------|----------------|
| HRW13 | 200 | 3/16" x 3/4" |
| HRW1 | 200 | 3/16" x 1" |
| HRW14 | 200 | 1/4" x 3/4" |
| HRW2 | 200 | 1/4" x 1" |
| HRW6 | 200 | 1/4" x 1 1/2" |
| HRW3 | 200 | 5/16" x 1" |
| HRW4 | 200 | 5/16" x 1 1/2" |
| HRW8 | 100 | 5/16" x 2" |
| HRW15 | 100 | 3/8" x 1 1/4" |
| HRW5 | 200 | 3/8" x 1 1/2" |
| HRW7 | 100 | 3/8" x 2" |
| | | |

Assorted Box of Repair Washers - Imperial Zinc plated steel. 1.37/1.69 mm thickness.

Part No.

Box of

AB22N 220 Pieces6 x Sizes (I.D. x O.D.): 3/16" x 1", 1/4" x 1", 1/4" x 1 1/2", 5/16" x 1", 5/16" x 1 1/2", 3/8" x 1 1/2".





Repair Washers - Metric

| Zinc plated steel. | | | |
|--------------------|---------|-------------|--|
| Part No. | Pack of | I.D. x O.D. | |
| HRW520 | 200 | M5 x 20 | |
| HRW620 | 100 | M6 x 20 | |
| HRW830 | 200 | M8 x 30 | |
| HRW1025 | 100 | M10 x 25 | |
| HRW1040 | 100 | M10 x 40 | |
| | | | |





































Zinc plated steel.

| BS 4320 F0 | mic. | |
|------------|---------|-------------|
| Part No. | Pack of | I.D. x O.D. |
| HFW59 | 1,000 | M5 x 12.5 |
| HFW60 | 500 | M6 x 14 |
| HFW61 | 500 | M8 x 21 |
| HFW62 | 250 | M10 x 24 |
| HFW63 | 250 | M12 x 28 |
| HFW64 | 100 | M14 x 30 |
| HFW65 | 100 | M16 x 34 |
| HFW66 | 100 | M20 x 39 |
| HFW67 | 50 | M24 x 50 |
| | | |



Zinc plated steel.
DIN 125 Type A. Heavy Gauge

| DIN 125 Type A. Heavy dauge. | | | | |
|------------------------------|---------|-------------|--|--|
| Part No. | Pack of | I.D. x O.D. | | |
| HFW10 | 1,000 | M3 x 7 | | |
| HFW11 | 1,000 | M4 x 9 | | |
| HFW12 | 1,000 | M5 x 10 | | |
| HFW13 | 500 | M6 x 12 | | |
| HFW14 | 500 | M8 x 17 | | |
| HFW15 | 250 | M10 x 21 | | |
| HFW16 | 250 | M12 x 24 | | |
| HFW19 | 100 | M14 x 28 | | |
| HFW17 | 100 | M16 x 30 | | |
| HFW18 | 100 | M20 x 37 | | |
| HFW20 | 50 | M24 x 44 | | |
| | | | | |

Assorted Box of Flat Washers 'Form C' - Metric

Zinc plated steel. BS 4320 Form C. Part No. Box of

AB119N 620 Pieces

6 x Sizes: M6. M8. M10. M12. M14. M16.



Assorted Box of Flat Washers 'Form A' - Metric

Zinc plated steel. DIN 125 Type A. Heavy Gauge.

Part No.

AB76N 800 Pieces

9 x Sizes: M3, M4, M5, M6, M8, M10, M12, M16, M20,



Flat Washers 'Table 4' - Imperial

Zinc plated steel.

| BS 3410 Table 4 (Heavy Gauge). | | | |
|--------------------------------|---------|-----------------|--|
| Part No. | Pack of | I.D. x O.D. | |
| HFW40 | 1,000 | 3/16" x 1/2" | |
| HFW41 | 500 | 1/4" x 5/8" | |
| HFW42 | 500 | 5/16" x 3/4" | |
| HFW43 | 500 | 3/8" x 7/8" | |
| HFW44 | 200 | 7/16" x 1" | |
| HFW45 | 200 | 1/2" x 1 1/8" | |
| HFW46 | 100 | 9/16" x 1 1/4" | |
| HFW47 | 100 | 5/8" x 1 3/8" | |
| HFW48 | 100 | 3/4" x 1 5/8" | |
| HFW49 | 50 | 7/8" x 1 7/8" | |
| HFW50 | 50 | 1" x 2 1/8" | |
| HFW51 | 25 | 1 1/8" x 2 3/8" | |
| HFW52 | 25 | 1 1/4" x 2 5/8" | |
| HFW53 | 25 | 1 3/8" x 2 7/8" | |
| HFW54 | 25 | 1 1/2" x 3 1/8" | |

Flat Washers 'Table 3' - Imperial

Zinc plated steel. BS 3410 Table 3 (Heavy Gauge).

| Part No. | Pack of | I.D. x O.D. |
|----------|---------|---------------|
| HFW1 | 1,000 | 3/16" x 7/16" |
| HFW2 | 500 | 1/4" x 9/16" |
| HFW3 | 500 | 5/16" x 5/8" |
| HFW4 | 500 | 3/8" x 3/4" |
| HFW5 | 250 | 7/16" x 7/8" |
| HFW6 | 250 | 1/2" x 1" |
| HFW7 | 100 | 5/8" x 1 1/4" |
| HEWA | 100 | 3/4" v 1 1/2" |




Assorted Box of Flat Washers 'Table 4' - Imperial

Zinc plated steel. BS 3410 Table 4 (Heavy Gauge).

Part No. Box of

AB109N 920 Pieces

6 x Sizes: 3/16" x 1/2", 1/4" x 5/8", 5/16" x 3/4", 3/8" x 7/8", 1/2" x 1 1/8", 5/8" x 1 3/8".



Assorted Box of Flat Washers 'Table 3' - Imperial

Zinc plated steel. BS 3410 Table 3 (Heavy Gauge).

Part No. Box of

AB20N 800 Pieces 6 x Sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2".





موم

BEST

Stainless Steel Flat Washers 'Form B' - Metric


Stainless Steel. BS 4320 [Table 1] Form B Grade A2. *DIN 125A (BS 4320 [Table 1] Form A) Grade A2.

| Part No. | Pack of | I.D. x O.D. |
|----------|---------|-------------|
| HIW105 | 1,000 | M5 x 10 * |
| HIW106 | 500 | M6 x 12 |
| HIW108 | 500 | M8 x 17 |
| HIW110 | 250 | M10 x 21 |

Assorted Box of Stainless Steel Flat Washers - Metric

Stainless Steel. BS 4320 [Table 1] Form B Grade A2. *DIN 125A (BS 4320 [Table 1] Form A) Grade A2.

| Part No. | Box of |
|----------------|----------------|
| AB157 | 650 Pieces |
| 4 x Sizes: M5* | , M6, M8, M10. |





Stainless Steel Spring Washers - Metric Stainless Steel. Square Section. DIN 7980 Grade A2.

| Part No. | Pack of | I.D. |
|----------|---------|------|
| HIP105 | 500 | M5 |
| HIP106 | 250 | M6 |
| HIP108 | 250 | M8 |
| HIP110 | 100 | M10 |



Stainless Steel. Square Section. DIN 7980 Grade A2.

| D.1.17500 0.14407.12. | | |
|-----------------------|--------------|--|
| Part No. | Box of | |
| AB158 | 650 Pieces | |
| 4 x Sizes: M5, | M6, M8, M10. | |
| | | |



Spring Washers - Metric

Zinc plated steel. Rectangular Section.

| Part No. | Pack of | Size | |
|----------|---------|------|--|
| HSW9 | 1,000 | M4 | |
| HSW10 | 500 | M5 | |
| HSW11 | 300 | М6 | |
| HSW12 | 300 | M8 | |
| HSW13 | 300 | M10 | |
| HSW14 | 150 | M12 | |
| HSW17 | 100 | M14 | |
| HSW15 | 50 | M16 | |
| HSW18 | 50 | M18 | |
| HSW16 | 50 | M20 | |
| HSW19 | 25 | M24 | |
| | | | |

Assorted Box of Spring Washers - Metric

Zinc plated steel. Rectangular Section. DIN 127B.

| Part No. | | BOX OT | |
|----------|---------------|----------------------|----|
| | AB77N | 1,015 Pieces | |
| | 0 v Cizoc: MA | ME M6 M0 M10 M12 M16 | MA |

8 x Sizes: M4, M5, M6, M8, M10, M12, M16, M20.





Spring Washers - Imperial Zinc plated steel. Rectangular Section.

| ANSI B18.21. | T Table 7 | 2. |
|--------------|-----------|-------|
| Part No. | Pack of | I.D. |
| HSW1 | 1,000 | 3/16" |
| HSW2 | 500 | 1/4" |
| HSW3 | 500 | 5/16" |
| HSW4 | 500 | 3/8" |
| HSW5 | 250 | 7/16" |
| HSW6 | 250 | 1/2" |
| HSW8 | 100 | 3/4" |
| HSW20 | 25 | 7/8" |
| HSW21 | 25 | 1" |

Assorted Box of Spring Washers - Imperial

Zinc plated steel. Rectangular Section ANSI B18.21.1 Table 2.

| Part No. | Box of |
|----------|--------|
| ADOAN | 000 |

AB21N 800 Pieces

6 x Sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2".



































Copper Washers

| Part No. | Pack of | I.D. x O.D. | Thickness | Equiv. |
|----------|---------|---------------|-----------|------------|
| HCW5 | 100 | 3/16" x 7/16" | 0.8 mm | (M5 x 11) |
| HCW6 | 100 | 1/4" x 9/16" | 0.8 mm | (M6 x 14) |
| HCW8 | 100 | 5/16" x 5/8" | 0.8 mm | (M8 x 16) |
| HCW10 | 100 | 3/8" x 3/4" | 0.8 mm | (M10 x 19) |
| HCW11 | 100 | 7/16" x 7/8" | 1.3 mm | |
| HCW12 | 100 | 1/2" x 1" | 1.3 mm | (M12 x 25) |

(1/8" x 1/2")

Lock Washers. Serrated Internal - Metric

Zinc plated steel, DIN 6798.

| Ziric platet | J SICCI. DIIN | 0750. | |
|--------------|---------------|-------|--|
| Part No. | Pack of | I.D. | |
| HLW1 | 1,000 | M5 | |
| HLW2 | 500 | М6 | |
| HLW3 | 500 | M8 | |
| HLW4 | 500 | M10 | |
| HLW5 | 250 | M11 | |
| HLW6 | 250 | M13 | |

Assorted Box of Copper Washers - Imperial

WS 086.

| Part No. | Box of |
|----------|------------|
| AB24N | 400 Pieces |
| | |

6 x Sizes: 3/16" x 7/16", 1/4" x 9/16", 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8", 1/2" x 1" (M5, M6, M8, M10, M12).

Pack of Size

1,000 M3 x 13

Assorted Box of Lock Washers Serrated - Internal

Zinc plated steel. DIN 6798.

Part No. Rox of

| i ui cito. | DONOI |
|----------------|------------------------|
| AB27N | 800 Pieces |
| 6 x Sizes: M5, | M6, M8, M10, M11, M13. |
| | |

































Lock Washers, Serrated External - Metric

| Zinc plated steel. | | | | |
|--------------------|---------|------|--|--|
| Part No. | Pack of | I.D. | | |
| HLW20 | 1,000 | M4 | | |
| HLW21 | 500 | M5 | | |
| HLW22 | 500 | M6 | | |
| HLW23 | 250 | M8 | | |
| HLW24 | 100 | M10 | | |
| HLW29 | 50 | M12 | | |
| HLW27 | 50 | M14 | | |
| HLW28 | 50 | M16 | | |



| Ziric piateu | Ziric piateu steet. | | | | |
|--------------|---------------------|------|--|--|--|
| Part No. | Pack of | I.D. | | | |
| HLW20 | 1,000 | M4 | | | |
| HLW21 | 500 | M5 | | | |
| HLW22 | 500 | М6 | | | |
| HLW23 | 250 | M8 | | | |
| HLW24 | 100 | M10 | | | |
| HLW29 | 50 | M12 | | | |
| HLW27 | 50 | M14 | | | |
| HLW28 | 50 | M16 | | | |

Assorted Box of Shim Washers

Rivet Washers Zinc plated steel. Part No.

PRW1

Zinc plated steel.

Part No. Box of

AB28N 315 Pieces

8 x 0.010 Thick: 3/16" x 7/16", 1/4" x 9/16", 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8", 1/2" x 1", 5/8" x 1 1/4", 3/4" x 1 1/2". 7 x 0.015 Thick: 1/4" x 9/16", 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8", 1/2" x 1", 5/8" x 1 1/4", 3/4" x 1 1/2".



Assorted Box of Lock Washers Serrated - External

Zinc plated steel. Part No. Box of

AB208N 440 Pieces

8 x Sizes: M4, M5, M6, M8, M10, M12, M14, M16.



Fibre Washers - Metric

DIN 7603A.

| Part No. | Pack of | I.D. x O.D. x Thickness | |
|----------|---------|-------------------------|--|
| HFB5 | 100 | M5 x 9 x 1.0 | |
| HFB6 | 100 | M6 x 10 x 1.0 | |
| HFB8 | 100 | M8 x 12 x 1.0 | |
| HFB10 | 100 | M10 x 14 x 1.0 | |
| HFB12 | 100 | M12 x 18 x 1.5 | |
| HFB14 | 100 | M14 x 20 x 1.5 | |
| HFB16 | 100 | M16 x 22 x 1.5 | |
| HFB18 | 100 | M18 x 24 x 1.5 | |

Assorted Box of Fibre Washers - Metric

DIN 7603A.

Part No.

AB143 600 Pieces

8 x Sizes: M5 x 9 x 1.0, M6 x 10 x 1.0, M8 x 12 x 1.0, M10 x 14 x 1.0, M12 x 18 x 1.5, M14 x 20 x 1.5, M16 x 22 x 1.5, M18 x 24 x 1.5.



Fibre Washers - Imperial

WS 010.

| Part No. | Pack of | I.D. x O.D. x Thickness |
|----------|---------|-------------------------|
| HFB31 | 100 | 13/64" x 3/8" x 1/16" |
| HFB32 | 100 | 1/4" x 3/8" x 1/16" |
| HFB33 | 100 | 5/16" x 5/8" x 1/16" |
| HFB34 | 100 | 3/8" x 5/8" x 1/16 |
| HFB35 | 100 | 29/64" x 11/16" x 1/16 |
| HFB36 | 100 | 1/2" x 11/16" x 1/16 |
| HFB37 | 100 | 5/8" x 7/8" x 1/16 |
| HFB38 | 100 | 49/64" x 1" x 1/16 |
| | | |

Assorted Box of Fibre Washers - Imperial

WS 010.

Part No.

AB25N 600 Pieces

8 x Sizes: 13/64" x 3/8", 1/4" x 3/8", 5/16" x 5/8", 3/8" x 5/8", 29/64" x 11/16", 1/2" x 11/16", 5/8" x 7/8", 49/64" x 1".



Aluminium Washers - Metric

DIN 7603A

| Part No. | Pack of | I.D. x O.D. x Thickness |
|----------|---------|-------------------------|
| HAW610 | 100 | M6 x 10 x 1.0 |
| HAW811 | 100 | M8 x 11 x 1.0 |
| HAW1013 | 100 | M10 x 13 x 1.0 |
| HAW1014 | 100 | M10 x 14 x 1.0 |
| HAW1216 | 100 | M12 x 16 x 1.5 |
| HAW1218 | 100 | M12 x 18 x 1.5 |
| HAW1418 | 100 | M14 x 18 x 1.5 |
| HAW1420 | 100 | M14 x 20 x 1.5 |
| HAW1620 | 100 | M16 x 20 x 1.5 |
| HAW1721 | 100 | M17 x 21 x 1.5 |
| HAW2227 | 100 | M22 x 27 x 1.0 |
| | | |

Assorted Box of Aluminium Washers - Metric DIN 7603A.

Part No.

AB149 260 Pieces

11 x Sizes: M6 x 10, M8 x 11, M10 x 13, M10 x 14, M12 x 16, M12 x 18, M14 x 18, M14 x 20, M16 x 20, M17 x 21, M22 x 27.





Copper Compression Washers - Metric

Oval section.

| Oval Scellon | | | |
|--------------|---------|-------------------------|--|
| Part No. | Pack of | I.D. x O.D. x Thickness | |
| HCC610 | 100 | 6 x 10 x 1.5 mm | |
| HCC812 | 100 | 8 x 12 x 1.5 mm | |
| HCC1014 | 100 | 10 x 14 x 1.5 mm | |
| HCC1218 | 50 | 12 x 18 x 2.0 mm | |
| HSU10 | 50 | 14 x 20 x 2.0 mm | |
| HSU11 | 50 | 16 x 22 x 2.0 mm | |
| HSU12 | 50 | 18 x 24 x 2.0 mm | |
| HCC2026 | 50 | 20 x 26 x 2.0 mm | |
| HCC2227 | 50 | 22 x 27 x 2.0 mm | |
| HCC2632 | 50 | 26 x 32 x 2.5 mm | |
| | | | |































Copper Sealing Washers - Metric

| NIC | 7603A. | |
|-----|--------|--|

| Part No. | Pack of | I.D. x O.D. x Thickness |
|----------|---------|-------------------------|
| HCU509 | 100 | M5 x 9 x 1.0 |
| HCU610 | 100 | M6 x 10 x 1.0 |
| HCU612 | 100 | M6 x 12 x 1.0 |
| HCU609 | 100 | M6.5 x 9.5 x 1.0 |
| HCU811 | 100 | M8 x 11.5 x 1.0 |
| HCU812 | 100 | M8 x 12 x 1.0 |
| HCU814 | 100 | M8 x 14 x 1.0 |
| HCU914 | 100 | M9 x 14 x 1.0 |
| HCU1013 | 100 | M10 x 13.5 x 1.0 |
| HCU1014 | 100 | M10 x 14 x 1.0 |
| HCU1016 | 100 | M10 x 16 x 1.0 |
| HCU10165 | 100 | M10 x 16 x 1.5 |
| HCU1021 | 100 | M10 x 21 x 1.0 |
| HCU1117 | 50 | M11 x 17 x 1.5 |
| HCU1216 | 100 | M12 x 16 x 1.5 |
| HCU1218 | 100 | M12 x 18 x 1.5 |
| HCU1318 | 50 | M13 x 18 x 1.5 |
| HCU14180 | 50 | M14 x 18 x 1.0 |
| HCU1418 | 100 | M14 x 18 x 1.5 |
| HCU1420 | 100 | M14 x 20 x 1.5 |
| HCU1520 | 50 | M15 x 20 x 2.0 |
| HCU1620 | 100 | M16 x 20 x 1.5 |
| HCU1622 | 100 | M16 x 22 x 1.5 |
| HCU1624 | 50 | M16 x 24 x 1.5 |
| HCU1721 | 50 | M17 x 21 x 1.5 |
| HCU1723 | 50 | M17 x 23 x 1.5 |
| HCU1725 | 50 | M17.5 x 25 x 2.0 |
| HCU1822 | 100 | M18 x 22 x 1.5 |
| HCU1824 | 100 | M18 x 24 x 1.5 |
| HCU2026 | 100 | M20 x 26 x 1.5 |
| HCU2024 | 50 | M20 x 24 x 1.5 |
| HCU2125 | 100 | M21 x 25 x 1.0 |
| HCU2227 | 50 | M22 x 27 x 1.5 |
| HCU2430 | 100 | M24 x 30 x 2.0 |
| HCU2634 | 50 | M26 x 34 x 2.0 |
| HCU2834 | 25 | M28 x 34 x 2.0 |
| HCU3038 | 25 | M30 x 38 x 2.0 |
| HCU3240 | 25 | M32 x 40 x 2.0 |
| | | |

Copper Sealing Washers

DIN 7603A.

Part No. Box of

AB106 250 Pieces

16 x Sizes: M5 x 9 x 1.0. M6 x 10 x 1.0. M6 x12 x 1.0. 10 X 3(25, M3) X 37 L), M6A 1 L0 X 10, M6 A1Z X 10, M6 A1Z X 10, M6 X 12 X 10, M10 X 14 X 10, M10 X 14 X 10, M10 X 16 X 15, M12 X 18 X 15, M14 X 10 X 15, M15 X 20 X 15, M16 X 20 X 15, M16 X 22 X 15, M18 X 22 X 15, M18 X 24 X 15, M20 X 26 X 15 mm.





| Part No. | Pack of | I.D. x O.D. x Thickness | Size | | |
|----------|---------|-------------------------|-----------|----------|--|
| HCU23 | 100 | .265 x .375 x 20g | 1/4" | | |
| HCU24 | 100 | .265 x .437 x 20g | 1/4" | | |
| HCU25 | 100 | .265 x .500 x 20g | 1/4" | | |
| HCU34 | 100 | .323 x .437 x 20g | 5/16" | | |
| HCU35 | 100 | .323 x .500 x 20g | 5/16" | | |
| HCU46 | 100 | .390 x .590 x 20g | (3/8") | 1/8" BSP | |
| HCU48 | 100 | .390 x .590 x 18g | (3/8") | 1/8" BSP | |
| HCU57 | 100 | .530 x .720 x 20g | | 1/4" BSP | |
| HCU58 | 100 | .530 x .750 x 18g | | 1/4" BSP | |
| HCU68 | 100 | .665 x .875 x 18g | (21/32") | 3/8" BSP | |
| HCU80 | 100 | .830 x 1.00 x 18g | (13/16") | 1/2" BSP | |
| HCU81 | 100 | .830 x 1.04 x 18g | (13/16") | 1/2" BSP | |
| HCU91 | 100 | .910 x 1.13 x 16g | (29/32") | 5/8" BSP | |
| HCU93 | 100 | 1.05 x 1.32 x 16g | | 3/4" BSP | |
| HCU95 | 100 | 1.20 x 1.50 x 16g | | 7/8" BSP | |
| HCU96 | 100 | 1.32 x 1.62 x 16g | (1 5/16") | 1" BSP | |

Assorted Box of Copper Sealing Washers Imperial/BSP

Part No. Box of

AB23 225 Pieces

16 X Sizes: 1/4" (265 x. 375 x 20g), 1/4" (265 x. 437 x 20g), 1/4" (265 x. 500 x 20g), 5/16" (323 x. 437 x 20g), 5/16" (323 x. 500 x 20g), 1/8" BSP (3/8") (390 x. 590 x 20g), 1/8" BSP (3/8"), (390 x. 590 x 18g), 1/4" BSP (530 x. 720 x 20g), 1/4" BSP (530 x. 750 x 18g), 3/8" BSP (21/32") (.665 x .875 x 18g), 1/2" BSP (13/16") (.830 x 1.00 x 18g), 1/2" BSP (13/16") (.830 x 1.04 x 18g), 5/8" BSP (29/32") (.910 x 1.13 x 16g), 3/4" BSP (1.05 x 1.32 x 16g), 7/8" BSP (1.20 x 1.50 x 16g), 1" BSP (15/16") (1.32 x 1.62 x 16g).



MODELLE MODELLE MODELLE MODELLE ASSESSED SECTION OF THE PARTY O

AND CHES COM



'Max Box' Assortment of **Copper Sealing** Washers - Metric

DIN 7603A.

Part No. Box of

AB505 1,050 Pieces

16 Sizes: M5 x 9 x 1.0, M6 x 10 x 1.0, M6 x12 x 1.0, M8 x 12 x 1.0, M8 x14 x 1.0, M10 x 14 x 1.0, M10 x16 x 1.0, M12 x 16 x 1.5, M12 x18 x 1.5, M14 x 18 x 1.5, M14 x 20 x 1.5, M16 x 20 x 1.5, M16 x 22 x 1.5, M18 x 22 x 1.5, M18 x 24 x 1.5, M20 x 26 x 1.5 mm.













Bonded Seals (Dowty Washers) - Metric

Metal with black nitrile rubber (NBR). Self centralising.

| Part No. | Pack of | Size | Centralising Lip I.D. | |
|----------|---------|------|-----------------------|--|
| HSL10 | 50 | M10 | 8.05 mm | |
| HSL12 | 50 | M12 | 9.73 mm | |
| HSL14 | 50 | M14 | 11.38 mm | |
| HSL16 | 50 | M16 | 13.41 mm | |
| HSL18 | 50 | M18 | 14.76 mm | |
| HSL20 | 50 | M20 | 16.76 mm | |
| HSL22 | 25 | M22 | 18.74 mm | |
| HSL24 | 25 | M24 | 20.11 mm | |

Assorted Box of **Bonded Seals** (Dowty Washers) - Metric

Metal with black nitrile rubber (NBR). Self centralising.

AB107 90 Pieces

8 x Sizes: M10, M12, M14, M16, M18, M20, M22, M24.



Bonded Seals (Dowty Washers) - BSP

Metal with black nitrile rubber (NBR). Self centralising.

| Part No. | Pack of | Size | Centralising Lip I.D. | |
|----------|---------|----------|-----------------------|--|
| HSL41 | 50 | 1/8" BSP | 8.26 mm | |
| HSL42 | 50 | 1/4" BSP | 11.18 mm | |
| HSL43 | 50 | 3/8" BSP | 14.76 mm | |
| HSL44 | 50 | 1/2" BSP | 18.24 mm | |
| HSL45 | 25 | 5/8" BSP | 20.27 mm | |
| HSL46 | 25 | 3/4" BSP | 23.83 mm | |
| HSL48 | 25 | 1" BSP | 29.92 mm | |

Assorted Box of Bonded Seals (Dowty Washers) - BSP

Metal with black nitrile rubber (NBR). Self centralising.

| Dart No. | Doy of |
|----------|--------|
| Part No. | Box of |

AB67N 100 Pieces

7 x Sizes: 1/8" BSP, 1/4" BSP, 3/8" BSP, 1/2" BSP, 5/8" BSP, 3/4" BSP, 1" BSP.



Assorted Box of Copper Sealing Washers (Diesel Injector Washers)


Copper. DIN 7603A.

Part No. Rox of

AB142 250 Pieces

16 x Sizes: M6 x 10 x 1.0 (BOSCH 2916 710 602), M8 x 11.5 x 1.0 (LUCAS NW5-17W4, BOSCH 2916 710 646), M10 x 13.5 x 1.0 (BOSCH 2916 710 605), M10 x 14 x 1.0 (BOSCH 2916 710 649), M10 x 20 x 1.0 (MAN/PERKINS P:2411126), M10 x 20 x 2.0 (LUCAS 5339401, PERKINS P:0920113), M12 x 16 x 1.5 (BOSCH 2916 710 607), M12 x 18 x 1.5 (BOSCH 2916 710 608), M14 x 18 x 1.5 (BOSCH 2916 710 608), M14 x 18 x 1.5 (BOSCH 2916 710 609), M14 x 20 x 1.5 (BOSCH 2916 710 610),





Air Conditioning O-Rings Kit

Highly saturated nitrile O-rings for use with Freon R134a. Supplied in a hinged plastic case.

Description

HAC200 270 Piece Kit

18 x Sizes (I.D. x Thickness): 5.29 x 1.78 (7/32" x 1/16"), (1/4" x 1/16"), 6.07 x 1.78, 6.8 x 1.9, 7.65 x 1.78 (5/16" x 1/16"), 7.8 x 1.9, 8 x 2, 8.8 x 1.9 (20 pcs). 10.82 x 1.78 (7/16" x 1/16"), 10.77 x 2.62 (7/16" x 3/32"), 11 x 2, 12 x 2 (15 pcs). 13.9 x 1.8, 13.95 x 2.62 (9/16" x 3/32"), 14 x 2, 15 x 2, 17 x 2. 17.17 x 1.78 (11/16" x 1/16"). 17.04 x 3.53 mm (11/16" x 1/8") (10 pcs)



Copper Compression Washers - Metric

Oval section.

| Part No. | Pack of | I.D. x O.D. x Thickness | |
|----------|---------|-------------------------|--|
| HCC610 | 100 | 6 x 10 x 1.5 mm | |
| HCC812 | 100 | 8 x 12 x 1.5 mm | |
| HCC1014 | 100 | 10 x 14 x 1.5 mm | |
| HCC1218 | 50 | 12 x 18 x 2.0 mm | |
| HSU10 | 50 | 14 x 20 x 2.0 mm | |
| HSU11 | 50 | 16 x 22 x 2.0 mm | |
| HSU12 | 50 | 18 x 24 x 2.0 mm | |
| HCC2026 | 50 | 20 x 26 x 2.0 mm | |
| HCC2227 | 50 | 22 x 27 x 2.0 mm | |
| HCC2632 | 50 | 26 x 32 x 2.5 mm | |
| | | | |





 \odot





Sump Plug Washers



Copper Compression Washers

Part No. HSU45 Pack of I.D. x O.D. x Thickness

12 x 17 x 2.0 mm





Copper Compression Washers

Part No.

Pack of I.D. x O.D. x Thickness

HSU₁₀ 14 x 20 x 2.0 mm

Suits CITROËN (9/93>), PEUGEOT (9/93>)



Copper Compression Washers

Part No.

Pack of I.D. x O.D. x Thickness **HSU11** 16 x 22 x 2.0 mm

Suits CITROËN (<9/93), PEUGEOT (<9/93), RENAULT 5, FIAT (Diesel),

ROVER (Diesel).



Copper Compression Washers

Pack of I.D. x O.D. x Thickness Part No.

HSU12 18 x 24 x 2.0 mm

Suits RENAULT (Except RENAULT 5).



Flat Copper Washers

Pack of I.D. x O.D. x Thickness Part No.

10 x 20 x 2.0 mm **HSU1022** 50

Suits CITROËN Berlingo, C1, C2, C3, C4, C5, C6, Xantia, Xsara. FIAT Scudo. MINI R56, R55, Clubman. PEUGEOT 107, 206, 207, 306, 307, 308, 406, 407, 607, 806, 807, 1007, 4007, Bipper, Expert, Partner. TOYOTA Aygo, Corolla. VOLVO C30, S40 II, V50.



Flat Copper Washers

Flat Copper Washers

Pack of I.D. x O.D. x Thickness

Suits ROVER (Non-HONDA Engines inc. K Series, Except Diesel &

14 x 19 x 2.0 mm

Part No.

HSU27

Mini A Series)

Pack of I.D. x O.D. x Thickness

HSU1217 50 12 x 17 x 1.5 mm

Suits BMW Series 1, 3, 5, 6, 7, X3, X5, X6, Z1, Z3, Z4.



Flat Copper Washers

Part No. Pack of I.D. x O.D. x Thickness

HSU14 14 x 20 x 2.0 mm

Suits VAUXHALL, VW (Except Beetle).



Flat Copper Washers

Pack of I.D. x O.D. x Thickness Part No.

HSU26 16.3 x 25.4 x 2.0 mm

Suits ROVER Mini, Metro & 100 Series.



Flat Copper Washers

Pack of I.D. x O.D. x Thickness Part No.

HSU1826 50 **18 x 26 x 1.5 mm**

Suits ALFA ROMEO 145, 146, 147, 155, 156, 159, 166, Brera, GT, GTV, Spider, FIAT Brava, Bravo, Coupe, Doblo, Idea, Mera, Multipla. Stilo, Strada. LANCIA Detra, Kappa, Lybra, Musa, Thesis. SUZUKI SX4.



Flat Copper Washers

Pack of I.D. x O.D. x Thickness Part No.

HSU35 19 x 26 x 2.0 mm

Suits VOLVO (Other than 3 Series).



Flat Copper Washers

Pack of I.D. x O.D. x Thickness Part No.

HSU1420 50 14 x 20 x 1.5 mm

Suits VAUXHALL Astra, Cavalier, Combo, Corsa, Corsavan, Nova. OPEL/ Soils Vauxhall Astra, Cavailet, Cuillou, Coisa, Ciusavaii, Nova, D'FLY VAUXHALL Ascona, Astra, Calibra, Carlfon, Cavalier, Corsa, Frontera, Kadett, Manta, Nova, Omega, Rekord, Senator, Tigra, Vectra, Zafira. CHRYSLER 300 C, PT Cruiser, Voyager. MERCEDES Klasse A, B, CE, G, V, GL, MSL, SLK, Sprinter, TJ, Yaneo, Vito AUDI 80, 99, 100, 200, A4, A6, A8, Quattro. SEAT Ibiza, Inca. SKODA Fabia, Felica. VW Caddy, Fox, Golf 1.



PLEASE NOTE: Vehicle listings for sump plugs are for guidance only





000

ၛၟ

 \odot



Nitrile Rubber O-Rings

Part No. Pack of I.D. x Thickness HSU50 18 x 2 NBR

Suits VAUXHALL Astra F G H, Combo, Corsa B C D, Vectra B C



Aluminium Washers

Pack of I.D. x O.D. x Thickness

HSU1215 50 12 x 15 x 1.5 mm

Suits BMW Series 1, 3, 5, 6, 7, X3, X5, X6, Z1, Z3, Z4.



Fibre Washers

Part No. Pack of I.D. x O.D. x Thickness

HSU40 12 x 24 x 2.0 mm

Suits TOYOTA Auris, Avensis, Camry, Carina, Celica, Corolla, Corona, Hiace, Hilux, Land Cruiser, Prius, Rav 4, Starlet, Supra, Yaris.



Fibre Washers

Pack of I.D. x O.D. x Thickness Part No.

HSU41 18 x 29 x 2.0 mm

Suits TOYOTA (Large Engines inc. Supra).



Flanged Rubber O-Rings

Pack of I.D. x O.D. x Thickness Part No.

HSU60 11 x 21 x 2.5 mm

Suits VAUXHALL Astra G, Omega B, Signum, Vectra BC, Zafira.



Flanged Rubber O-Rings

Pack of I.D. x O.D. x Thickness Part No.

HSU51 50 13 x 22 x 3.0 mm

Suits CHRYSLER 300, Caravan, Cirrus, Crossfire, Le Baron, Neo, PT Cruiser,

Sebring, Stratus, Voyager. FORD C-Max, Cougar, Courier, Escort, Fiesta, Focus, C-Max Focus, Fusion, Galaxy, Ka, Maverick, Mondeo, Puma, S-Max, Transit.



Pack of I.D. x O.D. x Thickness

HSU1217AL 50 **12 x 17 x 1.5 mm**

Suits BMW Series 1, 2, 3,5, 7, 8, X5, Z4. MERCEDES 190, SL, CLK, T1, Klasse C, E, G, S. MINI One D.

Aluminium Washers

Aluminium Washers

Pack of I.D. x O.D. x Thickness Part No.

HSU25 50 14 x 22 x 2.0 mm

Suits ROVER (All HONDA Engines), HONDA (New Models)



Bonded Seals

Part No. Pack of I.D. x O.D.

HSU21 50 16.7 x 24 mm

Suits FORD Mondeo (Zetec Engines). FORD Focus & KA



Nylon Washers

Part No. Pack of I.D. x O.D. x Thickness

13 x 20 x 2.0 mm HSU19

Suits FORD OHV.



Aluminium Washers

Pack of I.D. x O.D. x Thickness

HSU1824AL 50 18 x 24 x 1.5 mm

Suits VOLVO, PORSCHE.



Nylon Washers

Part No. Pack of I.D. x O.D. x Thickness

HSU₂0 14.5 x 22 x 2.0 mm

Suits FORD OHO



Aluminium Washers

Part No. Pack of I.D. x O.D. x Thickness

22 x 27 x 1.5 mm 50

Suits FIAT (Except Diesel), MERCEDES (Some).



Sump Plug Washers

Part No.

Box of



AB117N 265 Pieces

4 x Copper Compression: 12 x 17 x 2.00, 14 x 20 x 2.0, 16 x 22 x 2.0, 18 x 24 x 2.0 mm.

4 x Flat Copper: 10 x 20 x 2.00, 12 x 17 x 1.5, 14 x 20 x 1.5,

14 x 20 x 2.0 mm.

2 x Aluminium: 14 x 22 x 2.0, 18 x 24 x 1.5 mm.

2 x Flanged Rubber O-ring: 11 x 21 2.5, 13 x 22 x 3.0 mm. 1 x Nitrile Rubber O-Ring: 18 x 2 NBR.

1 x Fibre: 12 x 24 x 2.0 mm. 1 x Bonded Seal: 16.7 x 24 mm.



 \odot

 \odot

000



O-Rings - Imperial

Nitrile rubber. BS 1806.

| Mithic Fobber. D3 1000. | | | | | | |
|-------------------------|---|---|--|--|--|--|
| | ARP/BS | I.D. x Thickness | Part No. Pack of | | | |
| | 006 | 2.90 x 1.78 mm | 100 | AB101/1 | | |
| | 009 | 5.28 x 1.78 mm | 100 | AB101/4 | | |
| | 010 | 6.07 x 1.78 mm | 100 | AB101/5 | | |
| | 011 | 7.66 x 1.78 mm | 100 | AB101/6 | | |
| | 110 | 9.19 x 2.62 mm | 100 | AB101/8 | | |
| | 111 | 10.78 x 2.62 mm | 100 | AB101/9 | | |
| | 112 | 12.37 x 2.62 mm | 100 | AB101/10 | | |
| | 211 | 20.22 x 3.53 mm | 100 | AB101/16 | | |
| | 212 | 21.82 x 3.53 mm | 100 | AB101/17 | | |
| | 215 | 26.58 x 3.53 mm | 100 | AB101/20 | | |
| | 216 | 28.17 x 3.53 mm | 100 | AB101/21 | | |
| | 217 | 29.75 x 3.53 mm | 100 | AB101/22 | | |
| | 218 | 31.34 x 3.53 mm | 100 | AB101/23 | | |
| | 219 | 32.92 x 3.53 mm | 100 | AB101/24 | | |
| | 220 | 34.52 x 3.53 mm | 100 | AB101/25 | | |
| | 221 | 36.10 x 3.53 mm | 100 | AB101/26 | | |
| | 222 | 37.69 x 3.53 mm | 100 | AB101/27 | | |
| | 325 | 37.47 x 5.33 mm | 100 | AB101/28 | | |
| | 326 | 40.65 x 5.33 mm | 100 | AB101/29 | | |
| | 327 | 43.82 x 5.33 mm | 100 | AB101/30 | | |
| | 212 215 216 217 218 219 220 221 222 325 326 | 21.82 x 3.53 mm 26.58 x 3.53 mm 28.17 x 3.53 mm 29.75 x 3.53 mm 31.34 x 3.53 mm 32.92 x 3.53 mm 34.52 x 3.53 mm 36.10 x 3.53 mm 37.69 x 3.53 mm 37.47 x 5.33 mm 40.65 x 5.33 mm | 100 100 100 100 100 100 100 100 100 100 | AB101/17 AB101/20 AB101/21 AB101/22 AB101/23 AB101/24 AB101/25 AB101/26 AB101/27 AB101/28 AB101/29 | | |



| AR101 | 382 Piece | 29 |
|-------|-----------|----|

30 x Sizes (ARP/BS) LD. x Thickness: 2.90 x 1.78 (006), 3.68 x 1.78 (007), 4.48 x 1.78 (008), 5.28 x 1.78 (009), 6.07 x 1.78 (010), 7.66 x 1.78 (011), 9.25 x 1.78 (012), 31.34 x 3.53 (218), 32.92 x 3.53 (219), 34.52 x 3.53 (220), 36.10 x 3.53 (221), 37.69 x 3.53 (222), 37.47 x 5.33 (325), 40.65 x 5.33 (326), 43.82 x 5.33 (327).



- Metric

Nitrile rubber. BS 4518.

Box of

30 x Sizes (Peg Ref) I.D. x Thickness: 3 x 2 (006), 4 x 2 (007), 5 x 2 (008), 6 x 2 (009), 7 x 2 (010), 8 x 2 (011), 10 x 2 (012), 10 x 2.5 (110), 11 x 2.5 (111),



O-Rings - Metric

Nitrile rubber. BS 4518.

| Part No. | Pack of | I.D. x Thickness | Peg No. |
|----------|---------|------------------|---------|
| AB100/1 | 100 | 3 x 2 mm | 006 |
| AB100/2 | 100 | 4 x 2 mm | 007 |
| AB100/3 | 100 | 5 x 2 mm | 008 |
| AB100/4 | 100 | 6 x 2 mm | 009 |
| AB100/5 | 100 | 7 x 2 mm | 010 |
| AB100/6 | 100 | 8 x 2 mm | 011 |
| AB100/7 | 100 | 10 x 2 mm | 012 |
| AB100/8 | 100 | 10 x 2.5 mm | 110 |
| AB100/9 | 100 | 11 x 2.5 mm | 111 |
| AB100/10 | 100 | 12 x 2.5 mm | 112 |
| AB100/11 | 100 | 14 x 2.5 mm | 113 |
| AB100/12 | 100 | 16 x 2.5 mm | 114 |
| AB100/13 | 100 | 17 x 2.5 mm | 115 |
| AB100/14 | 100 | 19 x 2.5 mm | 116 |
| AB100/15 | 100 | 19 x 3 mm | 210 |
| AB100/16 | 100 | 20 x 3 mm | 211 |
| AB100/17 | 100 | 22 x 3 mm | 212 |
| AB100/18 | 100 | 24 x 3 mm | 213 |
| AB100/19 | 100 | 25 x 3 mm | 214 |
| AB100/20 | 100 | 27 x 3 mm | 215 |
| AB100/21 | 100 | 28 x 3 mm | 216 |
| AB100/22 | 100 | 30 x 3 mm | 217 |
| AB100/23 | 100 | 32 x 3 mm | 218 |
| AB100/24 | 100 | 33 x 3 mm | 219 |
| AB100/25 | 100 | 35 x 3 mm | 220 |
| AB100/26 | 100 | 36 x 3 mm | 221 |
| AB100/27 | 100 | 38 x 3 mm | 222 |
| AB100/28 | 100 | 38 x 4 mm | 325 |
| AB100/29 | 100 | 42 x 4 mm | 326 |
| AB100/30 | 100 | 45 x 4 mm | 327 |
| | | | |

Assorted Box of O-Rings - Imperial

Nitrile rubber. BS 1806.

Part No. Box of

325 Pieces

10 x ARP/BS: 008, 010, 011, 012, 013, 014, 016, 116,

Assorted Box of O-Rings - Metric

Nitrile rubber. BS 4518.

Part No. Box of

AB81 325 Pieces

 $4\,x$ L.D. x Thickness: $4.1\,x$ 1.6, $6.1\,x$ 1.6, $10.1\,x$ 1.6, $12.1\,x$ 1.6, $4\,x$ L.D. x Thickness: $7.6\,x$ 2.4, $9.6\,x$ 2.4, $11.6\,x$ 2.4, $12.6\,x$ 2.4, $2\,x$ L.D. x Thickness: $19.5\,x$ 3.0, $24.5\,x$ 3.0.

O-Ring Splicing Kit

Nitrile rubber.

Part No. Description

AB126 14 Piece Kit

5 x Imperial Nitrile Rubber Cord, 1 m Lengths: 1/16", 3/32". 1/8". 3/16". 1/4". 6 x Metric Nitrile Rubber Cord, 1 m Lengths: 1.6, 2, 3, 4, 5, 5.7 mm.

1 x Trimming Knife. 1 x Cutting Block. 1 x S-A-S Super Glue: 5g.





| • |
|----------|
| 1 |
| |
| P |
| 7 |
| F |
| 7 |
| |
| |
| |
| |
| - |
| F |
| 7 |
| |
| - |
| |
| |
| |
| - 1 |
| 7 |
| F |
| 7 |
| - |
| - 1 |
| |
| |
| |
| - 1 |
| 7 |
| |
| 7 |
| <u>*</u> |
| |
| P |
| |
| |
| - 1 |

Nitrile rubber. BS 1806.

Part No. Box of




9.19 x 2.62 (110), 10.78 x 2.62 (111), 12.37 x 2.62 (112), 13.95 x 2.62 (113), 15.54 x 2.62 (114), 17.13 x 2.62, (115), 18.72 x 2.62 (116), 18.64 x 3.53 (210), 20.22 x 3.53 (211), 21.82 x 3.53 (212), 23.40 x 3.53 (213), 24.99 x 3.53 (214), 26.58 x 3.53 (215), 28.17 x 3.53 (216), 29.75 x 3.53 (217),



O-Rings Service Kit

Part No.





موما











Number Plate Fasteners - Self-Tappers with Plastic Head - Long

| Part No. | Pack of | Colour | Size | |
|----------|---------|--------|-------------|--|
| NP10 | 100 | White | 4.8 x 24 mm | |
| NP11 | 100 | Yellow | 4.8 x 24 mm | |
| NP12 | 100 | Black | 4.8 x 24 mm | |
| NP21 | 100 | Blue | 4.8 x 24 mm | |
| NP40 | 100 | Green | 4.8 x 24 mm | |



Number Plate Fasteners - Plastic Number Plate Bolts & Nuts - Long

| Part No. | Pack of | Colour | Size |
|----------|-----------|-----------------|-----------|
| NP24 | 100 Pairs | No. Plate White | 6 x 22 mm |
| NP25 | 100 Pairs | Yellow | 6 x 22 mm |
| NP26 | 100 Pairs | Black | 6 x 22 mm |



Number Plate Fasteners - Self-Tappers with Plastic Head - Short

| Part No. | Pack of | Colour | Size |
|----------|---------|--------|-------------|
| NP16 | 100 | White | 4.8 x 18 mm |
| NP17 | 100 | Yellow | 4.8 x 18 mm |
| NP18 | 100 | Black | 4.8 x 18 mm |
| NP20 | 100 | Blue | 4.8 x 18 mm |
| NP39 | 100 | Green | 4.8 x 18 mm |

Assorted Box of Number Plate Fasteners with Plastic Head - Short

Self tapping screws with plastc head, 4.8 x 18 mm.

| Part No. | Box of | |
|----------------|---------------------------|--|
| AB184 | 260 Pieces | |
| 4 x Colours: W | hite Yellow, Black, Blue. | |

Actual Size Images





Number Plate Fasteners - Plastic Number Plate Bolts & Nuts - Short

| Part No. | Pack of | Colour | Size |
|----------|-----------|-----------------|-----------|
| NP1 | 100 Pairs | No. Plate White | 6 x 18 mm |
| NP2 | 100 Pairs | Yellow | 6 x 18 mm |
| NP5 | 100 Pairs | Black | 6 x 18 mm |

Assorted Box of Number Plate Fasteners

White, Yellow, Black,

| | , | |
|---------------|---------------------------------|-----------------------|
| Part No. | Box of | |
| AB62 | 240 P | airs |
| | ping Screw, P 4" (4.9 x 19 n | |
| 3 x Hinged | Caps: White, \ | Yellow, Black. |
| 3 x Plastic E | Rolts & Nuts: \ | White, Yellow, Black, |





O

موما





Number Plate Fasteners - Self-Tappers with Domes and Cups

No. 8 x 3/4" (4.2 x 19mm) Pan Head - Pozi.

| Part No. | Pack of | Colour | Size |
|----------|----------|--------|-------------|
| NP7 | 100 Sets | White | 4.2 x 19 mm |
| NP8 | 100 Sets | Yellow | 4.2 x 19 mm |
| NP9 | 100 Sets | Black | 4.2 x 19 mm |
| NP22 | 100 Sets | Blue | 4.2 x 19 mm |



Number Plate Fasteners - Domes & Cups Can be used with Pan Head Pozi Self-Tapping Screw - No. 8.

| Part No. | Pack of | Colour |
|----------|-----------|--------|
| NP13 | 100 Pairs | White |
| NP14 | 100 Pairs | Yellow |
| NP15 | 100 Pairs | Black |
| NP23 | 100 Pairs | Blue |



Double-Sided Adhesive Pads - Number Plate Pads

| Part No. | Pack of | Size | |
|----------|---------|------------|--|
| VC401 | 20 x 3 | 80 x 25 mm | |



Number Plate Fasteners - Self-Tappers with Hinged Caps No. 8 x 3/4" (4.2 x 19mm) Pan Head - Pozi.

| 140. 6 X 5/4 (4.2 X 1511111) 1 difficult 1 021. | | | | |
|---|-----------|--|--------|-------------|
| Part No. | Pack of | | Colour | Size |
| NP3 | 100 Pairs | | White | 4.2 x 19 mm |
| NP4 | 100 Pairs | | Yellow | 4.2 x 19 mm |
| NP6 | 100 Pairs | | Black | 4.2 x 19 mm |
| NP19 | 100 Pairs | | Blue | 4.2 x 19 mm |
| NP37 | 100 Pairs | | Green | 4.2 x 19 mm |



Security Number Plate Fasteners - Self-Tappers with Hinged Caps

No. 8 x 3/4" (4.2 x 19mm) Pan Head - Slotted One Way/Clutch Head Screws (Tamperproof).

| Part No. | Pack of | Colour | Size |
|----------|-----------|--------|-------------|
| NP33 | 100 Pairs | White | 4.2 x 19 mm |
| NP34 | 100 Pairs | Yellow | 4.2 x 19 mm |
| NP35 | 100 Pairs | Black | 4.2 x 19 mm |
| NP36 | 100 Pairs | Blue | 4.2 x 19 mm |
| NP38 | 100 Pairs | Green | 4.2 x 19 mm |

Assorted Box of Security Number Plate **Fasteners**

Slotted One Way/Clutch Head Screws (Tamperproof).

AB222 200 Pieces

1 x Self-Tapping Screw, Pan-Head -One-Way: 8 x 3/4" (4.9 x 19 mm). 4 x Hinged Caps: White, Yellow, Black, Blue.



































Self-Tapping Screws Pan Head - Pozi

AB Type. Zinc plated steel. DIN 7981/C/Z.

| AD Type. Zine | . platea stee | .i. Dii | |
|---------------|---------------|----------------|---------------|
| Part No. | Pack of | Gauge x Length | Size x Length |
| HTP4/4 | 200 | 4 x 1/2" | 2.9 x 13 mm |
| HTP4/6 | 200 | 4 x 3/4" | 2.9 x 19 mm |
| HTP6/4 | 200 | 6 x 1/2" | 3.5 x 13 mm |
| HTP6/5 | 200 | 6 x 5/8" | 3.5 x 16 mm |
| HTP6/6 | 200 | 6 x 3/4" | 3.5 x 19 mm |
| HTP6/8 | 200 | 6 x 1" | 3.5 x 25 mm |
| HTP6/10 | 200 | 6 x 1 1/4" | 3.5 x 32 mm |
| HTP8/4 | 200 | 8 x 1/2" | 4.2 x 13 mm |
| HTP8/5 | 200 | 8 x 5/8" | 4.2 x 16 mm |
| HTP8/6 | 200 | 8 x 3/4" | 4.2 x 19 mm |
| HTP8/8 | 200 | 8 x 1" | 4.2 x 25 mm |
| HTP8/12 | 100 | 8 x 1 1/2" | 4.2 x 38 mm |
| HTP10/4 | 200 | 10 x 1/2" | 4.8 x 13 mm |
| HTP10/5 | 200 | 10 x 5/8" | 4.8 x 16 mm |
| HTP10/6 | 200 | 10 x 3/4" | 4.8 x 19 mm |
| HTP10/8 | 200 | 10 x 1" | 4.8 x 25 mm |
| HTP10/10 | 200 | 10 x 1 1/4" | 4.8 x 32 mm |
| HTP10/12 | 200 | 10 x 1 1/2" | 4.8 x 38 mm |
| HTP12/4 | 200 | 12 x 1/2" | 5.5 x 13 mm |
| HTP12/6 | 200 | 12 x 3/4" | 5.5 x 19 mm |
| HTP12/8 | 200 | 12 x 1" | 5.5 x 25 mm |
| HTP12/12 | 200 | 12 x 1 1/2" | 5.5 x 38 mm |
| HTP12/16 | 100 | 12 x 2" | 5.5 x 51 mm |
| HTP12/24 | 100 | 12 x 3" | 5.5 x 76 mm |
| HTP14/6 | 100 | 14 x 3/4" | 6.3 x 19 mm |
| HTP14/8 | 200 | 14 x 1" | 6.3 x 25 mm |
| HTP14/12 | 200 | 14 x 1 1/2" | 6.3 x 38 mm |
| | | | |



AB Type. Zinc plated steel. DIN 7981/C/Z.

Part No. Box of

AB₂ 700 Pieces

1 x No. 4: x 1/2". 2 x No. 6: x 1/2", 3/4". 3 x No. 8: x 1/2", 3/4", 1". 3 x No. 10: x 1/2", 3/4", 1". 2 x No. 12: x 3/4", 1".



Part No. Box of

AB94 300 Pieces

4 x No. 10: x 1/2", 3/4", 1", 1 1/2".

3 x No. 12: x 3/4", 1", 1 1/2". 2 x No. 14: x 1", 1 1/2".











Stainless Steel Self-Tapping Screws Pan Head - Pozi

AB Type, Stainless Steel, DIN 7981 Grade A2.

| Part No. | Pack of | Gauge x Length | Size x Length |
|----------|---------|----------------|---------------|
| HTA6/4 | 200 | 6 x 1/2" | 3.5 x 13 mm |
| HTA6/6 | 200 | 6 x 3/4" | 3.5 x 19 mm |
| HTA6/8 | 200 | 6 x 1" | 3.5 x 25 mm |
| HTA8/4 | 200 | 8 x 1/2" | 4.2 x 13 mm |
| HTA8/6 | 200 | 8 x 3/4" | 4.2 x 19 mm |
| HTA8/8 | 200 | 8 x 1" | 4.2 x 25 mm |
| HTA10/4 | 200 | 10 x 1/2" | 4.8 x 13 mm |
| HTA10/6 | 200 | 10 x 3/4" | 4.8 x 19 mm |
| HTA10/8 | 200 | 10 x 1" | 4.8 x 25 mm |

Assorted Box of Stainless Steel Self-Tapping Screws Pan Head - Pozi

AB Type. Stainless Steel. DIN 7981 Grade A2.

AB141 450 Pieces

3 x No. 6: x 1/2", 3/4", 1". 3 x No. 8: x 1/2", 3/4", 1". 3 x No. 10: x 1/2", 3/4", 1".









Self-Tapping Screws (Floorboards/Decking) Countersunk Head - Pozi

B Type. Zinc plated steel. DIN 7982/F/Z.







'Max Box' Assortment of Self-Tapping Screws Pan Head - Pozi

AB Type, Zinc plated steel, DIN 7981/C/Z.

Part No. Box of

AB507 1,150 Pieces

1 x No. 4: x 1/2", 3 x No. 6: x 1/2", 3/4", 1", 3 x No. 8: x 1/2", 3/4", 1". 4 x No. 10: x 1/2", 3/4", 1", 1 1/2". 3 x No. 12: x 3/4", 1", 1 1/2". 2 x No. 14: x 1", 1 1/2".













Self-Tapping Screws Countersunk Head - Pozi

AB Type. Zinc plated steel, DIN 7982/C/Z.

| AB Type. Zinc plated steel. DIN 7982/C/Z. | | | | | |
|---|---------|----------------|---------------|--|--|
| Part No. | Pack of | Gauge x Length | Size x Length | | |
| HTC4/4 | 200 | 4 x 1/2" | 2.9 x 13 mm | | |
| HTC4/6 | 200 | 4 x 3/4" | 2.9 x 19 mm | | |
| HTC6/4 | 200 | 6 x 1/2" | 3.5 x 13 mm | | |
| HTC6/5 | 200 | 6 x 5/8" | 3.5 x 16 mm | | |
| HTC6/6 | 200 | 6 x 3/4" | 3.5 x 19 mm | | |
| HTC6/8 | 200 | 6 x 1" | 3.5 x 25 mm | | |
| HTC6/10 | 200 | 6 x 1 1/4" | 3.5 x 32 mm | | |
| HTC6/12 | 200 | 6 x 1 1/2" | 3.5 x 38 mm | | |
| HTC8/4 | 200 | 8 x 1/2" | 4.2 x 13 mm | | |
| HTC8/5 | 200 | 8 x 5/8" | 4.2 x 16 mm | | |
| HTC8/6 | 200 | 8 x 3/4" | 4.2 x 19 mm | | |
| HTC8/8 | 200 | 8 x 1" | 4.2 x 25 mm | | |
| HTC8/12 | 200 | 8 x 1 1/2" | 4.2 x 38 mm | | |
| HTC8/16 | 200 | 8 x 2" | 4.2 x 51 mm | | |
| HTC10/4 | 200 | 10 x 1/2" | 4.8 x 13 mm | | |
| HTC10/5 | 200 | 10 x 5/8" | 4.8 x 16 mm | | |
| HTC10/6 | 200 | 10 x 3/4" | 4.8 x 19 mm | | |
| HTC10/8 | 200 | 10 x 1" | 4.8 x 25 mm | | |
| HTC10/10 | 200 | 10 x 1 1/4" | 4.8 x 32 mm | | |
| HTC10/12 | 200 | 10 x 1 1/2" | 4.8 x 38 mm | | |
| HTC10/16 | 200 | 10 x 2" | 4.8 x 51 mm | | |
| HTC12/6 | 100 | 12 x 3/4" | 5.5 x 19 mm | | |
| HTC12/8 | 100 | 12 x 1" | 5.5 x 25 mm | | |
| HTC12/12 | 100 | 12 x 1 1/2" | 5.5 x 38 mm | | |
| HTC14/12A | 200 | 14 x 1 1/2" | 6.3 x 38 mm | | |
| HTC14/14A | 200 | 14 x 1 3/4" | 6.3 x 44 mm | | |
| HTC14/16A | 200 | 14 x 2" | 6.3 x 51 mm | | |

Assorted Box of Self-Tapping Screws Countersunk - Pozi

AB Type. Zinc plated steel. DIN 7982/C/Z.

Part No. Box of

AB63N 550 Pieces

4 x No. 6: x 5/8", 3/4", 1", 1 1/2". 4 x No. 8: x 5/8", 3/4", 1", 1 1/2". 4 x No. 10: x 5/8", 3/4", 1", 1 1/2".





Assorted Pack of Plastic Wall Plugs

| Part No. | Pack of | | |
|--------------------|------------|--|--|
| AP49 | 400 Pieces | | |
| 3 v Colours Vellow | Red Brown | | |



Multi-purpose Countersunk Screws - Pozi Zinc plated steel. 3/4 thread

• Suitable for use with a variety of materials including wood.

| - Joitubic Ioi | OJC WIT | and variety of materials in | cidali 16 wood. |
|----------------|---------|-----------------------------|-----------------|
| Part No. | Pack of | Gauge x Length | Size x Length |
| HTW6/6 | 200 | 6 x 3/4" | 3.5 x 19 mm |
| HTW6/8 | 200 | 6 x 1" | 3.5 x 25 mm |
| HTW6/10 | 200 | 6 x 1 1/4" | 3.5 x 32 mm |
| HTW6/12 | 200 | 6 x 1 1/2" | 3.5 x 38 mm |
| HTW8/4 | 200 | 8 x 1/2" | 4.2 x 13 mm |
| HTW8/6 | 200 | 8 x 3/4" | 4.2 x 19 mm |
| HTW8/10 | 200 | 8 x 1 1/4" | 4.2 x 32 mm |
| HTW8/12 | 200 | 8 x 1 1/2" | 4.2 x 38 mm |
| HTW8/14 | 200 | 8 x 1 3/4" | 4.2 x 44 mm |
| HTW8/16 | 200 | 8 x 2" | 4.2 x 51 mm |
| HTW8/20 | 200 | 8 x 2 1/2" | 4.2 x 63 mm |
| HTW8/24 | 200 | 8 x 3" | 4.2 x 76 mm |
| HTW10/8 | 200 | 10 x 1" | 4.8 x 25 mm |
| HTW10/12 | 200 | 10 x 1 1/2" | 4.8 x 38 mm |
| HTW10/16 | 200 | 10 x 2" | 4.8 x 51 mm |
| HTW10/20 | 200 | 10 x 2 1/2" | 4.8 x 63 mm |
| HTW10/24 | 200 | 10 x 3" | 4.8 x 76 mm |
| HTW12/8 | 100 | 12 x 1" | 5.5 x 25 mm |
| HTW12/12 | 100 | 12 x 1 1/2" | 5.5 x 38 mm |
| HTW12/24 | 100 | 12 x 3" | 5.5 x 76 mm |
| | | | |

Assorted Box of Multi-Use Screws Countersunk - Pozi

Zinc plated steel.

Part No. Box of

AB140 525 Pieces

3 x No. 6: x 3/4", 1", 1 1/2". 4 x No. 8: x 3/4", 1", 1 1/2", 2".

3 x No. 10: x 1 1/2", 2", 2 1/2". 1 x No. 12: x 2".







































Self-Tapping Screws Flanged Head - Pozi Black

AB Type. Black zinc plated steel. BS 4174.

| Ab Type. Didek Zirie pidted steel. b5 4174. | | | | |
|---|---|--|--|--|
| Pack of | Gauge x Length | Size x Length | | |
| 200 | 6 x 3/8" | 3.5 x 10 mm | | |
| 200 | 6 x 1/2" | 3.5 x 13 mm | | |
| 200 | 6 x 5/8" | 3.5 x 16 mm | | |
| 200 | 6 x 3/4" | 3.5 x 19 mm | | |
| 200 | 6 x 1" | 3.5 x 25 mm | | |
| 200 | 8 x 3/8" | 4.2 x 10 mm | | |
| 200 | 8 x 1/2" | 4.2 x 13 mm | | |
| 200 | 8 x 5/8" | 4.2 x 16 mm | | |
| 200 | 8 x 3/4" | 4.2 x 19 mm | | |
| 200 | 8 x 1" | 4.2 x 25 mm | | |
| 100 | 8 x 1 1/4" | 4.2 x 32 mm | | |
| 200 | 8 x 1 1/2" | 4.2 x 38 mm | | |
| 200 | 10 x 3/8" | 4.8 x 10 mm | | |
| 200 | 10 x 1/2" | 4.8 x 13 mm | | |
| 200 | 10 x 5/8" | 4.8 x 16 mm | | |
| 200 | 10 x 3/4" | 4.8 x 19 mm | | |
| 200 | 10 x 1" | 4.8 x 25 mm | | |
| | Packof 200 200 200 200 200 200 200 200 200 20 | Packof Gaugex Length 200 6 x 3/8" 200 6 x 1/2" 200 6 x 5/8" 200 6 x 3/4" 200 6 x 1" 200 8 x 3/8" 200 8 x 1/2" 200 8 x 5/8" 200 8 x 3/4" 200 8 x 11/4" 200 8 x 1 1/2" 200 10 x 3/8" 200 10 x 5/8" 200 10 x 3/4" | | |



AB Type. Black zinc plated steel. BS 4174.

Part No. Box of

AB71 700 Pieces

2 x No. 6: x 1/2", 3/4". 4 x No. 8: x 1/2", 3/4", 1", 1 1/2". 3 x No. 10: x 1/2", 3/4", 1".







AB Type. Black zinc plated steel. BS 4174.

Part No. Box of

AB506 1,250 Pieces

6 x No. 6: x 3/8", 1/2", 5/8", 3/4", 1", 3/8". 5 x No. 8: x 1/2", 5/8", 3/4", 1", 1 1/2". 4 x No. 10: x 1/2", 5/8", 3/4", 1".





Self-Tapping Screws Flanged Head - TORX® Black

AB Type. Black zinc plated steel. BS 4174.

| Part No. | Pack of | Gauge x Length | Size x Length | |
|---------------|---------|----------------|---------------|--|
| HXT6/5 | 100 | 6 x 5/8" | 3.5 x 16 mm | |
| HXT7/6 | 100 | 7 x 3/4" | 3.9 x 19 mm | |
| HXT8/5 | 100 | 8 x 5/8" | 4.2 x 16 mm | |
| HXT8/6 | 100 | 8 x 3/4" | 4.2 x 19 mm | |
| HXT8/8 | 100 | 8 x 1" | 4.2 x 25 mm | |
| HXT10/5 | 100 | 10 x 5/8" | 4.8 x 16 mm | |

Assorted Box of Self-Tapping Screws Flanged Pan Head - TORX® Black

AB Type. Black zinc plated steel. BS 4174.

Part No. Box of

AB168N 450 Pieces

1 x No. 6: x 5/8". 1 x No. 7: x 3/4". 3 x No. 8: x 5/8", 3/4", 1". 1 x No. 10: x 5/8".





Self-Drill Fixings

| Part No. | Pack of | Size |
|----------|---------|------|
| НСТ8 | 50 | M8 |





AP49 400 Pieces

3 x Colours: Yellow, Red, Brown.





















Self-Drilling Screws - Hex Head

Zinc plated steel. DIN 7504K.

| Part No. | Pack of | Gauge x Length | Size x Length |
|----------|---------|----------------|---------------|
| HHD8/4 | 200 | 8 x 1/2" | 4.2 x 13 mm |
| HHD8/6 | 200 | 8 x 3/4" | 4.2 x 19 mm |
| HHD8/8 | 200 | 8 x 1" | 4.2 x 25 mm |
| HHD10/4 | 200 | 10 x 1/2" | 4.8 x 13 mm |
| HHD10/6 | 200 | 10 x 3/4" | 4.8 x 19 mm |
| HHD10/8 | 200 | 10 x 1" | 4.8 x 25 mm |
| HHD12/8 | 200 | 12 x 1" | 5.5 x 25 mm |
| HHD12/12 | 200 | 12 x 1 1/2" | 5.5 x 38 mm |
| HHD12/16 | 200 | 12 x 2" | 5.5 x 51 mm |
| HHD14/8 | 200 | 14 x 1" | 6.3 x 25 mm |
| HHD14/12 | 200 | 14 x 1 1/2" | 6.3 x 38 mm |
| HHD14/16 | 200 | 14 x 2" | 6.3 x 51 mm |

Assorted Box of Self-Drilling Screws **Hex Head**

Zinc plated steel. DIN 7504K.

Part No. Box of

AB138 400 Pieces

3 x No. 8: x 1/2", 3/4", 1". 3 x No. 10: x 1/2", 3/4", 1". 3 x No. 12: x 1", 1 1/2", 2".







Self-Drilling Screws, Pan Head - PHILLIPS

| Zinc plated steel. DIN 7504N. | | | | |
|-------------------------------|---------|----------------|---------------|--|
| Part No. | Pack of | Gauge x Length | Size x Length | |
| HPD6/4 | 200 | 6 x 1/2" | 3.5 x 13 mm | |
| HPD6/6 | 200 | 6 x 3/4" | 3.5 x 19 mm | |
| HPD6/8 | 200 | 6 x 1" | 3.5 x 25 mm | |
| HPD8/4 | 200 | 8 x 1/2" | 4.2 x 13 mm | |
| HPD8/6 | 200 | 8 x 3/4" | 4.2 x 19 mm | |
| HPD8/8 | 200 | 8 x 1" | 4.2 x 25 mm | |
| HPD10/4 | 200 | 10 x 1/2" | 4.8 x 13 mm | |
| HPD10/6 | 200 | 10 x 3/4" | 4.8 x 19 mm | |
| HPD10/8 | 200 | 10 x 1" | 4.8 x 25 mm | |
| HPD10/12 | 200 | 10 x 1 1/2" | 4.8 x 38 mm | |
| HPD10/16 | 200 | 10 x 2" | 4.8 x 51 mm | |

Assorted Box of Self-Drilling Screws Pan Head - Phillips

Zinc plated steel. DIN 7504N.

Part No. Box of

AB137 500 Pieces

3 x No. 6: x 1/2", 3/4", 1". 3 x No. 8: x 1/2", 3/4", 1". 5 x No. 10: x 1/2", 3/4", 1". 1/2", x 2".





Zinc plated steel. DIN 6928.

| Part No. | Pack of | Gauge x Length | Size x Length | |
|----------|---------|----------------|---------------|--|
| AS1 | 100 | 8 x 3/4" | 4.2 x 19 mm | |
| AS2 | 100 | 10 x 3/4" | 4.8 x 19 mm | |
| AS3 | 100 | 12 x 3/4" | 5.5 x 19 mm | |



Sheet Metal Screws with Captive Washer

Zinc plated steel. DIN 7976.

| Part No. | Pack of | Gauge x Length | Size x Length |
|----------|---------|----------------|---------------|
| AS12 | 100 | 8 x 1/2" | 4.2 x 13 mm |
| AS22 | 100 | 10 x 1/2" | 4.8 x 13 mm |
| AS32 | 100 | 12 x 1/2" | 5.5 x 13 mm |
| AS42 | 100 | 14 x 1/2" | 6.3 x 13 mm |



Sheet Metal Screws with Captive Washer Zinc plated steel. DIN 7976.

| Part No. | Pack of | Gauge x Length | Size x Length |
|----------|---------|----------------|---------------|
| AS13 | 100 | 8 x 3/4" | 4.2 x 19 mm |
| AS23 | 100 | 10 x 3/4" | 4.8 x 19 mm |
| AS33 | 100 | 12 x 3/4" | 5.5 x 19 mm |
| AS4 | 100 | 14 x 3/4" | 6.3 x 19 mm |


Assorted Box of Sheet Metal Screws with Captive Washer

Zinc plated steel. DIN 7976 (Screws).

Part No. Box of

AB132 300 Pieces

2 x 8 (4.2 mm): x 1/2" (13 mm), 3/4" (19 mm). 2 x 10 (4.8 mm): x 1/2" (13 mm), 3/4" (19 mm). 2 x 12 (5.5 mm): x 1/2" (13 mm), 3/4" (19 mm). 2 x 14 (6.3 mm): x 1/2" (13 mm), 3/4" (19 mm).































Gauge x L: 12 x 3/4" Head Ø: 16 mm

| Part No. | Pack of |
|-------------------|---------|
| FIX726 | 20 |
| Honda 90114SE0000 | |



| Black Flanged PH Head Screws |
|---|
| Thread Ø x L: 4.2 x 13 mm Head Ø: 12 mm |
| art No. Pack o |

| Part No. | Pack of |
|----------|---------|
| FIX728 | 20 |
| Universa | 1 |



Black Bumper Cover PH Screws Thread Ø x L: 4.8 x 14 mm Washer Ø: 16 mm

| Part No. | Pack O |
|-------------------|--------|
| FIX734 | 20 |
| Honda 90126SR4000 | |



Black Flanged PH Head Screws Gauge x I · 14 x 3/4" Head Ø· 15 mm

| 0008C V F. 14 V 2/4 LICORD. 1 | וווווו |
|-------------------------------|---------|
| Part No. | Pack of |
| FIX719 | 20 |
| Hyundai 9215522000 | |



Black Flanged Head PH Screws Gauge x L: 14 x 1" Head Ø: 16 mm

| Part No. | Pack |
|----------|---------|
| FIX720 | 2 |
| Hyund | ai / VW |



1:1



























Black Bolts For Bumper Head Ø v H: 18 v 2/

| 11Cuu D A 11. 10 A 24 | | |
|-----------------------|---------------|--------|
| Part No. | | Pack o |
| FIX725 | | 10 |
| | Fiat 46419734 | |



Dacromat Finish TX Bolt Screws

| TITLEGOT, MID X TO TITLIT HEAD DE T | 4111111 |
|-------------------------------------|---------|
| Part No. | Pack of |
| FIX733 | 20 |
| Marr N00000001476 | |



Black TX Body Screws with Captive Washers Gauge x L: 8 x 5/8" Washer Ø: 14 mm

| Pack of |
|---------|
| 50 |
| |



Black TX20 Washer Faced Body Screws Thread Ø x L: 4.8 x 17 mm Head Ø: 15 mm

| Pack of |
|---------|
| 50 |
| |



Black TX Body Screws Thread Ø x L: 5.2 x 16 mm Head Ø: 15 mm

| Part No. | Pack o |
|--------------------------|--------|
| FIX714 | 20 |
| VW N90775001 / N90648702 | |



Black TX Body Screws Thread Ø x L: 6.0 x 23 mm Head Ø: 15 mm Part No. Pack of **FIX715** 20 PSA



Black TX Screws Thread Ø x L: 4.8 x 23 mm Washer Ø: 16 mm Part No. Pack of **FIX729** 20 Renault 7701049008 / 7703017090



Black TX Bumper Bolts Thread: M6 x 20 mm Head Ø: 19 mm Part No. Pack of

FIX716 20 **PSA** 742723 **VW** 6N0807199 / N907750 01





Zinc Plated Hex Bolt Screws with Captive Washer Thread: M6 x 18 mm Washer Ø: 20 mm

| Part No. | Pack of |
|----------|---------|
| FIX150 | 50 |
| | |



Zinc Plated Hex Bolt Screws with Captive Washer Thread: M6 x 18 mm Washer Ø: 18 mm

| Part No. | Pack of |
|----------|---------|
| FIX151 | 50 |
| | |



Zinc Plated Hex Bolt Screws with Captive Washer Thread: M6 x 10 mm Washer Ø: 18 mm

| 50 |
|----|
| |



Zinc Plated Hex Bolt Screws with Captive Washer Thread: M6 x 12 mm Washer Ø: 18 mm

| Part No. | Pack of |
|----------|---------|
| FIX732 | 20 |



Black Hex Screws with Captive Washer
Thread Ø x L: 5.5 x 17 mm Washer Ø: 15 mm
Part No.
Pack of

| Part No. | Pack of |
|----------------|---------|
| FIX721 | 20 |
| BMW 7119904288 | |



Black Sheet Metal Screws, Washer Faced Gauge x L: 10 x 3/4" Washer Ø: 15 mm

| Part No. | Pack of |
|----------|---------|
| FIX155 | 50 |



Black Sheet Metal Screws with Captive Washer Gauge x L: 14 x 3/4" Washer Ø: 18 mm

| Part No. | Pack of |
|----------|---------|
| FIX153 | 50 |
| | |



Black 20 mm Hex Screws
Thread Ø x L: 5.6 x 22 mm Washer Ø: 20 mm
Part No.
Pack of

| Part No. | Pack of |
|----------|---------|
| FIX730 | 20 |
| | |



Black Sheet Metal Screws with Captive Washer Thread Ø x L: 4.8 x 13 mm Washer Ø: 22 mm

| Part No. | Pack of |
|----------|---------|
| FIX149 | 50 |
| | |



Black Hex Screws
Thread Ø x L: 4.8 x 17 mm Washer Ø: 26 mm
Part No. Pack of
FIX724 20

Merc 2019900536



Black Hex Bolt Screws with Washer Thread: M5 x 15 mm Washer Ø: 12.5 mm lart No. Pack of

20

| Part No. | |
|----------|--|
| FIX737 | |



Black Hex Bolt Screws with Washer Thread: M6 x 21 mm Washer Ø: 16.8 mm Part No. Pack o

| Part No. | Pack of |
|----------|---------|
| FIX735 | 20 |



Black Hex Bolt Screws with Washer Thread: M6 x 22 mm Washer Ø: 24 mm

| THI COO. WIO A 22 THIT W | usiici b. 24 iiiiii |
|--------------------------|---------------------|
| Part No. | Pack of |
| FIX736 | 20 |



Black Hex Bolt Screws with Washer Thread: M8 x 27 mm Washer Ø: 24 mm

| 1111 Cdd: 1110 71 27 | ~ |
|----------------------|--------|
| Part No. | Pack o |
| FIX731 | 20 |
| | |



Black Serrated Head Bolts Thread: M8 x 14 Head Ø: 16.5

| Part No. | Pack of |
|----------|---------|
| FIX738 | 20 |

000

အ

U-Nuts

Zinc plated steel. BS EN 10132: 2000







Screw Ø: No. 4 (2.9 mm) MylyD.0v11vEmm

| W Y F Y V' O Y II Y Y IIIII | |
|-----------------------------|---------|
| Part No. | Pack of |
| HUC7 | 100 |



| Part No. | Pack of |
|----------|---------|
| HUC11 | 100 |



Screw Ø: No. 6 (3.5 mm)

| W x L x R: 11 x 16.5 x | 7 mm |
|------------------------|---------|
| Part No. | Pack of |
| HUC1 | 100 |





Screw Ø: No. 8 (4.2 mm) W v I v D· 11 v 16 E v 7 mm

| | W X L X N. 11 X 10.3 X / IIIIII |
|----------|---------------------------------|
| Part No. | Pack of |
| HUC21 | 100 |
| | |



Screw Ø: No. 8 (4.2 mm) W x L x R: 12.5 x 14 x 7.5 mm Part No. Pack of

100

HUC2



Screw Ø: No. 8 (4.2 mm) W x L x R: 11 x 16.5 x 7 mm

| Part No. | Pack of |
|----------|---------|
| HUC22 | 100 |



Phosphate Silver Screw Ø: No. 8 (4.2 mm) W x L x R: 16.5 x 11 x 8 mm

| W A L A N. 10.3 A 11 A 0 IIIIII | | |
|---------------------------------|--------|--|
| Part No. | Pack o | |
| FIX154 | 50 | |
| GM 90270271 | | |



Zinc plated steel. Screw Ø: No. 8 (4.2 mm) W x L x R: 16 x 11 x 8 mm

| Part No. | Pack of |
|-----------------|---------|
| FIX653 | 20 |
| Merc 0009947345 | |



Screw Ø: No. 8 (4.2 mm) W x L x R: 11 x 24.5 x 14 mm

| Pack of |
|---------|
| 100 |
| |



Zinc plated steel. Screw Ø: No. 8 (4.2 mm) W x L x R: 11 x 25 x 16 mm

| Part No. | Pack of |
|-----------------|---------|
| FIX652 | 20 |
| Merc 1239940645 | |



Screw Ø: No. 10 (4.8 mm) W x L x R: 12.5 x 20 x 10 mm

| Pack of |
|---------|
| 100 |
| |



Screw Ø: No. 12 (5.5 mm)

| W X L X K. 15 X 3 | UX 11.5 IIIII |
|-------------------|---------------|
| Part No. | Pack of |
| HUC4 | 100 |
| | |



Screw Ø: No. 14 (6.3 mm) W x I x R · 14 x 21 x 11 mm

| W A L A N. 14 A 21 A 11 IIIIII | |
|--------------------------------|---------|
| Part No. | Pack of |
| HUC5 | 100 |
| | |



J-Nuts

Zinc plated steel.



Screw Ø: No. 8 (4.2 mm) W x L x R: 11.5 x 16.5 x 9 mm

| Pack of |
|---------|
| 100 |
| |
| |



Screw Ø: No. 10 (4.8 mm)

| W X L X R: 13 X 20 X | TO LIIIII |
|----------------------|-----------|
| Part No. | Pack of |
| HJC2 | 100 |
| | |



Screw Ø: No. 12 (5.5 mm) W x L x R: 15 x 25 x 12 mm

| Part No. | Pack of |
|----------|---------|
| НЈСЗ | 100 |
| | |



Screw Ø: No. 14 (6.3 mm) W x L x R: 14.5 x 25 x 13 mm

| Part No. | Pack of |
|----------|---------|
| HJC4 | 100 |
| | |



0



Zinc plated steel.

| Part No. | |
|----------|--|
| | |



Box of







Zinc plated steel.

Part No. Box of

AB166 200 Pieces 10 x Sizes: No. 4, 6 (x 2), 8 (x 4), 10, 12, 14.



ဇ္

Chimney Nuts





| *************************************** | |
|---|---------|
| Part No. | Pack of |
| HUC59 | 10 |
| | |



| 1:1 | Thread Ø: M6 |
|-----|----------------------------|
| | W x L x R: 14 x 24 x 15 mm |

| W X L X K. 14 X 24 X 15 IIIIII | |
|--------------------------------|---------|
| Part No. | Pack of |
| HUC55 | 25 |
| | |





| W X L X R: 16 X 24 X 12 MM Part No. | Pack of |
|--|---------|
| FIX722 | 20 |
| VW | |



1:1 Thread Ø: M5

| W X L X R: 15 X | 21 X 11 MM |
|-----------------|------------|
| Part No. | Pack of |
| HUC56 | 10 |
| | |



(1:1) Hole Ø: 3 W x L x R: 17 x 12 x 9.5 mm

| W A L A N. 17 A 12 A 3.3 I | |
|----------------------------|---------|
| Part No. | Pack of |
| FIX409 | 20 |
| Fiat 1488680 | |



Thread Ø: M5 W x L x R: 15.5 x 12 x 6 mm

| Part No. | Pack of |
|------------------|---------|
| FIX661 | 20 |
| Merc A0039944245 | |



Thread Ø: M6 W x L x R: 21 x 16 x 9 mm

| Part No. | Pack of |
|------------------|---------|
| FIX660 | 10 |
| Merc A0049941545 | |



(1:1) Thread Ø: M6 W x L x R: 16 x 18.5 x 9 mm

| Part No. | Pack of |
|----------|---------|
| HUC52 | 25 |



1:1 Thread Ø: M5 W x I x R· 15 x 21 x 10 mm

| Part No. | Pack of |
|----------|---------|
| HUC50 | 25 |



111 Hole Ø: 4

| Part No. | Pack of |
|----------------------------|---------|
| FIX453 | 20 |
| BMW 0714721877 / 514170256 | 09 |



11 Thread Ø: M6 W x L x R: 16 x 24 x 12 mm

| Part No. | Pack o | |
|----------|--------|--|
| HUC57 | 10 | |
| | | |



1:1 Thread Ø: M6 W x L x R: 16 x 23.5 x 12 mm

| Part No. | Pack of |
|----------|---------|
| HUC51 | 25 |
| | |



1:1 Thread Ø: M8 W x L x R: 18.5 x 28 x 14 mm

| Part No. | Pack of |
|----------|---------|
| HUC58 | 10 |
| | |







Zinc plated steel. DIN 7976 (Screws), BS EN 10132: 2000 (U-Nuts).

Part No. Box of

AB504 600 Pieces

3 x Washer Faced Screws: 8 x 3/4" (4.2 x 19 mm), 10 x 3/4" (4.8 x 19 mm), 12 x 3/4" (5.5 x 19 mm), 8 x Gaptive Washer Screws: 8 x 1/2" (4.2 x 13 mm), 8 x 3/4" (4.2 x 19 mm), 10 x 1/2" (4.8 x 13 mm), 10 x 3/4" (4.8 x 19 mm), 10 x 1/2" (5.5 x 13 mm), 12 x 3/4" (5.5 x 19 mm), 14 x 1/2" (6.3 x 13 mm), 14 x 3/4" (6.3 x 19 mm). 6 x U-Nuts: No. 8 (4.2 mm) (3 x Sizes), No. 10 (4.8 mm), No. 12 (5.5 mm), No. 14 (6.3 mm). 1 x J-Nuts: No. 14 (6.3 mm).

Assorted Box of Chimney Nuts

Zinc & Black.

Part No. Box of

AB167N 60 Pieces

1 x Zinc: M5. 2 x Zinc: M6. 1 x Black: M6.



Assorted Box of Sheet Metal Screws & J-Nuts

Zinc plated steel. BS 4174 (Screws).

Part No. Box of

AB51N 350 Pieces 3 x Washer-Faced Screws: No. 8, 10, 12. 1 x Screws with Captive Washers: No. 14.

4 x J-Nuts: No. 8, 10, 12, 14.





 \odot

000

 \odot



Spring Nuts



7inc/Δlu Finish

| ZIIIC/AIU FIIIISII | | |
|--------------------|--------------|---------|
| Part No. | | Pack of |
| FIX195 | | 10 |
| | VW 8D0805121 | |





Zinc/Alu Finish Spring Nuts W x I x R: 25 x 24 x 11 mm

| W A L A N. 23 A 24 A 11 IIIIII | | |
|--------------------------------|---------|--|
| Part No. | Pack of | |
| FIX200 | 10 | |
| VW 8D0805960 | | |





Zinc/Alu Finish Spring Nuts W x L x R: 19 x 23 x 12 mm

| Part No. | Pack of |
|---------------|---------|
| FIX862 | 20 |
| VW 8K0805922A | |



Zinc/Alu Finish Heat Shield Clip/Nut Washers

| Part No. | Pack of |
|---------------------|---------|
| FIX183 | 50 |
| VW N90796501 Ford 6 | 715468 |



Zinc/Alu Finish Part No. Pack of 50

FIX184 VW 8D0805121 / N90335004 / N90335006 Ford V703505S301 PSA 6715468





























| Black | |
|----------|---------|
| Part No. | Pack of |
| FIX196 | 10 |



Black Quarter Turn Studs Ø x H 18 x 23 mm Part No. Pack of **FIX194** 10



| DI | ack Itilii clips |
|---------------|--------------------|
| WxDx | H 15.5 x 9 x 25 mm |
| Part No. Paci | |
| FIX630 | 20 |
| VW 1J | 6867276 |



Black Headlight Adjuster Clips W x D x H 20 x 16 x 15 mm Part No. Pack of **FIX202** 20 VW 4A0805163





Flat Clips (Push-on Fixes) - Round

7inc plated steel

| - | anne piacea sce | | | |
|---|-----------------|---------|-----------|---------|
| | Part No. | Pack of | I.D. | |
| | HFC1 | 200 | (2.4 mm) | 3/32" |
| Ī | HFC2 | 200 | (3.2 mm) | 1/8" |
| | HFC9 | 200 | 5.0 mm | (3/16") |
| Į | HFC10 | 200 | 6.0 mm | (1/4") |
| Ī | HFC11 | 200 | 8.0 mm | (5/16") |
| | HFC12 | 200 | (10.0 mm) | 3/8" |









Flat Clips (Push-on Fixes) - Rectangular Zinc plated steel.

| Part No. | Pack of | I.D. | | |
|----------|---------|----------|-------|--|
| HFC6 | 200 | (2.4 mm) | 3/32" | |
| HFC7 | 200 | (3.2 mm) | 1/8" | |
| HFC8 | 200 | (4.0 mm) | 5/32" | |

Assorted Box of Flat Clips (Push-on Fixes)

Zinc plated steel.

| Part No. | Box of |
|----------|--------------|
| AB50 | 1,000 Pieces |

3 x Round, Imperial: 3/32", 1/8", 3/8".

3 x Round, Metric (Imperial): 5 mm (3/16"), 6 mm (1/4"), 8 mm (5/16"). 3 x Rectangular: 3/32", 1/8", 5/32".








Body Trim Rivets

Aluminium/Black Plastic Flange

| Part No. | Pack of | Head Ø | Flange Ø | OEM Ref |
|----------|---------|--------|----------|--------------------------------------|
| FIX206 | 50 | 4 mm | 11.8 mm | Volvo 979878 |
| FIX207 | 50 | 6 mm | 15.8 mm | Ford 1041415 / W704439S / W709095S33 |







Trim Clip Rivets

Aluminium


| Part No. | Pack of | 0 | OEM RET |
|----------|---------|--------|-----------------------------------|
| FIX70 | 50 | 2.4 mm | Ford 6028434 GM 164361 / 90033713 |








POP AVDEL 'Bulbex' Rivets - Standard Flange Aluminium. Ø (A) x Length (B) Flange Ø (C) Part No. Pack of **PR10** 200 4.8 x 23 mm (3/16" x 7/8") 9.5 mm 200



Rivet Washers

Zinc plated steel.

| Part No. | Pack of | Size | |
|----------|---------|---------|---------------|
| PRW1 | 1,000 | M3 x 13 | (1/8" x 1/2") |



Rivets - Peel Back Type

| Aluminium. Part No. | Pack of | Ø (A) x Length (B) | | Flange Ø (C) |
|---------------------|---------|--------------------|------------------|--------------|
| PR47 | 100 | 4.8 x 12 mm | (3/16" x 15/32") | |
| PR48 | 100 | 4.8 x 18 mm | (3/16" x 23/32") | 9.5 mm |
| PR49 | 100 | 6.4 x 35 mm | (1/4" x 1 3/8") | 12.3 mm |
| PRL49 | 1,000 | 6.4 x 35 mm | (1/4" x 1 3/8") | 12.3 mm |



| Part No. | Pack of | Screw Size | Hole Ø | Panel Thickness |
|----------|---------|------------|--------|-----------------|
| HCN61 | 100 | M6 Narrow | 9.5 mm | 0.71 - 1.63 mm |
| HCN62 | 100 | M6 Wide | 9.5 mm | 1.83 - 2.64 mm |
| | | | | |



000

8

 \odot



Black Rivets - Standard Flange

Black anodised aluminium.

| Part No. | Pack of | Ø (A) x Length (B) | | Flange Ø (C) | |
|----------|---------|--------------------|----------------|--------------|--|
| PRB11 | 100 | 3.2 x 8 mm | (1/8" x 5/16") | 5.7 mm | |
| PRB12 | 100 | 4.0 x 10 mm | (5/32" x 3/8") | 7.7 mm | |
| PRB13 | 100 | 4.8 x 14 mm | (3/16" x 1/2") | 9.3 mm | |



Black anodised aluminium.

| Part No. | Pack of | Ø (A) x Length (B) | | Flange Ø (C) | |
|----------|---------|--------------------|----------------|--------------|--|
| PRB21 | 100 | 3.2 x 10 mm | (1/8" x 3/8") | 9.2 mm | |
| PRB22 | 100 | 4.0 x 10 mm | (5/32" x 3/8") | 11.8 mm | |
| PRB25 | 100 | 4.0 x 14 mm | (5/32" x 1/2") | 11.8 mm | |
| PRB23 | 100 | 4.8 x 14 mm | (3/16" x 1/2") | 15.4 mm | |
| PRB24 | 100 | 4.8 x 18 mm | (3/16" x 3/4") | 15.4 mm | |

Assorted Box of Black Rivets

Black anodised aluminium.

| AB112 | 200 Pieces | |
|-----------------|-----------------------|--|
| 1 x Standard F | lange, 3.2 x 8 mm. | |
| 1 x Standard F | lange, 4.0 x 10. | |
| | lange, 4.8 x 14 mm. | |
| | ge, 3.2 x 10 mm. | |
| | ge, 4.0: x 10, 14 mm. | |
| 2 v I argo Elan | αο 10· v 11 10 mm | |



PR107


PR108

200

200

4.8 x 18 mm

4.8 x 25 mm



| AIUIIIIIIIIIIII | | | | | |
|-----------------|---------|--------------------|------------------|--------------|--|
| Part No. | Pack of | Ø (A) x Length (B) | | Flange Ø (C) | |
| PR101 | 500 | 3.2 x 8 mm | (1/8" x 5/16") | 6.1 mm | |
| PR102 | 500 | 3.2 x 10 mm | (1/8" x 3/8") | 6.1 mm | |
| PR103 | 500 | 4.0 x 10 mm | (5/32" x 3/8") | 7.7 mm | |
| PR104 | 500 | 4.0 x 14 mm | (5/32" x 9/16") | 7.7 mm | |
| PR105 | 500 | 4.8 x 13 mm | (3/16" x 1/2") | 9.3 mm | |
| PR106 | 500 | 4.8 x 15 mm | (3/16" x 19/32") | 9.3 mm | |
| PR109 | 200 | 4.8 x 25 mm | (3/16" x 31/32") | 9.1 mm | |



(3/16" x 23/32") **15.3 mm**

(3/16" x 31/32") **15.3 mm**



Part No. Box of

| ADIIZ ZUU FIECES | |
|-------------------------------------|--|
| 1 x Standard Flange, 3.2 x 8 mm. | |
| 1 x Standard Flange, 4.0 x 10. | |
| 1 x Standard Flange, 4.8 x 14 mm. | |
| 1 x Large Flange, 3.2 x 10 mm. | |
| 2 x Large Flange, 4.0: x 10, 14 mm. | |
| 2 x Large Flange, 4.8: x 14, 18 mm. | |





موم

111 PR1/PRL1 PR2/PRL2 PR₃ PR4 PR5/PRL5

Assorted Box of POP AVDEL 'Avex' Multi-grip Rivets with Washers Aluminium.

Part No. Box of

PR6/PRL6

AB48N 440 Pieces

2 x Standard Flange, 3.2: x 10, 13 mm. 2 x Standard Flange, 4.0: x 12, 15 mm. 2 x Standard Flange, 4.8: x 13, 19 mm. 1 x Large Flange, 4.8: x 19 mm. 1 x Washers, M3 x 13.



POP° X Avdel°



Aluminium.

POP AVDEL 'Avex' Multi-grip Rivets - Standard Flange

| Part No. | Pack of | Ø (A) x Length (B) | | Flange Ø (C) |
|----------|---------|--------------------|-----------------|--------------|
| PR1 | 500 | 3.2 x 10 mm | (1/8" x 3/8") | 6.2 mm |
| PRL1 | 10,000 | 3.2 x 10 mm | (1/8" x 3/8") | 6.2 mm |
| PR2 | 500 | 3.2 x 13 mm | (1/8" x 1/2") | 6.3 mm |
| PRL2 | 8,000 | 3.2 x 13 mm | (1/8" x 1/2") | 6.3 mm |
| PR3 | 500 | 4.0 x 12 mm | (5/32" x 7/16") | 7.7 mm |
| PR4 | 500 | 4.0 x 15 mm | (5/32" x 9/16") | 7.9 mm |
| PR5 | 500 | 4.8 x 13 mm | (3/16" x 1/2") | 9.7 mm |
| PRL5 | 4,000 | 4.8 x 13 mm | (3/16" x 1/2") | 9.7 mm |
| PR6 | 500 | 4.8 x 19 mm | (3/16" x 3/4") | 9.8 mm |
| PRL6 | 4,000 | 4.8 x 19 mm | (3/16" x 3/4") | 9.8 mm |
| PR9 | 200 | 4.8 x 27 mm | (3/16" x 1") | 9.3 mm |
| | | | | |

| Part No. | Pack of | Ø (A) x Length (B) | | Flange Ø (C) |
|----------|---------|--------------------|-----------------|--------------|
| PRC50 | 100 | 4.8 x 10 mm | (3/16" x 3/8") | 9.3 mm |
| PRC53 | 100 | 4.8 x 12 mm | (3/16" x 7/16") | 9.3 mm |
| PRC54 | 100 | 4.8 x 14 mm | (3/16" x 9/16") | 9.3 mm |
| PRC56 | 100 | 4.8 x 16 mm | (3/16" x 5/8") | 9.7 mm |
| PRC58 | 100 | 4.8 x 18 mm | (3/16" x 3/4") | 9.3 mm |

POP°X Avdel°



Assorted Box of Rivets - Sealed Type (Closed End)

Aluminium. DIN 7337.

Part No. Box of

AB146N 200 Pieces

5 x Sizes: 4.8 x 10, 12, 14, 16, 18 mm







POP AVDEL 'Avex' Multi-grip Rivets - Large Flange

Aluminium.

| Part No. | Pack of | Ø (A) x Length (B) | | Flange Ø (C) | |
|----------|---------|--------------------|----------------|--------------|--|
| PR11 | 200 | 4.8 x 13 mm | (3/16" x 1/2") | 15.6 mm | |
| PR7 | 200 | 4.8 x 19 mm | (3/16" x 3/4") | 15.5 mm | |
| PRL7 | 2,000 | 4.8 x 19 mm | (3/16" x 3/4") | 15.5 mm | |
| PR8 | 200 | 4.8 x 27 mm | (3/16" x 1") | 15.5 mm | |
| DDI 8 | 2 000 | 4 8 v 27 mm | (3/16" x 1") | 15 5 mm | |

Monobolts - 2771 Series

Protruding head. Zinc plated carbon steel.

| Part No. | Pack of | Ø (A) x Length (B) | | Flange Ø (C) | |
|----------|---------|--------------------|-----------------|--------------|--|
| HMB623 | 100 | 6.4 x 23 mm | (1/4" x 7/8") | 12.9 mm | |
| HMB632 | 100 | 6.4 x 32 mm | (1/4" x 1 1/4") | 12.9 mm | |





























ECLIPSE-SPIRALUX Standard Rivet Gun

Complete with nose spanner and 3 interchangeable noses for 3, 4 and 5 mm rivets. Suitable for aluminium/steel rivets.

| Part No. | Qty | Description |
|----------|-------|----------------|
| TL801 | 1 | Rivet Gun |
| TL816 | 1 Kit | Jaw Repair Kit |





ECLIPSE-SPIRALUX Replacement Noses For Lazy Tong Riveter and Standard Rivet Gun

Suits Part No.s: TL801 and TL811.

| Part No. | Pack of | For Rivet Size | |
|----------|---------|----------------|---------|
| TL802 | 5 | 3 mm | (1/8") |
| TL803 | 5 | 4 mm | (5/32") |
| TI 804 | 5 | 5 mm | (3/16") |



Contains rivet noses for use with 2.4, 3.2, 4.0, 4.8 & 6.4 mm aluminium and steel rivets. Noses are colour coded by size for easy identification changeable by hand - no need for extra tools.

Strong 3-piece alloy steel jaw mechanism with hexagonal internal structure for a longer life and easy operating

- Reinforced 2 mm thick Carbon Steel heat-treated handle for extra strength and durability
- · Ergonomically designed handles for comfortable use
- · Features a convenient rivet stem collector for protection and safety

| Part No. | Qty | Description |
|----------|-----|---------------------------|
| TL822 | 1 | Compact Lever Arm Riveter |



ECLIPSE-SPIRALUX Compact Lever Arm Riveter - Replacement Nozzles

Suits Part No. TL822.

| Part No. | Qty | Size | |
|----------|-----|--------|---------|
| TL822-2 | 1 | 2.4 mm | (3/32") |
| TL822-3 | 1 | 3.2 mm | (1/8") |
| TL822-4 | 1 | 4.0 mm | (5/32") |
| TL822-5 | 1 | 4.8 mm | (3/16") |
| TL822-6 | 1 | 6.0 mm | (1/4") |



ECLIPSE-SPIRALUX Compact Lever Arm Riveter - Replacement Jaws

Suits Part No. TL822.

| Part No. | Qty | Description |
|----------|-------|------------------|
| TL823 | 1 Kit | Replacement Jaws |
| | | |



ECLIPSE-SPIRALUX Rivet Gun

Complete with 4 interchangeable noses for 2.4, 3.2, 4.0 and 4.8 mm aluminium rivets. NOT suitable for steel rivets. Automatic ejection of the mandrel. Slip guarded comfort handle

| Part No. | Qty | escription | | |
|----------|-----|------------|--|--|
| TL800 | 1 | Rivet Gun | | |
| | | | | |



موو

9



Part No. Repairs **TL825** Set of 4 **Long Arm Riveter**

For Rivet Sizes: 4, 5 (x 2) and 6 mm (5/32", 3/16", 1/4").



ECLIPSE-SPIRALUX 'Classic' Long Arm Riveter - Replacement Jaws

Suits classic model ONLY (Part No. TL821).

| Part No. | Qty | Description |
|----------|-------|------------------|
| TL826 | 1 Kit | Replacement Jaws |



| Part No. | Ųty | Description |
|----------|-----|------------------------------|
| TL8110 | 1 | Heavy Duty Accordion Riveter |
| | | |






Swivel Head Riveter 360° ActionContains rivet noses for use with 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") aluminium, steel and stainless steel rivets. Slip guarded comfort handles.

| Part No. | Qty | Description |
|----------|-----|---------------------|
| TL890 | 1 | Swivel Head Riveter |



Combination set for standard rivets 2.4, 3.2, 4.0 and 4.8 mm and nut serts 4.0 to 10.0 mm.

| Part No. | Qty | Description |
|----------|-------|--------------|
| TL8100 | 1 Kit | 17 Piece Kit |



Metal Staples

Suits Part No. STAP4.

Pack of Size Part No. 2,000 **8 mm** STAP5













Circlips - Internal

Carbon spring steel, phosphate finish. DIN 472.

| Part No. | Pack of | Bore Size | Circlip O.D. |
|----------|---------|-----------|--------------|
| HCL111 | 100 | 11 mm | 11.8 mm |
| HCL113 | 100 | 13 mm | 14.1 mm |
| HCL116 | 100 | 16 mm | 17.3 mm |
| HCL119 | 100 | 19 mm | 20.5 mm |
| HCL121 | 100 | 21 mm | 22.5 mm |
| HCL122 | 100 | 22 mm | 23.5 mm |
| HCL125 | 100 | 25 mm | 26.9 mm |
| HCL130 | 100 | 30 mm | 32.1 mm |
| HCL135 | 100 | 35 mm | 37.8 mm |
| HCL138 | 100 | 38 mm | 40.8 mm |
| HCL140 | 50 | 40 mm | 43.5 mm |
| HCL142 | 50 | 42 mm | 45.5 mm |
| HCL147 | 50 | 47 mm | 50.5 mm |



Assorted Box of Circlips Internal - Metric DIN 472.

Part No. Box of

MAX

'Max Box'

Part No.

Assortment of

Box of

AB561 400 Pieces

Circlips Internal & External - Metric

3 x Internal: 40, 42, 47 mm. 15 x External: 7, 8, 10, 12, 14, 15, 17, 18, 20, 24, 25, 30, 35, 40, 50 mm.

DIN 472 (Internal), DIN 471 (External).

AB173 230 Pieces

13 x Sizes: 11, 13, 16, 19, 21, 22, 25, 30, 35, 38, 40, 42, 47 mm.



අතුරු කිලල එපුව ඇළු අතුරු මෙනි

S MAN 2888 AND AS

























Circlips - External

Carbon spring steel, phosphate finish. DIN 471.

| Part No. | Pack of | Shaft Size | Circlip I.D. |
|----------|---------|------------|--------------|
| HCL207 | 500 | 7 mm | 6.5 mm |
| HCL208 | 500 | 8 mm | 7.4 mm |
| HCL210 | 500 | 10 mm | 9.3 mm |
| HCL211 | 100 | 11 mm | 10.2 mm |
| HCL212 | 500 | 12 mm | 11.0 mm |
| HCL213 | 100 | 13 mm | 11.9 mm |
| HCL214 | 200 | 14 mm | 12.9 mm |
| HCL215 | 200 | 15 mm | 13.8 mm |
| HCL216 | 100 | 16 mm | 14.7 mm |
| HCL217 | 200 | 17 mm | 15.7 mm |
| HCL218 | 200 | 18 mm | 16.5 mm |
| HCL219 | 100 | 19 mm | 17.5 mm |
| HCL220 | 200 | 20 mm | 18.5 mm |
| HCL221 | 100 | 21 mm | 19.5 mm |
| HCL222 | 100 | 22 mm | 20.5 mm |
| HCL224 | 100 | 24 mm | 22.2 mm |
| HCL225 | 100 | 25 mm | 23.2 mm |
| HCL230 | 100 | 30 mm | 27.9 mm |
| HCL235 | 100 | 35 mm | 32.2 mm |
| HCL238 | 100 | 38 mm | 35.2 mm |
| HCL240 | 50 | 40 mm | 36.5 mm |
| HCL250 | 25 | 50 mm | 45.8 mm |
| | | | |

Assorted Box of Circlips External - Metric

DIN 471.

Part No. Box of

AB174 350 Pieces

16 x External Sizes: 7, 8, 10, 12, 14, 15, 17, 18, 20, 22, 24, 25, 30, 35, 40, 50 mm.



Assorted Box of Circlips Internal & External - Metric

DIN 472 (Internal), DIN 471 (External).

Part No. Box of

AB37N 280 Pieces

10 x Internal Sizes: 11, 13, 16, 19, 21, 22, 25, 30, 35, 38 mm.

10 x External Sizes: 11, 13, 16, 19, 21, 22, 25, 30, 35, 38 mm.









E-Retainers - Metric

DIN 6799.

| Part No. | Pack of | Size |
|----------|---------|----------|
| HER1 | 100 | 1.70 mm |
| HER2 | 100 | 2.75 mm |
| HER3 | 100 | 3.50 mm |
| HER4 | 100 | 4.50 mm |
| HER6 | 100 | 6.00 mm |
| HER7 | 100 | 7.00 mm |
| HER13 | 100 | 13.00 mm |
| HER15 | 100 | 15.50 mm |
| | | |

Clevis Pins

BS 1574

| Part No. | Pack of Size | | | Grip Length |
|----------|--------------|---------------|-----------------|------------------|
| HCP5 | 50 | 6.0 x 20.0 mm | (1/4" x 3/4") | 20.2 mm (25/32") |
| HCP1 | 50 | 3/16" x 5/8" | (4.8 x 15.9 mm) | 15/32" (12.2 mm) |
| HCP2 | 50 | 3/16" x 7/8" | (4.8 x 22.2 mm) | 11/16" (18.0 mm) |
| HCP3 | 50 | 1/4" x 1/2" | (6.4 x 12.7 mm) | 9/32" (7.4 mm) |
| HCP4 | 50 | 1/4" x 11/16" | (6.4 x 17.5 mm) | 17/32" (13.7 mm) |
| НСР6 | 50 | 9/32" x 7/8" | (7.1 x 22.2 mm) | 5/8" (16.5 mm) |
| HCP7 | 50 | 5/16" x 1" | (7.9 x 25.4 mm) | 25/32" (20.2 mm) |
| HCP8 | 50 | 3/8" x 1 1/4" | (9.5 x 31.8 mm) | 29/32" (23.6 mm) |
| | | | | |

Assorted Box of E-Retainers - Metric

DIN 6799.

| art No. | ROX OL |
|-------------|--------|
| A D 4 O T L | 705 |

AB127N 725 Pieces

8 x Sizes (Shaft Ø): 1.7, 2.75, 3.5, 4.5, 6.0, 7.0, 13.0,



Assorted Box of Clevis Pins BS 1574.

| Part No. | ROX OL |
|-------------|------------|
| AB33 | 200 Pieces |

8 x Sizes: 3/16" x 5/8", 3/16" x 7/8", 1/4" x 1/2", 1/4" x 1 1/16", 9/32" x 7/8", 5/16" x 1", 3/8" x 1 1/4", M6 x 20 (1/4" x 7/8").





E-Retainers - Imperial

DIN 6799 (BS 3673/2).

| DII (0 / 3 3 (D) | , 50, 5, 2 | ·/· | |
|---------------------|------------|-------|--|
| Part No. | Pack of | Size | |
| HER51 | 100 | 1/8" | |
| HER52 | 100 | 5/32" | |
| HER53 | 100 | 3/16" | |
| HER54 | 100 | 7/32" | |
| HER55 | 100 | 1/4" | |
| HER56 | 100 | 5/16" | |
| HER57 | 100 | 3/8" | |
| HER58 | 100 | 7/16" | |
| HER59 | 100 | 1/2" | |
| HER60 | 100 | 5/8" | |
| | | | |



Linch Pins with O-Ring Safety Type.

| Part No. | Pack of | Pin Size | |
|----------|---------|----------------|--|
| LP1 | 10 | 1/4" x 1 3/4" | |
| LP2 | 10 | 5/16" x 1 1/2" | |
| LP4 | 10 | 7/16" x 1 3/4" | |



Assorted Box of E-Retainers - Imperial

DIN 6799 (BS 3673/2).

Part No. Box of

AB55N 800 Pieces

10 x Sizes (Shaft Ø): 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8".



Linch Pins with O-Ring

Safety Type.

| Part No. | Pack of | Size | Suits | |
|----------|---------|---------------|-------|--|
| LP10 | 10 | 10 mm x 70 mm | JCB | |
| LP11 | 10 | 9 mm x 52 mm | JCB | |































R-Clips

| Part No. | Pack of | Pin Dia x Overall Length |
|----------|---------|--------------------------|
| LP5 | 50 | 2.5 x 45 mm |
| LP6 | 25 | 3 x 54 mm |
| LP7 | 25 | 4 x 75 mm |
| LP8 | 20 | 5 x 107 mm |
| LP9 | 10 | 6 x 117 mm |

Assorted Box of R-Clips

Part No. Box of

AB88N 80 Pieces

5 x Sizes (Wire Ø x Length): 2.5 x 45, 3 x 54, 4 x 75, 5 x 107, 6 x 117 mm.



































| Bra | ke Paa |
|-----|----------|
| Pin | Retainer |
| | |

| Part No. | Pack of | Size | Approx. Length | Wire Ø |
|----------|---------|-------|----------------|--------|
| BR6 | 100 | Small | 19 mm | 1.2 mm |
| BR7 | 100 | Large | 23 mm | 1.5 mm |



Double Type R-Clip Module Assembly

R-clip dimensions (Wire Ø x L): 3.7 x 95 mm.

| Part No. | Pack of | Description |
|----------|---------|------------------------|
| HY20 | 10 | R-Clip Module Assembly |



Split Pins - Imperial

Zinc plated steel. DIN 94/BS 1574. (* Stainless Steel).

| Part No. | Pack of | O.D. x Length | |
|----------|---------|----------------|-----------------|
| HSP20 | 500 | 1/32" x 3/4" * | (1.0 x 19 mm) * |
| HSP1 | 500 | 1/16" x 1" | (1.6 x 25 mm) |
| HSP2 | 500 | 5/64" x 1" | (2.0 x 25 mm) |
| HSP3 | 500 | 3/32" x 1" | (2.4 x 25 mm) |
| HSP4 | 500 | 3/32" x 1 1/2" | (2.4 x 38 mm) |
| HSP5 | 500 | 7/64" x 1 1/2" | (2.8 x 38 mm) |
| HSP6 | 500 | 1/8" x 1 1/2" | (3.2 x 38 mm) |
| HSP7 | 500 | 9/64" x 1 1/2" | (3.6 x 38 mm) |
| HSP12 | 250 | 5/32" x 1 5/8" | (4.0 x 41 mm) |
| HSP8 | 250 | 5/32" x 2" | (4.0 x 51 mm) |
| HSP9 | 250 | 3/16" x 2" | (4.8 x 51 mm) |
| HSP10 | 100 | 1/4" x 3" | (6.3 x 76 mm) |
| HSP11 | 100 | 5/16" x 3" | (7.9 x 76 mm) |

Assorted Box of Split Pins - Imperial (Small Sizes)

Zinc plated steel. DIN 94/BS 1574.

Part No. Box of

AB32N 800 Pieces

8 x Sizes, O.D. x Length: 1/16" x 1" (1.6 x 25 mm), 5/64" x 1" (2.0 x 25 mm), 3/32" x 1" (2.4 x 25 mm), 3/32" x 1 1/2" (2.4 x 38 mm), 7/64" x 1 1/2" (2.8 x 38 mm), 1/8" x 1 1/2" (2.3 x 40 mm), 9/64" x 1 1/2" (3.6 x 40 mm), 5/32" x 1 5/8" (4.0 x 40 mm).



Assorted Box of Split Pins - Imperial (Large Sizes)

Zinc plated steel. DIN 94/BS 1574.

Part No. Box of

AB73 225 Pieces

5 x Sizes, O.D. x Length: 1/8" x 1 1/2" (3.2 x 38 mm), 5/32" x 2" (4.0 x 51 mm), 3/16" x 2" (4.8 x 51 mm), 1/4" x 3" (6.3 x 76 mm), 5/16" x 3" (7.9 x 76 mm).







'Max Box' Assortment of Split Pins - Imperial

Zinc plated steel. DIN 94/BS 1574.

Part No. Box of

AB508 850 Pieces

12 x Sizes, 0.0 x Length: 1/16" x 1" (1.6 x 5 mm), 5/64" x 1" (2.0 x 25 mm), 3/32" x 1" (2.5 x 25 mm), 3/32" x 1 1/2" (2.4 x 38 mm), 7/64" x 1 1/2" (2.8 x 38 mm), 1/8" x 1 1/2" (3.2 x 38 mm), 9/64" x 1 1/2" (3.6 x 38 mm), 5/32" x 1 5/8" (4.0 x 41 mm), 5/32" x 2" (4.0 x 51 mm), 3/16" x 2" (4.8 x 51 mm), 1/4" x 3" (6.3 x 76 mm), 5/16" x 3" (7.9 x 76 mm).



Split Pins - Metric

Zinc plated steel. DIN 94 / ISO 1234 (BS 7774).

| Part No. | Pack of | O.D. x Length | | |
|----------|---------|-------------------|-------------|--|
| HSP19 | 1,000 | (1/32" x 3/8") | 1.0 x 10 mm | |
| HSP21 | 500 | (5/64" x 9/16") | 2.0 x 14 mm | |
| HSP22 | 500 | (5/64" x 3/4") | 2.0 x 20 mm | |
| HSP33 | 500 | (3/32" x 1 3/32") | 2.5 x 28 mm | |
| HSP62 | 500 | (1/8" x 3/4") | 3.2 x 20 mm | |
| HSP63 | 500 | (1/8" x 1 1/4") | 3.2 x 32 mm | |
| HSP13 | 250 | (5/32" x 1 3/8") | 4.0 x 36 mm | |
| | | | | |

Assorted Box of Split Pins - Imperial & Metric

Zinc plated steel. DIN 94/BS 1574 (Imperial). DIN 94/ISO 1234 (BS 7774) (Metric).

Box of

AB206 370 Pieces

4 x Imperial Sizes, O.D. x Length: 1/32" x 3/8" (1.0 x 10 mm), 5/64" x 1" (2.0 x 25 mm), 9/64" x 1 1/2" (3.6 x 38 mm), 3/16" x 2" (4.8 x 51 mm).

6 x Metric Sizes, O.D. x Length: 2.0 x 14 mm (5/64" x 9/16"), 2.0 x 20 mm (5/64" x 3/4"), 2.5 x 28 mm (3/32" x 1 3/32"), 3.2 x 20 mm (1/8" x 3/4"), 3.2 x 32 mm (1/8" x 1 1/4"), 4.0 x 36 mm (5/32" x 1 3/8").




Assorted Box of **Compression Springs**

Part No.

AB89 70 Pieces

10 x Sizes (Free Length x 0.D.): 21.2 x 8.9 mm, 22.5 x 9.0 mm, 25 x 12.2 mm, 26.5 x 5.4 mm, 31.5 x 10.4 mm, 37 x 7.8 mm, 65.5 x 13 mm, 66 x 10.4 mm, 100 x 18.5 mm, 124 x 16.0 mm



Assorted Box of **Expansion Springs**

Part No. Box of

AB72 70 Pieces

7 x Sizes (Free Length x O.D.): 29.5 x 6.4 mm, 31.5 x 5.0 mm, 33.3 x 6.8 mm, 56.5 x 7.8 mm, 74 x 10.3 mm, 90 x 11.4 mm, 126 x 9.4 mm.



Spring Roll Pins - Metric

DIN 1481.

Part No. Pack of Diameter x Length FIX18 50 8 x 55 mm Suits FORD (Door Hinge Pin).

Assorted Box of Spring Roll Pins - Metric Black. DIN 1481.

Part No. Box of

AB80 300 Pieces

12 x Sizes, O.D. x Length: 2.5 x 24 mm, 2.5 x 36 mm, 3 x 24 mm, 3 x 40 mm, 4 x 24 mm, 4 x 40 mm, 5 x 24 mm, 5 x 40 mm, 6 x 24 mm, 6 x 40 mm, 8 x 24 mm, 8 x 55 mm.





'Max Box' Assortment of Spring Roll Pins - Metric

Black. DIN 1481.

Part No. Box of

AB555 340 Pieces

19 x Sizes, O.D. x Length: 3 x 20 mm, 3 x 24 mm, 3 x 30 mm, 4 x 24 mm, 4 x 28 mm, 4 x 40 mm, 4 x 50 mm, 5 x $\frac{16}{2}$ mm, $\frac{5}{5}$ x $\frac{20}{2}$ mm, $\frac{5}{5}$ x $\frac{24}{5}$ mm, $\frac{5}{5}$ x 28 mm, $\frac{5}{5}$ x $\frac{20}{5}$ mm, $\frac{5}{5}$ x $\frac{20}{5}$ 6 x 45 mm, 8 x 32 mm, 8 x 45 mm.



Part No.

AB35 300 Pieces

11 x Sizes, O.D. x Length: 3/32" x 1", 1/8" x 1", 1/8" x 1 1/2", 5/32" x 1", 5/32" x 1 1/2", 3/16" x 1", 3/16" x 1 1/2", 1/4" x 1", 1/4" x 1 1/2", 5/16" x 1", 5/16" x 2".



Assorted Box of Accelerator & Clutch Springs

Part No. Box of

AB29 40 Pieces

8 x Sizes (Free Length x O.D.): 53 x 12.4 mm, 61.2 x 15.4 mm, 63.4 x 13 mm, 66 x 13.1 mm, 77.4 x 23.15 mm, 82.5 x 12.95 mm, 84.2 x 10.9 mm, 86 x 13.3 mm.



































Mild steel.

| Part No. | Pack of | Length | | |
|---------------|----------------------|---------------------|--------------------|--|
| AP35 | 5 Pieces | 1.5 m | (5 ft) | |
| 3 x Sizes: (2 | x) 20 x 20 x 3 mm, 3 | 0 x 30 x 3 mm, (1 > | () 40 x 40 x 3 mm. | |



Assorted Pack of Key Steel - Imperial

| Part No. | Pack of | Length | • | |
|--------------------------------|---|------------------------|---------------------|--|
| AP24 | 20 Pieces | 12" | (300 mm) | |
| 3/16" x 3/16 3/8" x 1/4", 3 | 5", 1/4" x 3/16", 1/4" x 3/8" x 3/8", 1/2" x 5/1 | 1/4", 5/16" x 1 6". | /4", 5/16" x 5/16", | |






Assorted Pack of Flat Bar

Mild steel.

| Part No. | Pack of | Length | | |
|----------|----------|--------|--------|--|
| AP13 | 9 Pieces | 1.5 m | (5 ft) | |
| 1 /- | | | | |

8 x Sizes: (2 x) 20 x 3 mm. (1 x) 20 x 5 mm, 25 x 3 mm, 25 x 5 mm, 25 x 6 mm, 40 x 3 mm, 40 x 5 mm, 40 x 6 mm.





| Part No. | Pack of | Length | |
|----------|-----------|--------|---------|
| AP26 | 20 Pieces | 12" | (300 mm |





Assorted Box of Woodruff Keys - Imperial Part No.

Box of

AB47N 96 Pieces

15 x Sizes: 1/16" x 1/2", 3/32" x 1/2", 1/8" x 1/2", 1/8" x 5/8", 5/32" x 5/8", 5/32" x 3/4", 3/16" x 3/4", 3/16" x 7/8", 3/16" x 11/8", 7/32" x 7/8", 7/32" x 11/8", 1/4" x 1", 1/4" x 1 1/8", 5/16" x 1 1/4", 3/8" x 1 1/4".



Assorted Box of Woodruff Keys & Key Steel - Metric

AB216 24 Pieces

3 x Woodruff Keys: 4 x 6.5 x 16 mm, 4 x 9 x 22 mm,

4 x Key Steel, Parallel: 8 x 7 x 25 mm, 8 x 7 x 32 mm, 8 x 7 x 36 mm, 12 x 8 x 50 mm.





| Part No. | Pack of | Length | |
|----------|-----------|--------|--------|
| AP14 | 12 Pieces | 1.5 m | (5 ft) |
| | | | |

6 Sizes, Diameters: (2 x) 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"



000

O





| Mild steel. | | | |
|-----------------|-----------------------|-----------------------|--------|
| Part No. | Pack of | Length | |
| AP15 | 10 Pieces | 1.5 m | (5 ft) |
| 6 x Sizes, Diam | eters: 3/16", 1/4", 5 | /16", 3/8", 7/16", 1/ | 2". |







Black Retaining Clips W x D x H: 8 x 16.5 x 11 mm

| Part No. Pa | ck o |
|---|------|
| FIX349 | 20 |
| PSA 699786 / 9619769080 Renault 7701044547 | |



Black Retainer Clips W x D x H: 9.5 x 17.5 x 13 mm

| Part No. P | ack of |
|--|--------|
| FIX440 | 20 |
| Fiat 60814822 / 82382670 Renault 7701026892 |) |



Grey Fir Tree Buttons W x D x H: 11 x 5 x 10.5 mm

| raitino. | rackui |
|--------------|--------|
| FIX613 | 20 |
| VW 3B0839723 | |



Black Door Seal Clips W v D v H· 13 v 5 v 11 mm

| M Y D Y U' TO Y D Y TT IIIIII | | V |
|-------------------------------|---------|------|
| Part No. | Pack of | Part |
| FIX61 | 50 | FI) |
| VW 251823717 | | |



Black Retaining Clips W x D x H: 14 x 7 x 13.5 mm

| Part No. | Pack of |
|------------------|---------|
| FIX318 | 20 |
| Renault 82176228 | |



Yellow Retaining Clips W x D x H: 14 x 6 x 14 mm

| W A D A II. I I A O A I I I | |
|-----------------------------|--------|
| Part No. | Pack o |
| FIX300 | 20 |
| Hvundai 8213222100 |) |



Green Strip Clips W x D x H· 14 x 8 x 11 5 mm

| W ADAIL ITAC |) // 11.J IIIIII |
|--------------|------------------|
| Part No. | Pack of |
| FIX449 | 20 |





White Door Weatherstrip Clips W x D x H: 15 x 9 x 15 mm

1:1

| Part No. Pack of | |
|---|----|
| FIX259 | 50 |
| Honda 90651S4N003 Hyundai 8213227100 | |
| Mitsubishi MU481276 | |
| Tovota 6786712150 | |



Blue Weatherstrip Clips W x D x H: 15 x 9 x 15 mm

| | 5 / L5 ///// |
|----------|--------------|
| Part No. | Pack o |
| FIX865 | 20 |
| | |



Green Door Clips W x D x H: 15 x 9.5 x 15 mm

| W N D N II. 13 N 3.3 N 13 | , , , , , , , , |
|--|-----------------|
| Part No. | Pack of |
| FIX320 | 20 |
| Honda 72311S5S003 Toyota 6786712150 | |



White Weatherstrip Clips W x D x H: 16 x 7 x 13 mm

| W AD AII. 10 A 7 A 13 | |
|-----------------------|--------|
| Part No. | Pack o |
| FIX463 | 20 |
| Honda 90664671003 | 3 |



Black Door Seal Clips W x D x H: 17 x 5.5 x 5 mm

| Part No. | Pack of |
|--------------|---------|
| FIX79 | 50 |
| VW 1H0823717 | |



Black Self Pierce Trim Buttons

| Ø A II. O A 12 IIIIII | |
|-----------------------|---------|
| Part No. | Pack of |
| FIX34 | 50 |
| | |



Black Retaining Clips Ø x H: 9.5 x 8 mm

| Part No. | Pack of |
|-----------------|---------|
| FIX303 | 20 |
| Mazda BP4K58762 | |



Natural Door Clips Ø x H: 12 x 17 mm

| DATI. 12 A 17 IIIIII | |
|----------------------|---------|
| Part No. | Pack of |
| FIX499 | 20 |
| Merc A0009871015 | |



Black Trim Buttons Ø x H: 14 x 11 mm

| Ø A II. 14 A 11 IIIII | |
|-----------------------|--------|
| Part No. | Pack o |
| FIX380 | 20 |
| Fiat 7677865 | |



Black Boot Lining Clips Ø x H· 14 x 12 mm

| Ø X N. 14 X 12 IIIII | I |
|----------------------|---------|
| Part No. | Pack of |
| FIX302 | 20 |
| Ford F1CZ16674A | |
| Mazda B455-56-741 | |



Ø x H: 14 x 17 mm

| Ø // / // Z / // Z/ // // // | |
|------------------------------|---------|
| Part No. | Pack of |
| FIX1 | 50 |
| Mazda 155300291 | |



Black Trim Buttons Self Pierce Ø x H· 12 5 x 20 mm

| ~ ~ ~ . | 12.0 / 20 ! | |
|----------|-------------|---------|
| Part No. | | Pack of |
| FIX33 | | 50 |
| | Universal | |



Black Retaining Clips Ø x H: 14 x 17 mm

| Part No. | Pack of |
|---------------------|---------|
| FIX460 | 20 |
| Honda 91501-SM4-003 | } |



Black Trim Buttons

| Ø x H: 14 x 19 mm | |
|--------------------------|--------|
| Part No. | Pack o |
| FIX46 | 50 |
| VW 80186729901C / 801867 | 299041 |



Black Multi-step Trim Buttons Ø x H: 17 x 15 mm

| Part No. | Pack of |
|------------------|---------|
| FIX30 | 50 |
| VIM 83386330301C | |



Grey Trim Buttons Ø x H: 18 x 17 mm

| Part No. P | ack o |
|--|-------|
| FIX36 | 50 |
| Ford 1018433 / 1018434 Volvo 3272075327462A | |



Black Trim Buttons Ø x H: 18 x 17 mm

| Part No. | Pack of |
|--|---------|
| FIX35 | 50 |
| Ford 1629279 / 672595 Volvo 3272075327462 | |

000

9



Gloss Black Retaining Clips Ø x H: 18 x 18 mm

| Part No. | Pack of |
|------------------|---------|
| FIX314 | 20 |
| Nissan 155300051 | |



| Ø x H: 19 x | |
|-------------|---------|
| rt No. | Pack of |
| X262 | 50 |

| Chrysler |
|-----------------------------|
| 1595864 / 1605396 / 6030441 |
| |

FIX262



Black Boot Lining Clips Ø x H: 20 x 17 mm

| Part No. | Pack of |
|---|---------|
| FIX261 | 50 |
| Honda 90667SA70030 Nissan 8942798070 |) |



Black Self Pierce Trim Buttons Ø x H: 19 x 26 mm

| Part No. | Pack of |
|---------------|--------------|
| FIX58 | 50 |
| VW 811863905A | / 811863905A |



Grey Seat Trim Buttons Ø x H: 20 x 27 mm

| D KIII. LU K L / IIIII | |
|------------------------|---------|
| Part No. | Pack of |
| FIX253 | 50 |
| VW GR197S16319 | |



Black Bonnet Clips W x D x H: 26 x 16 mm

| Part No. | Pack of |
|--------------------|---------|
| FIX301 | 20 |
| Hyundai 8112637010 | |



Black Boot Lining Clips Ø x H: 14 x 17 mm

| Part No. P | ack of |
|--|--------|
| FIX267 | 50 |
| GM 233895 / 2338955 PSA 896457 / 896481 | |



Light Grey Trim Clips Ø x H: 16 x 13 mm

| Part No. | Pack of |
|-----------|---------|
| FIX672 | 20 |
| Universal | |



Black Fir Tree Trim Buttons Ø x H: 16 x 15 mm

| Part No. | Pack of |
|----------|---------|
| FIX20 | 50 |
| Univer | sal |
| | |



Black Fir Tree Clips Ø x H: 18 x 17.8 mm

| Part No. | Pack of |
|--------------------------------------|-----------------------------|
| FIX500 | 50 |
| Chrysler 369 Ford 332364 / 389358 | 1590 R PSA 751800 |



Black Fir Tree Clips Ø x H: 18 x 19 mm

| Part No. | ack of |
|---------------------|--------|
| FIX501 | 50 |
| PSA 699295 / 6999R2 | |



Light Grey Body Upholstery Clips Ø x H: 18 x 22 mm

| ack of | |
|--------|--|
| 20 | |
| | |
| | |



Black Fir Tree Clips Ø x H: 18 x 23 mm

| Part No. | Pack of |
|-----------------------------------|---------|
| FIX502 | 50 |
| Honda 90667SA000 Suzuki 618747 | 3 |



Dark Black Trim Clips Ø x H: 18 x 24.5 mm

| 0 A H. 10 A 24.3 HIIII | | |
|------------------------|---------|--|
| Part No. | Pack of | |
| FIX682 | 20 | |
| Universal | | |





Black Fir Tree Clips Ø x H: 18 x 28 mm

| Pack of |
|---------|
| 50 |
| |





Black Trim Buttons - Fir-Tree Ø x H: 18 x 31 mm

| Part No. | Pack o |
|---|-------------|
| FIX503 | 50 |
| BMW 52201964201 / | 52201964201 |
| Chrysler 6033082 Fo GM 10121502 / DZ | M100080 |





Natural Fir Tree Clips Ø x H· 18 5 x 31 mm

| Part No. | Pack of |
|---------------|----------|
| FIX218 | 50 |
| Land Rover Li | niversal |





Light Grey Trim Clips Ø x H: 18 x 25 mm

| Part No. | Pack of |
|-----------|---------|
| FIX677 | 20 |
| Universal | |

0

موم

ၻ



Black Fir Tree Clips Ø x H: 18.5 x 16.5 mm Part No. Pack of

Hyundai 0B10268865

20

FIX687





Black Trim Buttons - Fir-Tree Ø x H: 18.5 x 23.8 mm

| Part No. | Packo |
|-----------|-------|
| FIX504 | 50 |
| Universal | |





Light Grey Boot Lining Clips Ø x H: 19 x 21.5 mm

| Part No. | Pack of |
|---------------|---------|
| FIX703 | 20 |
| VW N90201601H | |





Light Grey Trim Clips Ø x H: 20 x 26 mm

| 2 MIN 20 M 20 III | | ~ |
|-------------------|---------|----------|
| Part No. | Pack of | Part No. |
| FIX668 | 20 | FIX50 |
| Fiat Universal | | |





Black Trim Buttons - Fir-Tree Ø x H: 21 x 23 mm

| Part No. | Pack of |
|-----------------|---------|
| FIX505 | 50 |
| Fiat 1301019808 | |



Black Gloss Stone Shield Clips Ø x H: 21.5 x 24 mm

| D ATT. ZI.J A ZT III | |
|----------------------|---------|
| Part No. | Pack of |
| FIX705 | 20 |
| GM 22512276 | |
| | |



Black Trim Clips Ø x H· 22 x 25 5 mm

| Part No. | Pack of |
|----------------|---------|
| FIX669 | 20 |
| Fiat Universal | |



Black Fir Tree Clips Ø x H· 24 x 18 mm

| 2 X 1 1 2 1 X 20 1 1 1 1 1 | |
|--|---------|
| Part No. | Pack of |
| FIX21 | 50 |
| VW N989022 Chrysler 600 Ford 385661 |)3349 |





Light Brown Trim Panel Clips Ø x H: 25 x 26 mm

| D XII. 23 X 20 IIII | |
|---------------------|--------|
| Part No. | Pack o |
| FIX693 | 20 |
| Universal | |





Grey Panel Clips

| Ø x H: 26.5 x | (32 mm |
|------------------|---------|
| Part No. | Pack of |
| FIX244 | 50 |
| VW 3C0863559 / \ | |
| W709167S | SZUAM |
| Chrysler 65 | 501916 |



Black Bonnet Insulation Clips Ø x H· 28 x 18 5 mm

| D ATT. 20 A 10.5 IIIIII | |
|-------------------------|--------|
| Part No. | Pack o |
| FIX163 | 50 |
| GM 1162484 / 9004075 | 0 |



Black Bumper/ Radiator Push-Type Clips Ø x H· 35 x 25 mm

| D A II. 33 A Z3 IIII | |
|--|---------|
| Part No. | Pack of |
| FIX164 | 50 |
| PSA 7518N8 Renault 7703077225 / 770 | 3077225 |



Trim Buttons

Part No. Box of



Fir-Tree Fixings Part No. Box of



Drive Rivets Part No.

220 Pieces **AB152** 8 x Sizes: FIX31, FIX39, FIX42, FIX43, FIX44, FIX45, FIX65, FIX66.



000



Black Trim Panel Push Rivets W x D x H: 10.5 x 13.5 x 20.5 mm Part No. Pack of

FIX414

Merc A1249900792

20



Black Windshield Push Rivets Ø x S: 11 x 14 mm

Pack of Part No. **FIX776** 20 Mitsubishi MB955901 Toyota 90467-07066 GM 96057847



Black Push Rivets Ø x S: 12 x 10 mm

Part No. Pack of **FIX116** 50 Merc A1239900092



Black Windshield Push Rivets W x D x S: 12.5 x 10 x 10 mm

Part No. Pack of **FIX780** 20

VW N90536901



Black Push Rivets Ø x S: 13 x 8 mm

Part No. Pack of **FIX760** 20 Chrysler 6682401G00

Hole Ø **6.5**



Black Push Rivets Ø x S: 15 x 9 mm

Part No. Pack of **FIX510**

GM 96057846 **Mitsubishi** MB476821 **Suzuki** 09409073085PK Toyota 9046707041





Black Push Rivets Ø x S: 16 x 18 mm

| Part No. | Pack of |
|------------------|---------|
| FIX759 | 20 |
| Merc A1249900492 | |



Ø x S: 14.5 x 27 mm

| Part No. | Pack of |
|--------------------|---------|
| FIX775 | 20 |
| Tovota 90467-09096 | |



Black Push Rivets Ø x S: 15 x 15 mm

| Part No. | Pack of |
|-------------------------------------|---------|
| FIX107 | 50 |
| BMW 51111908077 Merc A0009905492 | |



Black Push Rivets Ø x S: 15 x 15 mm

| Part No. | Pack of |
|--|------------------|
| FIX111 | 50 |
| VW N9035910 BMW 51111908 Merc A0009905492 / A0 / A124990049 | 077 009905492 |



Ø x S: 15 x 20 mm

| Part No. | Pack of |
|-------------------------------|---------|
| FIX109 | 50 |
| BMW 51111964186 GM 1400804 | |



Black Windshield Push Rivets Ø x S: 16 x 11 mm

| Part No. | Pack of |
|-------------------------|---------|
| FIX786 | 20 |
| Subaru 909140012 | |





Black Windshield Push Rivets Ø x S: 16 x 8 mm

| Part No. | Pack o |
|-------------------|--------|
| FIX774 | 20 |
| Tovota 90467-0714 | 5 |



Black Front Bumper/Boot Push Rivets Ø x S: 18 x 10 mm

| Part No. | Pack of |
|-------------------------------------|---------|
| FIX766 | 20 |
| Nissan 155309611 / Tovota 904670 | |



Black Windshield Push Rivets Ø x S: 18 x 11.5 mm

| Part No. | Pack of |
|-----------------------------------|---------|
| FIX781 | 20 |
| Nissan 8099905 Tovota 90467070 | |
| 9046707043C0 Volv o | |



Black Bumper Push Rivets Ø x S: 18 x 13 mm

| D A J. 10 A 1 | JIIIII |
|---------------|---------|
| Part No. | Pack of |
| FIX257 | 50 |
| | |





Black Push Rivets Ø x S: 18 x 13 mm

| Part No. | Pack of |
|---------------------|---------|
| FIX512 | 50 |
| Mitsubishi MR200300 | |













Ø x S: 18 x 23 mm

| Part No. | Pack of |
|-------------------|---------|
| FIX238 | 20 |
| Chrysler 650/1521 | |



Ø x S: 18 x 32 mm

| Part No. | Pack of |
|-------------------|---------|
| FIX764 | 20 |
| Tovota 5216120010 | 1 |



Black Push Rivets Ø x S: 18 x 28 mm

| Part No. | Pack of |
|----------|---------|
| FIX511 | 50 |
| | |



Black Push Rivets Ø x S: 19 x 16 mm

| D A J. 13 A 10 IIIIII | |
|-----------------------|---------|
| Part No. | Pack of |
| FIX112 | 50 |
| BMW 51118174185 | |



Black Push Rivets Ø x S: 19 x 14 mm

| Part No. | Pack of |
|--------------|---------|
| FIX513 | 50 |
| BMW 51118174 | |

0046710161150 / 94858 **Honda** 156056A003 **Mazda** E4T68865A **Mitsubishi** MU480150



Black Front/Rear Bumper Push Rivets Ø x S: 19.5 x 17 mm

| Part No. | Pack of |
|-------------------|---------|
| FIX753 | 20 |
| Honda 91503SZ5003 | ; |







1:1

Part No.

FIX891



















FIX180 20 Honda 91512SX0003





Black Bumper Drive Rivets

| M X 2; 13:2 X 13 IIII | I |
|-----------------------|---------|
| Part No. | Pack of |
| FIX178 | 20 |
| Honda 91501SZ3003 | } |





Ø x S: 19.5 x 13 mm

| Part No. | Pack of |
|-------------------|---------|
| FIX514 | 50 |
| Honda 91501SZ3003 | |



Black Push Rivets W x D x S: 18 x 18 x 11 mm

Hole Ø **6.5**

| Part No. | Pack of |
|--------------------------|---------|
| FIX637 | 20 |
| Toyota 5325920030 | |



Black Push Rivets Ø x S: 19.5 x 12 mm

| Part No. | Pack of |
|--|---------|
| FIX758 | 20 |
| Honda 91545SE Nissan 0155304233 / 6 | |

Toyota 6777152010B1 Volvo 3541113



Black Bumper Push Rivets Ø x S: 19.5 x 13 mm

| Part No. | Pack of |
|---------------------|-------------|
| FIX231 | 20 |
| Honda 91503SZ3003 / | 91505S9A003 |



Black Windshield Push Rivets

Ø x S: 18 x 17.5 mm

Ford 4855809 GM 11589289 / 6508863AA

Pack of



Black Bumper Push Rivets Ø x S: 20 x 10 mm

| Part No. | Pack of |
|--------------------------------------|---------|
| FIX258 | 50 |
| PSA 71741883 Suzuki 0940907332000 | |
| Toyota 9046707164 | |





Black Push Rivets Ø x S: 20 x 10 mm

| Ø X 3. 20 X 10 IIIIII | |
|-----------------------|--------|
| Part No. | Pack o |
| FIX769 | 20 |
| Honda 915125X0003 | |





Black Bonnet Clip Ø x H: 20 x 20 mm

| Part No. | Pack of |
|--------------------|---------|
| FIX273 | 50 |
| PSA 856553 | |
| Renault 1609267280 | |





Black Push Rivets Ø x S: 20 x 11 mm

| Ø A J. 20 A 11 IIIIII | |
|-----------------------|---------|
| Part No. | Pack of |
| FIX508 | 50 |
| PSΔ 7013 I0 / 8211M | |





Black Front Bumper Push Rivets Ø x S: 20 x 11 mm

| Ø A J. 20 A II IIIIII | |
|-----------------------|---------|
| Part No. | Pack of |
| FIX765 | 20 |
| Honda 91503574003 | |



Black Front Bumper Push Rivets Ø x S: 20 x 13 mm

Pack of Part No. **FIX768** 20 Nissan 11296AG000 / 91503SZ3003

111

Black Push Rivets Ø x S: 20 x 5 mm

Pack of Part No. **FIX113** 50 BMW 51481938725



Ø x S: 20 x 14 mm

Part No. Pack of **FIX114** 50

BMW 51471911992 Merc A2019900292 Mitsubishi M8201411 Volvo 30820141



Ø x S: 20 x 14 mm

Pack of Part No. FIX506 50

BMW 51471911992 Merc A2019900292 Mitsubishi M8201411 Volvo 30820141



Ø x S: 20 x 20.5 mm

Pack of Part No. **FIX779** 20 Merc A1269900192



Black Push Rivets Ø x S: 20 x 7.5 mm

Part No. Pack of **FIX403** 20 Ford 1738233



Black Engine Under Cover Push Rivets Ø x S: 20 x 11 mm

| I OJII MIVELJ | D A J. ZO A II IIIII |
|---------------|----------------------|
| Part No. | Pack of |
| FIX763 | 20 |
| Toyota | 9046707201 |

Black Windshield Push Rivets Ø x S: 20 x 12.5 mm

Pack of Part No. **FIX772** 20

Subaru 59114AG000



Black Push Rivets Ø x S: 20 x 8 mm

| Ø A J. 20 A 0 IIIIII | |
|----------------------|---------|
| Part No. | Pack of |
| FIX509 | 50 |
| | |





Black Push Rivets Ø x S x H: 20 x 8 x 22 mm

| Part No. | Pack of |
|------------------------------------|---------|
| FIX754 | 20 |
| Nissan 6384801G00 Volvo 3541113 | |



Black Bumper Push Rivets Ø x S: 20 x 9 mm

| Part No. | Pack of |
|--------------------------|---------|
| FIX240 | 50 |
| Mitsubishi MR32895 | 4 |
| Nissan 0155309231 | |
| Toyota 9004468320 | |



Ø x S: 20 x 9 mm

| Part No. | Pack of |
|----------|---------|
| FIX507 | 50 |
| | |





Black Push Rivets Ø x S: 20 x 21 mm

Part No. Pack of **FIX751** 20 VW 8E0825267 Chrysler 6503598 Ford 1039463 / N8073895 GM 21030249 Land Rover ANR2224 Renault 7701049271



Black Windshield Push Rivets Ø x S: 20 x 9 mm

Part No. Pack of **FIX771** 20 Toyota 9046707214



Black Bumper Push Rivets Ø x S: 20 x 20 mm

Part No. Pack of **FIX110** 50 VW N90359101 **GM** 1400806 / 90508809



Black/Light Grey Roof Trim Push Rivets Ø x S: 24 x 30 mm

Part No. Pack of **FIX756** 20 Ford E866241SS2M



Grey Push Rivets Ø x S: 27 x 19 mm

Part No. Pack of **FIX651** 20 Mercedes-Benz



0 000

 \odot





Black Drive Rivets W x D x S: 10 x 22 x 9 mm Part No. Pack of FIX65 50

VW 811807447





Black Drive Rivets W x D x S· 12 x 175 x 7 mm

| W A D A J. 12 A 11.J A 1 | 1111111 |
|--------------------------|---------|
| Part No. | Pack of |
| FIX66 | 50 |
| VW 171853695A | |



Black Drive Rivets Ø x S: 4.8 x 6 mm

| Part No. | Pack of |
|----------|---------|
| FIX88 | 50 |
| | |



Black Drive Rivets Ø x S: 7.6 x 8 mm

| Part No. | Pack of |
|--------------------|---------|
| FIX42 | 50 |
| PSA 697224 / 96083 | 51380 |
| Renault 7703072 | |
| Eurocode 6539AS | SSH |



Black Drive Rivets \emptyset x S: 8 x 7 mm



Black Drive Rivets Ø x S: 8.7 x 8 mm

| Part No. | Pack o |
|--|--------|
| FIX43 | 50 |
| GM 167935 Merc A0009900392 / A000 PSA 7903072116 Renault 77030721 | |



Black Drive Rivets

| Ø X S: 9.5 | X 12 MM |
|------------|---------|
| Part No. | Pack of |
| FIX44 | 50 |
| | |



Black Drive Rivets Ø x S: 10 x 12 mm

| Part No. | Pack of |
|--------------------|----------|
| FIX97 | 50 |
| VW 1L0853934 / NO | 385012/ |
| N10259301 BMW 511 | 61881149 |
| Merc A0009903 | 492 |
| PSA 77030721 / 790 | |
| Renault 7703072 | 2116 |



Black Drive Rivets Ø x S: 10 x 12 mm

1:1

| Part No. | Pack o |
|--|-------------------------|
| FIX515 | 50 |
| VW 1L0853934 / N038 N10259301 BMW 5116 Merc A00099034 PSA 77030721 / 7903 Renault 77030721 | 1881149 92 072170 |



Black Drive Rivets

| א ט א א א א א א א א א א א א א א א א א א | |
|---|---------|
| Part No. | Pack of |
| FIX174 | 50 |
| Renault 7703072144 | |



Black Drive Rivets Ø x S: 11 x 12 mm

| Part No. | Pack of |
|----------|---------|
| FIX94 | 50 |
| | |



Black Drive Rivets Ø x S: 11.4 x 7 mm

| Part No. | Pack o |
|--|--------|
| FIX95 | 50 |
| GM 167935 PSA 790 Renault 770307 Volvo 94709 | 2173 |





Black Drive Rivets

| Ø X 5. 12.5 X 12 IIIIII | |
|--------------------------|---------|
| Part No. | Pack of |
| FIX98 | 20 |
| VW N0385501 F PSA 783 | |



Black Drive Rivets Ø x S: 13 x 13 mm

| Part No. | Pack of |
|-------------------|---------|
| FIX45 | 50 |
| Land Rover 790861 | |



Black Underide Guard Drive Rivets Ø x S: 13 x 15 mm Pack of

| Part No. | Pack of |
|---------------------------------|---------|
| FIX106 | 20 |
| GM 90356928 Merc A0009903792 | |





Black Drive Rivets αν C⋅ 16 v 11 mm

| א א א א א א א א א א א א א א א א א א א | |
|---------------------------------------|---------|
| Part No. | Pack of |
| FIX103 | 50 |
| VW N10219501 / N1 | |
| Ford 100916 | |
| GM 2317703 / 901 | 116376 |
| Merc A0009905 | 5592 |





Black Drive Rivets

| א א א א א א א א א א א א א א א א א א א | |
|---------------------------------------|--------|
| Part No. | Pack o |
| FIX104 | 50 |
| GM 1719245 / 9013881 | 10 |



Black Drive Rivets Ø x S: 16 x 11 mm

| Part No. | Pack of |
|--|------------|
| FIX100 | 50 |
| VW 16186729901C / N038 BMW 1916670 Ford E844052S | 3549101C / |
| GM 1104880 / 9008 Merc A00099029 | 92 |
| Volvo 35126242 / 945 | 30507 |
| | |



موم

O



Black Drive Rivets Ø x S: 16 x 13 mm

| Part No. | Pack of |
|----------|---------|
| FIX39 | 50 |
| | |



Black Drive Rivets Ø x S: 16 x 13 mm Part No. Pack of

| FIX517 | 50 |
|--|-------|
| VW 16186729901C / N03854 / N0385494 | 9101C |
| BMW 1916670 Ford E844052S | |
| GM 1104880 / 9008729 Merc A0009902992 |) |
| PSA 697324 Volvo 35126242 / 945305 | 507 |
| | |



Black Panel Drive Rivets Ø x S: 16 x 14 mm

| Part No. | Pack o |
|----------------|--------|
| FIX709 | 20 |
| Volvo 91334177 | |



Black Drive Rivets Ø x S: 16 x 14 mm

Pack of

| FIX175 | 50 |
|---|----|
| Merc A0009904529 PSA 79030721 / 740760 | |
| Volvo 12681763 | |



Black Drive Rivets Ø x S: 16.5 x 14 mm

| D // 0/ 10/0 // 1 / / / / / / | |
|-------------------------------|---------|
| Part No. | Pack of |
| FIX516 | 50 |
| Merc A000990 | |



Black Drive Rivets Ø x S: 18 x 17 mm

| 50 |
|----|
| |
| |



Part No.







Black Drive Rivets Ø x S: 18.7 x 15 mm

| Part No. | Pack of |
|---------------------------------------|---------|
| FIX176 | 20 |
| GM 1104882 / 90450 Merc A001990169 | |



Black Bumper Drive Rivets Ø x S: 20 x 15 mm

| 0 NO. 20 N 10 HIII | |
|--------------------|--------|
| Part No. | Pack o |
| FIX105 | 50 |
| BMW 51111944537 | |






Ø x S: 20 x 24 mm

| Part No. | Pack of |
|---------------|---------|
| FIX177 | 20 |
| VW 81 0807300 | |

BAHCO Trim Clip Tool

Blade made of high performance alloy steel. Hardness: 40-46 HRC. Par

| Part No. | Qty | Shaft Length | Overall Length |
|----------|-----|--------------|----------------|
| TL125 | 1 | 175 mm | 245 mm |



Ideal for removal of paneling, trims and window trims, at the same time, reducing paint work damage: e.g. plastic trims, internal door paneling, plugs, protective caps, actuation knobs etc.

| Part No. | Qty | Description | |
|-----------|-------|-------------|--|
| K911 8120 | 1 Set | 5 Diece Set | |

 $1\,x$ Standard clip remover. $1\,x$ Trim wedge, narrow model. $1\,x$ Dual clip remover. $1\,x$ Bumper trim wedge, wide model. $1\,x$ Clip remover.































Black Screw-Type Rivets W x D x S: 15 x 8 x 15 mm

| Part No. | Pack of |
|-----------------|---------|
| FIX124 | 20 |
| BMW 51131885399 | |



Black Fender Fasteners W x D x S: 22 x 14 x 9 mm

| Part No. | Pack of |
|---|---------|
| FIX801 | 20 |
| Isuzu 89422-11500 Nissan 63844-D0100 |) |



Black Screw-Type Rivets Ø x S: 11 x 18 mm

| Part No. | Pack of |
|----------|---------|
| FIX119 | 50 |
| | |



Black Screw-Type Rivets Ø x S: 12 x 11 mm

| Part No. | Pack of |
|-----------------------------|---------|
| FIX117 | 50 |
| Merc A0009904092 / A1249909 | |



Black Screw Rivets Ø x S: 12 x 14 mm Dart No. Pack of

| FIX806 | 20 |
|--|----|
| PSA 6991F0 / 963 Renault 7703072261 / | |



Black Screw-Type Rivets Ø x S: 15 x 13 mm

| FIX31 5 | ιU |
|--|----|
| CM 04100C07 | 50 |
| Honda 90467SA6003 Mazda N30413356A Toyota 9046706017 | |



Black Screw-Type Rivets Ø x S: 15 x 13 mm

Hole Ø **6.4**

| Part No. | Pack of |
|-------------|---------|
| FIX522 | 50 |
| GM 94198687 | |

Hyundai KK37668868 Isuzu 8942981190 Mazda N30413356A Nissan 1099830880 Toyota 9046706017



Black Bumper Liner Screw-Type Rivets Ø x S: 15 x 13 mm

| Part No. | Pack of |
|----------|---------|
| FIX794 | 20 |

GM 94530438 Mitsubishi MB344728 Nissan 65810AD20 013 / 91550-SH3-003



Black Lining Clips

| Ø X S: 15 X 14 MM | |
|---------------------------|--------|
| Part No. | Pack o |
| FIX807 | 20 |
| Honda 90687-SBO-003 / 906 | 87-SBO |



Black Screw-Type Rivets Ø x S: 15 x 17 mm

| D A 3. 13 A 17 IIII | |
|--|---------|
| Part No. | Pack of |
| FIX518 | 50 |
| Ford 1007932 / 96SG16 W703915SSYYB6 | K262 / |



Black Screw-Type Rivets Ø x S: 15 x 19 mm

| Part No. | Pack of |
|--------------------|---------|
| FIX120 | 50 |
| Chrysler 6503163 | |
| Ford W706264S300 | |
| GM 10053182 | |



Black Screw-Type Rivets Ø x S: 15.5 x 23 mm

| Part No. | Pack of |
|--|---------|
| FIX121 | 50 |
| Chrysler 6502871 Ford N803946S / 135412 | 24 |
| | |



Black Screw-Type Rivets Ø x S: 16 x 12 mm

| Part No. | Pack of |
|-----------------------------------|---------|
| FIX118 | 50 |
| Merc A1239900592 Volvo 3120254 | |



Black Screw-Type Rivets Ø x S: 16 x 14 mm

| 20 |
|----|
| |





Black Screw-Type Rivets Ø x S: 16 x 17 mm

| Part No. | Pack of |
|------------------------|----------|
| FIX236 | 20 |
| Chrysler 10139822 / 69 | 508197AA |
| Ford 1007932 / 167 | 3046/ |
| 96SG16K262 | |
| Ford W703915SS\ | YB6 |





Black Bumper Screw-Type Rivets Ø x S: 17 x 11 mm

| Part No. | Pack o |
|---|--------|
| FIX234 | 20 |
| Mitsubishi MB25396- Toyota 90467-07030 | |





Black Bumper Screw-Type Rivets Ø x S: 18 x 13 mm

| Part No. | Pack of |
|--|---------|
| FIX232 | 20 |
| Ford MB45556143 Hyundai 0G03250037/ | |

8659028000 **Mazda** B09251833





White Bumper Clips Ø x S: 18 x 13 mm

| Part No. | Pack of |
|----------|---------|
| FIX796 | 20 |

Ford MB-455-56143 Mazda B092-51-833 Hyundai 0G032-50037A

0

000

အ















Beige Bumper Screw-Type Rivets Ø x S: 18 x 13 mm

| Part No. | Pack of |
|-------------------|---------|
| FIX795 | 20 |
| Ford MD AEE ECLAS | |

Ford MB-455-56143 Mazda B092-51-833 Nissan 01553-0038U Hyundai 0G032-50037A / 85325-210005



Black Screw-Type Rivets Ø x S: 18 x 13 mm

| Part No. | Pack of |
|---|---------|
| FIX520 | 50 |
| Hyundai 8659028000 Mazda B09251833 |) |



Black Screw-Type Rivets Ø x S: 18 x 10 mm

| Part No. | Pack of |
|-------------------|---------|
| FIX519 | 50 |
| Honda 90688SB0003 | 3 |



Black Trim Panel Clips Ø x S: 18 x 18.5 mm

| Part No. | Pack of |
|-----------------|---------|
| FIX804 | 20 |
| More #126000020 | 2 |



Black Push Type Clips Ø x S: 18 x 22 mm

| Part No. | Pack of |
|-------------------|---------|
| FIX359 | 20 |
| Honda 90505SM4003 | |



Black Screw-Type Rivets Ø x S: 18 x 23 mm

| Part No. | Pack of |
|---|---------|
| FIX122 | 50 |
| Chrysler 10139822 / 6508197AA Ford 1007932 / 1673046 | |





Light Grey Trim Panel Clips Ø x S: 18 x 12 mm

| D A J. 10 A 12 IIIIII | |
|------------------------|--------|
| Part No. | Pack o |
| FIX792 | 20 |
| VW 701867299 / 7018672 | 991YZ |





Black Trim Panel Clips Ø x S: 18 x 12 mm

| Part No. | Pack of |
|-----------------|---------|
| FIX793 | 20 |
| VW 70186729901C | |





Black Bumper Screw-Type Rivets Ø x S: 19 x 11 mm

| Part No. | Pack of |
|----------|---------|
| FIX233 | 20 |
| | |

Ford MB25556143 Honda 906755B3003 Hyundai 0G03250037A / 8659028000 Mazda FB0156964 Nissan 6387695596 / B09251833





Black Screw-Type Rivets Ø x S: 20 x 20 mm

| art No. | Pack of |
|---------|---------|
| 1X523 | 50 |
| | |

Land Rover AWR3994 Mazda NA0156145 Nissan 6384401A00 / 6385401A00 / 6387801E10





Black Screw-Type Rivets Ø x S: 20 x 8 mm

| nm | |
|--|--|
| Pack of | |
| 20 | |
| Honda 90675SB003 Nissan 75521611000 | |
| | |





Black Screw-Type Rivets Ø x S: 20 x 8 mm

| Part No. | Pack of |
|---------------|---------|
| FIX123 | 50 |
| H4- 000750000 | |

Honda 90675SB003 Nissan 75521611000



Drive Rivets

| Part No. | Box of |
|----------|------------|
| AB152 | 220 Pieces |

8 x Sizes: FIX31, FIX39, FIX42, FIX43, FIX44, FIX45, FIX65, FIX66.



Screw-Type Rivets

| Part No. | Bo |
|----------|----|
| AD473 | 4 |

AB172 130 Pieces

8 x Sizes: FIX31, FIX117, FIX118, FIX119, FIX120, FIX121, FIX122, FIX123.





Part No. Box of AB153 220 Pieces



3 x Round: FIX9, FIX28, FIX38. 1 x Reverse Round: FIX71. 1 x Square: FIX23. 1 x Square Reverse: FIX22. 2 x Large Locking Nuts: FIX73, FIX74.

 \odot





Black Screw-Type Rivets Ø x S: 20 x 14 mm

Hole Ø **10**

Pack of Part No. **FIX182**

BMW 7887508000 Honda 91503SP0003 / 91503SP0003 Land Rover DV0100230 Mazda FB0156964 Nissan 6387695596 **Toyota** 94530623





| Black Screw-1 | Type Rivets |
|---------------|-------------|
| Ø x S: 20 x | 14 mm |
| rt No. | Pack of |

50

FIX521



Black Screw-Type Rivets Ø x S: 20 x 26 mm

| Part No. | Pack of |
|-------------------|---------|
| FIX216 | 20 |
| Honda 91502SP0003 | |



Black Screw Type Rivets Ø x S: 23 x 16 mm

| D X 3. 23 X 10 IIIII | |
|----------------------|---------|
| Part No. | Pack of |
| FIX798 | 20 |
| VW 85/11/SCHR | |



| Part No. | Pack of |
|----------|---------|
| FIX797 | 20 |



Black Expansion Rivets Ø x S: 30 x 17 mm

| Part No. | Pack o | |
|------------------|--------|--|
| FIX802 | 10 | |
| Merc A0019900192 | | |































BAHCO Trim Clip Tool

Blade made of high performance alloy steel. Hardness: 40-46 HRC. Part No. Qty Shaft Length **Overall Length**

TL125 175 mm 245 mm



· Useful assortment of different wedges and clip removal tools.

Ideal for removal of paneling, trims and window trims, at the same time, reducing paint work damage: e.g. plastic trims, internal door paneling, plugs, protective caps, actuation knobs etc.

Part No.

Description

K911.8120 1 Set **5 Piece Set**

 $1\,x$ Standard clip remover. $1\,x$ Trim wedge, narrow model. $1\,x$ Dual clip remover. $1\,x$ Bumper trim wedge, wide model. $1\,x$ Clip remover.





Trim Clip ChartDouble sided A1 size guide,
folded down to A4 for easy and convenient use.

- If displaying range on a wall two copies will be required.

 Contains 330 popular trim clips, body screws, number plate screws and rivets
- New larger format A1 size chart
 Actual size images for quick and easy identification

Description

YCHART1 A1 Double Sided Wall Chart



workshop warehous

Trim Clip Chart



































Natural Locking Nuts

W x H: 9 x 12 mm





| Natural Locking Nuts | | |
|----------------------|---------|--|
| W x H: 9.5 x 8 mm | | |
| Part No. | Pack of | |
| FIX23 | 50 | |

| ivatorai Luci | VIII B INULS |
|---------------|--------------|
| W x H: 9.5 x | (12 mm |
| Part No. | Pack of |
| FIX22 | 50 |
| | |

| Natural Locking Nuts Ø x H: 9 x 9.5 mm | |
|---|----------|
| lo. P | ack of |
| E24 | <u> </u> |

| Part No. | Pack of | Part No. | Pack of |
|-----------------------------|---------|----------|---------|
| FIX524 | 50 | FIX72 | 50 |
| VW 15580 Fiat 14115980 F | | | |

Black Locking Nuts Ø x H: 12 x 14 mm

Part No. Pack of FIX71 50 VW 6N0809966A / 867809966

Black Locking Nuts W x D x H: 12 x 7 x 12 mm Pack of Part No. **FIX134** 50 **VW** 811807577C



Salmon Locking Nuts

| W x D x H: 12 x 12 x | 9 mm |
|----------------------|---------|
| Part No. | Pack of |
| FIX740 | 20 |
| Fiat 142215088 | |



| ١ | latural Locking Nut | S |
|--------|---------------------|----------|
| | W x H: 11 x 12 mm | |
| 4 41 - | | Darder 6 |

| Part No. Pa | ck of |
|-----------------------|-------|
| FIX142 | 50 |
| GM 1216957 / 90230960 | |



Natural Locking Nuts

| Ø X H: 12.5 X 11 mm | | W |
|---------------------|---------|----------|
| Part No. | Pack of | Part No. |
| FIX28 | 50 | FIX19 |
| | | To |



Yellow Locking Nuts

| W X H: 14 X 8 MM | |
|-------------------|---------|
| Part No. | Pack of |
| FIX190 | 50 |
| Toyota 9018906018 | |



Natural Round Locking Nuts Ø x H: 16.5 x 11 mm

| Part No. | Pack of |
|-------------------|---------|
| FIX221 | 50 |
| Tovota 9018906006 |) |





0

000

အ

174

| Pack of |
|---------|
| 50 |
| |



Natural Round Locking Nuts

| Ø x H: 16 x 9 mm | |
|------------------|--------|
| Part No. | Pack o |
| FIX38 | 50 |
| | |



Black Round Locking Nuts

Ø x H: 13 x 8 mm

Pack of

50

Part No.

FIX9

1:1

White Locking Nuts

| Ø x H: 14.3 x 16 | mm |
|--|---------|
| Part No. | Pack of |
| FIX191 | 20 |
| BMW 51127046 Honda 9067267181 91620SR2003 Hyundai 9751922 | 10M1/ |



Natural Locking Nuts

| Part No. | Pack o |
|--|--------|
| FIX73 | 50 |
| VW 321813998A Honda 90672671811N Toyota 9018904013 | И |



White Push Type Clips

Hole Ø **10**

| Ø X H: 1/.5 X | 1/.5 mm |
|----------------------------------|---------|
| Part No. | Pack of |
| FIX747 | 20 |
| Mitsubishi MB0981 Tovota 9018 | |



1:1 Hole Ø **10**

Natural Locking Nuts Ø x H: 22 x 21 mm

| ack of |
|--------|
| 50 |
| |
| |



Black Fender Screw Grommets Ø x H· 16 x 20 mm

| D A II. 10 A 20 IIIIII | |
|----------------------------------|---------|
| Part No. | Pack of |
| FIX749 | 20 |
| GM 94854203 Toyota 9018906224 | |





Black Locking Nuts Ø x H: 20 x 18.5 mm

| Part No. | Pack of |
|-------------------|---------|
| FIX192 | 50 |
| Toyota 9018906013 | |





Black Locking Nuts Ø x H: 20 x 18.5 mm Part No.

| Part No. | Pack of |
|-------------------|---------|
| FIX526 | 50 |
| Toyota 9018906013 | |



Black Locking Nuts Ø x H: 15 x 14 mm

| Part No. | Pack of |
|--------------|---------|
| FIX135 | 50 |
| VW N90833801 | |



Black Locking Nuts

| Ø X H: 16 X 21 MN | 1 |
|-------------------|---------|
| Part No. | Pack of |
| FIX137 | 20 |
| VW 357827998 | |



Black Locking Nuts Ø x H: 15 x 21.5 mm Part No. Pack of **FIX136** 50 VW N90821401



Ø x H: 16 x 25 mm

| DATE TO A 25 HIII | |
|-------------------|--------|
| Part No. | Pack o |
| FIX138 | 50 |
| VW 357868143 | |
| | |

Black Locking Nuts

Ø x H: 16 x 11 mm

VW 8E0825265C

BMW 16131176747

GM 180942 / 90413589 Merc A0039900251

White Grommets

Ø x H: 11 x 14 mm

Merc A0019887681

Pack of

Hole Ø **8.5**

Pack of

Hole Ø **10**

20

50

Part No.

111

Part No.

1:1

FIX305

FIX147



Black Locking Nuts

Ø x H: 18 x 21 mm

Pack of

20

50

1:1

Part No.

FIX139

Dark Red Locking Nuts L x W x H: 17 x 14.5 x 12 mm Part No. Pack of

FIX26 VW 1J0853120



Clear Retaining Clips

| W x D x H: 17 x | 15 x 15 mm |
|-----------------|------------|
| Part No. | Pack of |
| FIX482 | 20 |
| BMW 5145 | R161557 |



White Headlight Clips Part No.



Black Front Logo Clips Ø x H: 8 x 13 mm Part No. Pack of **FIX366**



Black Locking Nuts W x D x H: 16 x 12 x 15 mm Part No Pack of

Hole Ø

Pack of

20

Black Locking Nuts

Ø x H: 18 x 25 mm

GM 1406984 / 90482706

Part No.

111

FIX145

| r ur crro. | . ucit o |
|---------------------|----------|
| FIX461 | 20 |
| Mitsubishi MB083120 | |

111

(1:1)

Pa

F



11

Part No.

FIX146

Black Locking Nuts

Ø x H: 24 x 10.5 mm

BMW 51711958025

Merc A2019900050

Pack of

50

50

Pack of

20

20

Natural Moulding Clips W x D x H: 20 x 13 x 17.5 mm Part No. Pack of **FIX867** 20 PSA 699796

Renault 7703081185



Black Locking Nuts W x D x H: 11 x 21 x 17 mm Part No. Pack of **FIX148** BMW 5113810295 / 51138102952



Natural Friction Bushes Black Screw Grommets W x D x H: 10 x 10 x 15 mm Part No.

FIX890

BMW 63171367868

Merc A0009881625

| art No. | Pack of |
|-----------------|------------|
| IX6 | 50 |
| VW 113853615 Fi | at 4234280 |
| Merc A00098 | 880027 |
| PSA 962954 | 17080 |

Ø x H: 5 x 12 mm



Green Moulding Clips Ø x H: 13 x 12 mm Pack of



(1:1)



Black Locking Nuts Ø x H: 23 x 18 mm

| Part No. P | ack of |
|-----------------------|--------|
| FIX144 | 20 |
| GM 1190970 / 90053803 | |





Clear Plug in Clips W x D x H: 17 x 15 x 11 mm Part No. Pack of **FIX481** 20 BMW 51418215806



Black Headlight Locking Nuts Ø x H: 12.5 x 10.5 mm

| Part No. | Pack of |
|--------------------------------------|---------|
| FIX621 | 20 |
| Ford N807994S | |
| Nissan N807994S Toyota 9046712042 | ! |





Beige/Black Grommets Ø x H: 16 x 17.5 mm Part No. **FIX193**

VW N10516801



50



 \odot

Part No. Pack of **FIX645** 20 Hyundai 92351-37000

White Headlight Clips

Ø x H: 15 x 10 mm











Red Dash Trim Clips W x D x H: 19 x 17 x 12 mm Part No. Pack of **FIX483** 20

BMW 51458266814



20

Part No. FIX87

50 VW 1H0853586

FIX340 GM 129943





| Part No. | Pack of |
|----------------------|---------|
| FIX863 | 20 |
| GM 0149907 / 9041466 | 3 |



White Mirror Panel Clips Ø x H: 12 x 16 mm

| Part No. | Pack of |
|----------------------|---------|
| FIX810 | 20 |
| Ford 9032112 / 14991 | 0 |



White/Grey Panel Clips Ø x H: 15 x 14 mm

| Part No. | Pack of |
|--------------------|------------|
| FIX816 | 20 |
| Renault 7701050734 | 7703077430 |



White Moulding Clips Ø x H: 15 x 19 mm

| Part No. | Pack of |
|--------------------|---------|
| FIX828 | 20 |
| Renault 7703077183 | |



White Lining Clips Ø x H: 15 x 20 mm

| raitinu. r | ack oi |
|--------------------|--------|
| FIX880 | 20 |
| Renault 7703077250 | |



Black Door Panel Clips Ø x H: 15 x 20.5 mm

| Part No. | Pack of |
|-----------------------------------|---------|
| FIX856 | 20 |
| Renault 7703077434 GM 93160780 | 1 |



Grey Lining Clips Ø x H: 16 x 16 mm

| DATI. 10 A 10 IIIIII | |
|----------------------|---------|
| Part No. | Pack of |
| FIX835 | 20 |
| More #10000015702 | |



Black/White Trim Panel Clips Ø x H: 16 x 19 mm

| Part No. | Pack of |
|--------------|---------|
| FIX818 | 20 |
| Ford 1257376 | |



Blue Panel Clips Ø x H: 16.5 x 19 mm

| Ø X H: 16.5 X 19 MM | 1 |
|-------------------------------------|---------|
| Part No. | Pack of |
| FIX846 | 20 |
| VW 171867299B Honda 91560-S9A-A0 | 1 |



Natural Panel Clips Ø x H: 17 x 18 mm

| Part No. | Pack of |
|---|----------------------------|
| FIX527 | 50 |
| Ford 1008 GM 2345957 / 23459 / 904578 Toyota 67771 | 59 / 90321122 99 |



Yellow Panel Clips Ø x H: 17 x 20 mm

| Part No. Pa | ck of |
|---------------------------|-------|
| FIX831 | 20 |
| VW 7M0867299K | |
| Ford 1008068 / A310A46-AA | 4 |



Yellow Panel Clips Ø x H: 17.5 x 21 mm

| Part No. | Pack o |
|--|--------|
| FIX167 | 20 |
| VW 7M0867299K Ford 1008086 / A310A4 | 6AA |
| | |





White Lining Clips Ø x H: 17.5 x 21 mm

| Part No. | Pack of |
|--------------------------|---------|
| FIX853 | 20 |
| Merc A0079899978 | |
| Toyota 6777102030 | |





White Panel Clips Ø x H: 18 x 16 mm

| D ATI. 10 A 10 IIIIII | |
|-----------------------|--------|
| Part No. | Pack o |
| FIX7 | 50 |
| | |





Natural Panel Clips Ø x H: 18 x 17 mm

| Ø x H: 18 x 17 mm | |
|---|--------|
| Part No. | Pack o |
| FIX529 | 50 |
| VW 2730ASCTS1B PSA 6991S6 | |
| Renault 7703077469 Eurocode 2730ASCTS1 | |
| EULUCUUE Z/JUAJCIJI | D |



White Inner Door Panel Clips Ø x H: 18 x 17.5 mm

| Part No. | Pack of |
|---|---------|
| FIX841 | 20 |
| Ford 6117693 / E86522 Merc A0069884378 Mitsubishi M283083 | OS |



Blue Moulding Clips Ø x H: 18 x 17.5 mm

| Part No. | Pack of |
|----------------------------------|---------|
| FIX838 | 20 |
| GM 88970345 Toyota 9046710167 | , |



White Panel Clips Ø x H: 18 x 18.5 mm

| Pack of |
|---------|
| 20 |
| ļ |
| |



موم







Blue Panel Clips Ø x H: 18 x 20 mm

| Part No. | Pack of |
|--------------|---------|
| FIX48 | 50 |
| Ford 1070107 | |





Natural Interior Lining Clips Ø x H: 18 x 20 mm

| Part No. | Pack of |
|-----------------|---------|
| FIX272 | 50 |
| BMW 51418224768 | |



111

Part No.

FIX531





Black Panel Clips Ø x H: 18 x 21 mm

| D XII. 10 X Z I IIIII | |
|-----------------------|---------|
| Part No. | Pack of |
| FIX160 | 20 |
| VW 703867299 | |





Red Lining Clips Ø x H: 18 x 22 mm

| Part No. | Pack of |
|---------------------------|---------|
| FIX824 | 20 |
| Fiat 46410400 / 500358567 | |



Black Floor Covering Clips Ø x H: 18.5 x 18 mm

| Part No. | Pack of |
|----------------------------------|---------|
| FIX255 | 50 |
| PSA 6991S6 Renault 7703077469 |) |



White Panel Clip Ø x H: 18.5 x 18 mm

| D X 11. 10.3 X 10 111111 | |
|--------------------------|---------|
| Part No. | Pack of |
| FIX252 | 50 |
| PSA 8E9867299 | |
| Renault 6991S6 | |
| Eurocode 2730ASCTS1 | .B |



Green Lower Panel Clips Ø x H: 18.5 x 18 mm

| Part No. | Pack of |
|------------------|---------|
| FIX848 | 20 |
| Merc A0009912771 | |



Natural Panel Clips

Ø x H: 18 x 20.5 mm

GM 909130115 Toyota 9046710161

Pack of

50



White Panel Clips Ø x H: 18.5 x 20 mm

| Part No. | Pack of |
|-------------------|---------|
| FIX530 | 50 |
| Toyota 6777102030 |) |





Natural Panel Clips Ø x H: 18.5 x 21 mm

| Part No. | Pack of |
|----------------|---------|
| FIX165 | 20 |
| Fiat 500326189 | |





Grey Panel Clips Ø x H: 20 x 19 mm

| Part No. | Pack of |
|--------------|---------|
| FIX37 | 50 |
| Ford 6117693 | |



White Panel Clips Ø x H: 20 x 24 mm

| Part No. | Pack of |
|---------------|---------|
| FIX250 | 50 |
| VW 6X0867300A | |





Green Panel Clips Ø x H: 18 x 18 mm

| Part No. | Pack o |
|-----------------|--------|
| FIX217 | 50 |
| BMW 51411870718 | |





Black Panel Clips Ø x H: 18 x 18.5 mm

| Part No. | Pack of |
|---------------------------------|---------|
| FIX242 | 50 |
| VW 893867 GM 2240587 / 22405 | |





Black Panel Clips Ø x H: 18 x 21 mm

| Part No. | Pack of |
|-----------------------------------|---------|
| FIX47 | 50 |
| VW 823867299 Toyota 7504933010 | |





Yellow Trim Panel Clips Ø x H: 18 x 20 mm

| 0 // III 10 // 10 III | | |
|-----------------------|---------|--|
| art No. | Pack of | |
| FIX812 | 20 | |
| BMW 5141817205 | 50 | |





White Panel Clips Ø x H: 18 x 21 mm

| M V U. TO V ST IIIII | I |
|---|---------|
| Part No. | Pack of |
| FIX528 | 50 |
| VW 893867290 BMW 51411885961 / 5141 BMW 51418224768 Ford SEEFIX528 | |





Natural Panel Clips Ø x H: 18 x 21 mm

| 2 // III 10 // E1 IIIII | |
|-------------------------|-------|
| Part No. | Packo |
| FIX80 | 50 |
| 1811 4740670000 100006 | 7000 |





0

000

အ



Dark Blue Panel Clips Ø x H: 16 x 18 mm Pack of Part No.

20

FIX861 Honda 90602-TAO-003



Black Panel Clips Ø x H: 14 x 21 mm

Pack of Part No. **FIX263** 50 Land Rover MWC9134

(11)

Blue Door Trim Clips Ø x H: 14 x 21 mm

Hole Ø 4.7

Pack of Part No. 20 **FIX886** Land Rover MWC9134





1:1

FIX269

Ø x H: 17 x 15.5 mm Part No. Pack of

PSA 699636 **Renault** 7703077111 **Suzuki** 09409083085ES

50





Black Bumper Clips Ø x H: 23 x 26 mm

Pack of Part No. **FIX275** 50 BMW 07131480419



Black Panel Clips Ø x H: 23 x 27.5 mm

Part No. Pack of 20 **FIX168** VW 6Q0868243









1:1

Part No.

FIX495



















Black Panel Clips Ø x H: 22 x 22 mm

| Part No. | Pack of |
|---------------|---------|
| FIX83 | 20 |
| VW 3B08382//3 | |





Black Panel Clips Ø x H: 27 x 30 mm

| Part No. | Pack of |
|---------------|---------|
| FIX169 | 20 |
| ANN DEUDEDJAS | |





Black/White Panel Clips complete with Housing Ø x H: 18 x 26 mm

| Part No. | Pack of |
|---------------|---------|
| FIX81 | 20 |
| VW 6NU8683434 | |





Brown/White Panel Clips complete with Housing Ø x H: 28 x 32 mm

| Part No. | Pack of |
|---------------|---------|
| FIX82 | 20 |
| VW 1H0868243B | |



White/Black Panel Clips

Ø x H: 21.5 x 20 mm

Renault 7703077476

Pack of 20

Black Lining Clips Ø x H: 19 x 22.5 mm

| Part No. | Pack of |
|------------------|---------|
| FIX819 | 20 |
| Chrysler 6033862 | |



White Steering Clips Ø x H: 13 x 18 mm

| Part NO. | Pack OI |
|-------------------|---------|
| FIX330 | 20 |
| Ford YC15B03180AB | |





White/Black Planel Clips W x D x H: 15.5 x 15.3 x 16.7 mm

| Part No. | Pack o |
|--------------------|--------|
| FIX821 | 20 |
| Hyundai 87702H1000 |) |



White Bumper Retainer Clips Ø x H: 16 x 13 mm

| 2 // III 10 // 15 IIII | |
|------------------------|---------|
| Part No. | Pack of |
| FIX230 | 20 |
| GM 122920 | |



White Bumper Trim Clips Ø x H: 19 x 17 mm

| Part No. | Pack o |
|-------------------|----------------|
| FIX338 | 20 |
| PSA 856 | 5553 |
| Renault 770307742 | 0 / 7703077421 |





Grey Panel Clips Ø x H: 19 x 17 mm

| Part No. | Pack of |
|--|--------------|
| FIX533 | 50 |
| Fiat 500326896 / 7 GM 4409693 / 4412053 Renault 7701470779 / | 3 / 93160023 |

















White Moulding Clips

Ø x H: 18 x 17.8 mm



| Part No. Pa | ck c |
|---|------|
| FIX166 | 50 |
| PSA 6539ASCHB / 856540 Renault 7701049270 | |

White Panel Clips Ø x H: 20 x 16 mm

| Part No. Pa | ack of |
|---|--------|
| FIX532 | 50 |
| Fiat 71737918 PSA 6539ASCHB / 856540 Renault 7701049270 | |

Green Moulding Clip Ø x H: 18.5 x 17 mm

| Part No. | Pack of |
|-------------------------------|---------|
| FIX266 | 50 |
| Fiat 9408565488 PSA 856548 | |

Black Moulding Clips Ø x H: 20 x 17.5 mm Part No. Pack of

Hole Ø **5.5**

| FIX227 | 50 |
|-------------------------------|----|
| Fiat 9408565488 PSA 856548 | |

Orange Moulding Clips Ø x H: 17 x 24.5 mm

| Part No. | Pack of | Part No. | Pack of |
|--------------------------|---------|--------------------------|-----------------------|
| FIX837 | 20 | FIX228 | 50 |
| Toyota 9090467036 | | Suzuki 9046 | |
| | | Toyota 7539533030 | J / /693126010 |





White/Black Moulding Clips Ø x H: 18 x 22 mm

| Part No. | Pack of |
|--------------|---------|
| FIX49 | 50 |
| VW 357853575 | |

PSA 6991W4



Black/Clear Base Panel Clips W x D x H: 15 x 6 x 18 mm

| Part No. | Pack |
|--------------|------|
| FIX185 | 20 |
| VW 1H0837719 | |

Ford 106520 / 1065204 GM 157979





White Side Moulding Clips W x D x H: 18 x 16 x 21 mm

| Part No. | Pack o |
|--------------|--------|
| FIX400 | 20 |
| VW 3C0853586 | |





White/Black Surround Panel Clips Ø x H: 12 x 10.5 mm

| Part No. | Pack of |
|-----------------------------|---------|
| FIX534 | 50 |
| Fiat 71728806 PSA 856543 | |





White/Black Washer Panel Clips Ø x H: 18 x 14.5 mm

| Part No. Pack | |
|------------------|------------|
| FIX535 | 50 |
| Hyundai 877562 / | 877562E000 |



Light Blue/Black Rocker Panel Clips Ø x H: 18 x 19 x 21 mm

| Part No. | Pack of |
|---------------------|---------|
| FIX850 | 20 |
| Hvundai 8775831 000 | |



Natural Bumper Retainer Clips W x D x H: 20 x 15 x 17 mm

| Part NU. | Pack UI |
|-------------------|---------|
| FIX237 | 20 |
| Ford 2T14V35312AB | |



Yellow/Black Rocker Panel Clips W x D x H: 20 x 16 x 15 mm Part No. Pack of

| FIX822 | 20 |
|---------------------------|----|
| Hyundai 877583D000 | |



Natural Door Lock Rod Clips W x D x H: 23 x 9.5 x 18 mm

| Part No. | Pack of |
|--------------------------|---------|
| FIX462 | 20 |
| Toyota 6929312050 | |



Natural Door Linkage Clips Ø x H: 9 x 11 mm

| Part No. | Pack of |
|----------------------------------|---------|
| FIX140 | 50 |
| VW 171837199 Merc A0039885078 | 3 |



White/Red Washer Moulding Clips W x D x S: 18 x 6 x 5 mm

| Part No. | Pack o |
|---------------|--------|
| FIX63 | 50 |
| VW 113853585C | |



White Moulding Clips W x D x S: 18 x 6 x 5 mm

| Part No. | Pack of |
|---------------|---------|
| FIX64 | 50 |
| VW 113853585C | |



 \odot

موم





| M X D X H; 31 X 8.5 X 5 IIIII | |
|----------------------------------|--------|
| Part No. | Pack o |
| FIX186 | 20 |
| VW 191853733A / 6U0853733 / 7603 | ASCH |



White Moulding Clips W x D x H: 32 x 10.5 x 6 mm

| Part No. | Pack o |
|--------------------------|--------|
| FIX187 | 20 |
| VW 1H0853733B / 8541ASCH | |



Yellow Moulding Clips W x D x H: 35 x 39 x 21 mm

| Part No. | Pack of |
|-----------------|---------|
| FIX85 | 20 |
| VW 1H085 | 3585B |





White/Blue Headlight Clips W x D x H: 25 x 34 x 16 mm

| Part No. | Pack of |
|--|---------|
| FIX417 | 20 |
| VW 8E0825265C BMW 1613117674 Merc A0039900251 GM 180942 / 90413589 | 7 |











1:1

Part No.

FIX86


















Green Moulding Clips W x D x H: 19 x 32 x 24 mm

| Part No. | Pack o |
|-----------------|--------|
| FIX869 | 20 |
| BMW 51717066223 | |



White Door Panel Clips W x D x H: 48 x 33 x 14 mm

| Part No. | Pack of |
|------------------|---------|
| FIX424 | 20 |
| Merc A0079887178 | 3 |



Green/White/Zinc Plated Battery Terminal Covers - L Shape 2 W x D x H: 54.5 x 16 x 12 mm

| Part No. | Pack of |
|--|---------|
| FIX634 | 10 |
| Merc A2016980660 Furncode 5328ASCST1B | |



White Moulding Clips

W x D x H: 41 x 23 x 15 mm

VW 1H0853585A

Pack of

20

White Badge Fixing Clips Ø: 12 mm Black Door Gasket Clips Ø x H: 6 x 13 mm

| ווווו כו גט.חגש | | |
|-------------------------------|---------|--|
| Part No. | Pack of | |
| FIX331 | 20 | |
| Ford 1042065 / W7029851042065 | ; | |



Black Seat Belt Clips

| | Ø X H: 16 X 5 MM | |
|----------|------------------|--------|
| Part No. | | Pack o |
| FIX411 | | 20 |
| | | |





Black Screw Nut Ø x H· 20 x 21 mm

| ואש | . 20 / 21 111111 |
|----------|------------------|
| Part No. | Pack o |
| FIX354 | 20 |
| | 1 1404960 |



Ø x H: 8.5 x 45.5 mm

| Part No. | Pack of |
|-----------|---------|
| FIX436 | 10 |
| VW 175837 | 1879B9 |



Black Bonnet Buffers Ø x H: 18 x 30 mm

| Part No. | Pack of |
|---------------------|---------|
| FIX32 | 20 |
| VW HNA5 Ford AAU | |



Black Seal Clips W x D x H: 23 x 29 x 15 mm

111

| Part No. | Pack of |
|-------------------------------|---------|
| FIX325 | 20 |
| VW 1H586384901C / 867863849AC | 110 |



Black Floor Mat Twist Lock Clips Clip/Washer Ø x H: 18.3 x 25 mm

| Part No. | Pack of |
|-----------------|--------------|
| FIX219 | 20 Pairs |
| BMW 51471881521 | /82119410191 |



BMW 71111179445





Black Fender Clips W x D x H: 32 x 31 x 12 mm

| Part No. | Pack of | |
|--|---------|--|
| FIX471 | 20 | |
| Nissan 6384835F00 / 63848D400 Toyota 5378914010 | | |





Black Fender Bumper Clips W x D x H: 34.5 x 25 x 18.5 mm

| Part No. | Pack of |
|--------------------------|---------|
| FIX407 | 20 |
| Toyota 5387958010 | |





Black Moulding Clips W x D x H: 20.5 x 12 x 22 mm

| Part No. | Pack of |
|---------------|---------|
| FIX384 | 20 |
| Ford FCP-0180 | |



BMW 71111179444

Black Cover Plugs Ø x H: 22 x 10.5 mm

| Part No. | Pack of |
|----------------|---------|
| FIX490 | 20 |
| VW 1H0837111AB | 41 |





Black Bonnet Insulator Clips Ø x H: 24.5 x 18.5 mm

| Part No. | Pack o |
|----------|---------|
| FIX434 | 20 |
| VW 70 | 1863841 |



Black Plastic Nut Star Ø x H: 22 x 6 mm

| Part No. | Pack of |
|---------------------|---------|
| FIX360 | 20 |
| PSA 05538900 | 00 |

































Part No. Pack of FIX52 50 Fiat 14569680 PSA 7903079004 Renault 7703079070







Ø: 13 mm

Part No.

FIX54



Pack of

50

FIX55



50







| yellow om Ø: 24 | |
|--------------------|---------|
| Part No. | Pack of |
| FIX57 | 50 |
| | |























Toyota 9095901136





Black Bonnet Rod Clips W x D x H: 20 x 20 x 29 mm

| Part No. | Pack o |
|---|--------|
| FIX458 | 20 |
| Hyundai 811741G000 Toyota 5345514020 |) |



Green Omega Clips

Part No.

FIX53

Ø: 11 mm

Fiat 1456980

Pack of

50



Black Bonnet Rod Clips Ø x H: 16 x 23 mm Part No. Pack of 20 **FIX624** Universal





W x D x H: 17 x 17 x 25 mm Pack of Part No. 20 **FIX382** Toyota 5345514020



White Bonnet Rod Clips Ø x H: 16.5 x 26 mm Part No. Pack of 20 **FIX363** Universal



Black Gloss Bonnet Rod Clips Ø x H: 16.5 x 26 mm Part No. Pack of 20 **FIX369**



Black Bonnet Rod Clips W x D x H: 13 x 14.5 x 24 mm Part No. Pack of 20 **FIX335** Fiat 46789809



Pack of





Natural Brake Pipe & Petrol Pipe Clips

| Pipes Ø: 4 & 8 mm | 1 |
|-------------------|---------|
| Part No. | Pack of |
| FIX69 | 50 |
| Ford 6482170 | |



White Pipe/Cable Clips Pipe Ø: 4.8 (x 2) mm Part No. Pack of FIX76 50



White Pipe/Cable Clips Pipe Ø: 6.4 (x 2) mm Part No. Pack of 50 FIX77



White Pipe/Cable Clips Pipe Ø: 7.9 (x 2) mm Part No. Pack of FIX78 50



White Bonnet Rod Clips W x D x H: 22 x 14 x 21 mm Part No. Pack of **FIX361** 20 PSA 9605204680



Black Hole Plugs Ø x H: 16.7 x 16 mm

| Part No. | Pack of |
|-----------|---------|
| FIX1013 | 50 |
| Universal | |



Black Hole Plugs Ø x H: 24.8 x 17 mm

| Part No. | Pack of |
|-----------|---------|
| FIX1421 | 50 |
| Universal | |



| Black Hole | Plugs |
|-------------|---------|
| Ø x H: 34.8 | x 17 mm |
| No. | Pack of |

| Pack of | Part No. | Pack o |
|---------|-----------|--------|
| 50 | FIX2230 | 50 |
| | Universal | |
| | | |
| | | |



Assorted Pack of Pipe/Cable Clips

Part No. Pack of **AP60** 35 Pieces 3 x Types: FIX76, FIX77, FIX78.



Black Cable Fixings W x L: 18 x 95 mm

| Part No. | Pack of |
|-------------|---------|
| FIX50 | 50 |
| Ford 389358 | |



Black. Cable Harness Clips W x H x D:: 30 x 43 x 20 mm

| WATTAD JOA | 4J A ZU IIIIII |
|------------|----------------|
| Part No. | Pack of |
| FIX60 | 50 |



White Panel Fixing Cable Ties Tie W x L: 4.5 x 200 mm

| 200 111111 |
|------------|
| Pack of |
| 20 |
| |



Black Panel Fixing Cable Ties Width x Length 4.6 x 215 mm

| Triadii A Eciligai | = 10 |
|--------------------|---------|
| Part No. | Pack of |
| ECT23 | 100 |



Black Panel Fixing Cable Ties Width x Length: 5.0 x 170 mm

| Part No. | Pack of |
|----------|---------|
| ECT25 | 100 |



အ

0

موم **(1:1)**





| Part No. | Pack of |
|------------------|---------|
| FIX209 | 50 |
| Chrysler 6500898 | |

Flange Ø **11.9**

Black Standard Flange Plastic Rivets Head Ø x Length: 6 x 25 mm

111

| nedu ש ג Lengui. ס ג ב א א Lengui. | |
|------------------------------------|--|
| Pack of | |
| 50 | |
| Ą | |
| | |
| | |

Flange Ø **12.9**



Black Large Flange
Plastic Rivets
Head Ø x Length: 6 x 25 mm
Part No. Pack of

| FIX211 | 50 |
|-----------------------------------|--------------------|
| Chrysler 650 Ford N8030433 / N | 3860 18030435 / |
| N804675 | S |
| | |



Black Large Flange
Plastic Rivets
Head Ø x Length: 7 x 17.5 mm

| Part No. | Pack of |
|----------|---------|
| FIX212 | 20 |



Black Large Flange Plastic Rivets Head Ø x Length: 6 x 19 mm

| Part No. | Pack of |
|----------------|---------|
| FIX213 | 50 |
| RMW 5171700295 | 3 |



Aluminium Trim Clip Rivets Ø: 2.4 mm

| Part No. | Pack of |
|-----------------------------|----------|
| FIX70 | 50 |
| Ford 6028434 GM 90033713 | 164361 / |



Aluminium/Black Plastic Flange Body Trim Rivets Head Ø: 4 mm

| Part No. | Pack of |
|--------------|---------|
| FIX206 | 50 |
| Volvo 979878 | |



Aluminium/Black Plastic Cover Body Trim Rivets Head Ø: 6 mm

| ricua b. o min | |
|-----------------------------------|---------|
| Part No. | Pack of |
| FIX207 | 50 |
| Ford 1041415 / W704 W709095S33 | 4395/ |



Black Rivet
Plastic Ø x Rivet L: 14 x 30 mm
Part No. Pack of

| Part No. | Pack of |
|------------|---------|
| FIX712 | 10 |
| DCV 8023VV | |



Full range of Standard Rivets and Tools start from page 151

موما

အ











If you know the manufacturer's OEM reference of the trim clip you are looking for then simply look it up here in our listing by vehicle marque.

All sizes are in millimetres (mm) unless stated otherwise.

Manufacturers OEM References provided for information and guidance only. E. & O. E.



Audi • VW Seat • Škoda



Audi • VW Seat • Škoda



Audi • VW Seat • Škoda



Audi • VW Seat • Škoda





W x D x H: 39 x 22 x 18.5



185 Audi • VW • Seat • Škoda

188 Chrysler • Jeep • Dodge 189 PSA (Citroën • Peugeot) 190 Fiat • Alfa Romeo 190 Iveco • Lancia

187 BMW

190 Ford

193 Isuzu 193 Land Rover 193 Mazda

191 Honda • Acura

192 Hyundai • Kia

193 Mercedes-Benz

197 Toyota • Lexus

198 Vauxhall • Opel • GM

199 Universal Fixings

195 Nissan • Infiniti • Datsun

195 Mitsubishi

196 Renault

196 Subaru

196 Suzuki

199 Volvo

155809966 FIX524 Pack of 50 Ø x H: 9 x 9.5

FIX100 Pack of 50

16186729901C

Ø x S: 16 x 11





171867299B FIX846 Pack of 20 Ø x H: 16.5 x 19

171885767

Ø x S: 18 x 17

FIX99 Pack of 50

17S8371879B9

Ø x H: 8 5 x 45 5

191853577A

FIX436 Pack of 10



1H0819055B01C



FIX892 Pack of 20 Ø x H: 23 x 16



J



FIX79 Pack of 50

W x D x H: 17 x 5.5 x 5

1H0837111AB41

W x D x H: 22 x 10.5

1H0837719

FIX490 Pack of 20

FIX185 Pack of 20

W x D x H: 15 x 6 x 18

1H0823717





























Ø x H 13 x 18 mm



109746422

Ø x H: 13 x 19

113853585C

FIX63 Pack of 50

FIX64 Pack of 50

W x D x S: 18 x 6 x 5

FIX6 Pack of 50

113853615

Ø x H: 5 x 12

W x D x S: 18 x 6 x 5

113853585C

FIX350 Pack of 20



161867299010 FIX517 Pack of 50 Ø x S: 16 x 13



16186729901C FIX39 Pack of 50 Ø x S: 16 x 13

FIX140 Pack of 50

FIX66 Pack of 50

W x D x S: 12 x 17.5 x 7

171837199

Ø x H: 9 x 11

171853695A





FIX452 Pack of 20 W x D x H: 15 x 12 x 19



191853733A FIX186 Pack of 20 W x D x H: 31 x 8.5 x 5













171867299B FIX80 Pack of 50 Ø x H: 18 x 21



FIX239 Pack of 50





1H0853585 **FIX321** Pack of 10 W x D x H: 33 x 38 x 19











موو

9

186



1L0853934

Ø x S: 10 x 12

1M0854541A

FIX515 Pack of 50

FIX607 Pack of 20

FIX608 Pack of 20

W x D x H: 13 x 15 x 13.5

FIX61 Pack of 50

W x D x H: 13 x 5 x 11

FIX529 Pack of 50

FIX888 Pack of 20

2730ASCTS1B

Ø x H: 18 x 17

37853575

Ø x H: 18 x 22

321813998A

Ø x H: 16 x 20

357827998

Ø x H: 16 x 21

FIX73 Pack of 50

FIX137 Pack of 20

251823717

W x D x H: 16 x 16 x 10 1M0854719A













FIX456 Pack of 20

W x D x H: 20 x 20 x 9

4A0853825D





701941141A FIX422 Pack of 10 W x D x H: 30 x 23 x 19.5

Audi • VW • Seat •

Škoda





703867299 FIX160 Pack of 20 Ø x H: 18 x 21



7603ASCH FIX186 Pack of 20



W x D x H: 31 x 8.5 x 5



61108672760 FIX742 Pack of 20





W x D x H 11 x 11 x 9 mm 6X0867300A





FIX250 Pack of 50 Ø x H 20 x 24 mm





7L0839069 **FIX494** Pack of 20 W x D x H: 28.5 x 10 x 12.5







Ø x H: 17 x 20



7M0867299K **FIX167** Pack of 20 Ø x H: 17.5 x 21





80186729901C FIX46 Pack of 50 Ø x H: 14 x 19









FIX46 Pack of 50 Ø x H: 14 x 19





811807447 FIX65 Pack of 50



W x D x S: 10 x 22 x 9



811807577C FIX134 Pack of 50



W x D x H: 12 x 7 x 12



811863905A FIX58 Pack of 50



Ø x H: 19 x 26



82386320301C FIX30 Pack of 50 Ø x H: 17 x 15



823867299

8541ASCH



FIX47 Pack of 50 Ø x H: 18 x 21



FIX187 Pack of 20 W x D x H: 32 x 10.5 x 6



8541ASCHB **FIX798** Pack of 20 Ø x S: 23 x 16









Ø x H: 18 x 21 35783718701C



FIX435 Pack of 10 Ø x H: 12.5 x 53

357853575

Ø x H: 18 x 22

357867646

357868143

Ø x H· 16 x 25

3A0853575A

3B0838243

Ø x H: 22 x 22

3B0839723

3B0853576

3B0868243

Ø x H: 22 x 22

3C0853586

300863559

Ø x H: 26.5 x 32

4A0805121A

Ø x H: 25 x 26

4A0805121C

Ø x H: 25 x 27

4A0805960

4A0853825

4A0853825A

FIX413 Pack of 20

W x D x H: 16 x 10.5 x 13

FIX138 Pack of 50

FIX456 Pack of 20

W x D x H: 20 x 20 x 9

FIX83 Pack of 20

FIX613 Pack of 20

FIX418 Pack of 20

W x D x H: 25 x 27 x 18

FIX83 Pack of 20

FIX400 Pack of 20

FIX244 Pack of 50

FIX198 Pack of 20

FIX197 Pack of 20

FIX199 Pack of 10

FIX644 Pack of 20

FIX474 Pack of 20

W x D x H: 35 x 22 x 4

W x D x H: 35 x 22 x 16

W x L x R: 25 x 24 x 12

W x D x H: 18 x 16 x 21

W x D x H: 11 x 5 x 10.5





FIX457 Pack of 10 W x D x H: 23.5 x 20 x 15.5

4D08538250





6K0867838 FIX413 Pack of 20 W x D x H: 16 x 10 5 x 13



6N0807199 **FIX716** Pack of 20 Ø x H: 19 x 24



FIX71 Pack of 50



600853147 FIX614 Pack of 20

W x D x H: 16 x 14 x 20.5



600868243 FIX168 Pack of 20 Ø x H: 23 x 27.5



6U0853733 FIX186 Pack of 20 W x D x H: 31 x 8.5 x 5





FIX650 Pack of 10 W x D x H: 35 x 21 x 20





FIX792 Pack of 20 Ø x S: 18 x 12



703867299 FIX274 Pack of 50 Ø x H: 18 x 21



701805163 **FIX401** Pack of 20 W x D x H: 17 x 14 x 7



701863841 FIX434 Pack of 20 Ø x H: 24.5 x 18.5



70186729901C **FIX793** Pack of 20 Ø x S: 18 x 12 7018672991YZ



FIX792 Pack of 20 Ø x S: 18 x 12



































07131480419





Audi • VW Seat • Škoda



Audi • VW Seat • Škoda



BMW





893867290 FIX80 Pack of 50 Ø x H: 18 x 21



893867290 FIX528 Pack of 50 Ø x H: 18 x 21



893867290 FIX242 Pack of 50 Ø x H: 18 x 18.5



8D0805121



FIX184 Pack of 50



8D0805121 **FIX195** Pack of 10 Ø x H: 18 x 22




8D0805960



















8N0951257 FIX446 Pack of 10 W x D x H: 30.5 x 24 x 15.5





Ø x H: 18 x 30







N0385012 FIX515 Pack of 50 Ø x S: 10 x 12

































FIX631 Pack of 20

Ø x H 20 x 9 mm



N90536901 FIX780 Pack of 20 W x D x S: 12.5 x 10 x 10





N90796501 FIX183 Pack of 50

Ø x H: 19 x 24

Ø: 31

FIX716 Pack of 20



N90796501 FIX638 Pack of 5 Ø x H· 14 x 21






















Ø x H: 15.5 x 28



FIX275 Pack of 50 Ø x H: 23 x 26





07147122912 FIX484 Pack of 20 Ø x H: 30 x 33







1916670 FIX100 Pack of 50 Ø x S: 16 x 11



1916670 FIX517 Pack of 50 Ø x S: 16 x 13



FIX39 Pack of 50 Ø x S: 16 x 13


















































BMW • Chrysler • Jeep • Dodge Л

可

 \odot

0

990

တွ

188







BMW



BMW







51118174185 FIX513 Pack of 50 Ø x S: 19 x 14



51127046911 **FIX191** Pack of 20 Ø x H: 14.3 x 16



51131885399 FIX124 Pack of 20



51131924953



FIX419 Pack of 10 W x D x H: 20 x 8 x 11.5



51131946258 FIX416 Pack of 20 W x D x H: 20 x 13 x 17



51137003738 FIX616 Pack of 10



W x D x H: 43 x 15 x 12



51137157702 **FIX617** Pack of 10 W x D x H: 20 x 40 x 8.5



51137217789 FIX618 Pack of 10 W x D x H: 40.5 x 11 x 8.5



51138102952 FIX148 Pack of 50 W x D x H: 11 x 21 x 17



51138166675 **FIX417** Pack of 20 W x D x H: 25 x 34 x 16



51161881149 FIX97 Pack of 50 Ø x S: 10 x 12



51161881149 FIX515 Pack of 50 Ø x S: 10 x 12



51218205295 **FIX778** Pack of 20 Ø x S: 20 x 18



51313401691



FIX619 Pack of 10 W x D x H: 40 x 14 x 8



51317064098 W x D x H: 40.5 x 11 x 8.5



51337052945 **FIX391** Pack of 20 W x D x H: 25 x 14 x 16

51338218383



FIX632 Pack of 20 W x D x H: 38 x 24 x 16.5





51411870718 **FIX217** Pack of 50 Ø x H: 18 x 18



51411885961



FIX80 Pack of 50 Ø x H: 18 x 21



FIX528 Pack of 50



51411973500 FIX528 Pack of 50



51417025609 FIX453 Pack of 20 W x I x R: 18 5 x 28 x 10



51418172050 FIX812 Pack of 20 Ø x H: 18 x 20



51418215806 FIX481 Pack of 20 W x D x H: 17 x 15 x 11



51418224768 FIX272 Pack of 50 Ø x H: 18 x 20

51418224768

51458161557



FIX528 Pack of 50 Ø x H: 18 x 21



FIX482 Pack of 20 W x D x H: 17 x 15 x 15



51458266814 FIX483 Pack of 20 W x D x H: 19 x 17 x 12



51471840961 FIX439 Pack of 20 W x D x H: 15 x 14 x 22



51471881521 FIX219 Pack of 20 Clip/Washer Ø x H: 18.3 x 25



51471911992 FIX114 Pack of 50 Ø x S: 20 x 14



51471911992 FIX506 Pack of 50 Ø x S: 20 x 14



51478262533 FIX404 Pack of 20 Ø x H: 21 x 30.5



51513448374 **FIX619** Pack of 10 W x D x H: 40 x 14 x 8



51711916197 FIX383 Pack of 20 Ø x H: 18.5 x 32





51711916199 **FIX878** Pack of 20 Ø x H: 23 x 26



51711928946 FIX415 Pack of 20 W x D x H: 10 x 12 x 17



51711945568 FIX445 Pack of 10 W x D x H: 56 x 18.5 x 22.5



51711958025 FIX146 Pack of 50 Ø x H: 24 x 10.5



FIX416 Pack of 20 W x D x H: 20 x 13 x 17 51717002953 FIX213 Pack of 50

51711958025



Ø x L: 6 x 19. F Ø: 19.7 51717006757



FIX602 Pack of 20 W x D x H: 36 x 14 x 12.5

FIX485 Pack of 20

51717066229

Ø x H: 20 x 36



52201964201 FIX29 Pack of 50 Ø x H: 18 x 28



52201964201 FIX503 Pack of 50 Ø x H: 18 x 31



63121387026 FIX423 Pack of 10 Ø x H: 19 x 28.5







71111179444 ■ **FIX639** Pack of 5 W x D x H: 45.5 x 23 x 32



71111179445 FIX640 Pack of 10 W x D x H: 25 x 25 x 17



8262533 **FIX404** Pack of 20 Ø x H: 21 x 30.5

82119410191



Clip/Washer Ø x H: 18.3 x 25 Sunroof Clip **FIX791** Pack of 10

W x D x H: 17 x 19 x 10

FIX219 Pack of 20



1595864 **FIX262** Pack of 50 Ø x H: 19 x 18



1605396 FIX262 Pack of 50 Ø x H: 19 x 18



FIX122 Pack of 50 Ø x S: 18 x 23



10139822 FIX236 Pack of 20 Ø x S: 16 x 18



25524005 **FIX210** Pack of 50 Ø x L: 6 x 25. F Ø: 12.9



3691590 FIX500 Pack of 50 Ø x H: 18 x 17.8



6003349 FIX21 Pack of 50 Ø x H: 24 x 18



6004212 FIX208 Pack of 50 Ø x L: 5 x 15. F Ø: 8.9



6030441 **FIX262** Pack of 50 Ø x H: 19 x 18



6033082 FIX29 Pack of 50 Ø x H: 18 x 28







FIX244 Pack of 50 Ø x H: 26.5 x 32



6502871 **FIX121** Pack of 50 Ø x S: 15.5 x 23



FIX120 Pack of 50 Ø x S: 15 x 19

6503860



FIX751 Pack of 20 Ø x S: 20 x 21



6504521 FIX238 Pack of 20 Ø x S: 18 x 23



51338254781 **FIX497** Pack of 10 W x D x H: 41.5 x 23.5 x 16





J

Chrysler • Jeep • Dodge



PSA (Citroën • Peugeot)



PSA (Citroën • Peugeot)



PSA (Citroën • Peugeot)





6990.50 FIX250 Pack of 50 Ø x H 20 x 24 mm



7518.N8 FIX164 Pack of 50 Ø x H: 35 x 25



7703077111 FIX269 Pack of 50 Ø x H: 17 x 15.5



6508197AA FIX122 Pack of 50 Ø x S: 18 x 23



6991.F0 FIX806 Pack of 20 Ø x S: 12 x 14



7814.24 FIX98 Pack of 20 Ø x S: 12.5 x 12



7903072170 FIX515 Pack of 50 Ø x S: 10 x 12



Ø x S: 16 x 18



6991.S6 FIX255 Pack of 50



7840.L6 FIX353 Pack of 20 W x D x H: 18.5 x 24.5 x 17.5



7903079004 FIX52 Pack of 50





6508863AA FIX891 Pack of 20 Ø x S: 18 x 17.5



FIX252 Pack of 50 Ø X H: 18.5 x 18



8211 MV FIX508 Pack of 50 Ø x S: 20 x 11



8E9867299 FIX252 Pack of 50 Ø X H: 18.5 x 18 9608351380



6682401G00 **FIX760** Pack of 20 Ø x S: 13 x 8



6991.S6 FIX529 Pack of 50



8565.35 FIX814 Pack of 20 Ø x H· 18 x 18 5



FIX42 Pack of 50 Ø x S: 76 x 8



MR200300 FIX257 Pack of 50 Ø x S: 18 x 13



6991.W4 FIX888 Pack of 20 Ø x H: 18 x 22



8565.40 FIX166 Pack of 50 Ø x H: 20 x 16



9619769080 FIX349 Pack of 20 W x D x H: 8 x 16.5 x 11

9629547080

FIX6 Pack of 50



L: 95



6991.W4 FIX49 Pack of 50 Ø x H: 18 x 22

6992.95

Ø x H: 18 x 19



FIX532 Pack of 50 Ø x H: 20 x 16

Ø x H: 12 x 10.5



Ø x H: 5 x 12 FIX534 Pack of 50



9630090980 FIX806 Pack of 20 Ø x S: 12 x 14





6992.G2 FIX524 Pack of 50

FIX501 Pack of 50





8565.48 FIX266 Pack of 50



6539ASCHB **FIX166** Pack of 50 Ø x H: 20 x 16



(Citroën • Peugeot)

0137.68



6995.A3 FIX269 Pack of 50 Ø x H: 17 x 15.5









6539ASCHB FIX532 Pack of 50 Ø x H: 20 x 16



0137.11 FIX448 Pack of 10



6996.36 FIX269 Pack of 50 Ø x H: 17 x 15.5









96260084ZG **FIX690** Pack of 20 Ø x H: 20 x 16





Ø x H: 27 x 11.5



6997.86 **FIX349** Pack of 20 W x D x H: 8 x 16.5 x 11



8565.53 FIX338 Pack of 20 Ø x H: 19 x 17



FIX363 Pack of 20 Ø x H: 16.5 x 26





FIX448 Pack of 10 Ø x H: 27 x 11.5 2128.22



FIX867 Pack of 20 W x D x H: 20 x 13 x 17.5 6999.R2

FIX501 Pack of 50

Ø x H: 18 x 19

7030.16

7013J0

Ø x S: 20 x 11

7427.23

6997.96





8964.81 FIX267 Pack of 50

FIX184 Pack of 50



FIX438 Pack of 20 W x D x H: 22 x 15 x 17



6973.A4 **FIX712** Pack of 10 Ø x H: 20 x 68



FIX215 Pack of 20 Ø x H: 15.9 x 24

FIX508 Pack of 50



Ø: 31 055389000 FIX360 Pack of 20

Ø x H: 22 x 6





77030721 FIX97 Pack of 50 Ø x S: 10 x 12



Manufacturers OEM References provided for information and guidance only. E. & O. E.



FIX42 Pack of 50 Ø x S: 7.6 x 8

FIX517 Pack of 50


6973.24

Ø x S: 16 x 13



7518.CO FIX500 Pack of 50 Ø x H: 18 x 17.8







 \odot



























8565.43



Ø x H: 18.5 x 17

















FIX273 Pack of 50







Fiat • Alfa Romeo • Iveco • Lancia Л 可







Fiat • Alfa Romeo Iveco • Lancia



Ford



Ford







71737918 FIX532 Pack of 50 Ø x H: 20 x 16





1007902 FIX74 Pack of 50 Ø x H: 22 x 21



1629279 FIX35 Pack of 50 Ø x H: 18 x 17

FIX74 Pack of 50

1659672

Ø x H: 22 x 21





71741883 FIX258 Pack of 50 Ø x S: 20 x 10





1008068

Ø x H: 17.5 x 21











Ø x H: 18.5 x 22

82382670



1008068 **FIX831** Pack of 20 Ø x H: 17 x 20

FIX167 Pack of 20



1738233 FIX403 Pack of 20 Ø x S: 20 x 7.5







FIX375 Pack of 20



1008086 FIX527 Pack of 50 Ø x H: 17 x 18



2T14V35312AB **FIX237** Pack of 20 W x D x H: 20 x 15 x 17



FIX380 Pack of 20 Ø x H: 14 x 11

FIX333 Pack of 20

Ø x H: 20 x 14.5



500326189 FIX165 Pack of 20 Ø x H: 18.5 x 21



1008086 **FIX167** Pack of 20 Ø x H: 17.5 x 21



332364 FIX500 Pack of 50 Ø x H: 18 x 17.8



14115980 FIX524 Pack of 50 Ø x H: 9 x 9.5



500326896 FIX256 Pack of 50 Ø x H: 20 x 17



1009164 FIX103 Pack of 50 Ø x S: 16 x 11



385661 FIX21 Pack of 50 Ø x H: 24 x 18



14188680 FIX409 Pack of 20 W x L x R: 17 x 12 x 9.5



500326896 FIX533 Pack of 50 Ø x H: 20 x 17



1018433 FIX36 Pack of 50 Ø x H: 18 x 17



389358 FIX50 Pack of 50 L: 95



14415790 PR10 Pack of 200 Ø x L: 4.8 x 23



500358567 FIX824 Pack of 20 Ø x H: 18 x 22



1018434 FIX36 Pack of 50 Ø x H: 18 x 17



389358 FIX500 Pack of 50 Ø x H: 18 x 17.8



14415890 PR12 Pack of 200 Ø x L: 4.8 x 27



1301019808 FIX505 Pack of 50 Ø x H: 21 x 23







3900185 FIX29 Pack of 50 Ø x H: 18 x 28









9408565488 FIX266 Pack of 50 Ø x H: 18.5 x 17





FIX751 Pack of 20 Ø x S: 20 x 21

1041415

Ø x H: 6 x 13

1065204

1416795



FIX503 Pack of 50 Ø x H: 18 x 31



46410400 FIX824 Pack of 20 Ø x H: 18 x 22



9408565488 FIX227 Pack of 50 Ø x H 20 x 17.5 mm

4264257

Universal

Ø x H: 25 x 26

Universal







4855809 **FIX891** Pack of 20 Ø x S: 18 x 17.5 6028434

FIX70 Pack of 50





46789809



FIX743 Pack of 20 W x D x H: 12 x 12 x 9

FIX664 Pack of 20

FIX742 Pack of 20

W x D x H 11 x 11 x 9 mm



1053656300 FIX67 Pack of 50

FIX185 Pack of 20

W x D x H: 15 x 6 x 18



6117693 **FIX841** Pack of 20 Ø x H: 18 x 17.5

6117693

Ø x H: 20 x 19

0:1/8"



FIX696 Pack of 20 Ø x H: 18 x 22 60814822



Universal FIX668 Pack of 20 Ø x H: 20 x 26



1070107 FIX48 Pack of 50 Ø x H: 18 x 20



6176723 **FIX165** Pack of 20 Ø x H: 18.5 x 21

FIX37 Pack of 50



FIX417 Pack of 20

W x D x H: 25 x 34 x 16 71728806 FIX534 Pack of 50

Ø x H: 12 x 10.5




Ø x H: 22 x 25.5



W x H: 9.5 x 8 1480335 FIX390 Pack of 20

FIX23 Pack of 50



Ø x H: 25 x 14 6482170 FIX69 Pack of 50











Ø x H: 18 x 15



0



































FIX669 Pack of 20





Ford



Ford



Ford



Honda • Acura





6678518 FIX245 Pack of 50 Ø x H· 25 x 14



MB-455-56143 FIX232 Pack of 20 Ø x S: 18 x 13



W709095S33 FIX207 Pack of 50 Head Ø: 6. F Ø: 15.8

YC15B03180AB

FIX330 Pack of 20











93405-0601608 FIX732 Pack of 20 Thread: M6 x 12



1560S-6A003 FIX513 Pack of 50





Ø x S: 19 x 14





71592-S5D-000 FIX328 Pack of 10 W x D x H: 23.5 x 19.5 x 34.5





71592-S6A-000 FIX328 Pack of 10 W x D x H: 23 5 x 19 5 x 34 5



72311-S5S-003



FIX320 Pack of 20 W x D x H: 15 x 9.5 x 15



75305-S0A-003 FIX476 Pack of 20 W x D x H: 18 x 13 x 13



75306-SDA-A01 FIX633 Pack of 20



W x D x H: 27 x 21 x 18 90107-S10-003



FIX605 Pack of 20 Ø x H: 16 x 16



90114-SEO-000 FIX726 Pack of 20 Ø x H: 16 x 24















90467-SA6-003 FIX31 Pack of 50 Ø x S: 15 x 13





90467-SA6-003 FIX522 Pack of 50













90602-S5A-003 **FIX851** Pack of 20 Ø x H: 18 x 21



90602-SFA-004 FIX623 Pack of 20 Ø x H: 16 x 18



90602-TAO-003 FIX861 Pack of 20 Ø x H: 16 x 18



000

 \odot







6715468 FIX183 Pack of 50 Ø: 31

6725950 FIX35 Pack of 50

Ø x H: 18 x 17

7000412

Ø x L: 4.8 x 27

7200671 FIX98 Pack of 20

Ø x S: 12 5 x 12

9032112

Ø x S: 16 x 18

96SG16K262

Ø x S: 15 x 21

A310A46-AA

Ø x H: 17 x 20

E844052S

Ø x S: 16 x 11

E844052S

Ø x S: 16 x 13

E844052S

Ø x S: 16 x 13

E865220S FIX841 Pack of 20

Ø x H: 18 x 17.5

E866241SS2M

Ø x S: 24 x 30 F1CZ16674A

Ø x H: 14 x 12

FCP-0180

FIX756 Pack of 20

FIX302 Pack of 20

FIX384 Pack of 20

W x D x H: 20.5 x 12 x 22

MB25556143

FIX518 Pack of 50

FIX831 Pack of 20

FIX100 Pack of 50

FIX517 Pack of 50

FIX39 Pack of 50

PR12 Pack of 200



MB-455-56143 **FIX795** Pack of 20 Ø x S: 18 x 13

N8030433

N803043-S

N803862-S

N803946-S

FIX211 Pack of 50

FIX211 Pack of 50

FIX210 Pack of 50

Ø x I · 6 x 25 F Ø · 12 9

Ø x L: 6 x 25. F Ø: 16.9

Ø x L: 6 x 25. F Ø: 16.9





Ø x H: 13 x 18







Ø x H: 10 x 18

FIX355 Pack of 20



FIX356 Pack of 20 Ø x H: 10 x 18



FIX733 Pack of 20 Thread: M5 x 20





Ø x H: 12 x 16 96SG16K262 FIX236 Pack of 20

FIX810 Pack of 20



FIX121 Pack of 50 Ø x S: 15.5 x 23



N804675-S FIX211 Pack of 50 Ø x L: 6 x 25. F Ø: 16.9



N807389-S **FIX751** Pack of 20 Ø x S: 20 x 21



N807994-S **FIX621** Pack of 20



Ø x H: 12.5 x 10.5 V703505-S-301



FIX184 Pack of 50 Ø: 31



W700671 FIX245 Pack of 50 Ø x H: 25 x 14



W700673 **FIX690** Pack of 20 Ø x H: 20 x 16



W7029851042065 **FIX331** Pack of 20 Ø x H: 6 x 13






W703915SSYYB6 FIX518 Pack of 50 Ø x S: 15 x 21



W704258S **FIX827** Pack of 20 W x D x H: 26.5 x 14 x 18

















FIX120 Pack of 50











Honda • Acura



Honda • Acura



Honda • Acura



Hyundai • Kia



90654-SA4-003

FIX464 Pack of 20 W x D x H: 21 x 8 x 17.5





FIX460 Pack of 20





0B10268865 **FIX687** Pack of 20 Ø x H: 18 5 x 16 5





90657-SB0-003 FIX487 Pack of 20 Ø x S: 10.5 x 9.5

90664-671-003

W x D x H: 16 x 7 x 13

90667-SOD-003ZC

90667-SOD-003ZH

90667-SA7-0030

90667-SAO-003

FIX261 Pack of 50

FIX502 Pack of 50

FIX877 Pack of 20

Ø x H: 18 x 22

Ø x H· 18 x 22

Ø x H: 20 x 17

FIX700 Pack of 20



91501-STK-003







0G032-50037A FIX796 Pack of 20 Ø x S: 18 x 13







0G032-50037A **FIX795** Pack of 20 Ø x S: 18 x 13



0G032-50037A FIX233 Pack of 20 Ø x S: 19 x 11





87756-2E000 FIX535 Pack of 50 Ø x H: 18 x 14.5







82132-22100 FIX300 Pack of 20 W x D x H: 14 x 6 x 14



82132-27100 FIX259 Pack of 50 W x D x H: 15 x 9 x 15



86590-28000



FIX520 Pack of 50 Ø x S: 18 x 13



86590-28000 FIX232 Pack of 20



Ø x S: 18 x 13



86590-28000 FIX233 Pack of 20 Ø x S: 19 x 11









FIX719 Pack of 20 Ø x H: 15 x 24





92351-37000 **FIX645** Pack of 20 Ø x H: 15 x 10



97519-22000 **FIX191** Pack of 20 Ø x H: 14.3 x 16



85325-210005 **FIX795** Pack of 20 Ø x S: 18 x 13





FIX458 Pack of 20 W x D x H: 20 x 20 x 29







FIX357 Pack of 20 Ø x H: 30 x 16

91501-SWA-003

91502-SP0-003

91503-S7A-003

91503-SP0-003

91503-SP0-003

Ø x S: 20 x 26

Ø x S: 20 x 11

Ø x S: 20 x 14

FIX216 Pack of 20

FIX765 Pack of 20

FIX182 Pack of 10

FIX388 Pack of 20





FIX833 Pack of 20







FIX843 Pack of 20 Ø x H: 17.5 x 22.5



91578-SV4-003 **FIX467** Pack of 20 W x D x H: 25.5 x 19 x 10



FIX464 Pack of 20 W x D x H: 21 x 8 x 17.5







91808-SM4-000 FIX785 Pack of 20 Ø x S: 17.5 x 9.5





FIX473 Pack of 20 W x D x H: 26 x 19 x 40



可

Ø x H: 18 x 23

90671-SOD-003ZK **FIX701** Pack of 20 Ø x H: 18 x 15.5



90672-SJ4-013

FIX491 Pack of 20

W x D x H: 16 x 16 x 24.5 90675-SB3-003

FIX181 Pack of 20

FIX123 Pack of 50

FIX233 Pack of 20

90687-SA5-0030

FIX345 Pack of 20

FIX807 Pack of 20

Ø x S: 20 x 8

Ø x S: 20 x 8 90675-SB3-003

Ø x S: 19 x 11

Ø x H: 15 x 18

Ø x S: 15 x 14

90687-SB0-013

90675-SB3-003





91503-SZ3-003 FIX231 Pack of 20



91503-SZ5-003 FIX753 Pack of 20



91505-S9A-003 FIX231 Pack of 20



FIX785 Pack of 20 Ø x S: 17.5 x 9.5



91510-SR3-003 FIX486 Pack of 20 W x D x H: 25 x 24 x 11.5



91512SX0003 FIX180 Pack of 20 Ø x S: 20 x 10



91512-SX0-003 **FIX769** Pack of 20 Ø x S: 20 x 10



91534-SE0-000



Ø x S: 20 x 15























91550-SH3-003 **FIX807** Pack of 20 Ø x S: 15 x 14





91560-S9A-A01 FIX846 Pack of 20 Ø x H: 16.5 x 19








































91516-SK7-013 FIX800 Pack of 20























85325-21000QS FIX872 Pack of 20 Ø x H: 18 x 22













Hyundai • Kia



Land Rover



Mazda



Mercedes-Benz





87702-H1000 **FIX821** Pack of 20 W x D x H: 15.5 x 15.3 x 16.7



79086L FIX45 Pack of 50 Ø x S: 13 x 13

ANR2224

DY0100230

Ø x S: 20 x 14

DYQ100230

Ø x S: 20 x 14

MWC9134

Ø x H: 14 x 21

MWC9134

Ø x H: 14 x 21

Universal

Ø x H: 18.5 x 31









FIX653 Pack of 20 W x L x R: 16 x 11 x 8









A1239940645 FIX652 Pack of 20 W x L x R: 25 x 11 x 16

















A0009881625 **FIX890** Pack of 20













A0009902292



FIX710 Pack of 20 Ø x S: 10 x 7 A0009902292







A0009902992 FIX100 Pack of 50 Ø x S: 16 x 11



A0009902992

FIX517 Pack of 50 Ø x S: 16 x 13





A0009902992 FIX39 Pack of 50 Ø x S: 16 x 13









A0009903492 FIX515 Pack of 50 Ø x S: 10 x 12











Ø x H: 18 x 31 87756-2G000 FIX603 Pack of 20

W x D x H: 22 x 13 x 13

FIX822 Pack of 20

FIX850 Pack of 20

FIX720 Pack of 20

W x D x H: 20 x 16 x 15

87758-3D000

87758-3L000

Ø x H: 18 x 19 x 21

Ø x H: 15.5 x 28

Isuzu

89422-11500

89429-81190

Ø x S: 15 x 13

FIX801 Pack of 20

FIX522 Pack of 50

W x D x S: 22 x 14 x 9

FIX868 Pack of 20





FIX751 Pack of 20 Ø x S: 20 x 21 AWR3994

FIX182 Pack of 10

FIX521 Pack of 50

FIX263 Pack of 50

FIX886 Pack of 20

FIX218 Pack of 50







B092-51-833 **FIX795** Pack of 20 Ø x S: 18 x 13

B092-51-833

Ø x S: 18 x 13

B092-51-833

Ø x S: 18 x 13

FIX796 Pack of 20


FIX232 Pack of 20



B092-51-833 FIX520 Pack of 50 Ø x S: 18 x 13



B455-56-741 FIX302 Pack of 20 Ø x H: 14 x 12





E4T6-88-65A FIX513 Pack of 50 Ø x S: 19 x 14



FB01-56-964 FIX233 Pack of 20 Ø x S: 19 x 11





FB01-56-964 FIX182 Pack of 10 Ø x S: 20 x 14





FB01-56-964 FIX521 Pack of 50 Ø x S: 20 x 14











NA01-56-145 FIX523 Pack of 50 Ø x S: 20 x 20

FIX522 Pack of 50 Ø x S: 15 x 13





UB39-56-741 FIX302 Pack of 20 Ø x H: 14 x 12





FIX845 Pack of 20 Ø x H: 18 x 18.5























Л

П

 \odot

 σ^{γ}

موو

9





Mercedes-Benz



Mercedes-Benz



Mercedes-Benz



Mercedes-Benz



A0009904092 **FIX117** Pack of 50 Ø x S: 12 x 11



A0019887681 FIX305 Pack of 20 Ø x H: 11 x 14





A0069884378 FIX841 Pack of 20 Ø x H: 18 x 17.5





FIX759 Pack of 20 Ø x S: 16 x 18

A1249900592

Ø x S: 12 x 11







FIX428 Pack of 20 W x D x H: 32.5c23 x 23



A0069887278 FIX858 Pack of 10 W x D x H: 47.5 x 23 x 16





A1249900792 FIX414 Pack of 20 W x D x H: 10.5 x 13.5 x 20.5

FIX117 Pack of 50







A0019889642 FIX609 Pack of 10 Ø x H: 19 x 25



A0069887378 **FIX820** Pack of 20 W x D x H: 19 x 18 x 11.5

A0069887478



A1249909051 **FIX117** Pack of 50



FIX107 Pack of 50 Ø x S: 15 x 15 A0009905492



Ø x S: 30 x 17



W x D x H: 18 x 8 x 6 A0079887178 FIX424 Pack of 20

W x D x H: 48 x 33 x 14

FIX374 Pack of 20



Ø x S: 12 x 11 1269900192 **FIX779** Pack of 20

Ø x S: 20 x 20 5





FIX111 Pack of 50 Ø x S: 15 x 15



Ø x S: 18 7 x 15



0079887678 **FIX478** Pack of 10 W x D x H: 38 x 34 x 15









FIX103 Pack of 50 Ø x S: 16 x 11

A0009905792

FIX835 Pack of 20



A0019976535



A0079899978 FIX853 Pack of 20 Ø x H: 17.5 x 21



A2016980160 **FIX420** Pack of 10 W x D x H: 56.5 x 15 x 12



A0009908492 FIX451 Pack of 20 Ø x S: 10 x 11

Ø x H: 16 x 16





A0089973981 **FIX367** Pack of 10 W x D x H: 28 x 12 x 6



A2016980660 FIX634 Pack of 10 W x D x H: 54.5 x 16 x 12



A0009912771 FIX848 Pack of 20 Ø x H: 18.5 x 18



FIX310 Pack of 20 W x D x H: 11 x 9 x 15



FIX311 Pack of 20 W x D x H: 22 x 14 x 6



A2016980860 FIX860 Pack of 10 W x D x H: 56 x 15 x 15





A0019880325 FIX493 Pack of 20 Ø x H: 20 x 13.5



FIX312 Pack of 20 W x D x H: 26 x 17.5 x 6



A0099884178 FIX365 Pack of 20 W x D x H: 41 x 21 x 16



A2019900050 FIX146 Pack of 50 Ø x H: 24 x 10.5





A0019883181 FIX442 Pack of 10 W x D x H: 18 x 22 x 24





FIX313 Pack of 20 W x D x H: 11 x 8.5 x 16.5



FIX373 Pack of 20 W x D x H: 25 x 12 x 16



A2019900292 FIX114 Pack of 50 Ø x S: 20 x 14





A0019884481 FIX429 Pack of 20 W x D x H: 15.5 x 12 x 16



FIX140 Pack of 50 Ø x H: 9 x 11





A0099884278 FIX308 Pack of 10 W x D x H: 29 x 20 x 33





A2019900292 FIX506 Pack of 50 Ø x S: 20 x 14

A2029970186

Ø x H: 69 x 47

FIX386 Pack of 2

W x D x H: 40.5 x 29.5 x 43

FIX377 Pack of 20

A6010782041





A0019884681 FIX642 Pack of 20 W x D x H: 25 x 19 x 25

A0019884981

FIX425 Pack of 20

W x D x H: 16 x 16 x 21.5



Ø x H: 16 x 11 A0039944245



A108980027 **FIX346** Pack of 20 Ø x H: 16 x 18



A2115040059 FIX601 Pack of 5



A0019885081 FIX430 Pack of 20 W x D x H: 22.5 x 22 x 6

A0019885181



FIX480 Pack of 20 Ø x H: 8.5 x 16.5 A0049887778



A1239900592 FIX118 Pack of 50 Ø x S: 16 x 12



A6030780141





FIX432 Pack of 20 W x D x H: 15.5 x 18 x 15.5



FIX660 Pack of 10

W x L x R: 21 x 16 x 9 A0059889778

A0049941545



FIX427 Pack of 20 W x D x H: 18.5 x 19.5 x 20



FIX373 Pack of 20 W x D x H: 25 x 12 x 16

A6389840961



FIX611 Pack of 10 W x D x H: 36 x 20 x 12









A0019886381























A0039885078



FIX147 Pack of 50







Ø x H: 37.5 x 28.5 A1249880492



A6389940845 FIX148 Pack of 50 W x D x H: 11 x 21 x 17



A0019886081

FIX426 Pack of 20

W x D x H: 23.5 x 12.5 x 15









A0099884078



A0099884178



A0099884378 **FIX309** Pack of 10 W x D x H: 30 x 23 x 17



A1239900092 FIX116 Pack of 50

Ø x S: 12 x 10



A1248210520 FIX600 Pack of 5

 \odot

990

Mercedes-Benz

Universal

Ø x S: 12.5 x 12

Universal FIX114 Pack of 50

Ø x S: 20 x 14



Mitsubishi



Nissan • Infiniti **Datsun**



Nissan • Infiniti **Datsun**







N00000001476 FIX733 Pack of 20 Thread: M5 x 20

FIX98 Pack of 20



M283083 FIX841 Pack of 20 Ø x H: 18 x 17.5



01553-00051 **FIX314** Pack of 20 Ø x H: 18 x 18







FIX371 Pack of 10 W x D x H: 47 x 21 x 25





M820141 FIX114 Pack of 50 Ø x S: 20 x 14



01553-00172 FIX345 Pack of 20 Ø x H: 15 x 18



62227-AX000 FIX370 Pack of 10 W x D x H: 47 x 21 x 25



M820141 FIX506 Pack of 50 Ø x S: 20 x 14



01553-03831 FIX352 Pack of 20 W x D x H: 16 x 10.5 x 22





FIX523 Pack of 50

63844-01A00

Ø x S: 20 x 20





FIX641 Pack of 10 W x D x H: 11 x 10 x 17



MB083120 **FIX461** Pack of 20 W x D x H: 16 x 12 x 15



FIX758 Pack of 20 Ø x S: 19.5 x 12







FIX651 Pack of 20 Ø x S: 27 x 19



MB098145 FIX747 Pack of 20 Ø x H: 175 x 175



FIX240 Pack of 50 Ø x S: 20 x 9 01553-09321



63848-01G00 FIX758 Pack of 20

Ø x S: 19.5 x 12



MB253964 FIX234 Pack of 20 Ø x S: 17 x 11





Ø x S: 20 x 9 01553-09611 FIX766 Pack of 20



63848-01G00 FIX754 Pack of 20







Ø x S x H: 20 x 8 x 22 63848-35F00

FIX471 Pack of 20



10998-30880



W x D x H: 32 x 31 x 12 63854-01A00 FIX523 Pack of 50



6387695596



FIX182 Pack of 10



65810-AD20 FIX794 Pack of 20 Ø x S: 15 x 13

Ø x S: 20 x 20







FIX620 Pack of 20 Ø x H: 28 x 10.5



66824-01G00



FIX760 Pack of 20 Ø x S: 13 x 8



8099905N07 **FIX781** Pack of 20 Ø x S: 18 x 11.5





8522-0M000 FIX628 Pack of 10 W x D x H: 31 x 30 x 37









96706B0700 FIX23 Pack of 50 W x H: 9.5 x 8



N807994-S FIX621 Pack of 20





FIX794 Pack of 20 Ø x S: 15 x 13

MB344728

MB476821

Ø x S: 11 x 14



Ø x S: 15 x 9 MB955901 **FIX776** Pack of 20







MR200300 FIX512 Pack of 50 Ø x S: 18 x 13



MR328954 FIX240 Pack of 50 Ø x S: 20 x 9







FIX747 Pack of 20 Ø x H: 17.5 x 17.5 MU480150

FIX513 Pack of 50

FIX259 Pack of 50

W x D x H: 15 x 9 x 15

MU480033

Ø x S: 19 x 14

MU481276



63878-01E10 FIX523 Pack of 50 Ø x S: 20 x 20




FIX179 Pack of 20 Ø x S: 17.5 x 11.5



11296-AG000



Ø x S: 20 x 13

















FIX522 Pack of 50 Ø x S: 15 x 13

























Renault • Subaru • Suzuki 기하는 백명 可 0 990 ဇ္

196



Renault

82176228

703077117

Ø x H: 20 x 16.5

1609267280

Ø x H: 20 x 20

7700784059

7700838242

7700842510

FIX318 Pack of 20

FIX662 Pack of 20

FIX273 Pack of 50

FIX883 Pack of 20

W x D x H: 50 x 12.5 x 10.5

FIX883 Pack of 20

W x D x H: 14 x 7 x 13.5

Renault



Renault

Ø x H: 20 x 17

7703077434

Ø x H: 15 x 20.5



Subaru



















94422-KC030 **FIX707** Pack of 20 Ø x H: 17.5 x 18.5





7703046049 FIX655 Pack of 20 W x L x R: 20 x 16 x 10



7703072116 FIX97 Pack of 50 Ø x S: 10 x 12

7703072116

Ø x S: 10 x 12

7703072144

Ø x S: 10 x 14

7703072172

Ø x S: 9 8 x 12

7703072173

Ø x S: 11.4 x 7

7703072224

7703072261

Ø x S: 12 x 14

7703072360

FIX806 Pack of 20

Ø x S: 7.6 x 8

FIX515 Pack of 50

FIX174 Pack of 50

FIX173 Pack of 50





7703077469 FIX529 Pack of 50 Ø x H: 18 x 17

FIX856 Pack of 20





7703077469 FIX255 Pack of 50 Ø x H: 18.5 x 18



7703077476 FIX495 Pack of 20 Ø x H: 21 5 x 20



77030 77477 FIX496 Pack of 10 W x D x H: 28 x 16 x 17

7703079070

7703079652

Ø: 8

FIX52 Pack of 50

FIX433 Pack of 20

W x D x H: 17 x 10 x 14



Suzuki



09409-08310 FIX845 Pack of 20 Ø x H: 18 x 18.5



90467-11063 FIX228 Pack of 50 Ø x H: 18 x 17.8



09409-07332-000 FIX258 Pack of 50 Ø x S: 20 x 10



09409-07308-5PK FIX510 Pack of 50 Ø x S: 15 x 9





76243-77K00 FIX829 Pack of 10 W x D x H: 24 x 23 x 33






Ø x S: 8.7 x 8 7703072173 FIX95 Pack of 50

FIX43 Pack of 50







7703081056 **FIX604** Pack of 20 W x D x H: 25 x 9 x 16



7703081151 FIX366 Pack of 20 Ø x H: 8 x 13



7703081180 FIX646 Pack of 10 W x D x H: 20 x 20 x 29





7703081185 FIX746 Pack of 20 W x D x H: 15 x 10 x 15.5





7703081185 **FIX867** Pack of 20 W x D x H: 20 x 13 x 17.5



9605204680 **FIX361** Pack of 20 W x D x H: 22 x 14 x 21



8200389607 FIX854 Pack of 10 Ø x H: 21 x 23



FIX648 Pack of 20 W x D x H: 45 x 15 x 7





7701026892 FIX440 Pack of 20 W x D x H: 9.5 x 17.5 x 13

W x D x H: 50 x 24 x 30





7701049270

Ø x H: 20 x 16

7701049270

Ø x H: 20 x 16

7701049271

Ø x S: 20 x 21

7701050734 **FIX816** Pack of 20

Ø x H: 15 x 14

7701057429

FIX397 Pack of 10

W x D x H: 16.5 x 16.5 x 19 7701070813

FIX406 Pack of 20

W x D x H: 14 x 8 x 17

7701470779

FIX166 Pack of 50

FIX532 Pack of 50

FIX751 Pack of 20





FIX179 Pack of 20 Ø x S: 17.5 x 11.5







7703077117 FIX339 Pack of 20 Ø x H: 19 x 15









7703077225 FIX164 Pack of 50 Ø x H: 35 x 25







7703077256 **FIX392** Pack of 20 W x D x H: 19 x 13 x 10





7703077420 FIX338 Pack of 20 Ø x H: 19 x 17












FIX533 Pack of 50









Toyotan • Lexus

Toyota • Lexus



Toyota • Lexus



Toyota • Lexus



Toyota • Lexus





52161-16010 **FIX511** Pack of 50 Ø x S: 18 x 28



90044-68320 **FIX507** Pack of 50 Ø x S: 20 x 9

90189-04008



90467-07146 **FIX774** Pack of 20 Ø x S: 16 x 8

FIX258 Pack of 50

Ø x S: 20 x 10



67771-52010B1 **FIX758** Pack of 20 Ø x S: 19.5 x 12



90467-07164





90467-07030 FIX234 Pack of 20 Ø x S: 17 x 11



52161-20010 FIX764 Pack of 20 Ø x S: 18 x 32



53259-20030 FIX637 Pack of 20 W x D x S: 18 x 18 x 11



90189-04013 FIX73 Pack of 50 Ø x H: 16 x 20

FIX461 Pack of 20

W x D x H: 16 x 12 x 15



90467-07201 **FIX763** Pack of 20 Ø x S: 20 x 11



90467-07214 **FIX771** Pack of 20 Ø x S: 20 x 9



90467-08030 FIX629 Pack of 20 W x D x H: 13 x 7 x 14.5



90467-08081 FIX466 Pack of 20 Ø x H: 30 x 15



90467-08185



FIX766 Pack of 20 Ø x S: 18 x 10



90467-09004/5 **FIX459** Pack of 20 Ø x H: 30 x 19.5



90467-09050 **FIX301** Pack of 20 W x D x H: 26 x 16







FIX775 Pack of 20 Ø x S: 14.5 x 27



90467-10107 FIX622 Pack of 20 Ø x H: 17 x 14





90467-10161 FIX531 Pack of 50 Ø x H: 18 x 20.5



90467-10167 FIX838 Pack of 20



Ø x H: 18 x 17.5



90467-12042 **FIX621** Pack of 20 Ø x H: 12.5 x 10.5



90904-67036

FIX837 Pack of 20 Ø x H: 17 x 24.5



90959-01136 FIX477 Pack of 20 W x D x H: 15.5 x 15.5 x 24



5216144010B0 FIX764 Pack of 20 Ø x S: 18 x 32









53452-90351 **FIX491** Pack of 20 W x D x H: 16 x 16 x 24.5

FIX458 Pack of 20

FIX382 Pack of 20

FIX471 Pack of 20

FIX407 Pack of 20

W x D x H: 34.5 x 25 x 18.5

FIX527 Pack of 50

FIX530 Pack of 50

FIX845 Pack of 20

FIX259 Pack of 50

W x D x H: 15 x 9 x 15

W x D x H: 32 x 31 x 12

W x D x H: 17 x 17 x 25

W x D x H: 20 x 20 x 29

53455-14020

53455-14020

5378914010

53879-58010

67771-02030

Ø x H: 17 x 18

67771-02030

Ø x H: 18.5 x 20

67771-89104

Ø x H: 18 x 18.5

67867-12150

67867-12150



90189-05133







FIX747 Pack of 20 Ø x H: 17.5 x 17.5



90189-06006 FIX221 Pack of 50 Ø x H: 16.5 x 11



90189-06006 FIX525 Pack of 50 Ø x H: 16 x 11



90189-06013 **FIX192** Pack of 50 Ø x H: 20 x 18.5



90189-06013



FIX526 Pack of 50 Ø x H: 20 x 18.5





90189-06018 FIX190 Pack of 50 W x H: 14 x 8



90467-06020-B6 **FIX872** Pack of 20 Ø x H: 18 x 22



90189-06224 **FIX749** Pack of 20



Ø x H: 16 x 20 90467-06017





FIX522 Pack of 50 Ø x S: 15 x 13











90467-07043 **FIX781** Pack of 20 Ø x S: 18 x 11.5





90467-07066 **FIX776** Pack of 20 Ø x S: 11 x 14





FIX320 Pack of 20 W x D x H: 15 x 9.5 x 15 69293-12050

FIX462 Pack of 20

W x D x H: 23 x 9.5 x 18



75049-33010 FIX47 Pack of 50 Ø x H: 18 x 21



75395-33030 FIX228 Pack of 50 Ø x H: 18 x 17.8

76931-26010 FIX228 Pack of 50

Ø x H: 18 x 17.8



90044-68320 FIX240 Pack of 50 Ø x S: 20 x 9































796255

824767

1104880

Ø x S: 16 x 11

1104880

Ø x S: 16 x 13

1104880

Ø x S: 16 x 13

1104882

1162484

Ø x H: 28 x 18.5

1162488

Ø x S: 18.7 x 15

Ø x H: 19 x 22.5

FIX819 Pack of 20

FIX317 Pack of 20

W x D x H: 15.5 x 11.5 x 15

FIX100 Pack of 50

FIX517 Pack of 50

FIX39 Pack of 50

FIX176 Pack of 20

FIX163 Pack of 50

FIX170 Pack of 50

W x D x H: 21 x 18 x 10







Vauxhall • Opel • GM

1180216

1190970

Ø x H: 23 x 18

1216957

W x H: 11 x 12

1218604

1222141

1400804

Ø x S: 15 x 20

1400806

Ø x S: 20 x 20

1404960

Ø x H: 20 x 21

1406984

Ø x H: 18 x 25

1719242

Ø x S: 9.8 x 12

10036503

FIX343 Pack of 20

FIX144 Pack of 20

FIX142 Pack of 50

FIX315 Pack of 20

FIX496 Pack of 10

FIX109 Pack of 50

FIX110 Pack of 50

FIX354 Pack of 20

FIX145 Pack of 20

FIX173 Pack of 50

FIX211 Pack of 50

W x D x H: 28 x 16 x 17

W x D x H: 26 x 23 x 19

W x D x H: 18 x 9.5 x 25




























FIX751 Pack of 20

FIX705 Pack of 20

FIX496 Pack of 10

FIX256 Pack of 50

FIX533 Pack of 50

FIX256 Pack of 50

W x D x H: 28 x 16 x 17

Ø x S: 20 x 21

22512276

Ø x H: 21.5 x 24

24405740

4409693

Ø x H: 20 x 17

4409693

Ø x H: 20 x 17



























Vauxhall • Opel • GM



Vauxhall • Opel • GM



Volvo

Universal



90413589 FIX147 Pack of 50



204655395 FIX208 Pack of 50 Ø x L: 5 x 15. F Ø: 8.9



FIX506 Pack of 50 Ø x S: 20 x 14





Universal **FIX378** Pack of 20 Ø x H: 8 x 11.5 mm





90414663 FIX863 Pack of 20 Ø x H: 12 x 13



909130105 FIX513 Pack of 50 Ø x S: 19 x 14



35126242 FIX100 Pack of 50 Ø x S: 16 x 11



Universal FIX379 Pack of 20 W x D x H: 8.5 x 8 x 10.5



90450482 **FIX176** Pack of 20 Ø x S: 18.7 x 15

FIX527 Pack of 50



909130115 FIX531 Pack of 50 Ø x H: 18 x 20.5



35126242 **FIX517** Pack of 50 Ø x S: 16 x 13



Universal FIX675 Pack of 20 Ø x H 15 x 24.5 mm





35126242 FIX39 Pack of 50 Ø x S: 16 x 13







90482706 FIX145 Pack of 20 Ø x H: 18 x 25

90457899

Ø x H: 17 x 18





39964090



Universal



90508809 FIX110 Pack of 50 Ø x S: 20 x 20

93160023



947-098 **FIX710** Pack of 20 Ø x S: 10 x 7

Volvo



Ø x S: 16 x 14 3272075327462A FIX36 Pack of 50 Ø x H: 18 x 17

FIX709 Pack of 20



Universal **FIX677** Pack of 20





Ø x H: 20 x 17 93160023 FIX533 Pack of 50

FIX256 Pack of 50



947098 FIX95 Pack of 50 Ø x S: 11.4 x 7



3272075327462B FIX35 Pack of 50 Ø x H: 18 x 17



Ø x H: 18 x 25





93160780 FIX856 Pack of 20

FIX31 Pack of 50

FIX522 Pack of 50

Ø x H: 20 x 17

94198687

Ø x S: 15 x 13

94198687

Ø x S: 15 x 13

94530623

Ø x S: 20 x 14

94530623

Ø x S: 20 x 14



979878 FIX206 Pack of 50 Head Ø: 6

FIX781 Pack of 20

FIX118 Pack of 50

987789

Ø x S: 18 x 11.5

3120254

Ø x S: 16 x 12





Ø x H: 14.5 x 25





Universal FIX684 Pack of 20





Universal FIX689 Pack of 20



Ø x H: 18 x 23



Universal FIX20 Pack of 50 Ø x H: 16 x 15





Universal FIX364 Pack of 20 Ø x H: 22 x 23







FIX182 Pack of 10

FIX521 Pack of 50



3541113 **FIX758** Pack of 20 Ø x S: 19.5 x 12



3541113 FIX754 Pack of 20



Ø x S x H: 20 x 8 x 22 3923475



FIX103 Pack of 50 Ø x S: 16 x 11



12681763 **FIX175** Pack of 50



Ø x S: 16 x 14





FIX516 Pack of 50 Ø x S: 16.5 x 14






30808521 FIX344 Pack of 20 W x D x H: 13.5 x 19.5 x 24















96057846









































FIX674 Pack of 20 Ø x H: 22 x 24.5





Universal FIX682 Pack of 20













J













workshop warehouse

Trim Clip Chart



موم

O









JCS 'Hi-Grip' Hose Clips

Mild steel zinc plated. 12.5 mm (*9.5 mm) band width. Kite marked to BS 5315 : 1991.

| Part No. | Pack of | Size No. | Range | |
|--------------|---------|----------|-------------|-----------------|
| JCS000 | 30 | 12* | 9.5 - 12 mm | 3/8" - 1/2" |
| JCSM00 | 30 | 16* | 11 - 16 mm | 1/2" - 5/8" |
| JCS00 | 30 | 20* | 13 - 20 mm | 1/2" - 3/4" |
| JCS0 | 30 | 22 | 14 - 22 mm | 5/8" - 7/8" |
| JCSOX | 20 | 25 | 17 - 25 mm | 3/4" - 1" |
| JCS1A | 20 | 30 | 22 - 30 mm | 7/8" - 1 1/8" |
| JCS1 | 20 | 35 | 25 - 35 mm | 1" - 1 3/8" |
| JCS1X | 20 | 40 | 30 - 40 mm | 1 1/8" - 1 5/8" |
| JCS245 | 20 | 45 | 35 - 45 mm | 1 3/8" - 1 3/4" |
| JCS2A | 20 | 50 | 35 - 50 mm | 1 3/8" - 2" |
| JCS2 | 20 | 55 | 40 - 55 mm | 1 5/8" - 2 1/8" |
| JCS2X | 20 | 60 | 45 - 60 mm | 1 3/4" - 2 3/8" |
| JCS3 | 20 | 70 | 55 - 70 mm | 2 1/8" - 2 3/4" |
| JCS3X | 20 | 80 | 60 - 80 mm | 2 3/8" - 3 1/8" |
| JCS4 | 20 | 90 | 70 - 90 mm | 2 3/4" - 3 1/2" |
| JCS4X | 20 | 100 | 80 - 100 mm | 3 1/8" - 4" |
| JCS5 | 10 | 120 | 90 - 120 mm | 3 1/2" - 4 3/4" |
| JCS6 | 10 | 140 | 110 -140 mm | 4 3/8" - 5 1/2" |
| JCS7 | 10 | 160 | 130 -160 mm | 5 1/8" - 6 1/4" |



- Large Sizes

Mild steel zinc plated. 12.5 mm band width. Kite marked to BS 5315: 1991.

| Part No. | Pack of |
|----------|---------|
| | |

JCS24 24 Pieces

8 x Sizes: 60, 70, 80, 90, 100, 120, 140, 160.



- Small Sizes

Mild steel zinc plated. 12.5 mm (9.5 mm) band width. Kite marked to BS 5315:1991.

| Part No. Pack of |
|------------------|
|------------------|

JCS50

8 x Sizes: 12*, 16*, 20*, 22, 25, 30, 35, 40, 50.





JCS 'Hi-Grip' Hose Clips - Boxed

Mild steel zinc plated. 12.5 mm (*9.5 mm) band width. Kite marked to BS 5315 : 1991.

| Trice married | a (O D) . | JJ1J . 1J | , 51. | |
|---------------|-----------|-----------|-------------|-----------------|
| Part No. | Box of | Size No. | Range | Range |
| JCX000 | 10 | 12* | 9.5 - 12 mm | 3/8" - 1/2" |
| JCXM00 | 10 | 16* | 11 - 16 mm | 1/2" - 5/8" |
| JCX00 | 10 | 20* | 13 - 20 mm | 1/2" - 3/4" |
| JCX0 | 10 | 22 | 14 - 22 mm | 5/8" - 7/8" |
| JCXOX | 10 | 25 | 17 - 25 mm | 3/4" - 1" |
| JCX1A | 10 | 30 | 20 - 30 mm | 7/8" - 1 1/8" |
| JCX1 | 10 | 35 | 25 - 35 mm | 1" - 1 3/8" |
| JCX1X | 10 | 40 | 30 - 40 mm | 1 1/8" - 1 5/8" |
| JCX245 | 10 | 45 | 35 - 45 mm | 1 3/8" - 1 3/4" |
| JCX2A | 10 | 50 | 35 - 50 mm | 1 3/8" - 2" |
| JCX2 | 10 | 55 | 40 - 55 mm | 1 5/8" - 2 1/8" |
| JCX2X | 10 | 60 | 45 - 60 mm | 1 3/4" - 2 3/8" |
| JCX3 | 10 | 70 | 55 - 70 mm | 2 1/8" - 2 3/4" |
| | | | | |

ROTTER SELECTION



JCS 'Hi-Grip' Hose Clips Dispenser with 100 Clips

Mild steel zinc plated. 12.5 mm (*9.5 mm) band width. Kite marked to BS 5315 : 1991.

Description

JCS100 100 Piece Set

10 x Sizes: 12*, 16*, 20*, 22, 25, 30, 35, 40, 45, 50. 1 x Flexible hose clip driver: 7 mm Hex.







JCS 'Hi-Grip' Hose Clips Dispenser with 160 Clips

Mild steel zinc plated. 12.5 mm (*9.5 mm) band width. Kite marked to BS 5315 : 1991.

Description

JCS160 160 Piece Set

16 x Sizes: 12*, 16*, 20*, 22, 25, 30, 35, 40, 45, 50, 55, 60, 70, 80, 90, 100. 1 x Flexible hose clip driver: 7 mm Hex.





0

000





JCS 'Hi-Grip' 304 Stainless Steel (A2) Hose Clips Made entirely from 18/8 marine quality stainless steel with Lloyds Register Approval. 12.5 mm (*9.5 mm) band width. Kite marked to BS 5315: 1991.

Ideal for salt water and other highly corrosive environments

| • luedi ioi Sc | iii watei | and our | er riigiliy corrosive er | IVITOTITIETIUS |
|----------------|-----------|----------|--------------------------|-----------------|
| Part No. | Pack of | Size No. | Range | |
| JSS000 | 10 | 12* | 9.5 - 12 mm | 3/8" - 1/2" |
| JSSM00 | 10 | 16* | 11 - 16 mm | 1/2" - 5/8" |
| JSS00 | 10 | 20* | 13 - 20 mm | 1/2" - 3/4" |
| JSS0 | 10 | 22 | 14 - 22 mm | 5/8" - 7/8" |
| JSS0X | 10 | 25 | 17 - 25 mm | 3/4" - 1" |
| JSS1A | 10 | 30 | 22 - 30 mm | 7/8" - 1 1/8" |
| JSS1 | 10 | 35 | 25 - 35 mm | 1" - 1 3/8" |
| JSS1X | 10 | 40 | 30 - 40 mm | 1 1/8" - 1 5/8" |
| JSS245 | 10 | 45 | 35 - 45 mm | 1 3/8" - 1 3/4" |
| JSS2A | 10 | 50 | 35 - 50 mm | 1 3/8" - 2" |
| JSS2 | 10 | 55 | 40 - 55 mm | 1 5/8" - 2 1/8" |
| JSS2X | 10 | 60 | 45 - 60 mm | 1 3/4" - 2 3/8" |
| JSS3 | 10 | 70 | 55 - 70 mm | 2 1/8" - 2 3/4" |
| JSS3X | 5 | 80 | 60 - 80 mm | 2 3/8" - 3 1/8" |
| JSS4 | 5 | 90 | 70 - 90 mm | 2 3/4" - 3 1/2" |
| JSS4X | 5 | 100 | 80 - 100 mm | 3 1/8" - 4" |
| JSS5 | 5 | 120 | 90 - 120 mm | 3 1/2" - 4 3/4" |
| JSS6 | 5 | 140 | 110 - 140 mm | 4 3/8" - 5 1/2" |
| JSS7 | 5 | 160 | 130 - 160 mm | 5 1/8" - 6 1/4" |



Mini Hose Clips

| Part No. | Pack of | Ø Range |
|----------|---------|------------|
| HCA8 | 50 | 7 - 9 mm |
| HCA9 | 50 | 8 - 10 mm |
| HCA10 | 50 | 9 - 11 mm |
| HCA11 | 50 | 10 - 12 mm |
| HCA12 | 50 | 11 - 13 mm |
| HCA13 | 50 | 12 - 14 mm |
| HCA14 | 50 | 13 - 15 mm |
| HCA15 | 50 | 14 - 16 mm |
| HCA16 | 50 | 15 - 17 mm |
| HCA17 | 50 | 16 - 18 mm |

Assorted Box of Mini Hose Clips

| Part No. | Box of |
|----------|--------|

AB102 100 Pieces

10 x Sizes (Ø Range): 7 - 9, 8 - 10, 9 - 11, 10 - 12, 11 - 13, 12 - 14, 13 - 15, 14 - 16, 15 - 17, 16 - 18 mm.





JCS Rubber Lined P-Clips Hole Dia 6 mm. Mild steel, zinc plated.

EPDM rubber lined to prevent chafing caused by vibration.

| Part No. | Pack of | Size | |
|----------|---------|-------|--|
| EAC105 | 50 | 5 mm | |
| EAC106 | 50 | 6 mm | |
| EAC108 | 50 | 8 mm | |
| EAC110 | 50 | 10 mm | |
| EAC113 | 50 | 13 mm | |
| EAC116 | 50 | 16 mm | |
| EAC121 | 50 | 21 mm | |
| EAC125 | 50 | 25 mm | |
| EAC129 | 50 | 29 mm | |
| EAC135 | 50 | 35 mm | |
| EAC138 | 50 | 38 mm | |
| EAC144 | 25 | 44 mm | |
| EAC148 | 25 | 48 mm | |
| EAC152 | 25 | 52 mm | |
| EAC160 | 25 | 60 mm | |
| | | | |



Pack of EAC100 **60 Pieces** 5 x Sizes: 6, 21, 29, 35 mm. 10 x Sizes: 8, 10, 13, 16 mm.



| CA ROOL |
|-----------------|
| Metal Clamps |
| Stainless steel |

| Part No. | Pack of | Size | Range |
|----------|---------|--------|-------------|
| HCV1 | 20 | Small | 19 - 40 mm |
| HCV2 | 20 | l argo | 50 - 110 mm |

































JUBILEE Hose Clips

Mild steel zinc plated. 13 mm (*9 mm) band width. Kite marked to BS 5315 : 1991.

| Part No. | Pack of | Size No. | Range | |
|----------|---------|-----------|--------------|-----------------|
| JUB000N | 25 | 000* (12) | 9.5 - 12 mm | 3/8" - 1/2" |
| JUBM00N | 25 | M00* (16) | 11 - 16 mm | 1/2" - 5/8" |
| JUB00N | 25 | 00* (20) | 13 - 20 mm | 1/2" - 3/4" |
| JUB0N | 25 | 0 (22) | 16 - 22 mm | 5/8" - 7/8" |
| JUB0XN | 25 | OX (25) | 18 - 25 mm | 3/4" - 1" |
| JUB1AN | 25 | 1A (30) | 22 - 30 mm | 7/8" - 1 1/8" |
| JUB1N | 25 | 1 (35) | 25 - 35 mm | 1" - 1 3/8" |
| JUB1XN | 25 | 1X (40) | 30 - 40 mm | 1 1/8" - 1 5/8" |
| JUB1MN | 25 | 1M | 32 - 45 mm | 1 1/4" - 1 3/4" |
| JUB2AN | 25 | 2A (50) | 35 - 50 mm | 1 3/8" - 2" |
| JUB2N | 25 | 2 (55) | 40 - 55 mm | 1 5/8" - 2 1/8" |
| JUB2XN | 25 | 2X (60) | 45 - 60 mm | 1 3/4" - 2 3/8" |
| JUB3N | 25 | 3 (70) | 55 - 70 mm | 2 1/8" - 2 3/4" |
| JUB3XN | 10 | 3X (80) | 60 - 80 mm | 2 3/8" - 3 1/8" |
| JUB4N | 10 | 4 (90) | 70 - 90 mm | 2 3/4" - 3 1/2" |
| JUB4XN | 10 | 4X (100) | 80 - 100 mm | 3 1/4" - 4" |
| JUB5 | 10 | 5 (120) | 90 - 120 mm | 3 3/4" - 4 3/4" |
| JUB6N | 5 | 6 (140) | 110 - 140 mm | 4 1/4" - 5 1/2" |
| JUB7N | 5 | 7 | 135 - 165 mm | 5 1/4" - 6 1/2" |



Mild steel zinc plated. 13 mm (*9 mm) band width. Kite marked to BS 5315: 1991.

| Kite markeu | (0 03 3313. | 1551. |
|-------------------|-------------------|-------------------|
| Part No. | Pack of | Description |
| JUB50 | 50 Pieces | Small Sizes |
| 10 x Sizes: 000*, | M00*, 00*, 0, 0X, | 1A, 1, 1X, 2A, 2. |



Mild steel zinc plated. 13 mm band width. Kite marked to BS 5315: 1991.

| Part No. | Pack of | Description |
|------------|-----------|-------------|
| JUB25 | 25 Pieces | Large Sizes |
| F C' 21/ 1 | 20/ 4 40/ | |

5 x Sizes: 2X, 3, 3X, 4, 4X.





JUBILEE Hose Clips In Branded Boxes

Mild steel zinc plated. Kite marked to BS 5315 : 1991.

| Box of | Size No. | Range | |
|--------|--|---|--|
| 10 | 000* (12) | 9.5 - 12 mm | 3/8" - 1/2" |
| 10 | M00* (16) | 11 - 16 mm | 1/2" - 5/8" |
| 10 | 00* (20) | 13 - 20 mm | 1/2" - 3/4" |
| 10 | 0 (22) | 16 - 22 mm | 5/8" - 7/8" |
| 10 | OX (25) | 18 - 25 mm | 3/4" - 1" |
| 10 | 1A (30) | 22 - 30 mm | 7/8" - 1 1/8" |
| 10 | 1 (35) | 25 - 35 mm | 1" - 1 3/8" |
| 10 | 1X (40) | 30 - 40 mm | 1 1/8" - 1 5/8" |
| 10 | 1M | 32 - 45 mm | 1 1/4" - 1 3/4" |
| 10 | 2A (50) | 35 - 50 mm | 1 3/8" - 2" |
| 10 | 2 (55) | 40 - 55 mm | 1 5/8" - 2 1/8" |
| 10 | 2X (60) | 45 - 60 mm | 1 3/4" - 2 3/8" |
| 10 | 3 (70) | 55 - 70 mm | 2 1/8" - 2 3/4" |
| | 10 10 10 10 10 10 10 10 10 10 10 | 10 M00* (16) 10 00* (20) 10 0 (22) 10 0X (25) 10 1A (30) 10 1 (35) 10 1X (40) 10 1M 10 2A (50) 10 2 (55) 10 2X (60) | 10 000* (12) 9.5 - 12 mm 10 M00* (16) 11 - 16 mm 10 00* (20) 13 - 20 mm 10 0(22) 16 - 22 mm 10 0X (25) 18 - 25 mm 10 1A (30) 22 - 30 mm 10 1X (40) 30 - 40 mm 10 1M 32 - 45 mm 10 2A (50) 35 - 50 mm 10 2X (60) 45 - 60 mm |



DispenserMild steel zinc plated.
13 mm (*9 mm) band width.
Kite marked to BS 5315: 1991.

| Part No. | Qty | Description |
|----------|-------|---------------|
| JUX100 | 1 Set | 100 Piece Set |

10 x Sizes: 000*, M00*, 00*, 0, 0X, 1A, 1, 1X, 1M, 2A.





JUBILEE Hose Clips Dispenser with 100 Clips and 3 x Hose Clip Drivers

Mild steel zinc plated. 13 mm (*9 mm) band width. Kite marked to BS 5315 : 1991.

Part No. Qty Description

JUB100 1 Set 101 Piece Set

 $\underline{10~\text{x Sizes: }000^*, \text{M00}^*, 00^*, 0, \text{OX, 1A, 1, 1X, 2A, 2. 3 x Flexible hose clip driver: 7 mm Hex.}$



























JUBILEE 'Superclamps' **Heavy Duty Bolt Clamps**

Zinc plated mild steel. Screws to DIN933.

| Line placea | iiiia 5 | teel. Selews to Dilysss. | | |
|-------------|---------|--------------------------|------------------------|----------|
| Part No. | Pack o | of Min-MaxØ | Band Width x Thickness | Hex Head |
| JUBS19 | 10 | 17 - 19 mm | 18 x 0.6 mm | 8 mm |
| JUBS22 | 10 | 20 - 22 mm | 18 x 0.6 mm | 8 mm |
| JUBS25 | 10 | 23 - 25 mm | 18 x 0.6 mm | 8 mm |
| JUBS28 | 10 | 26 - 28 mm | 18 x 0.6 mm | 8 mm |
| JUBS31 | 10 | 29 - 31 mm | 18 x 0.6 mm | 8 mm |
| JUBS35 | 10 | 32 - 35 mm | 18 x 0.6 mm | 10 mm |
| JUBS39 | 10 | 36 - 39 mm | 18 x 0.6 mm | 10 mm |
| JUBS43 | 10 | 40 - 43 mm | 18 x 0.6 mm | 10 mm |
| JUBS47 | 10 | 44 - 47 mm | 20 x 1.0 mm | 10 mm |
| JUBS51 | 10 | 48 - 51 mm | 20 x 1.0 mm | 10 mm |
| JUBS55 | 10 | 52 - 55 mm | 20 x 1.0 mm | 10 mm |
| JUBS59 | 10 | 56 - 59 mm | 20 x 1.0 mm | 10 mm |
| JUBS63 | 10 | 60 - 63 mm | 20 x 1.0 mm | 10 mm |
| JUBS67 | 10 | 64 - 67 mm | 20 x 1.0 mm | 13 mm |
| JUBS73 | 10 | 68 - 73 mm | 25 x 1.5 mm | 13 mm |
| JUBS79 | 5 | 74 - 79 mm | 25 x 1.5 mm | 13 mm |
| JUBS85 | 5 | 80 - 85 mm | 25 x 1.5 mm | 13 mm |
| JUBS91 | 5 | 86 - 91 mm | 25 x 1.5 mm | 13 mm |
| JUBS97 | 5 | 92 - 97 mm | 25 x 1.5 mm | 13 mm |
| JUBS103 | 5 | 98 - 103 mm | 25 x 1.5 mm | 13 mm |
| JUBS112 | 5 | 104 - 112 mm | 25 x 1.5 mm | 13 mm |
| JUBS121 | 5 | 113 - 121 mm | 25 x 1.5 mm | 13 mm |
| JUBS130 | 5 | 122 - 130 mm | 25 x 1.5 mm | 13 mm |
| JUBS139 | 5 | 131 - 139 mm | 25 x 1.5 mm | 13 mm |
| JUBS148 | 5 | 140 - 148 mm | 25 x 1.8 mm | 13 mm |
| JUBS161 | 5 | 149 - 161 mm | 25 x 1.8 mm | 13 mm |
| JUBS174 | 5 | 162 - 174 mm | 25 x 1.8 mm | 13 mm |
| JUBS187 | 5 | 175 - 187 mm | 25 x 1.8 mm | 13 mm |
| | | | | |



JUBILEE 'Multiband' Mild Steel Screws/Housings

JUBILEE 'Multiband' Mild Steel Banding

Zinc plated. 11 mm band width (steel screws/housings not included). Qty Length

> 10 m Coil 30 m Coil

Zinc plated. Suits 11 mm 'Multiband'.

JUM10

JUM30 1

| Part No. | Pack of | Head Type |
|----------|---------|--------------|
| JUS1 | 25 | Slotted Head |
| JUS2 | 25 | Hex Head |







TERRY 'Powergrip' Hose Clips

Aluzinc steel band & housing, screw zinc plated steel. 12 mm (*9 mm) band width. Kite marked to BS 5315 : 1991.

| Part No. | Pack of | Size No. | Range | |
|-------------|---------|----------|-------------|-----------------|
| HC000 | 20 | 12* | 9.5 - 12 mm | 3/8" - 1/2" |
| НСМОО | 20 | 16* | 11 - 16 mm | 1/2" - 5/8" |
| HC00 | 20 | 20 | 13 - 20 mm | 1/2" - 3/4" |
| HC0 | 20 | 22 | 16 - 22 mm | 5/8" - 7/8" |
| HCOX | 20 | 25 | 18 - 25 mm | 3/4" - 1" |
| HC1A | 20 | 30 | 22 - 30 mm | 7/8" - 1 1/8" |
| HC1 | 20 | 35 | 25 - 35 mm | 1" - 1 3/8" |
| HC1X | 20 | 40 | 30 - 40 mm | 1 1/8" - 1 5/8" |
| HC2A | 20 | 50 | 35 - 50 mm | 1 1/4" - 1 7/8" |
| HC2 | 20 | 55 | 40 - 55 mm | 1 1/2" - 2 1/8" |
| HC2X | 20 | 60 | 45 - 60 mm | 1 3/4" - 2 3/8" |
| НС3 | 20 | 70 | 55 - 70 mm | 2" - 2 3/4" |
| НСЗХ | 20 | 80 | 60 - 80 mm | 2 3/8" - 3 1/8" |
| HC4 | 20 | 90 | 70 - 90 mm | 2 3/4" - 3 1/2" |
| HC4X | 20 | 100 | 85 - 100 mm | 3 1/4" - 4" |



screw zinc plated steel. 12 mm band width. BS 5315. Part No. Pack of

AP28 50 Pieces

Sizes HC000 to HC2A

























TERRY 'Powergrip' Hose Clips Dispenser with 100 Clips and **Hose Clip Driver**

Aluzinc steel band & housing, screw zinc plated steel. 12 mm band width. BS 5315.

Part No. Description 1 Set 102 Piece Set

10 x Sizes: 000*, M00, 00, 0, 0X, 1A, 1, 1X, 2A, 2. 1 x Flexible hose clip driver: 7 mm Hex.

NORMA

NORMACLAMP® 'TORRO®' **Narrow Band Hose Clips**

9 mm band width. Zinc chromate passivated mild steel screw.BS EN 10088-2 Ferritic stainless steel/ AISI 430. DIN 3017 (Band and Housing).

| Part No. | Pack of | Range |
|----------|---------|-------------|
| HN0816 | 20 | 10 - 16 mm |
| HN1220 | 20 | 12 - 20 mm |
| HN1625 | 20 | 16 - 27 mm |
| HN2032 | 20 | 20 - 32 mm |
| HN2840 | 20 | 28 - 40 mm |
| HN3250 | 20 | 32 - 50 mm |
| HN4060 | 20 | 40 - 60 mm |
| HN5070 | 20 | 50 - 70 mm |
| HN6080 | 20 | 60 - 80 mm |
| HN7090 | 20 | 70 - 90 mm |
| HN80100 | 20 | 80 - 100 mm |



NORMACLAMP® 'TORRO®' Narrow Band Hose Clips

9 mm band width. Zinc chromate passivated mild steel screw.BS EN 10088-2 Ferritic stainless steel/ AISI 430. DIN 3017 (Band and Housing)).

| art I | Vin. | Pack of |
|--------|------|---------|
| al L l | NU. | Pack UI |

AP56 50 Pieces

20 x Size Range: 10 - 16 mm. 10 x Size Range: 12 - 20 mm. 5 x Size Range: 16 - 27 mm, 20 - 32 mm, 28 - 40 mm, 32 - 50 mm.



CETIKER

OETIKER Pipe Clips

Zinc plated band. Suitable for small bore petrol pipe, non-reinforced PVC pipe and rubber hose.

| Part No. | Pack of | Range | |
|----------|---------|------------|--|
| PC1 | 20 | 7 - 11 mm | |
| PC3 | 20 | 9 - 14 mm | |
| PC2 | 20 | 10 - 18 mm | |

Looking for O-Clip Tools?

Our complete range of **Hose + Tubing Tools are** overleaf on Page 208





O-Clips - 2-Ear Clamps

Zinc plated steel. DIN 1.0338 / SAE 1008/1010.

| Part No. | Pack of | I.D. | Range |
|----------|---------|-------|------------|
| OC1 | 25 | 3/8" | 8 - 11 mm |
| OC1A | 50 | 3/8" | 8 - 11 mm |
| OC2 | 25 | 7/16" | 9 - 11 mm |
| OC2A | 50 | 7/16" | 9 - 11 mm |
| OC3 | 25 | 1/2" | 11 - 13 mm |
| ОСЗА | 50 | 1/2" | 11 - 13 mm |
| OC4 | 25 | 9/16" | 13 - 15 mm |
| OC4A | 50 | 9/16" | 13 - 15 mm |
| OC5 | 25 | 5/8" | 15 - 18 mm |
| OC5A | 50 | 5/8" | 15 - 18 mm |
| OC6 | 25 | 3/4" | 17 - 20 mm |
| OC6A | 50 | 3/4" | 17 - 20 mm |
| OC7 | 25 | 7/8" | 20 - 23 mm |
| ОС7А | 50 | 7/8" | 20 - 23 mm |

Assorted Box of O-Clips - 2-Ear Clamps

Zinc plated steel. DIN 1.0338 / SAE 1008/1010.

| rt No | Box of |
|-------|--------|
| | |

AB38 140 Pieces

6 x Sizes (Ø Range): 3/8" (8 - 11 mm), 7/16" (9 - 11 mm), 1/2" (11 - 13 mm), 9/16" (13 - 15 mm), 5/8" (15 - 18 mm), 3/4" (17 - 20 mm).



CETIKER

OETIKER '167' O-Clips - Single Ear Clamps

Stainless steel. DIN 1.4301 / UNS S30400.

• 360° stepless® design -No steps or gaps in the inner circumference.

· Smooth edged steel prevents damage to hose.

| | _ | | | |
|----------|---------|----------------|-------------------|--|
| Part No. | Pack of | Range | Width x Thickness | |
| OC11 | 25 | 7.0 - 8.7 mm | 5 x 0.5 mm | |
| OC12 | 25 | 8.3 - 10.0 mm | 5 x 0.5 mm | |
| OC13 | 25 | 9.6 - 11.3 mm | 7 x 0.6 mm | |
| OC14 | 25 | 11.3 - 13.8 mm | 7 x 0.6 mm | |
| OC15 | 25 | 13.2 - 15.7 mm | 7 x 0.6 mm | |
| OC16 | 25 | 15.3 - 18.5 mm | 7 x 0.6 mm | |
| OC17 | 25 | 17.8 - 21.0 mm | 7 x 0.6 mm | |
| OC18 | 25 | 19.4 - 22.6 mm | 7 x 0.6 mm | |

Assorted Box of **OETIKER '167'** O-Clips - Single Ear Clamps

Stainless steel. DIN 1.4301 / UNS S30400.

Part No.

AB144 160 Pieces

8 x Size Ranges: 7.0 - 8.5 mm, 8.5 - 10.0 mm, 9.8 - 11.8 mm, 11.8 - 3.8 mm, 13.2 - 15.8 mm, 15.6 - 17.8 mm, 17.1 - 20.0 mm, 20.2 - 22.8 mm.

















Nylon Hose Connectors - Straights Nylon. Blue. Working temperature 0°C - 100°C.

| Part No. | Pack of | For Hose I.D. | |
|----------|---------|---------------|--|
| PJ105 | 10 | 5 mm | |
| PJ106 | 10 | 6 mm | |
| PJ108 | 10 | 8 mm | |
| PJ110 | 10 | 10 mm | |
| PJ112 | 10 | 12 mm | |
| PJ116 | 10 | 16 mm | |
| PJ119 | 10 | 19 mm | |
| | | | |



Assorted Pack of Nylon Hose Connectors - Straights Nylon. Blue. Working temperature 0°C - 100°C.

| Part No. | Pack of | | |
|----------|------------------|--|--|
| AP71 | 35 Pieces | | |
| 7 C' /II | - ID) F C 0 10 1 | | |

7 x Sizes (Hose I.D.): 5, 6, 8,10, 12, 16, 19 mm.









Nylon Hose Connectors - Reducers Nylon. Blue. Working temperature 0°C - 100°C.

| Part No. | Qty | For Hose I.D. | |
|----------|-----|---------------|--|
| PJ212 | 5 | 12 - 10 mm | |
| PJ216 | 5 | 16 - 12 mm | |
| PJ219 | 5 | 19 - 16 mm | |



Pipe Joiners

| Part No. | Pack of | For Hose I.D. |
|----------|---------|---------------|
| PJ1 | 10 | 3/16" |
| PJ2 | 10 | 1/4" |
| PJ3 | 10 | 5/16" |
| PJ4 | 10 | 3/8" |
| PJ5 | 10 | 1/2" |
| PJ6 | 10 | 5/8" |

Assorted Box of Pipe Repair Kit

| Part No. | Box of |
|-------------|-----------|
| AB74 | 72 Pieces |

6 x O-Clips: 7/16", 1/2", 9/16", 5/8", 3/4", 7/8". 6 x Pipe Joiners (Hose I.D.): 3/16", 1/4", 5/16", 3/8",





| Part No. | Pack of | For Hose I.D. | |
|----------|---------|---------------|--|
| PJ306 | 5 | 6 mm | |
| PJ308 | 5 | 8 mm | |
| PJ310 | 5 | 10 mm | |
| PJ312 | 5 | 12 mm | |
| PJ316 | 5 | 16 mm | |
| PJ319 | 5 | 19 mm | |



Pack of 25 Pieces **AP72**

5 x Sizes (Hose I.D.): 6, 10, 12, 16, 19 mm.



Hose Connectors - Equal Tees

Nylon. Blue. Working temperature 0°C - 100°C.

| art No. | Pack of | For Hose I.D. |
|---------|---------|---------------|
| PJ406 | 5 | 6 mm |
| J408 | 5 | 8 mm |
| J410 | 5 | 10 mm |
| J412 | 5 | 12 mm |
| J416 | 5 | 16 mm |
| J419 | 5 | 19 mm |



Nylon. Blue. Working temperature 0°C - 100°C.

Part No. Pack of

25 Pieces 5 x Sizes (Hose I.D.): 6, 10, 12, 16, 19 mm.





Brass Straight Hose Connector

| Part No. | Qty | Bore Hose | |
|----------|-----|-----------|---------|
| TC1050 | 2 | 3/4" | (19 mm) |
| TC1051 | 2 | 1" | (25 mm) |





موه







JCS 'Hi-Grip' Flexible Hose Clip Driver

Flexible shaft.

| Part No. | Qty | Hex Size | Shaft Length |
|----------|-----|----------|--------------|
| TL923 | 1 | 7 mm Hex | 170 mm |





KS TOOLS 'ERGOTORQUE®' Extra Long Flexible Hose Clip Driver

| LI BOHOTTIC HC | ni siib | Z COMPO | iciti ilailaic. |
|----------------|---------|---------|-----------------|
| Part No. | Otv | Size | Length |

K911.1177 1 7 mm Hex 500 mm





KS TOOLS 'ERGOTORQUE®' **Extra Long Flexible Screwdriver Set** Ergonomic non-slip 2 component handle. 500 mm long.

Part No. Description

K911.1180 1 Set **16 Piece Set**

1 x Hose clip driver, flexible: 7 mm Hex x 500 mm. 1 x Screwdriver, flexible: For 1/4" sockets x 500 mm. 13 riose dip driver, leastier. / mile A 500 mile 13 st Socket S 300 mil 1/4 socket S 300 mil 3/4 socket S 300 mil 3/4 socket S 300 mil 10 x Bits 1/4", 5 mil: 6 x TORX": T10, T15, T20, T25, T27, T30. 2 x PHILLIPS": PH 1, PH 2. 2 x Slotted: 5.5, 6.5 mil.



OETIKER O-Clip Hand Installation Pincers with Side Jaw

High quality design compound action pincer with side jaw. Length: 225 mm. Opening Gap: 16.5mm. Jaw Width: 8 mm

| Part No. | Qty | Description |
|----------|-----|---------------------------------|
| TL9240 | 1 | O-Clip Hand Installation Pliers |



O-Clip Crimping Tool

Front closing type.

| Part No. | Qty | Description | |
|----------|-----|----------------------|--|
| TI 9241 | 1 | O-Clin Crimning Tool | |







KS TOOLS Spring Pipe Clips Hose Clamp Pliers

Bowden cable 650 mm with ratchet locking mechanism.

• For difficult to reach clamps, e.g. cooling system hoses.

• Ratchet locking mechanism to hold the clamps open.

Part No. K115.1041 **Spring Pipe Clip Pliers** 1



0

موو



Tube Cutter For nylon tubing. Part No.

Capacity Ø

TL906 Up to 12 mm (1/2")







push-fit tube couplings. Supplied on a holding ring. Description Part No. Qty

TC99 1 Set 5 Piece Set

5 x Sizes: 3/16", 1/4", 5/16", 3/8", 1/2"





For copper and brass pipe/tubing.

· For use in confined spaces. Capacity Ø

| ruitino. | q., | cupacity D | |
|----------|-----|------------|---------------|
| TL907 | 1 | 3 - 16 mm | (1/8" - 5/8") |
| | | | |



TENGIOOLS

TENG TOOLS Mini Pipe/Tube Cutter For copper and brass pipe.

Part No. Capacity Ø

| TTF22 | 1 | 3 - 22 mm | (1/8" - 7/8") |
|-------|---|-----------|---------------|



TENG TOOLS Pipe/Tube Cutter

For copper and brass pipe/tubing.

Heavy duty with spare blade & retractable reamer.

| raitinu. | ŲLY | Capacity is | |
|----------|-----|-------------|-----------------|
| TTF30 | 1 | 3 - 32 mm | (1/8" - 1 1/4") |



Hose Clamp

For shutting off petrol, water and brake fluid. Maximum hose diameter: 3/4" (19 mm).

| TL909 | 1 | Hose Clamp | | |
|----------|-----|-------------|--|--|
| Part No. | Qty | Description | | |
| | | | | |



Radiator Hose Clamp Pliers

Eliminates the need to drain complete cooling system when servicing any part of the system. Also useful for clamping vacuum lines.

| Part No. | Qty | Description |
|----------|-----|-------------------|
| TNH160 | 1 | Hose Clamp Pliers |



| art No. | Qty | Description |
|---------|-----|-------------|
| | | |

TCX99 1 Set 5 Piece Set

5 x Sizes: 3/16" (5 mm), 1/4" (6 mm), 5/16" (8 mm), 3/8" (10 mm, 1/2" (13 mm)





KS TOOLS Fuel Pipe Pliers Set

For opening the compression coupling on fuel pipes. Blue and green pliers for the fuel pipe, where the compression coupling is connected (removing the coupling at the front side). Red pliers with two noses 6.5 x 6 mm for fuel pipes e.g. GM/ VAUXHALL (removing the coupling at the side).

| Part No. | Qty | Description |
|-----------|-------|-------------|
| K115.1090 | 1 Set | 3 Piece Set |

Applications incl.: CHRYSLER, CHEVROLET, CITROËN, FIAT, FORD, PEUGEOT, PONTIAC, RENAULT, VAUXHALL, VW, etc.



 \odot 000







JG 'Speedfit' Push-Fit Tube Couplings - Straights, Metric

| Plastic. | Blac | k |
|----------|------|---|
|----------|------|---|

| Part No. | Pack of | Size | |
|----------|---------|-------|--|
| TC26 | 10 | 4 mm | |
| TC27 | 10 | 5 mm | |
| TC28 | 10 | 6 mm | |
| TC29 | 10 | 8 mm | |
| TC30 | 5 | 10 mm | |
| TC31 | 5 | 12 mm | |
| TC56 | 5 | 15 mm | |
| | | | |

Assorted Box of JG 'Speedfit' Push-Fit Tube Couplings - Straights, Metric

| Plastic. Black. | | | | |
|-----------------|---------------------|--|--|--|
| Part No. | Box of | | | |
| AB97N | 22 Pieces | | | |
| 6 x Sizes: 4, | 5, 6, 8, 10, 12 mm. | | | |
| | | | | |





Speedfit[®]



JG 'Speedfit' Push-Fit Tube Couplings - Equal Tees, Metric

| Р | lastic. | BI | ack | |
|---|---------|----|-----|--|

| Part No. | Pack of | Size | |
|----------|---------|-------|--|
| TC50 | 10 | 4 mm | |
| TC51 | 10 | 5 mm | |
| TC52 | 10 | 6 mm | |
| TC53 | 10 | 8 mm | |
| TC54 | 5 | 10 mm | |
| TC55 | 5 | 12 mm | |

Assorted Box of JG 'Speedfit' Push-Fit Tube Couplings - Elbows & Tees, Metric

Plastic, Black,

| Part No. | Box of |
|-----------------|--|
| AB99 | 17 Pieces |
| 4 x Tees: 6, 8, | 10, 12 mm. 4 x Elbows: 6, 8, 10, 12 mr |







JG 'Speedfit' Push-Fit Tube Couplings - Straights, Imperial

Plastic. Grey.

| Part No. | Pack of | Size |
|----------|---------|-------|
| TC20 | 10 | 5/32" |
| TC21 | 10 | 3/16" |
| TC22 | 10 | 1/4" |
| TC23 | 10 | 5/16" |
| TC24 | 5 | 3/8" |
| TC25 | 5 | 1/2" |





JG 'Speedfit' Push-Fit Tube Couplings - Equal Tees, Imperial

Plastic. Grey.

| Pack of | Size | |
|---------|---------------------------|---|
| 10 | 5/32" | |
| 10 | 3/16" | |
| 10 | 1/4" | |
| 10 | 5/16" | |
| 5 | 3/8" | |
| 5 | 1/2" | |
| | 10 10 10 10 5 | 10 5/32" 10 3/16" 10 1/4" 10 5/16" 5 3/8" |



Pliers Set



For opening the compression coupling on fuel pipes. Blue and green pliers for the fuel pipe, where the compression coupling is connected (removing the coupling at the front side). Red pliers with two noses 6. 5 x 6 mm for fuel pipes e.g. GM/VAUXHALL (removing the coupling at the side).

| Part No. | Qty | Description | | |
|-----------|-------|-------------|--|--|
| K115.1090 | 1 Set | 3 Piece Set | | |

Applications incl.: CHRYSLER, CHEVROLET, CITROËN, FIAT, FORD, PEUGEOT, PONTIAC, RENAULT, VAUXHALL, VW. etc.

0

0

موم





JG 'Speedfit' Push-Fit Tube Couplings - Elbows, Metric

| Part No. | Pack of | Size |
|----------|---------|-------|
| TC40 | 10 | 6 mm |
| TC41 | 10 | 8 mm |
| TC42 | 5 | 10 mm |
| TC43 | 5 | 12 mm |

Assorted Box of JG 'Speedfit'
Push-Fit Tube Couplings - Elbows & Tees. Metric

Plastic. Black. Part No. Box of

AB99 17 Pieces 4 x Tees: 6, 8, 10, 12 mm. 4 x Elbows: 6, 8, 10, 12 mm.





Speedfit[®]



JG 'Speedfit' Push-Fit Tube Couplings - Reducing Straights, Metric

Plastic. Black.

| Part No. | Pack of | Reducing Size | |
|----------|---------|---------------|--|
| TC90 | 5 | 6 - 4 mm | |
| TC91 | 5 | 8 - 6 mm | |
| TC92 | 5 | 10 - 8 mm | |
| TC93 | 5 | 12 - 10 mm | |





JG 'Speedfit' Push-Fit Tube Couplings - Reducing Adaptors, Metric Plastic. Black.

| Part No. | Pack of | Reducing Size | | | | |
|----------|---------|---------------|--|--|--|--|
| TC66 | 10 | 6 - 4 mm | | | | |
| TC68 | 10 | 8 - 6 mm | | | | |
| TC70 | 10 | 10 - 8 mm | | | | |
| TC72 | 10 | 12 - 10 mm | | | | |



JG 'SuperThread' Fitting - Straight Adaptors Brass. Unique integral seal ensures the thread can be used with BSP, BSPT, NPT, PF and PT fittings. • No sealant need be applied.

- · No danger of tape entering the system.
- · Superior flow characteristics.

| ooperior i | | | | |
|------------|---------|-----------|-------------|--|
| Part No. | Pack of | Tube O.D. | SuperThread | |
| TC300 | 10 | 4 mm | x 1/8" BSP | |
| TC301 | 10 | 4 mm | x 1/4" BSP | |
| TC302 | 10 | 5 mm | x 1/8" BSP | |
| TC303 | 10 | 5 mm | x 1/4" BSP | |
| TC304 | 10 | 6 mm | x 1/8" BSP | |
| TC305 | 10 | 6 mm | x 1/4" BSP | |
| TC306 | 10 | 8 mm | x 1/8" BSP | |
| TC307 | 10 | 8 mm | x 1/4" BSP | |
| TC308 | 10 | 8 mm | x 3/8" BSP | |
| TC309 | 10 | 10 mm | x 1/4" BSP | |
| TC310 | 10 | 10 mm | x 3/8" BSP | |
| TC311 | 10 | 10 mm | x 1/2" BSP | |
| TC312 | 10 | 12 mm | x 3/8" BSP | |
| TC313 | 10 | 12 mm | x 1/2" BSP | |





JG 'Speedfit' Push-Fit Tube Couplings - Plugs

Plastic. Red.

| Part No. | Pack of | Stem O.D. | |
|----------|---------|-----------|--|
| TC74 | 10 | 4 mm | |
| TC76 | 10 | 6 mm | |
| TC78 | 10 | 8 mm | |
| TC80 | 10 | 10 mm | |
| TC82 | 10 | 12 mm | |





Suits most types of plastic push-fit tube couplings. Supplied on a holding ring. Ωtv Description

Part No.

| | 4.7 | z coci iption | |
|-------------------|----------------|---------------|--|
| TC99 | 1 Set | 5 Piece Set | |
| 5 x Sizes: 3/16", | 1/4", 5/16", 3 | 3/8", 1/2" | |





































Quick-Fit Tube Couplings - Straights, Metric

Plastic. Black.

| Part No. | Pack of | Size | |
|----------|---------|-------|--|
| TCX26 | 10 | 4 mm | |
| TCX27 | 10 | 5 mm | |
| TCX28 | 10 | 6 mm | |
| TCX29 | 10 | 8 mm | |
| TCX30 | 5 | 10 mm | |
| TCX31 | 5 | 12 mm | |
| TCX56 | 5 | 15 mm | |

Assorted Box of Quick-Fit Couplings - Straights, Metric Plastic, Black.

| rastre, Braera | | | |
|------------------|------------------|--|--|
| Part No. | Box of | | |
| AB187 | 24 Pieces | | |
| 5 x Sizes: 4, 5, | 6, 8, 10, 12 mm. | | |





Quick-Fit Tube Couplings - Straights, Imperial Plastic. Grey.

| Part No. | Pack of | Size | |
|----------|---------|-------|--|
| TCX20 | 10 | 5/32" | |
| TCX21 | 10 | 3/16" | |
| TCX22 | 10 | 1/4" | |
| TCX23 | 10 | 5/16" | |
| TCX24 | 5 | 3/8" | |
| TCX25 | 5 | 1/2" | |



Quick-Fit Tube Couplings - Two Way Dividers, Metric Plastic. Black.

| Part No. | Pack of | Size | |
|----------|---------|-------|--|
| TCX114 | 5 | 4 mm | |
| TCX116 | 5 | 6 mm | |
| TCX118 | 5 | 8 mm | |
| TCX120 | 5 | 10 mm | |
| TCX122 | 5 | 12 mm | |



| Part No. | Pack of | Size |
|----------|---------|-------|
| TCX50 | 10 | 4 mm |
| TCX51 | 10 | 5 mm |
| TCX52 | 10 | 6 mm |
| TCX53 | 10 | 8 mm |
| TCX54 | 5 | 10 mm |
| TCX55 | 5 | 12 mm |



Quick-Fit Tube Couplings - Elbows, Metric Plastic. Black.

| Part No. | Pack of | Size | |
|----------|---------|-------|--|
| TCX104 | 10 | 4 mm | |
| TCX105 | 10 | 5 mm | |
| TCX40 | 10 | 6 mm | |
| TCX41 | 10 | 8 mm | |
| TCX42 | 5 | 10 mm | |
| TCX43 | 5 | 12 mm | |

Assorted Box of Quick-Fit Couplings - Elbows + Tees, Metric

| Plastic, Black. | | |
|-----------------|---|--|
| Part No. | Box of | |
| AB188 | 17 Pieces | |
| 4 x Tees: 6, 8, | 10, 12 mm. 4 x Elbows: 6, 8, 10, 12 mm. | |





Suits most types of plastic push-fit tube couplings.

| Part No. | Qty | Description |
|-----------------|----------------|--|
| TCX99 | 1 Set | 5 Piece Set |
| 5 x Sizes: 3/16 | " (5 mm), 1/4" | (6 mm), 5/16" (8 mm), 3/8" (10 mm, 1/2" (13 mm). |



موم





NORGREN 'Fleetfit' Brass Push-In Fittings with Tube Supports

Meets DOT FMVSS 106, SAE J1131, DIN 74324 and TÜV requirements.

| Part No. | Pack of | Size | |
|----------|---------|-------|--|
| TC206 | 5 | 6 mm | |
| TC208 | 5 | 8 mm | |
| TC209 | 3 | 9 mm | |
| TC210 | 3 | 10 mm | |
| TC211 | 3 | 11 mm | |
| TC212 | 3 | 12 mm | |



Brass Push-Fit Tube Couplings - Equal Tee, Metric

| Part No. | Pack of | Size | |
|----------|---------|-------|--|
| TC124 | 3 | 4 mm | |
| TC125 | 3 | 5 mm | |
| TC126 | 3 | 6 mm | |
| TC128 | 3 | 8 mm | |
| TC130 | 1 | 10 mm | |
| TC132 | 1 | 12 mm | |



Brass Push-Fit Tube Couplings - Straight, Metric

| Part No. | Pack of | Size | |
|----------|---------|-------|--|
| TC104 | 5 | 4 mm | |
| TC105 | 5 | 5 mm | |
| TC106 | 5 | 6 mm | |
| TC108 | 5 | 8 mm | |
| TC110 | 3 | 10 mm | |
| TC112 | 3 | 12 mm | |



| Part No. | Box of |
|-----------------|--------------------|
| AB189 | 18 Pieces |
| 6 x Sizes: 4, 5 | , 6, 8, 10, 12 mm. |






Brass Tube Couplings - ImperialComplete with stepped olives. NOT suitable for diesel.

| Part No. | Pack of | Size | |
|----------|---------|-------|--|
| TC1 | 10 Sets | 1/8" | |
| TC2 | 10 Sets | 5/32" | |
| TC3 | 10 Sets | 3/16" | |
| TC4 | 10 Sets | 1/4" | |
| TC5 | 10 Sets | 5/16" | |
| TC6 | 10 Sets | 3/8" | |
| TC7 | 10 Sets | 1/2" | |
| TC8 | 10 Sets | 5/8" | |



Brass Tube Couplings - MetricComplete with stepped olives. NOT suitable for diesel.

| Part No. | Pack of | Size | |
|----------|---------|-------|--|
| TC9 | 10 Sets | 4 mm | |
| TC10 | 10 Sets | 5 mm | |
| TC11 | 10 Sets | 6 mm | |
| TC12 | 10 Sets | 8 mm | |
| TC15 | 10 Sets | 9 mm | |
| TC13 | 10 Sets | 10 mm | |
| TC16 | 10 Sets | 11 mm | |
| TC14 | 10 Sets | 12 mm | |
| TC17 | 10 Sets | 13 mm | |
| TC19 | 10 Sets | 14 mm | |



| I ODE CC | Johiniga oi ass - ivic |
|----------------|------------------------|
| Part No. | Box of |
| AB95N | 27 Pieces |
| 6 x Sizes: 4 5 | 6 8 10 12 mm |



Assorted Box of Olives Stepped - Metric

| Part No. | Box of |
|------------------|------------|
| AB111N | 185 Pieces |
| 6 x Sizes: 4 5 6 | 8 10 12 mm |



Assorted Box of Olives Stepped & Barrel - Imperial

Part No. Box of AB64N 450 Pieces

7 x Stepped: 1/8", 5/32", 3/16", 1/4", 5/16", 3/8", 1/2". 7 x Barrel: 1/8", 5/32", 3/16", 1/4", 5/16", 3/8", 1/2".




































| | | n Pipe Fitting Il Elbow 90° (90) | E Fall |
|----------|-----------|-------------------------------------|--------|
| | 42. Class | B. Black finish | |
| Part No. | Qty | BSPP Thread Size | |
| TC544 | 5 | 1/4" | |
| TC545 | 5 | 3/8" | |
| TC546 | 5 | 1/2" | |
| TC540 | 2 | 3/4" | |
| TC541 | 2 | 1" | |
| TC542 | 1 | 1 1/4" | |
| TC547 | 1 | 1 1/2" | |
| TC543 | 1 | 2" | |



Malleable Iron Pipe Fitting - Equal Hex Nipple (280)

| BS EN 10242 | 2. Class E | 3. Black finish | |
|-------------|------------|------------------|--|
| Part No. | Qty | BSPT Thread Size | |
| TC514 | 5 | 1/4" | |
| TC515 | 5 | 3/8" | |
| TC516 | 5 | 1/2" | |
| TC510 | 5 | 3/4" | |
| TC511 | 2 | 1" | |
| TC517 | 2 | 1 1/4" | |
| TC512 | 1 | 1 1/2" | |
| TC513 | 1 | 2" | |









| TC564 | 2 | 3/8" | |
|-------|---|--------|--|
| TC565 | 2 | 1/2" | |
| TC560 | 2 | 3/4" | |
| TC561 | 2 | 1" | |
| TC563 | 1 | 1 1/2" | |
| TC562 | 1 | 2" | |
| | | | |





| - Reducing | g Hex | Nipple (245) | 5 |
|--------------|----------|------------------|---|
| BS EN 10242. | Class B. | Black finish | |
| Part No. | Qty | BSPT Thread Size | |
| TC577 | 5 | 3/8": 1/4" | |
| TC580 | 5 | 1/2": 1/4" | |
| TC578 | 5 | 1/2": 3/8" | _ |
| TC581 | 2 | 1/2":1" | |
| TC582 | 2 | 1/2":1 1/4" | |
| TC584 | 2 | 1/2":11/2" | _ |
| TC579 | 2 | 3/4":3/8" | |
| TC572 | 2 | 3/4":1/2" | |
| TC585 | 2 | 3/4":11/2" | _ |
| TC574 | 2 | 1":3/4" | |
| TC583 | 1 | 1":11/4" | |
| TC575 | 1 | 1 1/4": 3/4" | _ |
| TC570 | 1 | 1 1/2": 1" | |
| TC576 | 1 | 1 1/2": 1 1/4" | |
| TC586 | 1 | 2":3/4" | |
| TC573 | 1 | 2":1" | |
| TC587 | 1 | 2":11/4" | |
| TC571 | 1 | 2":11/2" | |
| | | | |





| - Square | e Hollo | n Pipe Filling Dw Plug (290) B. Black finish | -4- |
|----------|---------|--|-----|
| Part No. | Qty | BSPT Thread Size | |
| TC556 | 5 | 1/8" | |
| TC558 | 5 | 1/4" | |
| TC557 | 5 | 3/8" | |
| TC550 | 5 | 1/2" | |
| TC551 | 5 | 3/4" | |
| TC552 | 5 | 1" | |
| TC553 | 2 | 1 1/4" | |
| TC554 | 2 | 1 1/2" | |
| TC555 | 1 | 2" | |



Malleable Iron Pipe Fitting - Barrel Nipple

| BS EN 10241. Class B. BidCk Hillish. | | | | | |
|--------------------------------------|------------------|---|--|--|--|
| Qty | BSPT Thread Size | Length | | | |
| 5 | 1/4" | 40 mm | | | |
| 5 | 3/8" | 40 mm | | | |
| 5 | 1/2" | 50 mm | | | |
| 5 | 3/4" | 55 mm | | | |
| 2 | 1" | 60 mm | | | |
| 2 | 1 1/4" | 70 mm | | | |
| 1 | 1 1/2" | 70 mm | | | |
| 1 | 2" | 100 mm | | | |
| | 0ty 5 5 5 5 2 2 | Oty BSPT Thread Size 5 1/4" 5 3/8" 5 1/2" 5 3/4" 2 1" 2 1 1/4" 1 1 1/2" | Oty BSPT Thread Size Length 5 1/4" 40 mm 5 3/8" 40 mm 5 1/2" 50 mm 5 3/4" 55 mm 2 1" 60 mm 2 1 1/4" 70 mm 1 1 1/2" 70 mm | | |



000



Malleable Iron Pipe Fitting

- Female Socket (270) BS FN 10242 Class B Black finish

| D3 LIV 1024 | z. Cluss | D. DIUCK HITISH | |
|-------------|----------|------------------|--|
| Part No. | Qty | BSPP Thread Size | |
| TC504 | 5 | 1/8" | |
| TC503 | 5 | 1/4" | |
| TC505 | 5 | 3/8" | |
| TC506 | 5 | 1/2" | |
| TC500 | 5 | 3/4" | |
| TC501 | 2 | 1" | |
| TC507 | 1 | 1 1/4" | |
| TC508 | 1 | 1 1/2" | |
| TC502 | 1 | 2" | |



Part No. Thread Size Bore Hose Qty

| TC1001 | 2 | 1/2" BSP | 1/2" | |
|--------|---|------------|--------|--|
| TC1002 | 2 | 3/4" BSP | 1/2" | |
| TC1003 | 2 | 3/4" BSP | 3/4" | |
| TC1004 | 2 | 1" BSP | 1/2" | |
| TC1005 | 2 | 1" BSP | 3/4" | |
| TC1006 | 2 | 1" BSP | 1" | |
| TC1007 | 2 | 1 1/4" BSP | 1" | |
| TC1008 | 2 | 1 1/4" BSP | 1 1/4" | |

Brass Claw Fittings - Male

Fully compatible with standard quick connect water couplings.

| Part No. | Qty | Size | |
|----------|-----|----------|--|
| TC1028 | 2 | 3/8" BSP | |
| TC1029 | 2 | 1/2" BSP | |
| TC1030 | 2 | 3/4" BSP | |
| TC1031 | 2 | 1" BSP | |

Brass Quick Connector - Hose Tail

Fully compatible with standard quick connect water couplings.

| Part No. | Qty | Bore Hose | |
|----------|-----|-----------|---------|
| TC1020 | 2 | 3/8" | (10 mm) |
| TC1021 | 2 | 1/2" | (13 mm) |
| TC1022 | 2 | 3/4" | (19 mm) |
| TC1023 | 2 | 1" | (25 mm) |

Brass Claw Fittings - Female

Fully compatible with standard quick connect water couplings.

| Part No. | Qty | Size | |
|----------|-----|----------|--|
| TC1024 | 2 | 3/8" BSP | |
| TC1025 | 2 | 1/2" BSP | |
| TC1026 | 2 | 3/4" BSP | |
| TC1027 | 2 | 1" BSP | |

Brass Quick Connector - Hex Male

Thread Size Part No. Qty Bore Hose 2 3/4" BSP TC1012 3/4" (19 mm) TC1010 1 3/4" BSP 1" (25 mm) TC1011 1" BSP 1" (25 mm) 1


Brass Claw Fittings - Rubber Moulded Gasket

| TC4040 | 10 | Moulded Casks | - |
|----------|-----|---------------|---|
| Part No. | Qty | Description | |
| | | | |



Brass Straight Hose Connector

| Part No. | Qty | Bore Hose | |
|----------|-----|-----------|-----|
| TC1050 | 2 | 3/4" | (19 |





Compressor Air Hose Assembly 20 bar/300 PSI high quality rubber hose. Complete with brass claw fitting safety couplings.

| Part No. | Qty | Size | Length |
|----------|--------|------|--------|
| AL500 | 1 Coil | 3/4" | 15 m |
| | | | |



Whip Check Cables

Steel cable and plated springs.

| Part No. | Qty | Cable Diam | eter Suits Hose Diameter | Length | |
|----------|-----|------------|--------------------------|--------|--|
| AL90 | 1 | 1/8" | 1/2" to 1 1/4" (Small) | 540 mm | |
| AL91 | 1 | 1/4" | 1 1/2" to 3" (Large) | 970 mm | |



































Blue silicone VMQ with 3 ply polyester net. Temperature Range: -60°C to +180°C. Suitable for cooling and heating systems. 4.5 mm thick. Working pressure: 8.33 Bar. Burst pressure: 25 Bar.

| Part No. | Length | O.D. x I.D. | |
|----------|--------|---------------|---------------------|
| TUS6 | 1 m | 15.5 x 6.5 mm | (9/16" x 1/4") |
| TUS9 | 1 m | 18.5 x 9.5 mm | (11/16" x 3/8") |
| TUS13 | 1 m | 22 x 13 mm | (7/8" x 1/2") |
| TUS16 | 1 m | 25 x 16 mm | (1" x 5/8") |
| TUS19 | 1 m | 28 x 19 mm | (1 7/64" x 3/4") |
| TUS22 | 1 m | 31 x 22 mm | (1 1/4" x 7/8") |
| TUS25 | 1 m | 34 x 25 mm | (1 5/16" x 1") |
| TUS28 | 1 m | 37 x 28 mm | (1 7/16" x 1 1/8") |
| TUS32 | 1 m | 41 x 32 mm | (1 10/16" x 1 1/4") |
| TUS35 | 1 m | 44 x 35 mm | (1 12/16" x 1 3/8") |
| TUS38 | 1 m | 47 x 38 mm | (1 14/16" x 1 1/2") |
| TUS41 | 1 m | 49 x 40 mm | (1 15/16" x 1 5/8") |
| TUS45 | 1 m | 54 x 45 mm | (2 1/8" x 1 3/4") |
| TUS48 | 1 m | 57 x 48 mm | (2 1/4" x 1 7/8") |
| TUS51 | 1 m | 62 x 51 mm | (2 7/16" x 2") |
| TUS57 | 1 m | 68 x 57 mm | (2 11/16" x 2 1/4") |
| TUS60 | 1 m | 71 x 60 mm | (2 25/32" x 2 3/8") |



Silicone Hose - 90° Elbows with 150 mm Legs

Blue silicone VMQ with 3 ply polyester net.Temperature Range: -60°C to +180°C. Suitable for cooling and heating systems. 4.5 mm thick. Working pressure: 8.33 Bar. Burst pressure: 25 Bar.

| Working pressore. 0.55 Bar. Borst pressore. 25 Bar. | | | | | |
|---|-----|---------------|---------------------|--|--|
| Part No. | Qty | O.D. x I.D. | | | |
| TUS906 | 1 | 15.5 x 6.5 mm | (9/16" x 1/4") | | |
| TUS909 | 1 | 18.5 x 9.5 mm | (11/16" x 3/8") | | |
| TUS9013 | 1 | 22 x 13 mm | (7/8" x 1/2") | | |
| TUS9016 | 1 | 25 x 16 mm | (1" x 5/8") | | |
| TUS9019 | 1 | 28 x 19 mm | (1 7/64" x 3/4") | | |
| TUS9022 | 1 | 31 x 22 mm | (1 1/4" x 7/8") | | |
| TUS9025 | 1 | 34 x 25 mm | (1 5/16" x 1") | | |
| TUS9028 | 1 | 37 x 28 mm | (1 7/16" x 1 1/8") | | |
| TUS9032 | 1 | 41 x 32 mm | (1 10/16" x 1 1/4") | | |
| TUS9035 | 1 | 44 x 35 mm | (1 12/16" x 1 3/8") | | |
| TUS9038 | 1 | 47 x 38 mm | (1 14/16" x 1 1/2") | | |
| TUS9041 | 1 | 49 x 40 mm | (1 15/16" x 1 5/8") | | |
| TUS9045 | 1 | 54 x 45 mm | (2 1/8" x 1 3/4") | | |
| TUS9048 | 1 | 57 x 48 mm | (2 1/4" x 1 7/8") | | |
| TUS9051 | 1 | 62 x 51 mm | (2 7/16" x 2") | | |
| TUS9057 | 1 | 68 x 57 mm | (2 11/16" x 2 1/4") | | |
| TUS9060 | 1 | 71 x 60 mm | (2 25/32" x 2 3/8") | | |



Fuel Injection Hose

15 Bar working pressure. Environmental temp: -20° to +150°C. SAE J30 R9. Compatible with E10 fuel.

For unleaded, leaded and diesel fuels.

· Suitable for higher temperatures found in fuel injection systems

| Part No. | Length | O.D. x I.D. |
|----------|----------|---------------|
| TUB81 | 5 m Coil | 12.6 x 5.6 mm |
| TUB82 | 5 m Coil | 14.6 x 7.6 mm |
| TUB83 | 5 m Coil | 16.5 x 9.5 mm |



Fuel Hose

20 bar working pressure. Environmental temp: -20° to +80°C. BS AU 108/2/L4/C4/R SAE 30 R6. Compatible with E10 fuel.

For unleaded and leaded fuels found in normal carburettor systems and diesel.

· Also for power steering low pressure side return

| Part No. | Length | O.D. x I.D. | |
|----------|----------|-------------|---------|
| TUB45 | 5 m Coil | 12 x 5 mm | (3/16") |
| TUB46 | 5 m Coil | 13 x 6 mm | (1/4") |
| TUB47 | 5 m Coil | 15 x 8 mm | (5/16") |
| TUB48 | 5 m Coil | 17 x 10 mm | (3/8") |



Fuel Hose - Textile Overbraided

Environmental temp: -20 to +70°C. Compatible with E10 fuel. Suitable for leaded, unleaded and diesel fuels.

• Commonly used on diesel injection, fuel leak off or coolant applications

| Part No. | Length | O.D. x I.D. | Working Pressure |
|----------|----------|----------------|------------------|
| TUB69 | 5 m Coil | 7.0 x 3.2 mm | 12.5 bar |
| TUB70 | 5 m Coil | 7.5 x 3.5 mm | 12.5 bar |
| TUB71 | 5 m Coil | 10.0 x 5.0 mm | 10 bar |
| TUB72 | 5 m Coil | 11.0 x 6.0 mm | 10 bar |
| TUB73 | 5 m Coil | 13.0 x 8.0 mm | 8 bar |
| TUB74 | 5 m Coil | 15.0 x 10.0 mm | 5 bar |
| TUB75 | 5 m Coil | 18.0 x 12.0 mm | 5 bar |



Heater Hose

Resistant to hot water, anti-freeze and coolant 6 bar working pressure. SAE J 20 R3. Working temperature: -40°C to +120°C. NOT suitable for oil.

| | p c. a.c. c. | | 3011001011011 |
|----------|--------------|----------------|---------------|
| Part No. | Length | O.D. x I.D. | |
| HH4 | 20 m Coil | 17.0 x 10.0 mm | (3/8") |
| HH1 | 20 m Coil | 19.5 x 12.7 mm | (1/2") |
| HH2 | 20 m Coil | 23.0 x 15.9 mm | (5/8") |
| НН3 | 20 m Coil | 26.5 x 19.1 mm | (3/4") |





| Diesei L | еак От | Bungs | | | |
|----------|---------|-----------------|-------|--|--|
| Part No. | Pack of | Description | | | |
| TUB99 | 10 | Diesel Leak Off | Bungs | | |



موو



CAR HEATER HOSE SAE J20 R3



Air Brake Hose

15 bar working pressure.

SAE J 1402.

| Part No. | Length | O.D. x I.D. | | |
|----------|----------|-------------|------|--|
| BR10 | 4 m Coil | 19 x 10 mm | 3/8" | |



Advance/Retard Tubing - Black Nylon

BS 5409:2

| Part No. | Length | O.D. x I.D. |
|----------|-----------|---------------|
| TUB21 | 30 m Coil | 1/8" x 0.075" |



Advance/Retard Tubing - Soft Flexible Chloroprene Rubber

Can be used for windscreen washer. NOT suitable for diesel.

| Part No. | Length | O.D. x I.D. |
|----------|-----------|-------------|
| TUB42 | 10 m Coil | 9 x 3 mm |
| TUB44 | 10 m Coil | 10 x 4 mm |



Nylon Tubing Flexible - Black Metric

DIN 73378 & DIN 74324 and BS 5409 Pt. 1. Oil, petrol and diesel safe. Suitable for air.

| Part No. | Length | O.D. x I.D. |
|---------------|-----------|---------------|
| TUB104 | 30 m Coil | 4.0 x 2.5 mm |
| TUB105 | 30 m Coil | 5.0 x 3.3 mm |
| TUB106 | 30 m Coil | 6.0 x 4.0 mm |
| TUB109 | 30 m Coil | 8.0 x 6.0 mm |
| TUB110 | 30 m Coil | 10.0 x 7.5 mm |
| TUB111 | 30 m Coil | 10.0 x 7.0 mm |
| TUB112 | 30 m Coil | 12.0 x 9.0 mm |
| TUB103 | 30 m Coil | 3/16" x .117" |



Nylon Tubing Flexible - Natural Metric

DIN 73378 & DIN 74324 and BS 5409 Pt. 1. Oil, petrol and diesel safe. Suitable for air.

| Part No. | Lengtn | U.D. XI.D. |
|----------|-----------|-----------------|
| TUB50 | 30 m Coil | 4.0 x 2.50 mm |
| TUB51 | 30 m Coil | 6.0 x 4.00 mm |
| TUB52 | 30 m Coil | 8.0 x 6.00 mm |
| TUB53 | 30 m Coil | 10.0 x 7.50 mm |
| TUB56 | 30 m Coil | 12.0 x 9.00 mm |
| TUB54 | 30 m Coil | 12.0 x 10.00 mm |
| | | |

PVC Tubing - Clear Plain Windscreen Washer Type

| Part No. | Length | O.D. x I.D. | | |
|----------|-----------|-------------|---------|--|
| TUB11 | 30 m Coil | 6 x 3 mm | (1/8") | |
| TUB12 | 30 m Coil | 8 x 5 mm | (3/16") | |
| TUB13 | 30 m Coil | 9 x 6 mm | (1/4") | |
| TUB14 | 30 m Coil | 11 x 8 mm | (5/16") | |



PVC Tubing - Clear Re-inforced (Braided) Terylene

250 PSI. NOT suitable for Diesel.

| Part No. | Length | O.D. x I.D. | |
|----------|-----------|-------------|---------|
| TUB2 | 30 m Coil | 11 x 6 mm | (1/4") |
| TUB3 | 30 m Coil | 13 x 8 mm | (5/16") |
| TUB4 | 30 m Coil | 15 x 10 mm | (3/8") |
| TUB5 | 30 m Coil | 18 x 12 mm | (1/2") |

Windscreen Washer Accessories

Nylon. Suits 3/16" pipe.



| Part No. | Qty | Description |
|----------|-----|-------------|
| TA103 | 5 | T-Pieces |

| Part No. | Qty | Description |
|----------|-----|-------------|
| TA102 | 5 | Elbows |
| | | |



| Part No. | Qty | Description |
|----------|-----|-------------|
| TA101 | 5 | Straights |



| Part No. | | Qty | Description | |
|----------|----|-----|----------------------|--|
| TA1 | 04 | 5 | Small In-Line Valves | |



| raitito. | Ųty | Description | |
|----------|-----|----------------------|--|
| TA105 | 5 | Large In-Line Valves | |

Assorted Pack of Windscreen Washer Accessories

Nylon. Suits 3/16" pipe.

Part No. Pack of AP61 25 Pieces

5 x Large In-Line Valves. 5 x Small In-Line Valves. 5 x Straights. 5 x Elbows. 5 x T-Pieces.



































15 m non-kink hose with fitted tap connector and spray nozzle. Supplied on an easy wind storage cassette.

| Part No. | Qty | Description |
|----------|-----|--------------------|
| TUB60 | 1 | Cassette Hose Reel |



EN853. Complete with Male/Female BSP fittings at each end. Maximum Temperature: 100°C.

| Part No. | Length | Diameter | Hose Type | Max Work Pressure | |
|----------|--------|----------|-------------|-------------------|--|
| HY14 | 10 m | 1/4" BSP | Single Wire | 225 Bar | |
| HY38 | 10 m | 3/8" BSP | Single Wire | 180 Bar | |
| HY38D | 10 m | 3/8" BSP | Double Wire | 330 Bar | |







Black styrene-butadiene rubber (SBR). Working pressure: 20 bar.

| Part No. | Length | O.D. x I.D. | |
|----------|-----------|-------------|-------|
| AL11 | 15 m Coil | 12 x 6 mm | 1/4" |
| AL13 | 15 m Coil | 15 x 8 mm | 5/16" |
| AL17 | 15 m Coil | 17 x 10 mm | 3/8" |
| AL22 | 15 m Coil | 21 x 13 mm | 1/2" |



Air Line Hose - Black Rubber with Yellow Stripe

20 har working pressure

| 20 bui wo | I KII IB PI COOOI C | | |
|-----------|---------------------|-------------|---------|
| Part No. | Length | O.D. x I.D. | |
| ALY8 | 15 m Coil | 15 x 8 mm | (5/16") |
| ALY10 | 15 m Coil | 17 x 10 mm | (3/8") |
| ALY12 | 15 m Coil | 21 x 13 mm | (1/2") |



hose and brass fittings

Dimensions: 360 x 330 x 220 mm. Max. Working Pressure: 300 PSI.

- Adjustable hose stopper
- · High impact tough and durable polypropylene construction
- Fully enclosed weather resistant and UV stabilised outer case protects the hose and inner drum assembly against dirt and other contaminants
- Auto lock and rewind mechanism provides positive hose latching every full revolution of the hose drum
 Heavy duty mounting bracket with fixed in-line or optional 180° swivel mount is suitable for wall or overhead mounting
- Convenient carry handle located on the top panel for removing and refitting the hose reel from the mounting bracket

| Part No. | Qty | Hose I.D. x Length | Hose O.D. |
|----------|-----|---------------------|-----------|
| JPR1 | 1 | 9.2 mm (1/4") x 8 m | 15.2 mm |





High Visibility Safety PVC Air Hose

Manufactured in highly visible PVC for health and safety, CE certificated.
Complete with 1/4" BSP female brass fittings.

- Coated to resist oil and abrasions Silicone FREE.
- · Reinforced hose to resist crushing or twisting, will not kink.
- Maximum working pressure: 250 lbf/in² (17 bar).

| Part No. | Length | Colour | O.D. x I.D. | |
|-------------|-----------|--------|-------------------|--|
| AL76 | 10 m Coil | Green | 14 x 10 mm (3/8") | |



Black rubber tubing with yellow stripe. Working pressure: 20 bar.

| Part No. | Length | Diameter | |
|----------|-----------|-------------------|------------|
| ALY28 | 10 m Coil | 15 x 8 mm (5/16") | nm (5/16") |




Extreme Air Hose Reel

Unique Helix Ultra-Coil hose layering system with 2 m leader hose and brass fittings.
Dimensions: 440 x 210 x 400 mm. Max. Working Pressure: 300 PSI.

- Adjustable hose stop
- · Solid brass internal spindle
- High impact tough & durable polypropylene construction with a UV stabilised case
- 180° swivel wall mount bracket

| Part No. | Qty | Hose I.D. x Length | Hose O.D. |
|----------|-----|----------------------|-----------|
| JPR2 | 1 | 11 mm (3/8") x 15 m | 17.0 mm |
| JPR3 | 1 | 9.2 mm (1/4") x 20 m | 15.2 mm |



Air Line Coil

Nylon with protective springs at each end. 1/4" BSP swivel nuts. 3/8" O.D. x .265" I.D. 25 ft (7.6m) working length.

| Part No. | Qty | Description |
|----------|-----|---------------|
| AL10 | 1 | Air Line Coil |



Air Line Assemblies with 1/4" BSP Swivel Nuts

Black styrene butadiene rubber (SBR). Working pressure: 20 bar.

ALR1

1

| Part No. | Length | O.D. x I.D. | |
|----------|-----------|-------------|-------|
| AL63 | 10 m Coil | 12 x 6 mm | 1/4" |
| AL65 | 10 m Coil | 15 x 8 mm | 5/16" |



10 mm (3/8") x 15 m































PCL 'Airflow' **Female Couplings**

For portable air tools, garage and industrial air line systems and test panels.

| Part No. | Pack of | | Fitting |
|----------|---------|----------|---------|
| AL101 | 5 | 1/4" BSP | Female |


PCL



PCL 'Airflow' Male Couplings

For portable air tools, garage and industrial air line systems and test panels.

| Part No. | Pack of | Size | Fitting |
|----------|---------|----------|---------|
| AL124 | 2 | 1/4" BSP | Male |



PCL



PCL Screwed Female Adaptors

| ΔL12 | 5 | 1/4" BSP | Female |
|----------|---------|----------|---------|
| Part No. | Pack of | Size | Fitting |

PCL



PCL Screwed

| Maic Ada | Ptois | | |
|----------|---------|----------|---------|
| Part No. | Pack of | Size | Fitting |
| AL3 | 5 | 1/4" BSP | Male |

PCL



PCL Integral Adaptor/Tailpieces

| Part No. | Pack of | Hose Bore | |
|----------|---------|-----------|---------|
| AL4 | 5 | 6.35 mm | (1/4") |
| AL5 | 5 | 7.90 mm | (5/16") |
| AL38 | 5 | 9.50 mm | (3/8") |

PCL



PCL 'Vertex' Female Couplings

Slim profile and integral sleeve for trailing hoses. For portable air tools, garage and industrial air line systems.

| Part No. | Pack of | Size | Fitting |
|----------|---------|----------|---------|
| AL31 | 5 | 1/4" BSP | Female |

PCL




PCL 'Vertex' **Male Couplings**

Slim profile and integral sleeve for trailing hoses. For portable air tools, garage and industrial air line systems.

| Part No. | Pack of | Size | Fitting |
|----------|---------|----------|---------|
| AL32 | 2 | 1/4" BSP | Male |





PCL

1

Part No.

AL41



PCL 'Vertex' **Coupling and Adaptors Kits**

Slim profile and integral sleeve for trailing hoses. For portable air tools, garage and industrial air line systems.

| Part No. | Qty | Hose Bore | |
|----------|-------------|-----------|---------|
| AL316 | 3 Piece Kit | 6.35 mm | (1/4") |
| AL318 | 3 Piece Kit | 7.9 mm | (5/16") |
| AL319 | 3 Piece Kit | 9.5 mm | (3/8") |

1 x 'Vertex' Coupling: 1/4" BSP Female. 1 x Male Screwed Adaptor: 1/4" BSP Male. 1 x Integral Adaptor/Tailpiece: 6.35 mm (1/4") Hose Bore.

0

موم

ဇ္

JAMEC PEM 2-Stage Female Coupling

TWO stage connection.

- · Interchanges with UK equivalent
- Steel construction
- Max. airflow 43 cfm @ 100 psi
- Max. working pressure 200 psi / 14 bar

Pack of Tail/Thread Type Tail/Thread Size **JP31 Female** 1/4"

JAMEC PEM

JAMEC PEM 2-Stage Male Coupling

TWO stage connection.

- · Interchanges with UK equivalent
- Steel construction
- Max. airflow 43 cfm @ 100 psi
- Max. working pressure 200 psi / 14 bar

Pack of Tail/Thread Type Tail/Thread Size Part No. **JP32** Male 1/4"



PCL

PCL 'Safeflow' **Female Couplings**

Two stage self-venting release. Conforms to ISO 4414:1998 and EN 983:1.

- · Safe and simple to use.
- · Enhances workshop safety Prevents hose whip.
- Compatible with standard PCL 'Airflow' and 'Vertex' adaptors.

Part No. Qty **AL161** 1/4" BSP **Female**





PCL 'Safeflow' Male Couplings

Two stage self-venting release. Conforms to ISO 4414:1998 and EN 983:1.

- Safe and simple to use.
- Enhances workshop safety Prevents hose whip.
- Compatible with standard PCL 'Airflow' and 'Vertey' adaptors

| Part No. | Qty | Size | Fitting |
|----------|-----|----------|---------|
| AL162 | 1 | 1/4" BSP | Male |

JAMEC PEM

JAMEC PEM 1-Stage Female Coupling One stage connection.

Steel construction

NEW

- · Interchanges with UK equivalent
- Max. airflow 43 cfm @ 100 psi
- · Max. working pressure 200 psi / 14 bar

Pack of Tail/Thread Type Part No. Tail/Thread Size JP101 **Female** 1/4"

JAMEC PEM

JAMEC PEM 1-Stage Male Coupling One stage connection.

Steel construction

- · Interchanges with UK equivalent
- Max. airflow 43 cfm @ 100 psi
- · Max. working pressure 200 psi / 14 bar

Part No. Pack of Tail/Thread Type Tail/Thread Size **JP124** Male 1/4"

JAMEC PEM

JAMEC PEM Screwed Male Adaptor Steel construction.

Adaptors fit both the one stage and two stage couplings.

Pack of Tail/Thread Type Tail/Thread Size JP3 Male 1/4"

JAMEC PEM



Screwed Female Adaptor

Steel construction.

Adaptors fit both the one stage and two stage couplings. Pack of Tail/Thread Type Tail/Thread Size Part No.

JP12 1/4" **Female**

JAMEC PEM



JAMEC PEM **Integral Adaptor/Tailpiece**

Steel construction.

Adaptors fit both the one stage and two stage couplings.

Pack of Tail/Thread Type Tail/Thread Size Part No. **JP38** 3/8" (10 mm) **Hose Tail**





NEW

NEW

































PCL 'XF' High Flow Female Couplings

For most applications.

| Part No. | Qty | Thread Size | Fitting | |
|----------|-----|-------------|---------|--|
| AL201 | 1 | 1/4" BSP | Female | |
| AL203 | 1 | 3/8" BSP | Female | |





PCL 'XF' High Flow Male Couplings

For most applications.

| Part No. | Qty | Thread Size | Fitting |
|----------|-----|-------------|---------|
| AL202 | 1 | 1/4" BSP | Male |
| AL204 | 1 | 3/8" BSP | Male |

PCL



PCL 'XF' High Flow Male Screwed Adaptors

For most applications.

| Part No. | Pack of | Thread Size | Fitting |
|----------|---------|-------------|---------|
| AL222 | 5 | 1/4" BSP | Male |
| AL232 | 5 | 3/8" BSP | Male |

PCL



PCL 'XF' High Flow Female Screwed Adaptors

For most applications.

| Part No. | Pack of | Thread Size | Fitting |
|----------|---------|-------------|---------|
| AL221 | 5 | 1/4" BSP | Female |
| AL231 | 5 | 3/8" BSP | Female |

PCL



PCL 'XF' High Flow Integral Adaptor/Tailpieces

For most applications.

| Part No. | Pack of | Hose Bore | | |
|----------|---------|-----------|---------|--|
| AL206 | 5 | 6 mm | (1/4") | |
| AL208 | 5 | 8 mm | (5/16") | |
| AL210 | 5 | 10 mm | (3/8") | |
| AL213 | 5 | 13 mm | (1/2") | |

JAMEC PEM

JAMEC PEM Euro Style High Flow Female Coupling

Anti release flange. Use in large air consumption applications.

- Interchanges with CEJN equivalent
- Steel construction
- Max. airflow 62 cfm @ 100 psi
- Max. working pressure 200 psi / 14 bar
- · Use with euro adaptors

| Part No. | Qty | Tail/Thread Type | Tail/Thread Size |
|----------|-----|------------------|------------------|
| JP201 | 1 | Female | 1/4" |

JAMEC PEM



NEW

JAMEC PEM Euro Style High Flow Male Coupling

Anti release flange. Use in large air consumption applications.

- Interchanges with CEJN equivalent
- Steel construction
- Max. airflow 62 cfm @ 100 psi
- Max. working pressure 200 psi / 14 bar
- · Use with euro adaptors

| Part No. | Qty | Tail/Thread Type | Tail/Thread Size |
|----------|-----|------------------|------------------|
| JP202 | 1 | Male | 1/4" |

JAMEC PEM



JAMEC PEM Euro Style High Flow Female Adaptor

Anti release flange. Steel construction. Use in large air consumption application.

- Airflow 115 cfm, 3275 L/mm @ 100 psi, 690 kPa
- Max. working pressure 152 psi, 1050 kPa
- Use with euro couplings and interchanges with CEJN equivalent

| Part No. | Pack of | Tail/Thread Type | Tail/Thread Size |
|----------|---------|------------------|------------------|
| JP221 | 5 | Female | 1/4" |

JAMEC PEM



JAMEC PEM Euro Style High Flow Male Adaptor

Anti release flange. Steel construction. Use in large air consumption application.

- Airflow 115 cfm, 3275 L/mm @ 100 psi, 690 kPa
- Max. working pressure 152 psi, 1050 kPa
- Use with euro couplings and interchanges with CEJN equivalent

| JP222 | 5 | Male | 1/4" | |
|----------|---------|------------------|------------------|--|
| Part No. | Pack of | Tail/Thread Type | Tail/Thread Size | |
| | | | | |



ထွ

لموما



PCL '60 Series' Female Couplings

| For genera | l industrial | l applications. |
|------------|--------------|-----------------|
|------------|--------------|-----------------|

| Part No. | Qty | Thread Size | Fitting |
|----------|-----|-------------|---------|
| AL261 | 1 | 1/4" BSP | Female |
| AL263 | 1 | 3/8" BSP | Female |

PCL



PCL '60 Series' Male Couplings

| For general | industrial | applications. | |
|-------------|------------|---------------|--|
| | | | |

| Part No. | Qty | Thread Size | Fitting |
|----------|-----|-------------|---------|
| AL262 | 1 | 1/4" BSP | Male |
| AL264 | 1 | 3/8" BSP | Male |

PCL

PCL '60 Series' Screwed Adaptors

For general industrial applications.

| Part No. | Pack of | Thread Size | Fitting | |
|----------|---------|-------------|---------|--|
| AL265 | 3 | 1/4" BSP | Male | |
| AL266 | 3 | 3/8" BSP | Male | |

PCL



PCL '60 Series' Integral Adaptor/Tailpieces

| For general | industriai | applications. | |
|-------------|------------|---------------|--|
| Part No. | Pack of | Hose Bore | |

| raitinu. | rackui | HOSE DOLE | | |
|----------|--------|-----------|--------|--|
| AL267 | 3 | 9.50 mm | (3/8") | |
| AL268 | 3 | 12.70 mm | (1/2") | |

JAMEC PEM



JAMEC PEM Stop-Flo Valves

Safety valve can be easily fitted directly to the outlet of a compressor or the fixed outlet of airline system preventing potential whip hose damage from any accidental disconnection

| Part No. | Qty | Valve Size | Hose Size Required |
|----------|-----|------------|---------------------|
| JP80 | 1 | 3/8" | 10.0 mm (3/8") Hose |
| JP81 | 1 | 1/2" | 12.5 mm (1/2") Hose |

PCL



PCL '100 Series' Female Couplings For general industrial applications.

| Part No. | Qty | Size | Fitting |
|----------|-----|----------|---------|
| AL46 | 1 | 3/8" BSP | Female |
| AL18 | 1 | 1/2" BSP | Female |

PCL



For general industrial applications.

| Part No. | Qty | Size | Fitting | |
|----------|-----|----------|---------|--|
| AL47 | 1 | 3/8" BSP | Male | |
| AL34 | 1 | 1/2" BSP | Male | |

PCL

PCL '100 Series' Male Screwed Adaptors

For general industrial applications.

| Part No. | Pack of | Size | Fitting | |
|----------|---------|----------|---------|--|
| AL48 | 3 | 3/8" BSP | Male | |
| AL19 | 3 | 1/2" BSP | Male | |

PCL



PCL '100 Series' Integral Adaptor/Tailpieces For general industrial applications.

| Part No. | Pack of | Hose Bore | | |
|----------|---------|-----------|--------|--|
| AL49 | 3 | 9.50 mm | (3/8") | |
| AL20 | 3 | 12.70 mm | (1/2") | |

PCL



PCL '100 Series' Coupling and **Adaptors Kit**

For general industrial applications.

| Part No. | Qty | Hose Bore | | |
|--|-------------|-----------|--------|--|
| AL180 | 3 Piece Kit | 12.7 mm | (1/2") | |
| 1 x '100 Series' Coupling: 1/2" BSP Male. 1 x Male Screwed Adaptor: 1/2" BSP Male. | | | | |

































PCL Double-Ended Hose Connectors

| Part No. | Pack of | Bore Hose | |
|----------|---------|-----------|---------|
| AL56 | 5 | 6.35 mm | (1/4") |
| AL57 | 5 | 7.90 mm | (5/16") |
| AL58 | 5 | 9.50 mm | (3/8") |
| AL59 | 5 | 12.70 mm | (1/2") |

PCL



PCL Male Screwed Tailpieces - 1/4" BSPT

| Part No. | Pack of | Bore Hose | | |
|----------|---------|-----------|---------|--|
| AL2 | 5 | 6.35 mm | (1/4") | |
| AL37 | 5 | 7.90 mm | (5/16") | |
| AL33 | 5 | 9.50 mm | (3/8") | |
| AL53 | 5 | 12.70 mm | (1/2") | |
| | | | | |





PCL Male Screwed Tailpieces - 3/8" BSPT

| Part No. | Pack of | Bore Hose | | |
|----------|---------|-----------|--------|--|
| AL54 | 5 | 9.50 mm | (3/8") | |
| AL55 | 5 | 12.70 mm | (1/2") | |

PCL



PCL Male Screwed Tailpieces - 1/2" BSPT

| Part No. | Pack of | Bore Hose | , |
|----------|---------|-------------|--------|
| AL39 | 3 | 12.70 mm | (1/2") |
| ALJJ | | 12.70 11111 | (1/2) |

PCL



PCL Air Line Fittings - Double Union

| I CL AII | | thigs boobic official |
|----------|---------|-----------------------|
| Part No. | Pack of | Size |
| AL8 | 5 | 1/4" BSP |

PCL



DCL Air Line Eittings Darallel Cocket

| PCL Air Line Fittings - Parallel Socket | | | |
|---|---------|----------|--|
| Part No. | Pack of | Size | |
| AL50 | 5 | 1/4" BSP | |
| | | | |





PCL Air Line Fittings - Reducing Bush

| Part No. | Pack of | Type | Size |
|----------|---------|------|-----------------------|
| AL51 | 5 | M:F | 1/2" BSPT : 1/4" BSPP |





PCL Air Line Fittings - Reducing Union

| Part No. | Pack of | Туре | Size |
|----------|---------|------|-----------------------|
| AL52 | 5 | M:M | 1/2" BSPT : 1/4" BSPT |





PCL Air Line Fittings - Tailpieces & Nuts

| Part No. | Pack of | Tail Piece | Nut Size |
|----------|---------|-----------------------|----------|
| AL67 | 5 Pairs | 6.35 (1/4") Bore Hose | 1/4" BSP |





For air tool lubrication. Assembly directly in the air feed line.

| Part No. | Qty | Description |
|-----------|-----|----------------|
| K515.3360 | 1 | Air Side Oiler |



KS TOOLS 1/4" Compressed Air Water Trap

For separating condensation. Sintered metal cartridge, trap drain valve. Assembly directly in the air feed line.

Qty Description **K515.3370** 1 **Air Water Trap**





KS TOOLS 1/4" Z-Swivel **Air Line Connector**

Allows 360° rotation making movement of airline easier.

| Part No. | Ųty | Description |
|-----------|-----|--------------------|
| K515.3396 | 1 | Z-Swivel Connector |



000

9







Durable plastic housing. Air flow can be finely regulated. Includes universal nozzle. 1/4" connection. Includes 1/4" air inlet connector. Length: 100 mm.

Description Part No. Qty **Blow Pistol K515.1901** 1



KS TOOLS **Telescopic Air Operated Blow Pistol**

Durable plastic housing. Includes universal nozzle. 1/4"air inlet connector. Telescopic blow pistol can be adjusted in length (65 - 280 mm) & angle (360°).

| Part No. | Qty | Description |
|-----------|-----|------------------------|
| K515.1907 | 1 | Telescopic Blow Pistol |



PCL Palm Blow Gun

Supplied with conical and safety nozzles. Maufactured from high quality die-cast alloy. Air flow: 247 I/min (8.9 cfm).

| AL78 | 1 | 1/4" BSP Female |
|----------|-----|-----------------|
| Part No. | Qty | Connection |





· Anti-Scratch rubber tip

Inlet Thread

1/4" Female

1/4" Female

· Variable air flow

0tv

Part No.

JP37

JP36









































FUCHS 'Silkair VG22' Air Line Oil

General purpose. Lubricates pneumatic tools and equipment. Readily separates from water.

| Part No. | Qty | Size |
|----------|-----|----------------|
| VC191 | 1 | 1 Litre Bottle |





0.6 m (2 ft) length. Adaptor and BSP male tailpiece ends. Ruberto and by Male suppled each Fully conforms to safety standard requirements ISO 4414:1998 and EN983:1996. Prevents Hose whip. Allows safe disconnection.

| Part No. | Qty | Hose I.D. | Hose O.D. | Adaptor x Male Thread |
|-------------|-----|--------------|-----------|-----------------------|
| AL60 | 1 | 7 mm (1/4") | 14 mm | Standard x R 1/4 |
| AL72 | 1 | 10 mm (3/8") | 17 mm | Standard x R 3/8 |
| AL73 | 1 | 13 mm (1/2") | 21 mm | 100 Series x R 1/2 |
| | | | | |

JAMEC PEM



BEST SELLER



0.6 m (2 ft) length. Adaptor and BSP male tailpiece ends.

| Part No. | Qty | Hose I.D. | Hose O.D. | Adaptor x Male Thread |
|----------|-----|--------------|-----------|-----------------------|
| JP60 | 1 | 10 mm (1/4") | 15.5 mm | Standard x R 1/4 |
| JP72 | 1 | 10 mm (3/8") | 15.5 mm | Standard x R 3/8 |







PCL 3/8" Drive 'Mini' Pneumatic Ratchet - 27.5 Nm

Palm Ratchet allows the operator to reach small areas. Compact and lightweight design allows maximum operator control and performance. Rear exhaust to keep airflow away from work area. High power motor for consistent performance. Maximum Torque 27.5 Nm, Weight 0.4 kg.

| Part No. | Qty | Description | |
|----------|-----|-------------------|--|
| ALT7 | 1 | 3/8" Mini Ratchet | |





PCL 1/4" Drive 'Mini' Pneumatic Ratchet - 27.5 Nm

Palm Ratchet allows the operator to reach small areas.
Compact and lightweight design allows maximum operator control and performance. Rear exhaust to keep airflow away from work area. High power motor for consistent performance. Maximum Torque 27.5 Nm, Weight 0.3 kg.

| Part No. | Qty | Description | | |
|----------|-----|-------------------|--|--|
| ALT6 | 1 | 1/4" Mini Ratchet | | |





PCL 'Mini' **Pneumatic Die Grinder**

Allows the operator to reach into very small areas.
Safety lever prevents any possible accidents. Rear exhaust to keep airflow away from the hand. High power motor designed for all tight grinding situations.
6 mm collet (3 piece design). Free speed 25,000 RPM, Weight 0.34 kg.

| Part No. | Qty | Description | |
|----------|-----|------------------|--|
| ALT8 | 1 | Mini Die Grinder | |



PCL 'Mini' **Pneumatic Orbital Sander**

Complete with small 50 mm (2") sanding pad allows the operator to reach small areas. Random orbit allows maximum operator control and finish. Rear exhaust to keep airflow away from the hand. High power motor designed for efficient sanding.

| Part No. | Qty | Description | |
|----------|-----|---------------------|--|
| ALT9 | 1 | Mini Orbital Sander | |
| | | | |













PCL 10 mm (3/8") Pneumatic Reversible Drill Ideal for drilling, reaming and honing.
Side mounted forward/reverse shift,
fitted with 10 mm (3/8") keyless chuck.
Free speed 1,800 RPM, Air Consumption 130 l/min, Sound 87 db (A), Vibration 1.5 m/s² Weight 1.1 kg.

Description

Qty

Part No.



Two handed operation. Insulated handle and motor housing. Includes 150 mm backing pad for 150 mm diameter self-adhesive abrasives. Free speed 1,800 RPM, Air Consumption 130 l/min, Sound 87 db (A), Vibration 1.5 m/s² Weight 1.1 kg.

Part No. ALT5 1 **Orbital Sander**



| Part No. | Qty | Description |
|----------|-----|--------------|
| ALT2 | 1 | 3/8" Ratchet |



Ideal for tyre buffing, polishing and grinding.
Medium motor with high velocity and low vibration,
safety throttle lever with 6 mm collet (3 piece design).
Free speed 22,000 RPM, Air Consumption 115 l/min, Sound 93 db (A),
Vibration 5.4 m/s² Weight 0.6 kg.

| Part No. | Qty | Description |
|----------|-----|-------------|
| ALT4 | 1 | Die Grinder |





































Cravity feed compliant.
Can be used with 3M disposable pot system use adaptor number 2 (3M code 16032).
Working pressure: 50 PSI. Maximum pressure: 80 PSI. Air consumption:
Between 7-12 CFM (depending on setup).

· Designed and built for tough work.

· Suitable for solvent based paints only.

| Part No. | Qty | Pot Capacity | Set up |
|----------|-----|--------------|--------|
| ALG1 | 1 | 600 cc | 1.7 mm |



FASTMOVER Spray Gun - HVLP

Gravity feed compliant. Can be used with 3M disposable pot system use adaptor number 2 (3M code 16032). Working pressure: 43-50 PSI. Air consumption: Between 7-10 CFM (depending on setup).

· Suitable for topcoat work.

- Ergonomically designed.
- Designed to produce superior finish Gives a fast flow and wide spray pattern.
- HVLP (High Volume Low Pressure) makes it efficient and compliant.

| Part No. | Qty | Pot Capacity | Set up |
|----------|-----|--------------|--------|
| ALG3 | 1 | 600 cc | 1.3 mm |





Gravity feed compliant. Stainless steel components, suitable for use with water and solvent based paints. Can be used with 3M disposable pot system use adaptor number 21 (3M code 16105). Thread size: M14. Weight: 320g. Working pressure: 43 PSI.

· Extra small and lightweight.

- Ideal for SMART touch-up paint repairs and perfect for alloy wheel painting.
- A wide spray pattern with excellent atomisation.

| Part No. | Qty | Pot Capacity | Set up |
|----------|-----|--------------|--------|
| ALG2 | 1 | 125 ml | 0.8 mm |

| Part No. | Qty | Inlet Thread |
|----------|-----|--------------|
| ALG4 | 1 | 1/4" BSP |





Venturi hand held water based paint drying gun. Working pressure: 4-7 PSI (3-5 bar). Max Pressure: 100 psi (7 bar). Air cosnsumption: 12.3 CFM.

• Increases airflow from compressor by 15% which speeds up drying times.

· Air is filtered to a high degree eliminating risks of imperfections in the paintwork.

| Part No. | Qty | Inlet Thread |
|----------|-----|--------------|
| ALG5 | 1 | 1/4" BSP |



Air Regulator/Gauge

Length: 32 mm. Weight: 100g. Glass lens unaffected by the solvents. Working pressure range: 7-114 PSI (0.5-7.8 bar).

Extra small and lightweight.

| Part No. | Qty | Inlet Thread | |
|----------|-----|--------------|--|
| ALG10 | 1 | 1/4" BSP | |



















PCL Direct Drive Compressor Unit

Solid, stable and completely portable direct drive compressor.

- · Fitted with genuine single stage 2 HP motor
- Air receiver: 24 I. Air Flow: 206 I/min / 7.3 cfm
- Noise: 82 Dba
- · Fitted with genuine PCL 'Airflow' couplings on the outlet
- · Supplied with full CE certification, test certificates & operating manual

| Part No. | Qty | Size | Weight |
|----------|-----|-----------------|--------|
| AL89 | 1 | 59 x 28 x 62 cm | 26 kg |



Standard 1/4" BSP air inlet. Air pressure: 90 PSI.

 Ideal for sucking up or blowing away debris from shattered windscreens, carbon deposits, etc.

| Part No. | Qty | Description |
|----------|-------|-------------|
| TL7410 | 1 Set | 6 Piece Set |

JAMEC PEM



Robust die cast aluminium housed digital auto inflator - simple to use with plug and play design.

- Accuracy exceeds EC Standards
- Multi-scale gauge
- · Tough die cast aluminium body
- OPS (Over Pressure Setting) function for seating tyres on rims
- Mechanical anti-vandal buttons
- · Comprehensive diagnostics and error reporting
- · Inflates accurately with hoses up to 50 m long
- Comes with instruction manual and calibration certificate

| Part No. | Qty | Туре | Style | Hose Lengt |
|----------|-----|----------------|----------|------------|
| JP501 | 1 | Single Clip-On | Straight | 7.6 m |



JAMEC PEM Digital Wall Mounted Tyre Inflator with Over Pressure - Plastic Case

Simple to use with plug and play design, pre-set the required pressure, place the chuck on the tyre valve and the built-in auto start Inflates/deflates the tyre to the specified pressure.

- Accuracy exceeds EC Standards
- Multi-scale gauge
- Backlit display
- OPS (Over Pressure Setting) function used for seating tyres on rims
- Two programmable pre-set buttons
- Comprehensive diagnostics and error reporting
- Inflates accurately with hoses up to 50 m long
- · Comes with instruction manual and calibration certificate

| Part No. | Qty | Type | Style | Hose Length |
|----------|-----|----------------|----------|-------------|
| JP502 | 1 | Single Clip-On | Straight | 10 m |



Our expanded range of air compressors start from Page 234



NEW





























JAMEC PEM





JAMEC PEM TDR3000 Digital Tyre Inflator

Tough aluminium housing with large LCD display. Accurate multi-scale gauge with auto ON/OFF.

- Rubber grip
- · Tough die cast aluminium body
- Accuracy exceeds EC Standards
- Multi-scale gauge
- · Backlit display
- · Wire sheathed hose eliminates kinking
- · Impact absorbing bumpers
- · Supplied with instruction manual and calibration certificate

| Part No. | Qty | Type | Style | Hose Length | |
|----------|-----|----------------|----------|-------------|--|
| JP314 | 1 | Twin Hold-On | Angle | 0.5 m | |
| JP342 | 1 | Twin Clip-On | Angle | 2.7 m | |
| JP344 | 1 | Single Clip-On | Straight | 1.8 m | |

JAMEC PEM



Lightweight, durable design and one touch operation, perfect for industrial workshops, mechanics and garages.

- · Auto on, upon sensing air pressure
- IP44 rating tough, durable and splash resistant
- Large, titled easy to read LCD display with backlight
- Auto off after 90 seconds
- · Multi-scale gauge (psi, kPa, bar, kgF)
- · Impact absorbing bumper
- Tough, lightweight diecast aluminium internal body with compsite outter casing
- · Wire sheathed hose to eliminate kinking
- · Supplied with certificate of calibration
- · 80 hours continuous use







NEW




Classic Tyre Inflator

This classic Tyre Inflator has a slimlinedesign and is easy to hold. Designed to meet EC standards and constructed in die cast aluminium for lightweight ease of use.

- Dual scale standard calibration: 0-138 psi and 0-9.6 bar
- Supply pressure max: 200 psi
- · Wire sheathed hose eliminates kinking
- · Ergonomically designed trigger with two click action
- · Supplied with a certificate of calibration and instruction manual
- Complies with EN12645: 2014

| Part No. | Qty | Type | Style | Hose Length | |
|----------|-----|----------------|----------|-------------|--|
| JP14 | 1 | Twin Hold-On | Angle | 0.5 m | |
| JP42 | 1 | Twin Clip-On | Angle | 2.7 m | |
| JP44 | 1 | Single Clip-On | Straight | 2.7 m | |













PCL 'ACCURA MK4' Digital Tyre Inflator

- Extremely robust aluminium body with protective rubber bumper.

 Small 'stubby' body is the lightest metal bodied digital inflator on the market
- Higher pressure range for multiple applications: 4 250 PSI
- · Permanently backlit in use, auto off after 10 seconds no use
- IP54 rated for protection against splashing water for use indoors and outdoors

| Part No. | Qty | Туре | Hose Length |
|----------|-----|----------------|--------------|
| AL84 | 1 | Twin Hold-On | 0.53 m (21") |
| AL85 | 1 | Single Clip-On | 0.53 m (21") |
| AL86 | 1 | Twin Clip-On | 1.8 m (6 ft) |
| AL87 | 1 | Single Clip-On | 1.8 m (6 ft) |



PCL 'Mk4' **Air Line Gauge**

Maximum pressure: 9.9 bar (138 PSI).

| Qty | Type | Hose Length |
|-----|----------------|--|
| 1 | Twin Hold-On | 0.53 m (21") |
| 1 | Twin Clip-On | 2.7 m (9') Tyre Shop |
| 1 | Single Clip-On | 0.53 m (21") |
| 1 | Single Clip-On | 2.7 m (9 ft) Tyre Shop |
| | Qty 1 1 1 1 | 1 Twin Hold-On 1 Twin Clip-On 1 Single Clip-On |





PCL 'ACCURA 1' Handheld **Digital Tyre Inflator**

Approved to German standard PTB 8.08/06.04 and to BS EN 12645 : 2014.

· Light weight

PCL

- Shock resistant
- · Easy to read digital display
- Maximum inflation pressure of 12 bar, resolution 0.01 bar, inflation flow 910 l/min at 13 bar
- Supply & operating temperature: -20°C to 60°C

| Part No. | Qty | Туре | Hose Length | |
|----------|-----|----------------|-------------|--|
| AL83 | 1 | Single Clip-On | 1.8m (6ft) | |



- · Large, clear, easy to read display with backlight
- Reliable accuaracy (+/- 1psi up to 60 psi, then 2 psi up to 150 psi) with individual testing and certification
- Suitable for all applications including tyreshop environments
- Pressure Range: 5 170 psi / 0.34 12 bar / 34 1200 kPa. Maximum Supply Pressure:218 psi / 15 bar / 150 kPa. Inflation flow: 910 l/min

| Part No. | Qty | Type | Hose Length |
|----------|-----|----------------|--------------|
| AL88 | 1 | Single Clip-On | 1.8 m (6 ft) |





Bar ONLY

Complete with tailpiece.

PCL 'Mk4'

| Part No. | Qty | Length | |
|----------|-----|--------------|--|
| AL14H | 1 | 0.53 m (21") | |
| • | | | |





Complete with tailpiece. Part No. Length AL42H 2.7 m (9')



အ



PCL Alloy Tyre Inflator

A general purpose tyre inflator with an all alloy body with rubber protected gauge. Dual calibrated: 10-210 lbf/in² and 0.7-15 bar. Simple and easy to use. Ideal for general low volume tyre inflation.

| AL40 | 1 | Single Clip-On | 0.85 m |
|----------|-----|----------------|--------|
| Part No. | Ųty | rype | Hose |





1.8 m (6')

JAMEC PEM

Qty

Single Clip-On

Part No.

AL43

JAMEC PEM TDR5000 Dial Gauge Tyre Inflator Lightweight, durable design

ideal for industrial workshops, mechanics and garages.

- IP44 rating tough, durable and splash resistant
- · Large 80 mm dial gauge
- Multi-scale gauge (psi, bar)
- · Impact absorbing bumper
- Tough, lightweight diecast aluminium internal body with compositeouter casing
- Wire sheathed hose to eliminate kinking
- · Supplied with certificate of calibration

| Part No. | Qty | Туре | Hose Length | |
|----------|-----|----------------|-------------|--|
| JP43 | 1 | Single Clip On | 0.5 m | |





PCL Tyre Valve Connectors - Twin Hold-on Open End

| Part No. | Qty | Description |
|----------|-----|-----------------------|
| AL15 | 1 | Twin Hold-on Open End |





PCL Tyre Valve Connectors - Twin Hold-on Closed End

| Part No. | Qty | Description |
|----------|-----|-------------------------|
| AL16 | 1 | Twin Hold-on Closed End |





PCL Tyre Valve Connectors - Twin Clip-on Open End

| Part No. | Qty | Description |
|----------|-----|-----------------------|
| AL25 | 1 | Twin Clip-on Open End |





PCL Tyre Valve Connectors - Twin Clip-on Closed End

| Part No. | Qty | Description |
|----------|-----|-------------------------|
| AL70 | 1 | Twin Clip-on Closed End |

PCL

NEW

PCL Tyre Valve Connectors -Single Clip-on Open End

For 6.35 mm bore hose.

Part No. **AL61** 1 Single Clip-on Open End

JAMEC PEM



BEST

JAMEC PEM Tyre Valve Connectors - Single Clip-On

| JP61 | 1 | Single Clip-On |
|--------------|-----|----------------|
| Part No. | Qty | Description |
| Non Seaming. | | |



0

لموما

တွ

| i ui tito. | Qty | Description |
|------------|-----|-----------------------|
| JP15 | 1 | Twin Hold-on Open End |

JAMEC PEM



JAMEC PEM Valve Connectors - Twin Hold-On - Closed End

Sealing. Rubber grip.

| Part No. | Qty | Description |
|----------|-----|-------------------------|
| JP16 | 1 | Twin Hold-on Closed End |

JAMEC PEM



JAMEC PEM Valve Connectors - Twin Clip-On - Open End

Rubber grip.

| Part No. | Qty | Description |
|----------|-----|-----------------------|
| JP25 | 1 | Twin Clip-on Open End |

JAMEC PEM



JAMEC PEM Valve Connectors - Twin Clip-On - Closed End

Rubber grip.

| Part No. | Qty | Description |
|----------|-----|-------------------------|
| JP70 | 1 | Twin Clip-on Closed End |

PCL



PCL Tyre Pressure Gauges - Universal Type

Calibrated scale: 10 -160 lbf/in² & 0.8 -11.0 bar.

| Part No. | Qty | Description | |
|----------|-----|----------------|--|
| AL28 | 1 | Universal Type | |

PCL



PCL Tyre Pressure Gauges - Pocket Type In-Line Head

Calibrated scale: 6 - 50 lbf/in² & 0.5 - 3.4 bar in 0.1 bar units.

| Part No. | Qty | Description |
|----------|-----|--------------------------|
| AL45 | 1 | Pocket Type In-Line Head |



PCL Tyre Valve Tool

| i di cito. | 41) | Description |
|------------|-----|-----------------|
| AL27 | 1 | Tyre Valve Tool |

Description

PCL

Digital Tyre Pressure & Tread Depth Gauge

- Self-calibrating with a 90 second auto power off function
- Calibration: 0 100 psi & 0 0.8"

| i ui cito. | q., | Description |
|------------|-----|---|
| AL95 | 1 | Digital Tyre Pressure/Tread Depth Gauge |



NEW

RING Digital Tyre Pressure & Tread Depth Gauge

RING

Complete with soft storage case. Supplied with 1 x CR2032 battery.

- · Built in tread depth gauge.
- · 360° swivel head provides easier access to tyre valve.
- · Extra large digital display.
- Measures up to 99 PSI in PSI,
 har VDA 8 kg /cm²

| Part No. Qty Description | |
|--------------------------|--|

Digital Tyre Pressure/ Tread Depth Gauge **AL79**





RING Digital Tyre Pressure Gauge

Complete with soft storage case. Supplied with 1 x CR2032 battery.

- 360° swivel head provides easier access to tyre valve.
- · Extra large digital display.
- . Measures up to 99 PSI in PSI, bar, KPA & kg /cm².

| art No. | Qty | Description |
|---------|-----|-------------|
| NI 71 | 1 | Digital Tv |

| L71 | 1 | Digital Tyre Gauge |
|------------|---|--------------------|
| | | |







AL29

PCL Tyre Tread Depth Gauges

1.6 mm markings. Complies with EC directive 89/459/EEC.

Tread Depth Gauges

| DVSA appro | ved (pro | eviously VOSA) |
|--------------------------------|----------|----------------|
| Part No | Pack of | Description |









































Fitted with 12V in-vehicle charging plug. Complete with handy storage case.

- Inflates a tyre in 3 minutes (Approx. based on a 13" tyre)
- Pre-set pressure mode with automatic cut off
- · Tyre deflation valve

RING

- Red SOS light
- · High intensity LED light

Qty ERAC630

12V Digital Automatic Air Compressor































Suitable for 4 x 4 and standard tyres. Fitted with quick release 12V battery clips. Complete with 3 piece adaptor kit, 7m flexible air hose with tyre valve locking system.

- · Inflates a tyre in under 4 minutes (Approx. based on inflating a tyre to 35 PSI). Pressure gauge in PSI, bar, & kg /cm².
- · Carry handle.
- · Anti-vibration rubber mounted feet.
- On/Off switch.
- · Fitted with fused cigarette lighter plug.
- · Flow rate 36 litres per min.

Part No. ERAC700 12V '4 x 4' Air Compressor 1



PCL Foot Pump

Complete with air bed, cycle valve & football adapters.

· Preset dial gauge · Single steel barrel

Part No. Description **AL80 Foot Pump**



Up to 3 x faster than a standard compressor. Fitted with fused 12V power plug to protect vehicle electronics. Complete with flexible hose with quick release inflator/deflator and large gradient pressure gauge, industrial style brass nozzle and 7 m coiled air line hose.

Supplied in a durable storage bag with carry handle.

- · Inflates a tyre in less than 90 seconds (Approx. based on inflating a tyre to 35 PSI)
- · Thermal overload protection
- · Waterproof On/Off switch
- · Anti-vibration rubber mounted feet
- Pressure gauge in PSI, bar, KPA & kg /cm²
- Flow rate 55 litres per min
- · 2 year guarantee

Part No. ERAC900 1 12V Heavy Duty Air Compressor Kit





RING 'Tyre Repair' **Emergency Puncture Repair Sealant**

Single use product.

Will NOT repair tyres that have come off the rim, are ripped, have punctures larger than 5 mm or have damaged walls.

For tyres up to and including 16"

Provides a temporary repair designed to get you home, no need for any tools or wheel changes

Part No. Qty 1 400ml Aerosol RTS1





Max pressure reading: 120 PSI. Cordless, robust design and small size. Includes 2 piece adaptor kit for other inflatables and built in 14.5 cm air line. Complete with handy bike bracket and storage bag. Perfect in an emergency.

- Ideal for cars, motorbikes, bikes, scooters and other inflatables
 Can top up a car tyre in <3 mins or a inflate a bicycle tyre from flat in <2 mins
- · 4 programmable pressure settings with digital autostop for ease of use
- · Rechargeable with Powerbank function via the USB outlet
- · Compact design for easy storage Fits in most bicycle water bottle holders
- · Easy to read digital display
- · LED light Torch facility

epair

Part No. Description

ERTC2000 Handheld Tyre Air Compressor







RING 12V Cordless 4-in-1 Digital Tyre Air Compressor

Supplied with storage case, 10 piece adaptor set for bikes, air beds and other inflatables, 4 x spare valve caps, 1 x spare fuse and 1 x pair gloves.

- Inflates a tyre or a single air bed in 2 minutes
- · Quick setting digital gauge automatically stops at set pressure
- · Measures in PSI, BAR and kPA
- · Handy on board power bank USB output 2.4A
- Additional 230V AC power cable included for recharging Fitted with a 3.5m power cable and fused 12V DC power plug for use if rechargeable battery is fully discharged

Part No.

ERTC6000 12V Digital Cordless Air Compressor































- Lubricant Aerosols 500ml

A selection of our fastest moving lubricant aerosols, including the No. 1 selling Universal Maintenance Lubricant used for a multitude of lubricating and maintenance applications.

Part No. Qty

SASL Set of 6

6 x 500ml Aerosols: White Grease with PTFE, Clear Grease, Silicone Spray, Chain & Cable Lube, Copper Grease, Universal Maintenance Lubricant.





- Cleaning Aerosols 500ml

A selection of popular cleaning aerosols, plus the No. 1 selling Universal Maintenance Lubricant which can be used for a wide range of everyday cleaning applications.

Part No. Qty

SASC Set of 6

6 x 500ml Aerosols: Brake Cleaner, Throttle Body Cleaner, Electrical Cleaner, Label & Gum Remover, Leak Detector, Universal Maintenance Lubricant.























موو





- Valeting Aerosols 500ml

A selection of professional quality valeting aerosols

A selection of professional quality valeting aerosols, providing a clean finish for all vehicles. Plus the No.1 selling Universal Maintenance Lubricant, ideal for everyday maintenance applications.

Part No. Qty

SASV Set of 6

6 x 500ml Aerosols: Glass Cleaner, Cockpit Spray, Tyre Foam, Multi Purpose Foam Cleaner, Air Duster, Universal Maintenance Lubricant.

SAS



S·A·S Assorted Pack
- Paint Aerosols 500ml

Qty

Set of 6

A selection of top quality paint aerosols, providing a professional finish each and every time. Plus the No. 1 selling Universal Maintenance Lubricant, ideal for everyday maintenance applications.

Part No.

SASP

6 x 500ml Aerosols: Zinc Spray, Satin Black Paint, Silver Paint, Grey Primer, Red Oxide Primer, Universal Maintenance Lubricant.







Doublescalloped edge ensure perfect bonding and 100 % vulcanisation.

Due to the stepped multi-layer structure of the patch body they stretch evenly in all directions when the tube is inflated.

· They leave no edges on the repair area.

| Part No. | Box of | Size No. | Ø | Suits |
|----------|--------|----------|--------|----------------------------|
| TY111 | 30 | No. 1 | 35 mm | Bicycles, Motorbikes, Cars |
| TY112 | 30 | No. 2 | 45 mm | Motorbikes, Cars |
| TY113 | 30 | No. 3 | 54 mm | Cars, Trucks, Agricultural |
| TY114 | 30 | No. 4 | 75 mm | Cars, Trucks, Agricultural |
| TY115 | 10 | No. 5 | 94 mm | Trucks, Agricultural |
| TY116 | 10 | No. 6 | 116 mm | Trucks, Agricultural |





REMATIP TOP Tube Patches - Red Edge, Oval

| Part No. | Box of | Size No. | Size (L x W) | Suits |
|----------|--------|----------|--------------|----------------------|
| TY117 | 10 | No. 7B | 150 x 75 mm | Trucks, Agricultural |





Rubber base valves. Doublescalloped edge ensure perfect bonding and 100 % vulcanisation.

- Due to the stepped multi-layer structure of the patch body they stretch evenly in all directions when the tube is inflated.
- · They leave no edges on the repair area.

| Part No. | Qty | Size No. | Ø |
|----------|-----|----------|-------|
| TY118 | 10 | TR 218A | 80 mm |
| | | | |







REMATIP TOP Tube Patches - Euro Black Edge, Round

Doublescalloped edge ensure perfect bonding and 100 % vulcanisation.

- Due to the stepped multi-layer structure of the patch body they stretch evenly in all directions when the tube is inflated.
- · They leave no edges on the repair area.

| Part No. | Qty | Size No. | Ø | Suits |
|----------|-----|------------|--------|----------------------------|
| TY101 | 50 | Euro No. 1 | 35 mm | Bicycles, Motorbikes, Cars |
| TY102 | 50 | Euro No. 2 | 45 mm | Motorbikes, Cars |
| TY103 | 50 | Euro No. 3 | 54 mm | Cars, Truck, Agricultural |
| TY104 | 25 | Euro No. 4 | 75 mm | Cars, Truck, Agricultural |
| TY105 | 20 | Euro No. 5 | 94 mm | Trucks, Agricultural |
| TY106 | 20 | Euro No. 6 | 116 mm | Trucks, Agricultural |



REMATIP TOP Tube Patches - Universal

For the repair of small injuries to tube or tubeless radial and cross-ply tyres.

| Part No. | Qty | Size No. | Size | Suits |
|----------|-----|----------|------------|--------------|
| TY364 | 50 | UP 4.5 | 37 x 37 mm | Cars, Trucks |
| TY366 | 50 | UP 6 | 43 x 43 mm | Cars, Trucks |
| TY368 | 50 | UP8 | 55 x 55 mm | Cars, Trucks |





REMATIP TOP

Tube Patches - Cross-Ply Repair Patch, Series PNRepair patches for durable repairs to cross-ply tyres of all sizes, especially for tread, shoulder and sidewall injuries.

Suitable for both self-vulcanising and hotvulcanising processes due to the fully integrated bonding layer. Use in conjunction with the appropriate **REMA TIP TOP accelerator solutions**

| Part No. | Qty | Size No. | Ø/Ply | Suits |
|----------|-----|----------|----------------|--------------|
| TY143 | 10 | PN 03 | 100 mm / 2 Ply | Cars, Trucks |
| TY144 | 10 | PN 04 | 120 mm / 2 Ply | Cars, Trucks |
| TY145 | 10 | PN 05 | 160 mm / 4 Ply | Trucks |
| TY146 | 10 | PN 06 | 235 mm / 6 Ply | Trucks |



REMATIP TOP Tube Patches - RAD Repair, Series 100

Repair patches for durable repairs to all radial tyre sizes and for all applications.

Suitable for hot- or self-vulcanisation due to the unique bonding layer in conjunction with the appropriate REMA TIP TOP accelerator cements or solutions.

| Part No. | Qty | Size No. | Size (L x W) / Ply | Suits |
|--------------|-----|----------|----------------------|-------------------------|
| TY370 | 20 | 110 TL | 75 x 55 mm / 1 Ply | Cars |
| TY371 | 10 | 116 TL | 104 x 67 mm / 1 Ply | Cars, Trucks, Fork Lift |
| TY372 | 10 | 120 TL | 125 x 80 mm / 2 Ply | Trucks |
| TY373 | 10 | 125 TL | 125 x 115 mm / 3 Ply | Trucks |
| TY374 | 10 | 135 TL | 180 x 130 mm / 4 Ply | Trucks, Fork Lift, EM |
| TY375 | 10 | 140 TL | 100 x 195 mm / 3 Ply | Trucks, Fork Lift, EM |
| TY376 | 10 | 142 TL | 130 x 260 mm / 4 Ply | Trucks, Fork Lift |
| TY377 | 10 | 144 TL | 130 x 335 mm / 4 Ply | Trucks, EM |
| | | | | |































REMA TIP TOP Combi Plug Patches - 'Minicombi'

Combined patch/plug tyre repair for punctures to the tread of both radial and cross-ply tyres.

- · Repair units vulcanise in the tyre.
- · The tyre inside and the puncture channel are repaired in one operation.
- The ingression of moisture, dirt, stones or all materials that lead to premature

| deteriorai | tion of the casi | ng and be | eits is preventea. | |
|------------------|-----------------------|---------------|-------------------------|--|
| Part No. | Qty | Kit No. | For Tread Damage | |
| TY137 | Box of 50 | A3 | Up To 3.5 mm | |
| Box contents: 50 | x Repair units with | metal pilot. | 1 x Instruction manual. | |
| TY136 | Pack of 20 | A6 | Up To 6 mm | |
| Pack contents: 2 | 0 x Repair units witl | n metal pilot | | |
| TY136B | Box of 40 | A6 | Up To 6 mm | |
| Box contents: 20 | x Repair units with | metal pilot. | 1 x Instruction manual | |
| TY138 | Box of 20 | B8 | Up To 8 mm | |
| Box contents: 20 | x Repair units with | metal pilot. | 1 x Instruction manual. | |
| TY139 | Box of 20 | B10 | Up To 10 mm | |
| Box contents: 20 | x Repair units. 3 x | Pull wires. 1 | x Instruction manual. | |







REMA TIP TOP 'Cement SVS-VULC' Vulcanising Fluid

For use with tube patches.

| Part No. | Qty | Size |
|----------|-----|--------------------|
| TY132 | 1 | 25g Tube |
| TY133 | 1 | 50g Tube |
| TY100 | 1 | 175g Can c/w Brush |





For use with Radial Repair Patches and Combi Plug-Patches.

| Part No. | Qty | Size | | |
|----------|-----|------------------|--------|--|
| TY131 | 1 | 30g Tube | (35ml) | |
| TY130 | 1 | 200g Can & Brush | | |



Patch Stitcher

Wooden handle. Wheel diameter: 35 mm.

| Part No. | Qty | Description |
|----------|-----|---------------------|
| TY161 | 1 | 4 mm Patch Stitcher |





The complete break-down service for getting you moving again. After the repair, the tyre is inflated from the cartridges within seconds. Without an air pump and loss of time. Supplied in a sturdy storage box.

- · For sealing of punctures without demounting the tyre from the rim
- · Includes cartridges for fast and easy inflation of the tyre after the repair
- · Suitable only for temporary repair of mounted tyres

Safety Warning! The tyre should be checked/repaired permanently after 400 km maximum (at a maximum speed of 60 km/h) by a tyre expert or workshop.

| Part No. | Qty | Description |
|----------|-----|-------------|
| | | |

1 Kit REP & AIR Tubeless Kit TY191

Kit contents: 3 x Super Sealastic repair plugs. 1 x Special Cement BL: 4 g tube. 1 x Inserting tool. 1 x Clasp knife. 1 x Chalk. 3 x Cartridges: 16 g each. 1 x Cartridge adapter. 1 x Cartridge freeze protector. 1 x Instruction manual.





REMATIP TOP Tyre Repair **Workshop Kit**

Supplied in a sturdy storage box.

| Part No. | Qty | Kit No. | Suits |
|----------|-------|---------|----------------|
| TY190 | 1 Kit | TT 30 | Truck, Tractor |

Kit contents:12 x Patches Size 1. 6 x Patches Size 3. 2 x Patches Size 4. 1 x Patch Size 5. 3 x Patches Size 7. 2 x Patches Size 7B. 2 x Cross-Ply repair patch: PN 03. 1 x Tube of SVS solution: 50 g. 2 x Rasps. 1 x Rasp handle. 1 x Stitcher. 1 x Instruction manual.



Marks on rough, smooth, rusty or dirty surfaces

| Part No. | Box of | Colour | |
|----------|--------|--------|--|
| VC432 | 12 | Yellow | |
| VC433 | 12 | White | |



Universal Yellow Markers

For use on metal, glass rubber, etc. Can be used on wet surfaces.

| Pai Linu. | Pack UI | Type |
|-----------|---------|---------|
| VC430 | 12 | Pencils |



Universal Yellow Markers

For use on metal, glass rubber, etc. Can be used on wet surfaces.

| Part No. | Pack of | Type | |
|----------|---------|--------|--|
| VC431 | 12 | Blocks | |





BEST



9

000

 \odot







REMATIP TOP 'Sealastic' Tyre Repair Kit

Temporary nail hole repair for cross-ply truck tyres mounted on the rim (max. injury size 8 mm) as well as EM and agricultural tyres (max. injury size 15 mm). Also suitable for tubeless radial EM tyres (up to a maximum speed of 40 km/h, if the carbide mill cutter, pointed is used.

| Part No. | Qty | Description |
|----------|-------|-----------------|
| TY192 | 1 Kit | Tyre Repair Kit |

Box contents: 10 x Repair units. 2 x Special Cement BL: 40 g cans. 1 x Insertion tool for EM. 1 x Rasp Ø 6.5 mm.





REMATIP TOP ATV/Ouad Bike Repair Kit Supplied in robust storage case.

Part No Otv Description

| · ui | . 110. | 4.) | Description |
|------|--------|-------|-----------------------|
| T | /197 | 1 Kit | ATV Repair Kit |
| | | | |

Kit contents: 50 x Repair Strings. 1 x Hand rasp. 1 x Inserting tool. 1 x Special Cement BL: 225g tin.

TOP





| For temporary repairs of tread punctures. | | | | |
|---|-----|--------|--------|--|
| Part No. | Qty | Colour | Length | |
| TY193 | 25 | Brown | 200 mm | |



REMATIP TOP 'Sealfix' String - Long Type

For temporary repairs of tread punctures.

| Part No. | Qty | Colour |
|----------|-----|--------|
| TY194 | 25 | Black |



0













REMA TIP TOP 'Sealastic' Plugs - Refill Pack

Temporary nail hole repair for cross-ply truck tyres mounted on the rim (max. injury size 8 mm) as well as EM and agricultural tyres (max. injury size 15 mm). Also suitable for tubeless radial EM tyres (up to a maximum speed of 40 km/h, if the carbide mill cutter, pointed is used.

| Part No. | Qty | Size No. | Туре | Suits | |
|----------|-----|----------|-------------|--------|--|
| TY195 | 20 | TT 611 | Truck Plugs | Trucks | |





REMATIP TOP 'Sealastic' Plugs - Refill Pack

Temporary nail hole repair for cross-ply truck tyres mounted on the rim (max. injury size 8 mm) as well as EM and agricultural tyres (max. injury size 15 mm). Also suitable for tubeless radial EM tyres (up to a maximum speed of 40 km/h, if the carbide mill cutter, pointed is used. Size No

| rai i Nu. | ŲLY | SIZE NO. | турс | 30113 |
|-----------|-----|----------|----------|--------------|
| TY196 | 20 | TT 612 | EM Plugs | Earth Movers |






REMA TIP TOP 'Sealastic' Insert Tool

| Part No. | Qty | Blade Length | |
|----------|-----|--------------|--|
| TY165 | 1 | 230 mm | |









| IXCIIIUCOI | C Spii | UI AVVI |
|------------|--------|------------------|
| art No. | Qty | Blade Ø x Length |
| TY168 | 1 | 6 mm x 4" |





DEMA TID TOD 'Spalactic' Hand Dach

| KEIVIA I IF | IUP | Scalastic Hariu Kasp |
|-------------|-----|----------------------|
| Part No. | Qty | Blade Ø x Length |
| TY166 | 1 | 6.5 x 190 mm |
| | | |

Bead Sealer

Can be used on cross-ply and radial tyres. Brush in can lid.

| Part No. | Qty | Size |
|----------|-----|------------|
| TY310 | 1 | 946 ml Can |



TIII

REMATIP TOP 'MONT 2000' Bead Lubricant (Tyre Soap)

White. For all standard mounting application.

Designed for car and truck tyre mounting

| Part No. | Ųly | Size |
|----------|-----|----------|
| TY300 | 1 | 5 kg Tub |







BEAD SEALE



REMATIP TOP Tyre Sealant

TTP TOP

Seals major air loss around the beads and O-rings, conditions the inner liner and maintains the air pressure after punctures, all of which help to control costly downtime.

- Seals punctures up to 3/16", prevents wheel and rim rusting and eases the detection of sealed holes to maintainance engineers.
- Offers proven protection from airloss for fleet tyres used in, Trucking, Construction, Logging, Mining, Farming, Sanitation, Lawn/Turf Care, Public Works and recreational vehicles.

| Part No. | Qty | Size | |
|----------|-----|---------------|--|
| TY303 | 1 | 20 Litre Drum | |
| CAN17 | 1 | Drum Pump | |



REMATIP TOP Tyre And Tube Mounting Compound

Can be used as a "flexible pump ring" for all tyre mounting operations.

· Stiff paste with stable viscosity to seal thegap between tyre bead and rim edge

| Part No. | Qty | Size |
|----------|-----|--------------|
| TY302 | 1 | 10 kg Bucket |



REMA TIP TOP Bead Paste 'Black Tyre Paste'

Used for mounting and demounting all types and sizes of tyres.

· Black in colour - Leaves no visible residue on tyre after mounting

| Part No. | Qty | Size |
|----------|-----|----------|
| TY301 | 1 | 5 kg Tub |



REMA TIP TOP Talcum Powder

For use with mounting tube tyres.

- Asbestos free



Mounting Paste Brushes

Mounting Paste Brushes For application of bead lubricants.

Qty

Application

For Cars

For application of bead lubricants.

| raitinu. | ŲLY | Application |
|----------|-----|-------------|
| TY162 | 1 | For Trucks |
| | | |



Part No.

TY160

Part No.

TY163

REMA TIP TOP Liquid Buffer

Removes contaminates, silicones, talc's and other mould release agents from tubes and the tyre inner liner prior to mechanical buffing.

| Part No. | Qty | Size |
|----------|-----|--------------|
| TY331 | 1 | 1 Litre Can |
| TY330 | 1 | 500g Aerosol |

Shaft Ø

6 mm



Buffing Stone Golf ball type.

YRE PASTE

· Fine-grained

| Part No. | Qty | Size | |
|----------|-----|------|--|
| TY332 | 1 | 500g | |







































RING 'Tyre Repair' Emergency Puncture Repair Sealant

Single use product.

Will <u>NOT</u> repair tyres that have come off the rim, are ripped, have punctures larger than 5 mm or have damaged walls.

. For tyres up to and including 16"

Tyre Fill Cartridge

Qty

1

12

1

Carbide Mill Cutter

· Long service life.

Qty

1

Carbide Mill Cutter

Carbide Mill Cutter

1

Otv Øx Length

Qty Øx Length

Tyre Fill is ideal for repairs to conveyors, tyres, bumpers and other heavy duty rubbers. · A flexible, rapid curing two part repair system. The product is dispensed using the true mix cartridge system to guarantee proper mixing and ease of use. Description

50ml Cartridge

For the precise injury preparation on radial and cross-ply tyres.

For the precise injury preparation on radial and cross-ply tyres.

For the precise injury preparation on radial and cross-ply tyres.

• Special profile adapted to steel cord preparation.

3.0 x 60 mm

6.0 x 90 mm

8.0 x 100 mm

Ø x Length

Applicator Nozzles

50ml Syringe Applicator Gun

Blade Length

Blade Length

40 mm

Blade Length

50 mm

25 mm

Provides a temporary repair designed to get you home, no need for any tools or wheel changes

| Part No. | Qty | Size |
|----------|-----|---------------|
| RTS1 | 1 | 400ml Aerosol |













Part No.

TY340

VIP37

TL887

Part No.

Part No.

Part No.

TY153

TY150 1

TY151















موو







| For the precise injury preparation on radial and cross-ply tyres. | | | | | | |
|---|-----|---------------|--------------|--|--|--|
| Part No. | Qty | Ø x Length | Blade Length | | | |
| TY152 | 1 | 10.0 x 100 mm | 50 mm | | | |



| Part No. | Qty | Rim Hole x Length | TR No. | Max Pressure |
|----------|-----|-------------------|--------|--------------|
| TY123 | 25 | 11.3 x 43 mm | 413 | 4.5 bar |



Tyre Valves - Śnap-in Car/Van

| Part No. | Qty | Rim Hole x Length | TR No. | Max Pressure |
|----------|-----|-------------------|--------|--------------|
| TY122 | 10 | 11.3 x 33 mm | 412 | 4.5 bar |



Tyre Valves
- Snap-in Car/Van

| | , | | | | |
|---------------|---------|--------------------|--------|--------------|--|
| Part No. | Pack of | Fits Hole x Length | TR No. | Max Pressure | |
| TY126 | 25 | 11.3 x 49 mm | 414 | 4.5 bar | |
| TY126B | 100 | 11.3 x 49 mm | 414 | 4.5 bar | |



Tyre Valves - Snap-in Car/Van

| Part No. | Pack of | Fits Hole x Length | TR No. | Max Pressure | |
|----------|---------|--------------------|--------|--------------|--|
| TY127 | 25 | 11.3 x 61.5 mm | 418 | 4.5 bar | |
| TY127B | 100 | 11.3 x 61.5 mm | 418 | 4.5 bar | |



Tyre Valves - Snap-in 90° Scooter/Motorcycle

Tubeless valves.

| Part No. | Qty | Rim Hole |
|----------|-----|----------|
| TY259 | 10 | 11.5 mm |



Tyre Valves - Snap-in HP Van/Transit

| Part No. | Qty | Rim Hole | |
|----------|-----|----------|--|
| TY257 | 10 | 11.5 mm | |



Tyre Valves Snap-in Air/Water Tractor

| Part No. | Qty | Rim Hole x Length |
|----------|-----|-------------------|
| TY256 | 10 | 16 x 53 mm |

| art No. | Qty | Rim Hole x Length |
|---------|-----|-------------------|
| TY256 | 10 | 16 x 53 mm |




Tyre Valve Cores - Earth Movers

| Part No. | Qty | Type |
|----------|-----|-------|
| TY267 | 10 | Short |



| Tyre V | alve Cores | ; |
|--------|------------|---|
| Short. | | |
| | | |



Tyre Valves - Clamp-in Cars

Metal valve.

Part No. Qty Rim Hole 10 **TY263** 11.3 mm



Tyre Valves - Clamp-in Motorcycle

Installation torque: 7-10 Nm. Rim Hole x Length Part No. Qty **TY266** 10 8.3 x 33 mm



Tyre Valve Extensions - 90° Motorcycle

Metal. Part No. Qty Type 5 90° Bend **TY264**



Tyre Valves - Clamp-in Truck/Bus

Metal valve. Installation torque: 4-6 Nm.

Part No. Rim Hole 0tv TY251 10 16 mm



Tyre Valves - Clamp-in 45° Safety Hump/ **EVA Truck/Bus**

Metal valve. Installation torque: 13-15 Nm.

Part No. Qty Rim Hole **TY254** 10 9.7 mm



Tyre Valves - Clamp-in Truck

Metal valve. Installation torque: 13-15 Nm.

Part No. Qty Rim Hole **TY253** 10 9.7 mm



Tyre Valves - Clamp-in 90° Truck/Bus

Metal valve. Installation torque: 4-6 Nm.

Part No. Rim Hole TY252 10 16 mm



Tyre Valves Clamp-in Air/Water Tractor

Metal valve. Part

| Part No. | Qty | Rim Hole x Length |
|----------|-----|-------------------|
| TY258 | 10 | 16 x 50 mm |



Nickel-plated metal valve. For alloy rims. Installation torque: 9-14 Nm.

Part No. Rim Hole **TY255** 5 9.7 mm



Tyre Valve Extensions - PVC Truck

| i idatic. | | | |
|-----------|-----|--------|--|
| Part No. | Qty | Size | |
| TY245 | 10 | 115 mm | |
| TY246 | 10 | 150 mm | |
| TY247 | 10 | 170 mm | |



Tyre Valve Extensions - Rigid Type

| Part No. | Pack of | Length | |
|----------|---------|--------|--|
| TY220 | 5 | 52 mm | |
| TY221 | 5 | 76 mm | |
| TY222 | 5 | 100 mm | |
| TY223 | 5 | 112 mm | |
| TY224 | 5 | 126 mm | |
| TY225 | 5 | 160 mm | |



Tyre Valve Extensions - Flexible

| Part No. | Pack of | Length | |
|----------|---------|--------|--|
| TY240 | 5 | 105 mm | |
| TY241 | 5 | 180 mm | |
| TY242 | 5 | 210 mm | |
| | | | |



Tyre Valve Caps

| Part No. | Pack of | • | Туре |
|----------|---------|---|--------------------------|
| TY120 | 100 | | Plastic - Black |
| TY125 | 100 | | Plastic - Green |
| TY260 | 25 | | Hex Nickel High Pressure |
| TY262 | 25 | | Chromium Metal - Long |



ALLIGATOR Double Seal Valve Caps

Part No. Pack of Description **TY261 Double Seal Valve Caps**







9

 \odot



Valve Extension Holders

| Part No. | Pack of | Description |
|----------|---------|---------------|
| TV250 | 5 | Valve Holders |



Inner Liner Scraper Tool

• Especially suitable for profiled inner liners.

| Part No. | Qty | Description |
|----------|-----|--------------|
| TY169 | 1 | Tyre Scraper |



Valve Mounting Tool

Hold-on type.

| Part No. | Qty | Description | |
|----------|-----|---------------------|--|
| TY291 | 1 | Valve Mounting Tool | |



Valve Mounting Tool

Plastic handle for Alloy Wheels.

| Part No. | Qty | Description |
|----------|-----|---------------------|
| TY292 | 1 | Valve Mounting Tool |



Valve Core Screwdrivers

| Part No. | Pack of | Description |
|----------|---------|-------------------------|
| TY290 | 5 | Valve Core Screwdrivers |



Bead Breaker - Commercial



Hand Bead Breaker - BBO Long

Chisel type bead breaker with plastic grip handle.


| Part No. | Qty | Type |
|----------|-----|-----------------|
| TY176 | 1 | BBO Long |



Tyre Lever - HALTE

For use with tubeless truck tyres.

| Part No. | Qty | Length |
|----------|-----|--------|
| TY178 | 1 | 800 mm |





TY177 BBO Short



Tyre And Mouting Lever - TTL55

| Part No. | Qty | Length | |
|----------|-----|--------|--|
| TY180 | 1 | 34" | |



Developed specifically to displace the tyre bead on EVA, EVH, Actros and other commercial vehicle wheels which have an internal rib. It can also be used to displace the tyres on all commercial wheels to which it may be correctly fitted by trained tyre fitters.

· Can be used with an air wrench or hand spanner to give over five tons of force. Even the toughest tyre can be displaced quickly and easily.

| * Please al | low 5-7 | days delivery on this product. |
|-------------|---------|--------------------------------|
| Part No. | Qty | Suits |
| TY172* | 1 | EVA/EVH Tyres |
| | | |




















Combi Tyre Bead Breaking Kit

Breaker weight: 15.5 kg. Pump weight: 10.4 kg. Breaking force: 11 tonne. Max operating pressure: 700 bar.

· For wheels up to 29"

* Please allow 5-7 days delivery on this product.

Part No. Qty Suits

TY173* 1 Kit Bead Breaking Kit

Kit contains:

1 x Combi Bead Breaker. 1 x Air Hydraulic Pump with Steel Reservoir, 5 QT. 1 x 8ft Hydraulic Hose wiith coupler.



'Bead Bazooka™' Bead Setter

Gaither's revolutionary 'Bead Bazooka™' combines the unique rapid air release technology and easiest-to-handle tank for seating tubeless tyre beads. Simply fill the tank, aim the redesigned Double Barrel, and FIRE!!

- The instantaneous blast of air from the 9 litre tank will work on motorbikes, cars, trucks, ATV and small AG tyres
- · Most powerful automatic release system available in any bead-seating device
- · Light weight (9.5kg) reduces stress on technician
- Push-button trigger allows technician to keep both hands on the tank for more control, making safer than manual release tanks
- Fully TÜV, CE & ASME certified.
- * Please allow 5-7 days delivery on this product.

| Part No. | Qty | Size | |
|----------|-----|--------------|--|
| TV1200* | 1 | 9 Litre Tank | |





REMA TIP TOP Truck Tyre Filler

Tank capacity: 18 Litres. 10 bar.

- · Light in weight.
- Can be used to inflate truck tyres in both a horizontal or vertical position.
- * Please allow 5-7 days delivery on this product.

| Part No. | Qty | Description |
|----------|-----|-------------------|
| TY1201* | 1 | Truck Tyre Filler |







REMA TIP TOP Regrooving Blades - Angle Blades

Wide blades.

For use with 'Rubber Cut 400/414' and tyre cutters.

 Blades have one extended side for easier and safer location of the blade into the blade holder.

| Part No. | Pack of | Type | Cut Width | Cut Depth | |
|----------|---------|---------|------------|-----------|--|
| TY402 | 20 | W Fix 2 | 5 - 6 mm | Max 8 mm | |
| TY403 | 20 | W Fix 3 | 6 - 8 mm | Max 10 mm | |
| TY404 | 20 | W Fix 4 | 9 - 10 mm | Max 14 mm | |
| TY405 | 20 | W Fix 5 | 10 - 14 mm | Max 16 mm | |





REMA TIP TOP Regrooving Blades - Round Blades

Wide blades. For use with 'Rubber Cut 400/414' and tyre cutters.

 Blades have one extended side for easier and safer location of the blade into the blade holder.

| Part No. | Pack of | Size No. | Cut Width | Cut Depth | |
|----------|---------|----------|------------|-----------|--|
| TY412 | 20 | R Fix 2 | 5 - 6 mm | Max 8 mm | |
| TY413 | 20 | R Fix 3 | 6 - 8 mm | Max 10 mm | |
| TY414 | 20 | R Fix 4 | 9 - 10 mm | Max 14 mm | |
| TY415 | 20 | R Fix 5 | 10 - 14 mm | Max 16 mm | |





REMA TIP TOP 'Rubber Cut 414' Regroover

Allows fast and accurate regrooving of the tread. 8-step temperature switch for different cutting speeds. Blades <u>NOT</u> included.

- Ergonomic hande design makes working easier
- · Insulated cutting head.
- Greater freedom of movement and easy guiding thanks to separation of handle and transformer.
- · Cutting width with FIX regrooving blades 3 28 mm.
- Prepared for wall mounting.
- · Lockable carrying handle.
- Automatic overheating cutout according to DIN 30600.
- · GS-tested, meets recognized safety standards.

| Part No. | Qty | Voltage | |
|----------|-----|---------|--|
| TY601 | 1 | 110 V | |
| TY602 | 1 | 240 V | |



































CHECKPOINT® Indicators - Yellow

Offer a visual indication of wheel nut loosening.

| Part No. | Qty | Size |
|----------|-----|-------|
| TY417 | 10 | 17 mm |
| TY417C | 100 | 17 mm |
| TY418 | 10 | 18 mm |
| TY418C | 100 | 18 mm |
| TY419 | 10 | 19 mm |
| TY419C | 100 | 19 mm |
| TY421 | 10 | 21 mm |
| TY421C | 100 | 21 mm |
| TY422 | 10 | 22 mm |
| TY422C | 100 | 22 mm |
| TY423 | 10 | 23 mm |
| TY424 | 10 | 24 mm |
| TY424C | 100 | 24 mm |
| TY425 | 10 | 25 mm |
| TY426 | 10 | 26 mm |
| TY426C | 100 | 26 mm |
| TY427 | 10 | 27 mm |
| TY427C | 100 | 27 mm |
| TY428 | 10 | 28 mm |
| TY429 | 10 | 29 mm |
| TY429C | 100 | 29 mm |
| TY430 | 10 | 30 mm |
| TY430C | 100 | 30 mm |
| TY431 | 10 | 31 mm |
| TY432 | 10 | 32 mm |
| TY432C | 100 | 32 mm |
| TY433 | 10 | 33 mm |
| TY433C | 100 | 33 mm |
| TY434 | 10 | 34 mm |
| TY436 | 10 | 36 mm |
| TY438 | 10 | 38 mm |
| TY441 | 10 | 41 mm |





CHECKPOINT® 'Dustite LR®' Indicators - Yellow

Offer a visual indication of wheel nut loosening.

- Combines a loose wheel nut Indicator, with a standard dust cap for use on wheels without trims.
- Offers the additional benefits that come with a wheel nut cap for protecting the nut from weathering, corrosion and general road damage.

| Part No. | Qty | Size | |
|----------|-----|-------|--|
| TY524 | 10 | 24 mm | |
| TY527 | 10 | 27 mm | |
| TY530 | 10 | 30 mm | |
| TY532 | 10 | 32 mm | |
| TV533 | 10 | 33 mm | |





CHECKPOINT Indicators - Red

Offer a visual indication of wheel nut loosening.

| Part No. | Qty | Size | |
|---------------|-----|-------|--|
| TY417R | 10 | 17 mm | |
| TY419R | 10 | 19 mm | |
| TY421R | 10 | 21 mm | |
| TY424R | 10 | 24 mm | |
| TY426R | 10 | 26 mm | |
| TY427R | 10 | 27 mm | |
| TY428R | 10 | 28 mm | |
| TY429R | 10 | 29 mm | |
| TY430R | 10 | 30 mm | |
| TY432R | 10 | 32 mm | |
| TY433R | 10 | 33 mm | |
| TY438R | 10 | 38 mm | |
| TY441R | 10 | 41 mm | |
| | | | |



CHECKPOINT® 'Dustite LR®' Indicators - Red

Offer a visual indication of wheel nut loosening.

- · Combines a loose wheel nut Indicator, with a standard dust cap for use on wheels without trims.
- Offers the additional benefits that come with a wheel nut cap for protecting the nut from weathering, corrosion and general road damage

| Treatment. | .6, | sioni ana Beneran road admidber |
|------------|-----|---------------------------------|
| Part No. | Qty | Size |
| TY530R | 10 | 30 mm |
| TY532R | 10 | 32 mm |
| TY533R | 10 | 33 mm |

<u>DYNDIYLEC</u>



DYNOMEC Locking Wheel Nut Remover Kit

Simple-to-use kit is capable of removing virtually all locknuts on the market to date, with no damage to the wheel due to the protective steel shroud. Supplied in robust storage case.

The tool does not rely on strength to work effectively, making it an ideal solution for anybody looking to remove locknuts without the key.

Qty Description

TL1000 1 Kit 11 Piece Set

TL1000C 1 Replacement Blade C

Kit contents: 1 x Impact driver, 1 x L.N.R. body, 1 x Blade A, 1 x Blade B, 1 x Blade C, 1 x Centre punch, 1 x Hand protection ring, 1 x Instruction manual.



موو

ဇ္



OE Quality Adhesive Wheel Weights - Steel

Supplied on a dispenser spool.

| TW500 | 1,200 | 5g Adhesive Weights |
|----------|---------|---------------------|
| Part No. | Roll of | Description |



Wheel Balancing Weight PliersFor mounting, removing and relocating wheel balance weights on the rim. For expanding and compressing of clips, heavy duty law for cutting wheel weights

| Part No. | Qty | Length | | |
|----------|-----|--------|----------|--|
| TL254 | 1 | 240 mm | (9 1/2") | |



| Part No. | Qty | Length | |
|-----------|-----|------------------------|--|
| K150.2024 | 1 | 240 mm (9 1/2") | |



Wheel Weight Adhesive Removing Tool

| Part No. | Qty | Description |
|----------|-----|------------------------|
| TY170 | 1 | Adhesive Removing Tool |



OE Quality Adhesive Wheel Weights - Steel

| Part No. | Qty | Weight | |
|------------------|--------------------|------------|--|
| TW560 | Pack of 25 | 60g Strips | |
| TW600 | Box of 100 | 60g Strips | |
| Strip Weights: 5 | g (x4), 10g (x 4). | | |



OE Quality Wheel Weights - Zinc

For standard steel wheels

| rui Stariuai | u steer w | Heels. | |
|--------------|-----------|--------|--|
| Part No. | Pack of | Weight | |
| TW105 | 100 | 5g | |
| TW110 | 100 | 10g | |
| TW115 | 100 | 15g | |
| TW120 | 100 | 20g | |
| TW125 | 100 | 25g | |
| TW130 | 100 | 30g | |
| TW135 | 50 | 35g | |
| TW140 | 50 | 40g | |
| | | | |



Plastic Coated to OE standards. Designed to fit most European cars with rim horns 4.5/6.5mm thick.

| Part No. | Qty | weignt | |
|----------|-----|--------|--|
| TW405 | 100 | 5g | |
| TW410 | 100 | 10g | |
| TW415 | 100 | 15g | |
| TW420 | 100 | 20g | |
| TW425 | 100 | 25g | |
| TW430 | 100 | 30g | |
| TW435 | 50 | 35g | |
| TW440 | 50 | 40g | |
| | | | |

























Tyre Bath

 For identifying the location of punctures or bead leaks in car tyres or inner tubes * Please allow 5-7 days delivery on this product.

| Part No. | Qty | Description | |
|----------|-----|-------------|--|
| TY1101* | 1 | Tyre Bath | |



* Please allow 5-7 days delivery on this product.

| Part No. | Qty | Description | Dimensions |
|----------|-----|--------------------|-----------------|
| TY1100* | 1 | Static Safety Cage | 36" x 36" x 24" |



Wheel Chock - Commercial

Dimensions (L x H x W): 210 x 230 x 160 mm.

| Part No. | Qty | Description | |
|----------|-----|-------------|--|
| TY174 | 1 | Wheel Chock | |
| | | | |



- · Low entry height
- Lift and turn lowering system prevents unintentional lowering Additional foot pedal pumping
- feature provides fast saddle raising to the load
- · Pressure relief valve prevents overloading
- · Safety lowering control valve for safe lowering even under load
- * Please allow 5-7 days delivery on this product.

| Part No. | Qty | Llifting Capacity | Lifting Height | Chassis Length |
|----------|-----|-------------------|----------------|----------------|
| TY1020* | 1 | 2 Tonnes | 500 mm | 720 mm |

OMPAC









000



selson

SELSON Air Jack Bellows - 2 Bag Type Complete with extensions.

Working pressure: 100 psi.

- Fast and friendly
- Designed for stability
- Overload safety valve
- · Only one airline required

Part No. Lifting Capacity Qty TY1000 1 2.5 Tonnes

Lifting Height Min Height 340 mm 130 mm





OMEGA Extra Low Bottle Jack - Hydraulic

Weight: 9.4 kg.

Part No. Capacity Max Height Min Height **TY1005** 20 Tonnes 285 mm 165 mm

OMEGA!!!!



OMEGA Bottle Jack - Air/Hydraulic

Weight: 39 lbs.

| Part No. | Qty | Capacity | Max Height | Min Height | |
|----------|-----|-----------|------------|------------|--|
| TY1002 | 1 | 20 Tonnes | 18 1/4" | 9 1/2" | |



OMEGA Bottle Jack Hydraulic

Weight: 12.5 kg. Fabricated from hard-cast steel with heat-treated critical stress areas.

- · Hydraulic system is protected from internal damage by a patented by-pass mechanism

 Machined and polished
- cylinders with die-cut threads provide non-abrasive leak-free, durable performance

| Part No. | Qty | Capacity | Max Height | Min Height | |
|----------|-----|-----------|------------|------------|--|
| TY1006 | 1 | 20 Tonnes | 475 mm | 242 mm | |
| | | | | | |







- · Integrated carrying handle

| Part No. | Qty | Capacity | Max Height | Min Height | |
|----------|-----|----------|------------|------------|--|
| TY1004 | 1 | 30 Ton | 467 mm | 242 mm | |



























BAILCAST

BAILCAST 'Maxiboot' Universal CV Boot Kit

Complete with 2 x stainless steel clamps, 60g sachet of MoS2 CV grease and instructions. Shaft Ø: 28-40 mm. Join Ø: 76-120 mm.

For large CV joints and drive shafts.

| Part No. | Qty | Description |
|----------|-------|-------------|
| CVB88 | 1 Kit | CV Boot Kit |

BAILCAST



BAILCAST CV Boot Fitting Cone

Fits CV joints of up to 95 mm. Stretch the CV Boots over the fitting cone using the Rubber Care lubricant. No dismantling of the CV joint is required!

| Part No. | Qty | Description |
|----------|-----|--------------|
| TL992 | 1 | Fitting Cone |

BAILCAST

BAILCAST



Complete with 2 x stainless steel clamps, 60g sachet of MoS2 CV grease and instructions. Shaft @: 19-28 mm. Join @: 56-110 mm.

| CVB96 | 1 Kit | Drive Shaft Boot Ki |
|-------------|------------|----------------------------|
| Part No. | Qty | Description |
| Shaft Ø: 19 | -28 mm. Jo | oin Ø: 56-110 mm. |
| 006 300100 | OI WIOJZ C | v Si case and mistroction. |

Drive Shaft Boot Kits

12 Kits



CV Boot Clamp Pliers Part No. Qty

CVB96B

| | | • |
|-------|---|-----------------------------|
| TL928 | 1 | CV Boot Clamp Pliers |



CV Boot Metal Clamps Stainless steel

| Stairless steet. | | | | | |
|------------------|---------|-------|-------------|--|--|
| Part No. | Pack of | Size | Range | | |
| HCV1 | 20 | Small | 19 - 40 mm | | |
| HCV2 | 20 | Large | 50 - 110 mm | | |



TL994 1 Pneumatic Fitting Tool

SAS

S-A-S Rubber Care

Maintains rubber seals on doors, bonnets, tailgates, etc. Can be used on tyres, rubber mats and rubber trim strips.

• Suitable for use with CV Boot Fitting Cone (Part No. TL992).

RUBBER

- Reduces the effect of spray and salt water
- · Reduces the effects of diluted acids and alkalines
- Prevents rubber parts ageing and cracking and eliminates squealing noises from dry rubber
- Silicone FREE

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS57 | 6 | 500ml Aerosols |





موه



Dust Cover for Ball Joints

Black rubber. Complete with rubber O-rings.

| Part No. | Pack of | Small Hole Ø | Large Hole Ø | Height |
|----------|---------|--------------|--------------|--------|
| DC1 | 10 | 10.5 mm | 25 mm | 23 mm |



Dust Cover for Ball Joints

Black rubber. Complete with rubber O-rings.

| Part No. | Pack of | Small Hole Ø | Large Hole Ø | Height | |
|----------|---------|--------------|--------------|--------|--|
| DC4 | 10 | 15 mm | 30 mm | 25 mm | |



Dust Cover for Ball Joints

Black rubber. Complete with rubber O-rings.

| Part No. | Pack of | Small Hole Ø | Large Hole Ø | Height |
|----------|---------|--------------|--------------|---------|
| DC2 | 10 | 12 mm | 28 mm | 26.5 mm |



Black rubber. Complete with rubber O-rings.

| Part No. | Pack of | Small Hole Ø | Large Hole Ø | Height |
|----------|---------|--------------|--------------|---------|
| DC5 | 10 | 18.5 mm | 28.6 mm | 15.5 mm |



Part No. Pack of Small Hole Ø Large Hole Ø Height DC3 10 13 mm 35.5 mm 30 mm



Black rubber. Complete with rubber O-rings.

| Part No. | Pack of | Small Hole Ø | Large Hole Ø | Height |
|----------|---------|--------------|--------------|--------|
| DC6 | 10 | 18 mm | 40.5 mm | 37 mm |

Assorted Box of Dust Covers for Vehicle Ball Joints

Black rubber. Complete with rubber O-rings.

| Part No. | Box of |
|--------------|---------|
| AB220 | 10 Kits |

2 x Each Kit: DC1, DC2, DC3, DC4, DC5.







1:1

























Brake Nuts Male - Metric







Length: 19.5 mm. Internal Ø: 3.8 mm

Part No. Pack of Ø x Pitch

BN161 M8 x 1.25 mm

Suits: Citroën





Length: 20.8 mm. Internal Ø4.8 mm

Part No. Pack of Ø x Pitch

BN162 25 M9 x 1.25 mm

Suits: Citroën











BN11 50 M10 x 1.00 mm









Suits: Alfa Romeo, Audi, BMW, Chevrolet, Citroën, Dacia, Fiat, Ford, Honda, Hyundai, Kia, Mitsubishi, Mercedes, Nissan, Opel, Peugeot, Renault, Rover, Saab, Seat, Skoda, Suzuki, Toyota, Volvo, VW



























Part No.

BN12









Length 19.6 mm

Part No. Pack of Øx Pitch

BN16 M10 x 1.25 mm



Pack of

25

50



M10 x 1.00 mm



Length 18 mm

Part No. Pack of Ø x Pitch 25 **BN183** M12 x 1.00 mm

Suits: Audi, Ford, Peugoet, Saab, Seat, Volvo, VW



Part No.







Length 23 mm

Part No. Ø x Pitch

BN176 M10 x 1.00 mm



Suits: Kia, Nissan, Suzuki, Toyota









Ø x Pitch

BN168 25 M10 x 1.00 mm

Suits: Hyundai



(M6





(1:1)

Length 20 mm

Part No. Pack of Øx Pitch

BN17 50 M12 x 1.00 mm







Length 24 mm

Part No. Ø x Pitch

BN184 25 M12 x 1.00 mm

Suits: Alfa Romeo, Citroën, Fiat, Mazda, Peugeot





Part No.

BN190

Suits: Iveco

Length 18 mm

Part No.

BN185

Length 19.5 mm

Pack of



Ø x Pitch

Ø x Pitch

M12 x 1.00 mm

M12 x 1.25 mm



1:1

Length: 16.7 mm

BN169 25 M10 x 1.00 mm

Pack of

Suits: Chevrolet, Daihatsu, Daewoo, Hyundai, Kia, Nissan, Opel, Skoda, Toyota, Vauxhall, VW

Ø x Pitch











Length 13.5 mm

Pack of Ø x Pitch Part No. **BN14** 50 M10 x 1.25 mm











Pack of



Length 19.4 mm

Part No. Pack of Ø x Pitch

BN189 M12 x 1.25 mm Suits: Eastern European, Fiat 238



BN15 50 M10 x 1.25 mm





| BN175 | 50 | M10 x | 1.00 | mm |
|-------|----|-------|------|----|
| | | | | |

















M10 x 1.00 mm






Ø x Pitch























| Length 18 | mm | |
|-----------|---------|---------------|
| Part No. | Pack of | Ø x Pitch |
| BN13 | 50 | M10 x 1.00 mm |






| Part No. | Pack of | Ø x Pitch |
|----------|---------|---------------|
| BN175 | 50 | M10 x 1.00 mm |













ၛ







Length 16.5 mm

Ø x Pitch

M14 x 1.00 mm **BN193**

Suits: Audi, BMW, MAN, Mercedes, VW For double flaring








Length 16.5 mm

Pack of Ø x Pitch

BN192 M14 x 1.00 mm

Suits: Audi, BMW, MAN, Mercedes, VW For single flaring







Length 25 mm

Pack of Ø x Pitch Part No.

BN195 M14 x 1.5 mm

Suits: Audi, BMW, MAN, Mercedes, VW For double flaring







Length 25.5 mm

Part No. Ø x Pitch

BN194 25 M14 x 1.5 mm

Suits: Audi, BMW, MAN, Mercedes, VW For single flaring





Pack of

BN197 M16 x 1.5 mm

Suits: Audi, BMW, MAN, Mercedes, VW

Brake Nuts Male - Imperial







Length 14.4 mm

Part No. Ø x Pitch

3/8" x 24 UNF **BN105** 50

Suits: Volvo and US cars







Length 16 mm

Part No. Pack of Ø x TPI

BN₂ 3/8" UNF x 24 TPI







Length 20.5 mm Part No. Pack of Ø x Length

3/8" UNF x 24 TPI BN1







Length 21 mm

Pack of Ø x Pitch

3/8" x 24 UNF **BN103** 50 Suits: Renault, Saab, Vauxhall, Volvo









Part No. Pack of ØxTPI

BN3 3/8" BSF x 20 TPI







Length 23.4 mm

Part No. Ø x Pitch

BN104 50 3/8" x 20 UNF

Suits: Rover







Length 21 mm

Pack of Ø x Pitch Part No.

7/16" x 24 UNF **BN111** 50

Suits: British and US cars with 1/4" tubes







Length 22.7 mm

Part No. Ø x Pitch

BN108 50 7/16" x 24 UNF

Suits: Peugeot







Length 18 mm

Part No. Pack of Ø x Pitch

BN113 50 1/2" x 20 UNF

Suits: Peugeot







Length 21.5 mm

Part No. Pack of Ø x Pitch

BN115 50 7/16" x 20 UNF

Suits: Renault, Rover, Talbot







Length 15.5 mm

Ø x Pitch Part No. Pack of

50 7/16" x 24 UNF **BN110** Suits: British and US cars with 1/4" tubes







Length 17 mm

Part No. Pack of Ø x Pitch

1/2" x 20 UNF 25 **BN114**







Length 23 mm

Part No. Pack of Øx Pitch

BN117 25 7/16" x 20 UNF

Suits: Peugeot







Length 22.7 mm

Part No. Pack of Øx Pitch

BN109 50 7/16" x 24 UNF Suits: Peugeot with 1/4" Tubes







(II)

Length 15.8 mm

Suits: Peugeot


Part No. Ø x Pitch 1/2" x 20 UNF **BN112** 50



Part No.













 \odot

Brake Nuts Female - Metric







Length 15 mm

Part No. Pack of Ø x Pitch

BN171 25 M10 x 1.00 mm

Suits: Opel, Volvo







Length 15.5 mm

Ø x Pitch Part No.

50 M10 x 1.00 mm **BN46**









Ø x Pitch Part No. Pack of

BN172 25 M10 x 1.00 mm

Suits: Alfa Romeo, Citroen, Fiat, Mazda, Mercedes. Nissan, Opel, Seat







111


Length 21.5 mm

Pack of Ø x Pitch Part No.

BN186 25 M12 x 1.00 mm

Suits: Citroën, Ford, Peugeot, Seat, VW







Part No.

BN196 M14 x 1.5 mm



•







Length 25.5 mm



Ø x Pitch

Brake Nuts Female - Imperial







Length 16 mm

Part No. Ø x Pitch

BN106 3/8" x 24 UNF

Suits: Volvo







Length 16 mm

ØxTPI Part No. Pack of

50 **BN42** 3/8" UNF x 24 TPI







Length 17.5 mm

Part No. Pack of ØxTPI

BN41 3/8" UNF x 24 TPI 50







3/16

Length 24 mm

Part No. Pack of Ø x Pitch

7/16" x 20 UNF **BN116** 25

Suits: Bedford with 1/4" Tubes



Assorted Box of Brake Nuts

For 3/16" pipe.

Part No. Box of

AB45N 150 Pieces

2 x Brake Nuts, Short Males: 3/8" UNF x 24 TPI, 10 x 1.00 mm. 2 x Brake Nuts, Long Males: 3/8" UNF x 24 TPI, 10 x 1.00 mm.

1 x Brake Nuts, Fully Threaded Males: 10 x 1.00 mm. 1 x Part Threaded Males: 12 x 1.00 mm.

1 x Long Females: 3/8" UNF x 24 TPI.

1 x Short Females: 10 x 1.00 mm. 1 x Female Connector: M10 x 1.00mm.

3 Way Connectors - Metric




1:1

1:1

Length x Width: 35 x 35 mm. Internal Ø: 3.1 mm Part No. Pack of Øx Pitch

BN67 3 M10 x 1.00 mm





Part No. Pack of Øx Pitch

BN181 2 M10 x 1.00 x 3.00 mm



Length x Width 41 x 36 mm

Part No. Pack of Ø x Pitch

BN191 2 M12 x 1.00 x 3.00 mm

4 Way Connectors - Metric



Length x Width 41 x 41 mm

Pack of Øx Pitch Part No.

M10 x 1.00 x 4.00 mm **BN182** 2

3 Way Connectors - Imperial



Length x Width: 35 x 35 mm. Internal Ø: 3.1 mm

Part No. Pack of ØxTPI

BN63 3/8" UNF x 24 TPI

Male Connector - Metric



Length: 26.5 mm. Internal Ø: 3.2 mm Part No. Pack of Ø x Pitch

BN62 M10 x 1.00 mm

Male Connector - Imperial



Length: 28 mm. Internal Ø: 3.2 mm

Part No. Pack of Ø x Pitch

50 **BN107** 3/8" x 24 UNF



Assorted Box of Brake Tubing Connectors & Brake Bleed Screws - UNF & Metric For 3/16" pipe.

Part No. Box of

AB85N **63 Pieces**

1 x Male Connector: 10 x 1.00 mm. 2 x Female Connectors: 3/8" UNF x 24 TPI, 10 x 1.00 mm. 2 x 3-way Connectors: 3/8" UNF x 24 TPI, 10 x 1.00 mm.

M7 x 1.00 mm, M8 x 1.25 mm, M10 x 1.00 mm.

5 x Brake Bleed Screws: 1/4" UNF x 28 TPI, 3/8" UNF x 24 TPI,

Female Connectors - Imperial



Length: 32 mm

Part No. Pack of ØxTPI

BN65 3/8" UNF x 24 TPI

Connectors Female - Metric




Length: 24 mm. Internal Ø: 3.5 mm Pack of Ø v Ditch

| i ui tito. | i ucit oi | DATIK |
|------------|-----------|---------------|
| BN174 | 25 | M10 x 1.00 mm |



Length: 24 mm: Internal Ø: 3.5 mm

| Part No. | Pack of | Ø x Pitch |
|----------|---------|------------|
| DNGG | 25 | M10 v 1 00 |






Length: 29 mm. Internal Ø: 3.5 mm

| Part No. P | ack of | Ø x Pitch |
|------------|--------|-----------|
|------------|--------|-----------|

| 3N173 10 | M10 x 1.00 mm |
|-----------------|---------------|
|-----------------|---------------|



Length: 29 mm

| art No. | Pack of | Ø x Pitch |
|---------|---------|-----------|
| | | |

| RN127 | 10 | M12 v 1 00 mm |
|-------|----|---------------|



Length: 32 mm

| Part No. | Pack of | Ø x Pitch |
|--------------|---------|---------------|
| BN188 | 10 | M12 x 1.00 mm |



Brake Pipe - Seamless Cupro-Nickel

90/10 Cupro-Nickel (CuNi). 22 Gauge. Conforms to BS EN 12449 CW352H.

- · Seamless tubes offering better resistance to corrosion and splitting.
- · Coils are eddy current tested to ensure freedom from defects.

| Part No. | Length | 0.D. | Max. Work Pressure |
|----------|------------|-------|-----------------------|
| BP3 | 25 ft Coil | 3/16" | 215 bar (3120 PSI) |
| BP4 | 25 ft Coil | 1/4" | 155 bar (2250 PSI) |
| BP5 | 25 ft Coil | 5/16" | 120 bar (1740 PSI) |
| BP6 | 25 ft Coil | 3/8" | 100 bar (1450 PSI) |



Copper Tubing

22 Gauge. BS EN 12449 C106 soft coil. Maximum working pressure: 200 bar (3,000 PSI)

| Part No. | Length | O.D. | Max. Work Pressure |
|-------------|------------|-------|-----------------------|
| CP11 | 25 ft Coil | 3/16" | 200 bar (3000 PSI) |



Brake Tubing - Copper

20 Gauge. BS EN 12449 C106 soft coil. Maximum working pressure: 210 bar (3050 PSI)

| Part No. | Length | 0.D. | Max. Work Pressure |
|----------|------------|-------|-----------------------|
| BP11 | 25 ft Coil | 3/16" | 210 bar (3050 PSI) |



































Length 29 mm

Part No. Pack of Øx Pitch

BN85 25 **M6 x 1.00 mm**

Suits: Audi, BMW, Fiat, Mercedes, Opel, Saab, Seat, VW



Length 38 mm

Part No. Pack of Øx Pitch

BN86 25 M6 x 1.00 mm Suits: Audi, Seat. Skoda, Subaru, VW



Length 26.2 mm

Part No. Pack of Øx Pitch

BN81 25 **M7 x 1.00 mm**

Suits: Citroën, Fiat, Ford, Mercedes, Nissan, Opel, Peugeot. Renault. Smart. Suzuki. Volvo



Length 28.6 mm

Part No. Pack of Øx Pitch

BN150 25 **M7 x 1.00 mm**

Brake System: Aisin, Akebono, AP Lockheed, ATE, Bendix, Bosch, NBK, TRW

Suits: Alfa Romeo, Austin, Citroën, Fiat, Ford, Lancia, Mazda, MG, Mitsubishi, Nissan, Peugeot, Renault, Rover, Seat, Skoda, Suzuki, Talbot, Toyota, Volvo



Length 30.5 mm

Part No. Pack of Øx Pitch

BN151 25 **M7 x 1.00 mm**

Brake System: Advics, Aisin, Akebono, AP Lockheed, ATE, Bendix, Bosch, Kelsey Hayes, Nabco, NBK, Nissan, Sumitomo, Toyota, TRW, VAG
Suits: Alfa Romeo, Audi, BMW, Citroën, Dacia, Daihatsu, Fiat, Ford, Honda, Infiniti, Jaguar, Lancia, Land Rover, Lexus, Mazda, Mercedes, Mitsubishi, Nissan, Peugeot, Renault, Rover, Saab, Seat, Skoda, Subaru, Suzuki, Talbot, Toyota, Vauxhall, Volvo, VW



Length 33 mm

Part No. Pack of Øx Pitch

BN153 25 M7 x 1.00 mm

Brake System: Aisin, Akebono, AP Lockheed, ATE, Bosch, Brembo, Sumitomo, Tokico, TRW, Ukendt, ZF Suits: BMW, Citroën, Daihatsu, Fiat, Hyundai, Infiniti, Isuzu, Lancia, Lexus, Mazda, Mercedes, Mitsubishi, Nissan, Opel, Peugeot, Renault, Saab, Subaru, Suzuki, Toyota, Vauxhall



Length 38.3 mm

Part No. Pack of Øx Pitch

BN152 25 **M7 x 1.00 mm**

Brake System: Akebono, ATE, Citroën, Sumitomo, TRW, VAG, ZF

Suits: Alfa Romeo, Audi, BMW, Citroën, Dacia, Daihatsu, Ford, Mazda, Opel, Peugeot, Renault, Saab, Seat, Skoda, Subaru, Talbot, Toyota, Vauxhall, Volvo, VW



Length 28 mm

Part No. Pack of Øx Pitcl

BN156 25 M8 x 1.00 mm

Brake System: Akebono, ATE, Mando, Sumitomo, Tokico **Suits:** Hyundai, Kia, Mazda, Mitsubishi, Suzuki



Length 32 mm

Part No. Pack of Øx Pitch

BN154 25 **M8 x 1.00 mm**

Brake System: Akebono, Sumitomo **Suits:** Ford, Kia, Mazda



Length 33.5 mm

Part No. Pack of Øx Pitch

BN155 25 M8 x 1.00 mm

Brake System: Akebono, ATE, Delco Moraine, Kelsey Hayes, Sumitomo, TRW

Suits: Kia, Mazda, Mercedes, Opel, Saab, Suzuki, Toyota,



(1:1)

Length 24.5 mm

Part No. Pack of Øx Pitch

BN82 25 **M8 x 1.25 mm**

Suits: Alfa Romeo, Autobianchi, Citroën, Daewoo, Fiat, Ford, Honda, Jaguar,Kia, Lada, Lancia, Mazda, Mercedes, Mitsubishi, Nissan, Opel, Peugeot, Polmo, Renault, Rover, Saab, Seat, Talbot, Toyota, Vanden-Plas, Vauxhall, Wartburg, Zastava



Length 32.5 mm

Part No. Pack of Øx Pitch

Dunlop, Opel, Sumitomo, TRW

BN159 25 M8 x 1.25 mm Brake System: Akebono, ATE, Bendix, Bosch, Brembo,

Suits: Abarth, Alfa Romeo, Audi, BMW, Chevrolet, Citroën, Dacia, Daewoo, Fiat, Ford, Honda, Land Rover, Mazda, Mercedes, Mini, Nissan, Opel, Peugeot, Renault, Rover, Saab, Seat, Skoda, Toyota, Vauxhall, Volvo



Length 34.7 mm

Part No. Pack of Øx Pitch

BN160 25 M8 x 1.25 mm

Brake System: Citroën Suits: Citroën



Length 35.5 mm

Part No. Pack of Øx Pitch

BN158 25 M8 x 1.25 mm

Brake System: Akebono, ATE, Bendix, Brembo, DAC, Dunlop, Opel, TRW

Suits: Chevrolet, Chrysler, Citroën, Daewoo, Ford, Honda, Mercedes, Mini, Opel, Renault, Saab, Skoda, Suzuki, Vauxhall, Volvo



Length 41.5 mm

Part No. Pack of Øx Pitch

BN157 25 M8 x 1.25 mm

Brake System: ATE, TRW

Suits: Citroën, Fiat, Lancia, Mercedes, Opel, Peugeot, Porsche, Seat, Skoda, Smart, Vauxhall, Volvo, VW



Length 30 mm

Part No. Pack of Øx Pitch

BN84 25 **M10 x 1.00 mm**

Suits: Alfa Romeo, Audi, Austin, BMW, Chevrolet, Chrysler, Citroën, Daewoo, Daihatsu, Dodge, Fiat, Ford, Honda, Hyundai, Iveco, Jaguar, Kia, Land Rover, Mazda, Mercedes, Mitsubishi, Nissan, Opel, Peugeot, Renault, Rover, Saab, Seat, Skoda, Ssangyong, Subaru, Suzuki, Toyota, Vauxhall, Volvo, VW



Length 32 mm

Part No. Pack of Øx Pitch

BN163 25 **M10 x 1.00 mm**

Brake System: Akebono, Mando, Sumitomo, TRW **Suits:** Chevrolet, Hyundai, Kia, Opel, Vauxhall



Length 36 mm

Part No. Pack of Øx Pitch

BN165 25 **M10 x 1.00 mm**

Brake System: Advics, Akebono, ATE, Bosch, Daewoo, Kelsey Hayes, Mando, Nissan, Opel, Sumitomo, TRW, VAG Suits: Alfa Romeo, Audi, BMW, Chevrolet, Chrysler, Citroën, Daewoo, Dodge, Fiat, Ford, Honda, Hyundai, Jeep, Kia, Lancia, Land Rover, Mazda, Mercedes, MG, Mini, Mitsubishi, Nissan, Opel, Peugeot, Rover, Seat, Skoda, Ssangyong, Subaru, Suzuki, Toyota, Volvo, VW



 \odot

000

 \odot





Length 34 mm

Part No. Pack of Ø x Pitch

M10 x 1.00 mm **BN164** 25

Brake System: Advics, Aisin, Akebono, AP Lockheed, ATE, Bendix, Brembo, DAC, Mando, Nissan, Sumitomo, Tokico, TRW

Suits: Alfa Romeo, Audi, BMW, Chevrolet, Citroën, Daewoo, Daihatsu, Ford, Honda, Hyundai, Infiniti, Isuzu, Jeep, Lancia, Land Rover, Mazda, Mercedes, Mini, Mitsubishi, Nissan, Opel, Peugeot, Renault, Rover, Subaru, Suzuki, Toyota, Vauxhall, VW



Length 42 mm

Part No.

BN166 25 M10 x 1.00 mm

Brake System: ATE, TRW Suits: Mercedes



Length 33 mm

Part No. Ø x Pitch

BN178 M10 x 1.25 mm 25

Brake System: Akebono, Nissin, Sumitomo, TRW Suits: Honda, MG, Rover, Suzuki



Length 28 mm

Part No. Pack of Ø x Pitch

25 M10 x 1.25 mm **BN177**

Brake System: Akebono, Nissan, Sumitomo Suits: Honda, MG, Rover



Length 29.5 mm

Looking

for Brake Pipe Tools?

Our full range can be found from Page 474

Part No. Pack of Ø x Pitch

BN179 25 M10 x 1.5 mm

Brake System: Bosch, Sumitomo, Wagner Suits: Cadillac, Chrysler, Ford, Opel, Vauxhall

Bleed Screws Male - Imperial



Length 25.5 mm

Part No. Pack of Ø x Pitch

5/16" x 24 UNF **BN102** 25

Brake System: Akebono, Mando, Sumitomo Suits: Hyundai, Kia



Length 28 mm

Ø x Pitch Part No. Pack of

BN71 25 1/4" UNF x 28 TPI

Suits: Iveco, Rover, Volvo



Length 32.5 mm

Part No. Pack of Ø x Pitch

BN72 25 3/8" UNF x 24 TPI

Suits: British Vehicles



Assorted Box of Brake Tubing Connectors & Brake Bleed Screws - UNF & Metric

For 3/16" pipe.

Part No. Box of

AB85N 63 Pieces

1 x Male Connector: 10 x 1.00 mm.

2 x Female Connectors: 3/8" UNF x 24 TPI, 10 x 1.00 mm. 2 x 3-way Connectors: 3/8" UNF x 24 TPI, 10 x 1.00 mm.

5 x Brake Bleed Screws: 1/4" UNF x 28 TPI, 3/8" UNF x 24 TPI,

M7 x 1.00 mm, M8 x 1.25 mm, M10 x 1.00 mm.



Brake Pad Pin Retainers

| Part No. | Pack of | Size | Wire Ø |
|----------|---------|-------|--------|
| BR6 | 100 | Small | 1.2 mm |
| BR7 | 100 | Large | 1.5 mm |



Brake Hardware - Pins

| Part No. | Pack of | Suits | Length x End Width |
|----------|---------|-------|--------------------|
| BR51 | 100 | Ford | 42 x 6 mm |
| BR52 | 100 | Rover | 42 x 8 mm |
| BR53 | 100 | GM | 36 x 6 mm |



Brake Hardware - Washers

| Part No. | Pack of | Туре | Hole Width |
|----------|---------|----------|------------|
| BR61 | 100 | Lockheed | 8 mm |
| BR62 | 100 | Girling | 6 mm |



Brake Hardware - Springs

| Part No. | Pack of | Suits | Dimensions (Ø x H) |
|-------------|---------|----------|--------------------|
| BR71 | 100 | Ford | 14.5 x 16.5 mm |
| BR72 | 100 | GM | 14.0 x 20.0 mm |
| BR73 | 100 | Lockheed | 18.5 x 20.0 mm |
| BR74 | 100 | BL | 14.5 x 22.5 mm |
| | | | |



Assorted Box of Brake Shoe Hold-Down Kit Part No.

AB145N 200 Pieces

3 x Pins, Suits: FORD, GM, ROVER. 2 x Washers: LOCKHEED, GIRLING. 4 x Springs, Suits: FORD, VAUXHALL/GM, Lockheed, BL



8

 \odot

 (\circ) 000






| Part No. | Pack of | Thickness | |
|----------|---------|-----------|---------|
| GT14 | 2 | 0.4 mm | (1/64") |
| GT18 | 2 | 0.8 mm | (1/32") |

Gasket Paper - 30 x 25 cm (12" x 10")

| Part No. | Pack of | Thickness | |
|----------|---------|-----------|---------|
| GT5 | 50 | 0.4 mm | (1/64") |
| GT6 | 50 | 0.8 mm | (1/32") |









Assorted Box of Accelerator & Clutch Springs

| Part No. | Box of | |
|----------|-----------|--|
| AB29 | 40 Pieces | |

8 x Sizes (Free Length x 0.D.): 53 x 12.4 mm, 61.2 x 15.4 mm, 63.4 x 13 mm, 66 x 13.1 mm, 77.4 x 23.15 mm, 82.5 x 12.95 mm, 84.2 x 10.9 mm, 86 x 13.3 mm.



Diesel Fuel Filters

Large in-line type. Hose fitting: 6 or 8 mm Ø. European manufactured high quality finish.

| Part No. | Pack of | Description |
|----------|---------|---------------------|
| DCL64 | 10 | Diesel Fuel Filters |



In-Line Fuel Filters - Large Hose fitting: 6 or 8 mm Ø.

| Part No. | Pack of | Description |
|----------|---------|--------------------|
| DCL63 | 10 | Large Fuel Filters |



In-Line Fuel Filters - Small

Hose fitting: 6 or 8 mm Ø.

| Part No. | Pack of | Description | |
|----------|---------|--------------------|--|
| DCL62 | 10 | Small Fuel Filters | |

CHEMICO Grinding Paste

Silicone carbide and lithium based grease. Double-ended tin of Coarse and Fine paste.

- A handy supply of a Coarse paste to cut and a Fine paste to finish.
- It has inherent shear stability, corrosion protection and good sealing properties

| and 800a scaning properties. | | | | |
|------------------------------|---------|----------|--|--|
| Part No. | Pack of | Size | | |
| GLU13 | 4 | 110g Tin | | |















Assorted Box of Core Plugs Cup Type - Metric

Zinc plated mild steel.

Part No. Box of

AB120 60 Pieces

10 x Sizes: 18, 22, 24, 26, 28, 30, 32, 34, 36, 48 mm.





Assorted Box of Core Plugs

Part No. Box of





KS TOOLS Oil Pan Repair Kit

Supplied in robust plastic storage case.

Part No. Description Qty


K150.1450 1 Set **64 Piece Set**

4 x Special taps: M13 x 1.5, M15 x 1.5, M17 x 1.5, M20 x 1.5 mm. 4 x Oil drain plugs, hex drive: M13 x 1.5 x 8 mm (x 5), M15 x 1.5 x 19 mm (x 5), M17 x 1.5 x 8 mm (x 5), M20 x 1.5 x 10 mm (x 5).

4 x Aluminium seals: M13 (x 10), M15 (x 10), M17 x (x 10), M20 (x 10).







(1:1)

Replaces Ford OEM 1871598 and Peugeot/Citroën OEM 9801444780.

Part No. Qty Description

FORD Large Type **HSUP2** 1





Replaces VW OEM 06L103801.

Part No. Description Qty **HSUP1** VW Type 1



































CITROËN/PEUGEOT/FORD Type - M10 x 1.25 x 13 mm

| Part No. | Pack of | Description |
|---------------|----------|--------------------------------------|
| HSU95 | 5 | Sump Plugs |
| HSU195 | 2 Pc Kit | Sump Plug Kit c/w Washer |
| HSU1022 | 50 | Flat Copper Washers 10 x 20 x 2.0 mm |





BMW/MERCEDES Type - M12 x 1.50 x 21 mm

| Part No. | Pack of | Description |
|----------|---------|------------------------------------|
| HSU101 | 2 | Sump Plugs |
| HSU1215 | 50 | Aluminium Washers 12 x 15 x 1.5 mm |
| | | |



NISSAN/TOYOTA Type - M12 x 1.25 x 13 mm

| Part No. | Pack of | Description |
|-----------|----------|--|
| HSU93 | 5 | Sump Plugs |
| HSU193 | 5 Pc Kit | Sump Plug Kit c/w Washers |
| HSU1217 | 50 | Flat Copper Washers 12 x 17 x 1.5 mm |
| HSU1217AL | 50 | Aluminium Washers 12 x 17 x 1.5 mm |
| HSU45 | 50 | Copper Compression Washers 12 x 17 x 2.0 mm |
| HSU40 | 50 | Fibre Washers 12 x 24 x 2.0 mm |



BMW Type - M12 x 1.50 x 18 mm

| - IVI T \ | - MITS X 1.30 X TO HIIII | | |
|-----------|--------------------------|--------------------------------------|--|
| Part No. | Pack of | Description | |
| HSU81 | 5 | Sump Plugs | |
| HSU181 | 3 Pc Kit | Sump Plug Kit c/w Washers | |
| HSU1215 | 50 | Aluminium Washers 12 x 15 x 1.5 mm | |
| HSU1217 | 50 | Flat Copper Washers 12 x 17 x 1.5 mm | |





ALFA ROMEO/FIAT Type - M12 x 1.25 x 18 mm

| INITE | WIIZ X 1.23 X 10 IIIIII | | | | |
|----------|-------------------------|--------------------------------------|--|--|--|
| Part No. | Pack of | Description | | | |
| HSU104 | 2 | Sump Plugs | | | |
| HSU1217 | 50 | Flat Copper Washers 12 x 17 x 1.5 mm | | | |





VAUXHALL Type - M12 x 1.75 x 25 mm

| Part No. | Pack of | Description |
|---------------|----------|--|
| HSU96 | 5 | Sump Plugs |
| HSU196 | 2 Pc Kit | Sump Plug Kit c/w Washer |
| HSU60 | 50 | Flanged Rubber O-Rings 11 x 21 x 2.5 mm |
| | | |



موم









MINI Type - M12 x 1.75 x 28.5 mm

| Part No. | Pack of | Thread Size |
|----------|---------|--|
| HSU88 | 5 | Sump Plugs c/w Washer |
| HSU60 | 50 | Flanged Rubber O-Rings 11 x 21 x 2.5 mm |



AUDI/VW Type - M14 x 1.50 x 17.5 mm

| Part No. | Pack of | Thread Size |
|----------|---------|-------------------------------|
| HSU92 | 5 | Sump Plugs c/w Captive Washer |





HONDA/LAND ROVER/ROVER Type - M14 x 1.25 x 21 mm

| 1712 170 | WIZ 1 / 2.25 / 22 HIIII | | | |
|----------|-------------------------|------------------------------------|--|--|
| Part No. | Pack of | Description | | |
| HSU105 | 2 | Sump Plugs | | |
| HSU25 | 50 | Aluminium Washers 14 x 22 x 2.0 mm | | |





VAUXHALL Type - M14 x 1.50 x 10 mm

| Part No. | Pack of | Description |
|----------|----------|-----------------------------------|
| HSU90 | 5 | Sump Plugs |
| HSU190 | 2 Pc Kit | Sump Plug Kit c/w O-Ring |
| HSU50 | 50 | Nitrile Rubber O-Rings 18 x 2 NBR |





CITROËN/PEUGEOT Type - M14 x 1.25 x 13 mm

| Part No. | Pack of | Description |
|----------|---------|---|
| HSU84 | 5 | Sump Plugs |
| HSU10 | 50 | Copper Compression Washers 14 x 20 x 2.0 mm |





| Part No. | Pack of | Description |
|----------|----------|----------------------------------|
| HSU82 | 10 | Sump Plugs |
| HSU182 | 3 Pc Kit | Sump Plug Kit c/w Seal & Washer |
| HSU21 | 50 | Bonded Seals 16.7 x 24 mm |
| HSU20 | 50 | Nylon Washers 14.5 x 22 x 2.0 mm |



































OPEL/VAUXHALL Type - M14 x 1.50 x 13 mm

| Part No. | Pack of | Description |
|---------------|----------|--------------------------------------|
| HSU83 | 10 | Sump Plugs |
| HSU183 | 2 Pc Kit | Sump Plug Kit c/w Washer |
| HSU1420 | 50 | Flat Copper Washers 14 x 20 x 1.5 mm |





Early VAUXHALL Type - M14 x 1.50 x 12 mm

| Part No. | Pack of | Description |
|---------------|----------|--------------------------------------|
| HSU98 | 5 | Sump Plugs |
| HSU198 | 2 Pc Kit | Sump Plug Kit c/w Washer |
| HSU1420 | 50 | Flat Copper Washers 14 x 20 x 1.5 mm |







AUDI/VW Type - M14 x 1.50 x 17.5 mm

| Part No. | Pack of | Description |
|---------------|----------|--------------------------------------|
| HSU91 | 5 | Sump Plugs |
| HSU191 | 2 Pc Kit | Sump Plug Kit c/w Washer |
| HSU1420 | 50 | Flat Copper Washers 14 x 20 x 1.5 mm |

CHRYSLER/FORD Type - M14 x 1.50 x 21 mm

| Part No. | Pack of | Description |
|---------------|----------|---|
| HSU87 | 5 | Sump Plugs |
| HSU187 | 2 Pc Kit | Sump Plug Kit c/w Washer |
| HSU51 | 50 | Flanged Rubber O-Rings 13 x 22 x 3.0 mm |





MERCEDES/CHRYSLER Type - M14 x 1.50 x 24 mm

| IAITAV | - WI14 X 1.30 X 24 IIIIII | | |
|----------|---------------------------|--------------------------------------|--|
| Part No. | Pack of | Description | |
| HSU94 | 5 | Sump Plugs | |
| HSU194 | 2 Pc Kit | Sump Plug Kit c/w Washer | |
| HSU1420 | 50 | Flat Copper Washers 14 x 20 x 1.5 mm | |





CITROËN/PEUGEOT/RENAULT Type - M16 x 1.50 x 14 mm

| Part No. | Pack of | Description |
|---------------|----------|--|
| HSU85 | 5 | Sump Plugs |
| HSU185 | 3 Pc Kit | Sump Plug Kit c/w Washers |
| HSU11 | 50 | Copper Compression Washers 16 x 22 x 2.0 mm |
| HSU21 | 50 | Bonded Seals 16.7 x 24 mm |



موم











ALFA/FIAT/LANCIA Type - M18 x 1.50 x 27 mm

| Part No. | Pack of | Description |
|---------------|----------|--------------------------------------|
| HSU97 | 5 | Sump Plugs |
| HSU197 | 2 Pc Kit | Sump Plug Kit c/w Washer |
| HSU1826 | 50 | Flat Copper Washers 18 x 26 x 1.5 mm |





PORSCHE Type - M18 x 1.50 x 16 mm

| Part No. | Pack of | Description |
|-----------|---------|------------------------------------|
| HSU106 | 2 | Sump Plugs |
| HSU1824AL | 50 | Aluminium Washers 18 x 24 x 1.5 mm |





RENAULT Type - M18 x 1.50 x 15 mm

| Part No. | Pack of | Description |
|---------------|----------|--|
| HSU86 | 5 | Sump Plugs |
| HSU186 | 2 Pc Kit | Sump Plug Kit c/w Washer |
| HSU12 | 50 | Copper Compression Washers 18 x 24 x 2.0 mm |





VOLVO Type - M18 x 1.50 x 28 mm

| Part No. | Pack of | Description |
|-----------|---------|------------------------------------|
| HSU107 | 2 | Sump Plugs |
| HSU1824AL | 50 | Aluminium Washers 18 x 24 x 1.5 mm |
| | | |







| - IVIZZ X | 1.50 X | 12 111111 |
|-----------|---------|-------------|
| Part No. | Pack of | Description |
| HSU89 | 5 | Sump Plugs |



GM Type - M18 x 1.50 x 31.5 mm

| Part No. | Pack of | Description |
|----------|---------|---------------------------|
| HSU102 | 2 | Sump Plugs |
| HSU21 | 50 | Bonded Seals 16.7 x 24 mm |









000

O

Sump Plug Washers



Copper Compression Washers

Part No.

Pack of I.D. x O.D. x Thickness

HSU45 12 x 17 x 2.0 mm

Suits TOYOTA Auris, Avensis, Camry, Carina, Celica, Corolla, Corona, Hiace, Hilux, Land Cruiser, Prius, Rav 4, Starlet, Supra, Yaris.



Copper Compression Washers

Pack of I.D. x O.D. x Thickness

HSU₁₀

14 x 20 x 2.0 mm

Suits CITROËN (9/93>), PEUGEOT (9/93>)



Copper Compression Washers Pack of I.D. x O.D. x Thickness

Part No.

HSU11 16 x 22 x 2.0 mm

Suits CITROËN (<9/93), PEUGEOT (<9/93), RENAULT 5, FIAT (Diesel), ROVER (Diesel)



Copper Compression Washers

Part No.

Pack of I.D. x O.D. x Thickness

HSU12 18 x 24 x 2.0 mm

Suits RENAULT (Except RENAULT 5).



Flat Copper Washers

Pack of I.D. x O.D. x Thickness Part No.

10 x 20 x 2.0 mm **HSU1022** 50

Suits CITROËN Berlingo, C1, C2, C3, C4, C5, C6, Xantia, Xsara. FIAT Scudo. MINI R56, R55, Clubman. PEUGEOT 107, 206, 207, 306, 307, 308, 406, 407, 607, 806, 807, 1007, 4007, Bipper, Expert, Partner. TOYOTA Aygo, Corolla. VOLVO C30, S40 II, V50.



Flat Copper Washers

Pack of I.D. x O.D. x Thickness

HSU1217 50 12 x 17 x 1.5 mm

Suits BMW Series 1, 3, 5, 6, 7, X3, X5, X6, Z1, Z3, Z4.



Flat Copper Washers

Part No. Pack of I.D. x O.D. x Thickness

HSU27 14 x 19 x 2.0 mm

Suits ROVER (Non-HONDA Engines inc. K Series, Except Diesel & Mini A Series)



Flat Copper Washers

Pack of I.D. x O.D. x Thickness Part No.

HSU1420 50 14 x 20 x 1.5 mm

Suits VAUXHALL Astra, Cavalier, Combo, Corsa, Corsavan, Nova. OPEL/ Solis Vacantale, Agrica, Cavilier, Orinibo, Corsa, Crosa, Frontera, Kadett, Manta, Nova, Omega, Rekord, Senator, Tigra, Vectra, Zafira, CHRYSLER, 300 C, PT Cruiser, Voyager. MERCEDES Klasse A, B, CE, G, V, GL, MSL, SLK, Sprinter, TJ, Vaneo, Vito, AUDI 80, 90, 100, 200, A4, A6, A8, Quattro. SEAT lbiza, Inca. SKODA Fabia, Felica. VW Caddy, Fox, Golf 1.



Flat Copper Washers

Pack of I.D. x O.D. x Thickness

HSU14 14 x 20 x 2.0 mm

Suits VAUXHALL, VW (Except Beetle).



Flat Copper Washers

Pack of I.D. x O.D. x Thickness Part No.

HSU26 16.3 x 25.4 x 2.0 mm

Suits ROVER Mini, Metro & 100 Series.



Flat Copper Washers

Pack of I.D. x O.D. x Thickness Part No.

HSU1826 50 **18 x 26 x 1.5 mm**

Suits ALFA ROMEO 145, 146, 147, 155, 156, 159, 166, Brera, GT, GTV, Spider, FIAT Brava, Bravo, Coupe, Doblo, Idea, Mera, Multipla. Stilo, Strada. LANCIA Detra, Kappa, Lybra, Musa, Thesis. SUZUKI SX4.



Flat Copper Washers

Pack of I.D. x O.D. x Thickness Part No.

HSU35 19 x 26 x 2.0 mm

Suits VOLVO (Other than 3 Series).





000

 \odot





Nitrile Rubber O-Rings

Part No. Pack of I.D. x Thickness HSU50 18 x 2 NBR

Suits VAUXHALL Astra F G H, Combo, Corsa B C D, Vectra B C



Aluminium Washers

Pack of I.D. x O.D. x Thickness

HSU1215 50 12 x 15 x 1.5 mm

Suits BMW Series 1, 3, 5, 6, 7, X3, X5, X6, Z1, Z3, Z4.



Fibre Washers

Part No. Pack of I.D. x O.D. x Thickness HSU40 12 x 24 x 2.0 mm

Suits TOYOTA Auris, Avensis, Camry, Carina, Celica, Corolla, Corona, Hiace, Hilux, Land Cruiser, Prius, Rav 4, Starlet, Supra, Yaris.



Fibre Washers

Pack of I.D. x O.D. x Thickness Part No.

HSU41 18 x 29 x 2.0 mm

Suits TOYOTA (Large Engines inc. Supra).





Flanged Rubber O-Rings

Pack of I.D. x O.D. x Thickness Part No.

HSU60 11 x 21 x 2.5 mm

Suits VAUXHALL Astra G, Omega B, Signum, Vectra BC, Zafira.



Flanged Rubber O-Rings

Pack of I.D. x O.D. x Thickness Part No.

HSU51 50 13 x 22 x 3.0 mm

Suits CHRYSLER 300, Caravan, Cirrus, Crossfire, Le Baron, Neo, PT Cruiser,

Sebring, Stratus, Voyager. FORD C-Max, Cougar, Courier, Escort, Fiesta, Focus, C-Max Focus, Fusion, Galaxy, Ka, Maverick, Mondeo, Puma, S-Max, Transit.



HSU1217AL 50 **12 x 17 x 1.5 mm**

MERCEDES 190, SL, CLK, T1, Klasse C, E, G, S. MINI One D.

Suits BMW Series 1, 2, 3,5, 7, 8, X5, Z4.

Aluminium Washers

Pack of I.D. x O.D. x Thickness Part No.

HSU25 50 14 x 22 x 2.0 mm

Suits ROVER (All HONDA Engines), HONDA (New Models)



Bonded Seals

Part No. Pack of I.D. x O.D.

HSU21 50 16.7 x 24 mm

Suits FORD Mondeo (Zetec Engines). FORD Focus & KA



Nylon Washers

Nylon Washers

Part No.

HSU₂0

Suits FORD OHO

Part No. Pack of I.D. x O.D. x Thickness

13 x 20 x 2.0 mm HSU19

Pack of I.D. x O.D. x Thickness

14.5 x 22 x 2.0 mm

Suits FORD OHV.



Aluminium Washers

Pack of I.D. x O.D. x Thickness

HSU1824AL 50 18 x 24 x 1.5 mm

Suits VOLVO, PORSCHE.



22 x 27 x 1.5 mm 50



Aluminium Washers

Part No. Pack of I.D. x O.D. x Thickness

Suits FIAT (Except Diesel), MERCEDES (Some).



Sump Plug Washers

Part No.

Box of



AB117N 265 Pieces

4 x Copper Compression: 12 x 17 x 2.00, 14 x 20 x 2.0, 16 x 22 x 2.0, 18 x 24 x 2.0 mm.

4 x Flat Copper: 10 x 20 x 2.00, 12 x 17 x 1.5, 14 x 20 x 1.5,

14 x 20 x 2.0 mm.

2 x Aluminium: 14 x 22 x 2.0, 18 x 24 x 1.5 mm.

2 x Flanged Rubber O-ring: 11 x 21 2.5, 13 x 22 x 3.0 mm. 1 x Nitrile Rubber O-Ring: 18 x 2 NBR.

1 x Fibre: 12 x 24 x 2.0 mm. 1 x Bonded Seal: 16.7 x 24 mm.





 \odot

 \odot

000



Heavy Duty Exhaust Clamps

Zinc plated steel. U-type with M10 nuts/thread.

| u-type with | o-type with M10 hots/thread. | | | |
|-------------|------------------------------|-------|-----------|--|
| Part No. | Pack of | Size | | |
| EXHD42 | 10 | 42 mm | (1 5/8") | |
| EXHD45 | 10 | 45 mm | (1 3/4") | |
| EXHD48 | 10 | 48 mm | (1 7/8") | |
| EXHD50 | 10 | 50 mm | (2") | |
| EXHD52 | 10 | 52 mm | (2 1/16") | |
| EXHD54 | 10 | 54 mm | (2 1/8") | |
| EXHD58 | 10 | 58 mm | (2 1/4") | |
| EXHD60 | 10 | 60 mm | (2 3/8") | |
| EXHD65 | 10 | 65 mm | (2 1/2") | |
| EXHD67 | 10 | 67 mm | (2 5/8") | |
| EXHD70 | 10 | 70 mm | (2 3/4") | |
| | | | | |



Zinc plated steel. U-type with M8 nuts/thread.

Part No. Pack of AP59 15 Pieces

Sizes: 1 3/8" - 2"



| Ziric piateu | steel. O-type w | iti i vio riots/ ti ii cau. |
|-----------------|-----------------|-----------------------------|
| Part No. | Pack of | |
| AP37 | 24 Pieces | |
| Sizes: 1 1/2" - | 2 1/2" | |





| Exhaust Clamps | | | <u>(1)</u> 8 | 1000 |
|---|---------|--------|--------------|------------|
| Zinc plated steel. U-type with M8 nuts/thread. | | | *** | *** |
| Part No. | Pack of | Size | | |
| EX118 | 20 | 29 mm | (1 1/8") | |
| EX114 | 20 | 32 mm | (1 1/4") | |
| EX138 | 20 | 35 mm | (1 3/8") | |
| EX112 | 20 | 38 mm | (1 1/2") | |
| EX116 | 20 | 42 mm | (1 11/16") | |
| EX134 | 20 | 45 mm | (1 3/4") | |
| EX178 | 20 | 48 mm | (1 7/8") | |
| EX2 | 20 | 51 mm | (2") | |
| EX216 | 20 | 52 mm | (2 1/16") | |
| EX218 | 20 | 54 mm | (2 1/8") | |
| EX214 | 20 | 58 mm | (2 1/4") | |
| EX238 | 20 | 60 mm | (2 3/8") | |
| EX212 | 20 | 65 mm | (2 1/2") | |
| EX258 | 20 | 67 mm | (2 5/8") | |
| EX234 | 20 | 70 mm | (2 3/4") | |
| EX3 | 20 | 76 mm | (3") | |
| EX318 | 10 | 79 mm | (3 1/8") | |
| EX314 | 10 | 83 mm | (3 1/4") | |
| EX312 | 10 | 89 mm | (3 1/2") | |
| EX358 | 10 | 92 mm | (3 5/8") | |
| EX334 | 10 | 95 mm | (3 3/4") | |
| EX4 | 10 | 102 mm | (4") | |
| EX436 | 10 | 106 mm | (4 3/16") | |
| EX414 | 10 | 108 mm | (4 1/4") | |
| EX456 | 10 | 110 mm | (4 5/16") | |
| EX412 | 10 | 115 mm | (4 1/2") | |
| EX434 | 10 | 120 mm | (4 3/4") | |
| EX5 | 10 | 127 mm | (5") | |
| EX518 | 10 | 130 mm | (5 1/8") | |
| - | | | | |



Perforated Strip

Suits radio fixing.

| Part No. | Pack of | Description |
|----------|---------|-------------|
| PS1 | 10 | 12" Lengths |



| Part No. | Pack of | Description |
|----------|---------|-------------|
| PS2 | 10 | 24" Length |



0

موم

111











| Part No. | Pack of | Size x Pitch | |
|----------|---------|---------------|--|
| HBN5 | 50 | M8 x 1.25 mm | |
| HBN6 | 50 | M10 x 1.25 mm | |







Exhaust Manifold Nuts - Copper Flashed Steel

DIN 980.


| Part No. | Pack of | Size x Pitch |
|----------|---------|---------------|
| HBN8 | 50 | M8 x 1.25 mm |
| HBN7 | 50 | M10 x 1.50 mm |








| Part No. | Pack of | Size |
|----------|---------|---------------|
| HBN10 | 50 | M10 x 1.25 mm |



35 mm

45 mm





Part No. Box of

AB116 72 Pieces

2 x Nuts, Copper Flashed Steel (Size x Pitch): M8 x 1.25 mm,M10 x 1.50 mm.
2 x Nuts, Brass (Size x Pitch): M8 x 1.25 mm, M10 x 1.25 mm.
5 x Studs (Size x Pitch x Length): M8 x 1.25 mm x 37 mm, M10 x 1.25 x 37 mm, M10 x 1.50 mm x 38 mm,
M10 x 1.50 mm x 52 mm, M10 x 1.50 mm x 55 mm.



Exhaust Mountings

MINI bobbin (cotton reel). Part No. Pack of Thread EM1 10 5/16" UNF



10

10

Medium

Large

EM3

EM4



အ

 \odot

موه



























Each kit is complete with seven, quick and easy to fit connectors to suit the majority of vehicle applications (see below).

Rubber blade edge is manufactured from a unique natural and

- synthetic rubber mix, designed to offer quality wiping performance with enhanced durability and life span
- Aero design provides improved performance by reducing wind lift and noise at high speeds
- Manufactured with two tensioned steel strips which apply the whole length of the blade to the windscreen with even, consistent pressure

| Part No. | Qty | Length | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
|----------|-------|--------|---|
| WIPG13 | 1 Kit | 13" | (335 mm) |
| WIPG14 | 1 Kit | 14" | (360 mm) |
| WIPG15 | 1 Kit | 15" | (385 mm) |
| WIPG16 | 1 Kit | 16" | (410 mm) |
| WIPG17 | 1 Kit | 17" | (435 mm) |
| WIPG18 | 1 Kit | 18" | (460 mm) |
| WIPG19 | 1 Kit | 19" | (485 mm) |
| WIPG20 | 1 Kit | 20" | (510 mm) |
| WIPG21 | 1 Kit | 21" | (535 mm) |
| WIPG22 | 1 Kit | 22" | (560 mm) |
| WIPG23 | 1 Kit | 23" | (585 mm) |
| WIPG24 | 1 Kit | 24" | (610 mm) |
| WIPG25 | 1 Kit | 25" | (625 mm) |
| WIPG26 | 1 Kit | 26" | (660 mm) |
| WIPG28 | 1 Kit | 28" | (710 mm) |
| WIPG30 | 1 Kit | 30" | (760 mm) |
| WIPG32 | 1 Kit | 32" | (815 mm) |

Each jointless IGUANA Universal Jointless Aero Blade incorporates a centralised rubber spoiler which allows fitment to fit right-hand drive and left-hand drive vehicles as well as vehicles with 'clapping' blades. Each blade comes complete with seven different connectors to cover the majority of vehicle applications:



Connector Suits:

Alfa Romeo, Audi, BMW, Cadillac, Chevrolet, Citroen, Fiat, Jaguar, Kia, Mercedes, Nissan, Opel, Peugeot, Renault, Saab, Seat, Vauxhall, Volkswagen, Volvo.



Connector Suits: Alfa Romeo, Audi, BMW, Citroen, Fiat, Ford, Mazda, Mercedes, Nissan, Opel, Peugeot, Porsche, Renault, Skoda, Vauxhall, Volkswagen, Volvo.



Connector Suits: Renault, Citroen, Fiat, Saab, Audi A6, Seat Altea.



Peugeot, Renault, Seat, Skoda, Volkswagen, Volvo.



Connector Suits: Audi, Volkswagen.



Main Blade Adaptor For use with selected Connectors



Universal Fit Single Connector For all vehicles with 9 x 4 mm and 9 x 3 mm Hook Wiper Arms.





Windscreen Washer Accessories

Nylon. Suits 3/16" pipe.



| Part No. | Qty | Description | |
|----------|-----|-------------|--|
| TA103 | 5 | T-Pieces | |
| | | | |

| Part No. | Qty | Description | |
|----------|-----|-------------|--|
| TA102 | 5 | Elbows | |



| Part No. | Qty | Description |
|----------|-----|-------------|
| TA101 | 5 | Straights |



| Part No. | Ųty | Description |
|----------|-----|----------------------|
| TA104 | 5 | Small In-Line Valves |



| Part No. | Qty | Description |
|----------|-----|----------------------|
| TA105 | 5 | Large In-Line Valves |

Assorted Pack of Windscreen Washer Accessories

Nylon. Suits 3/16" pipe.

Part No. Pack of **AP61** 25 Pieces

5 x Large In-Line Valves. 5 x Small In-Line Valves. 5 x Straights. 5 x Elbows. 5 x T-Pieces.





PVC Tubing - Clear Plain Windscreen Washer Type

| Part No. | Length | O.D. x I.D. | |
|----------|-----------|-------------|---------|
| TUB12 | 30 m Coil | 8 x 5 mm | (3/16") |

8 mm (Wide)

8 mm (Wide)



WIP4

WIP5

Windscreen **Washer Pumps**

Universal application. Suits 3/16" pipe.

| Part No. | Qty | Volts | |
|----------|-----|-------|--|
| EC12 | 1 | 12v | |
| EC24 | 1 | 24v | |



Wiper Blade Refills Universal, can be cut to length.

10 Pairs

5 Pairs

Designed with powerful detergents and an anti-freeze agent to prevent washer jets freezing in the wintertime, and to clear summer fly squash.

• Lowest working temperature: -7.6°C.

Pack of Size

Looking for

more Screen Wash?

SAS1060/2 2 **5 Litre Containers**



Length

20" (508 mm)

28" (711 mm)



Parking Permit/Licence Holders

Assorted colours (may vary).

| DC62 | 10 | Self Seal | |
|----------|-----|-----------|--|
| Part No. | Qty | Туре | |































VTG6A MoT Plate Holder - Heavyweight Black powder coated steel with clear plastic window.

| Part No. | Qty | Dimensions |
|----------|-----|--------------|
| TT43 | 1 | 201 x 184 mm |



VTG6A MoT Plate Holder - Lightweight Rustproof glass filled nylon with clear plastic window.

| Part No. | Qty | Dimensions | |
|----------|-----|--------------|--|
| TT44 | 1 | 187 x 180 mm | |



Poly Coated Wire 1.5 mm Ø steel wire with polyester sleeve (overall Ø: 2.5 mm).


| Part No. | Qty | Description |
|----------|-----|-------------|
| | | |

| AC250 | 1 Coil | 2.5 mm x 100 m Wire |
|-------|--------|---------------------|
| | | |



Ferrules for Poly Coated Wire Suits Part No. AC250.

| Part No. | Pack of | Description |
|----------|---------|-----------------|
| AC251 | 100 | 2.5 mm Ferrules |





Diesel Stop Cables with Piano Wire Inner Universal fitting. Piano wire 2 mm Ø

| Part No. | Pack of | Length | | |
|----------|---------|--------|-----------|--|
| AC3 | 2 | 2.89 m | (9 ft 6") | |
| AC13 | 1 | 3.96 m | (13 ft) | |



Locking Wire Heavy galvanised steel. 0.5 kg coil.

| Part No. | Qty | Wire Ø | | Approx. Length |
|----------|--------|---------|----------|----------------|
| AC7 | 1 Coil | 1.25 mm | (18 SWG) | 52 m |
| AC11 | 1 Coil | 2.00 mm | (14 SWG) | 21 m |



موم



VOSA Approved.

| i di cito. | QLy | Description |
|------------|-----|-----------------------------|
| TL730 | 1 | MOT Corrosion Hammer |

Anitluce Fasteners - Standard Round Shank Weld or Rivet

| Part No. | Pack of | Shank Dia x Length |
|----------|---------|--------------------|
| TT20 | 10 | 1/2" x 1/2" |



Anitluce Fasteners - Threaded with Nut

| Part No. | Pack of | Inread Size x Lengti |
|----------|---------|----------------------|
| TT22 | 10 | 1/2" x 3" |



Anitluce Fasteners - Threaded without Nut

| Part No. | Pack of | Thread Size x Length |
|----------|---------|----------------------|
| TT21 | 10 | 12 mm x 33 mm |




Solderless Nipples

| Part No. | Pack of | Size | |
|----------|---------|--------------|--|
| AC101 | 50 | 1/4" x 3/8" | |
| AC103 | 50 | 11/32 x 1/2" | |
| AC104 | 50 | 9/32 x 1/2" | |

Assorted Pack of

| Soluci iess Mihhies | | |
|----------------------|-----------|--|
| Part No. | Pack of | |
| AP9 | 25 Pieces | |
| Various sizes and ty | ypes. | |





Tow Pin Assemblies

| Part No. | Qty | Pin Ø | Pin Working Length | Pin Total Length | |
|----------|-----|-------|--------------------|------------------|--|
| TT120 | 1 | 20 mm | 160 mm | 195 mm | |
| TT122 | 1 | 22 mm | 155 mm | 205 mm | |
| TT124 | 1 | 25 mm | 155 mm | 205 mm | |



Roller Shutter Hooks & Chains

| Part No. | Pack of | Spring Hook | Chain Length | |
|----------|---------|-------------|--------------|--|
| TT27 | 10 | 3" (75 mm) | 8" (200 mm) | |
| TT35 | 10 | 4" (100 mm) | 12" (305 mm) | |




Cast iron.

| Part No. | Pack of | Description |
|----------|---------|---------------------------|
| TT31 | 10 | Bolt-on Rope Hooks |



Wire Rope Grips Zinc plated.

| Part No. | Pack of | Size |
|----------|---------|------|
| TT33 | 10 | 6 mm |
| TT38 | 10 | 8 mm |



Double Type R-Clip Module Assembly R-clip dimensions (Wire Ø x L): 3.7 x 95 mm.

| Part No. | Pack of | Description |
|----------|---------|------------------------|
| HY20 | 10 | R-Clip Module Assembly |

































| Part No. | Qty | Capacity | Length | |
|----------|-------------|----------|--------|--|
| AC15 | 3 Piece Set | 4 Tonnes | 4 m | |





WARRIOR 1T Ratchet Strap with Claw Hooks Certified to EN-12195-2. 1 year guarantee from first day of use.

| ľ | Part NO. | Ųly | width x Length | Lasning Capacity | Breaking Strengt |
|---|----------|-------------|----------------|------------------|------------------|
| | AC5150 | 2 Piece Set | 25 mm x 5.0 m | 1,000 kg | 1,250 kg |



Car Transporter Ratchet Strap Strap thickness: 50 mm. Polyester strap with metal claws. Part No. Qty Capacity Width x Length AC14 2 Piece Set **5 Tonnes** 50 mm x 10 m



Polypropylene Rope 10 mm (3/8") Ø.

| Part No. | Qty | Length | | |
|----------|-----|--------|----------|--|
| ΔC10 | 1 | 220 m | (720 ft) | |



Polythene Woven Tarp

| Part No. | Qty | Dimensions |
|----------|-----|-----------------------------------|
| BAG18 | 1 | 5.49 x 3.66 m (18 x 12 ft) |



WARRIOR 4T Ratchet Strap with Claw Hooks

Certified to EN-12195-2. 1 year guarantee from first day of use. Width x Length Part No. Lashing Capacity Breaking Strength

2 Piece Set **50 mm x 8.0 m** 4,000 kg 6,000 kg



O





WARRIOR Duplex Flat Lifting Sling

BS EN 1492-1:2000 (7:1 Safety Factor). 1 year guarantee from first day of use.

| Part No. | Qty | Colour | Width x Length | Working Load Limit |
|----------|-----|--------|----------------|--------------------|
| AC3120 | 1 | Purple | 30 mm x 2.0 m | 1 Tonne |
| AC3130 | 1 | Purple | 30 mm x 3.0 m | 1 Tonne |





WARRIOR Duplex Flat Lifting Sling

BS EN 1492-1:2000 (7:1 Safety Factor). 1 year guarantee from first day of use.

| Part No. | Qty | Colour | Width x Length | Working Load Limit |
|----------|-----|--------|----------------|--------------------|
| AC3220 | 1 | Green | 60 mm x 2.0 m | 2 Tonne |
| AC3240 | 1 | Green | 60 mm x 4.0 m | 2 Tonne |





WARRIOR Duplex Flat Lifting Sling

BS EN 1492-1:2000 (7:1 Safety Factor). 1 year guarantee from first day of use.

| Part No. | Qty | · | Colour | Width x Length | Working Load Limit |
|----------|-----|---|--------|----------------|--------------------|
| AC3320 | 1 | | Yellow | 90 mm x 2.0 m | 3,000 kg |
| AC3330 | 1 | | Yellow | 90 mm x 3.0 m | 3 Tonne |
| AC3340 | 1 | | Yellow | 90 mm x 4.0 m | 3 Tonne |





WARRIOR

Endless Round Lifting Sling
BS EN 1492-1:2000 (7:1 Safety Factor). 1 year guarantee from first day of use.

| Part No. | Qty | Colour | Width x Length | Working Load Limit |
|----------|-----|--------|----------------|--------------------|
| AC4110 | 1 | Purple | 45 mm x 1.0 m | 1,000 kg |
| AC4115 | 1 | Purple | 45 mm x 1.5 m | 1,000 kg |
| AC4120 | 1 | Purple | 45 mm x 2.0 m | 1,000 kg |





WARRIOR **Endless Round Lifting Sling**

BS EN 1492-1:2000 (7:1 Safety Factor). 1 year guarantee from first day of use.

| Part No. | Qty | Colour | Width x Length | Working Load Limit |
|----------|-----|--------|----------------|--------------------|
| AC4205 | 1 | Green | 50 mm x 0.5 m | 2,000 kg |
| AC4210 | 1 | Green | 50 mm x 1.0 m | 2,000 kg |
| AC4220 | 1 | Green | 50 mm x 2.0 m | 2,000 kg |





WARRIOR

Endless Round Lifting Sling
BS EN 1492-1:2000 (7:1 Safety Factor). 1 year guarantee from first day of use.

| Part No. | Qty | Colour | Width x Length | Working Load Limit |
|----------|-----|--------|----------------|--------------------|
| AC4520 | 1 | Red | 80 mm x 2.0 m | 5,000 kg |































7-Pin Trailer **Sockets & Plugs**

12N (Normal) system. 12V. Metal body.

| Part No. | Pack of | Description |
|----------|---------|-------------|
| ERP13 | 5 | Sockets |
| ERP14 | 5 | Plugs |



RING



7-Pin Trailer Sockets & Plugs

| 1214 (140111101) | JyJtCili. | 12 v. i lastic body. | |
|------------------|-----------|----------------------|--|
| Part No. | Pack of | Description | |

| Partinu. | Packui | Descripcion | |
|----------|--------|-------------|--|
| ERP41 | 5 | Sockets | |
| ERP42A | 1 | Plugs | |
| ERP42 | 5 | Plugs | |





RING 7-Pin Trailer Socket

12N (Normal) system. 12V. Plastic body.

| Part No. | Pack of | Description |
|----------|---------|-------------|
| ERP116 | 1 | Socket |







12N (Normal) system. 12V.

| Part No. | Qty | Length |
|----------|-----|--------|
| ERP117 | 1 | 6 m |






RING Breakaway Cable

For fitment to all trailers with a braking system.

Sprung shackle for easy attachment to car, locking sprung shackle for quick and easy, permanent fitment to the handbrake of the trailer. No tools required.

| Part No. | Pack of | Description | |
|----------|---------|-----------------|--|
| AC131 | 1 | Breakaway Cable | |











| EBT9550 | 1 Set | 12V | Stop/Tail/Ind | 4/6/7 |
|----------|-------|---------|---------------|---------|
| Part No. | Qty | Voltage | Lights | ECE Reg |



0

موم

European Marker Board - Type 261

Aluminium. Conforms to ECE 70. Part No. ECE No. Qty Dimensions **MB261** ECE1 1 1130 x 130 mm



European Marker Boards - Type 262 Aluminium. Conforms to ECE 70.

Part No. Qty ECE No. Dimensions **MB262** 1 Pair ECE2/3 565 x 130 mm



European Marker Boards - Type 263
Aluminium. Conforms to ECE 70.

Part No.

| Part No. | QLY ELENO. | Dimensions |
|----------|----------------------|--------------|
| MB263 | Set of 4 ECE4 | 282 x 130 mm |



Round Reflectors

EN 12899-3:2007. Conforms to ECE E20. Screw-on type.

| Qty | Colour | Diameter |
|-----|-------------------------|---------------------------------------|
| 2 | Red | 63 mm |
| 10 | Red | 63 mm |
| 2 | Amber | 63 mm |
| 10 | Amber | 63 mm |
| 2 | White | 63 mm |
| 10 | White | 63 mm |
| | 2 10 2 10 2 | 2 Red 10 Red 2 Amber 10 Amber 2 White |



European Marker Board - Type 264

Aluminium. Conforms to ECE 70. Part No. Qty ECE No. Dimensions **MB264** ECE5 1130 x 195 mm



European Marker Boards - Type 265 Aluminium. Conforms to ECE 70.

| Part No. | Qty | ECE No. | Dimensions |
|----------|--------|---------|--------------|
| MB265 | 1 Pair | ECE6/7 | 565 x 195 mm |





Part No. Qty ECE No. Dimensions **MB266** Set of 4 ECE8 282 x 192 mm



Self-Adhesive Rectangular Reflectors

Conforms to ECE E20.

| Part No. | Pack of | Colour | Dimensions | |
|----------|---------|--------|-------------|--|
| REF7A | 10 | Red | 103 x 50 mm | |
| REF5A | 10 | Amber | 103 x 50 mm | |
| REF9A | 10 | White | 103 x 50 mm | |
| | | | | |





Conforms to ECE E20. Screw-on type.

| Part No. | Qty | Colour | Height |
|----------|-----|--------|--------|
| REF1S | 2 | Red | 137 mm |
| REF1 | 10 | Red | 137 mm |
| | | | |




































RING Trailer Boards

12N (Normal) system. 12V. Fitted with 7-Pin trailing plug.

| i di cito. | 4.7 | Wideli | rengui |
|------------|-----|---------------------------|-----------|
| ERCT830P | 1 | 3 ft | 4 m Cable |
| ERCT816P | 1 | 4 ft | 6 m Cable |
| ERCT900P | 1 | 4 ft 6" (incl. Fog Light) | 4 m Cable |
| | | | |







5" LED Tail Lamp - Fog/Reverse IP67. Base material: ABS housing. Lens material: Polycarbonate. Bolt mounting.


| Part No. | Qty | Voltage | Lights | ECE Reg |
|----------------|-----|---------|---------|---------|
| EBT7009 | 1 | 12-24V | Fog/Rev | 23/38 |





5" LED Tail Lamp - Stop/Tail/IndicatorIP67. Base material: ABS housing. Lens material: Polycarbonate. Bolt mounting.

| EBT7008 | 1 | 10-30V | Stop/Tail/Ind | 3/6/7 | | |
|---|-----|---------|---------------|---------|--|--|
| Part No. | 0tv | Voltage | Lights | ECE Reg | | |
| " or. base material. ribs moosing. Lens material. r oryear sonate. Bott moonting. | | | | | | |





5.5" LED Cheeseburger Multifunction Tail Lamp - Stop/Tail/Indicator


IP67 Base material: ABS Lens material: Polycarhonate Bolt mounting

| EBT90 | 08 1 | 6-30V | Stop/Tail/Ind | 3/6/7 | | |
|--|-------------|---------|---------------|---------|--|--|
| Part No. | Qty | Voltage | Lights | ECE Reg | | |
| ii 07. Base material. Abs. Lens material. I orycarbonate. Bort moonting. | | | | | | |



EBT9553 1 Set **12V**

2.5 M between lamps.





A complete range of LED Work Lamps feature on Page 278



000






IP67. Base material. ABS. Lens material: Acrylic. Bolt mounting.

Includes Reflector

| Part No. | Qty | Voltage | Lights | ECE Reg |
|----------------|-----|---------|---------------|---------|
| EBT7058 | 1 | 12V | Stop/Tail/Ind | 3/6/7 |





6" LED Multifunctional Tail Lamp - Stop/Tail/Indicator

IP67. Base material: ABS. Lens material: Acrylic. Bolt mounting.

Includes Reflector

| Part No. | Qty | Voltage | Lights | ECE Reg |
|----------|----------|-----------------|---------------|---------|
| EBT7060 | Set of 2 | 2 10-30V | Stop/Tail/Ind | 3/6/7 |





7.5" LED Multifunctional Tail Lamp - Stop/Tail/Indicator

IP67. Base material: ABS. Lens material: Acrylic. Bolt mounting.

Includes Reflector

| Part No. | Qty | Voltage | Lights | ECE Reg |
|----------------|-----|---------|---------------|---------|
| EBT7069 | 1 | 12-24V | Stop/Tail/Ind | 3/6/7 |





LED Multifunctional Tail Lamp - Stop/Tail/Indicator/Reverse

IP67. Base material: ABS housing. Lens material: Polycarbonate. Bolt mounting.

Includes Reflector

| Part No. | Qty | Voltage | Lights | ECE Reg |
|----------------|-----|---------|-------------------|----------|
| EBT7099 | 1 | 12-24V | Stop/Tail/Ind/Rev | 3/6/7/23 |







SMD LED Number Plate Lamp

IP67. Base material: ABS housing. Lens material: Polycarbonate. Surface mount fixing.

• Includes Reflector

| Part No. | Qty | Voltage | Description | ECE Reg |
|----------------|-----|---------|-------------------|---------|
| EBT7085 | 1 | 10-30V | Number Plate Lamp | 4 |





LED Rubber Marker Lamp

IP67. Base material: EPDM. Lens material: PMMA. Surface mount fixing.

| Part No. | ŲĮ | voitage | Description | ECE REG |
|----------|----|---------|--------------------|---------------|
| FRT9711 | 1 | 12-24V | Rubber Marker Lamp | Red 7/Clear 7 |



LED Amber Warning Light - 3 x COB LED 8W

ECE Reg 10/65. IP67. Base material: ABS. Lens material: Polycarbonate. Bolt-on fixing.

• 10 x Flash patterns

| Part No. | Qty | Voltage | Width x Length |
|----------------|-----|---------|----------------|
| EBT6087 | 1 | 12-24V | 33 x 89 mm |






































LED Adjustable Work Lamp - 6" Rectangular

• Can be used as standard or side mount with swivel function

Part No. EBW6 12-28V 6" Adiustable





LED High Power Work Lamp - 4" Square

IP67. EMC approved. Housing: Aluminium. Lens: Acrylic. Stainless steel mounting bracket

• 16 x High Performance LEDs

48 Watt/3200 Lumens

| Part No. | Qty | Voltage | Description | ECE Re |
|----------|-----|---------|-------------|--------|
| EBW5 | 1 | 12-28V | 4" Square | 10 |



LED Work Lamp - 4" Square


IP67. EMC approved. Housing: Aluminium. Lens: Acrylic. Stainless steel mounting bracket

• 5 x High Performance LEDs

| EBW2 | 1 | 12-28V | 4" Square | 10 | | | |
|-----------------------|-----|---------|-------------|---------|--|--|--|
| Part No. | Qty | Voltage | Description | ECE Reg | | | |
| • 15 Watt/1050 Lumens | | | | | | | |



RING



RING 15W LED Square Work Lamp - 105 mm

IP67. Certification: ECE R10. Cable length 300 mm. Housing: Thermoplastic. Lens: Polycarbonate.

| • 750 Lumens | | / LEDs • Light | Lightweight | |
|--------------|---------|----------------|---------------------------------|--|
| Qty | Voltage | Description | ECE Reg | |
| 1 | 10-30V | 105 mm Square | R10 | |
| | | Qty Voltage | Qty Voltage Description | |





LED Magnetic Work Lamp - 4" Round

IP67. EMC approved. Housing: Aluminium. Lens: Acrylic. Supplied with 9.5M cable with switched in-vehicle adaptor.

- 6 x High Performance LEDs
- 18 Watt/1350 Lumens

| iagi ietic dase | | | • | SHOCK RESISTALL |
|-----------------|-----|---------|---|-----------------|
| No. | Qty | Voltage | | Description |





LED Work Lamp - 6" Oval

IP67. EMC approved. Housing: Aluminium. Lens: Polycarbonate. Stainless steel mounting bracket.

- 6 x High Performance LEDs
- 18 Watt/1350 Lumens

| Part No. EBW3 | Qty 1 | Voltage 12-28V | Description 6" Oval | 10 |
|------------------|----------|-------------------|---------------------|----|
| EDVV3 | 1 | 12-20V | 6 Ovai | 10 |



- 5" Rectangular

IP67. EMC approved. Housing: Aluminium. Lens: Polycarbonate. Stainless steel mounting bracket.

- 6 x High Performance LEDs
- 18 Watt/1350 Lumens

| Part No. | Qty | Voltage | Description | ECE Reg |
|----------|-----|---------|----------------|---------|
| EBW4 | 1 | 12-28V | 5" Rectangular | 10 |



RING 15W LED Square Work Lamp with Switch

IP67. Certification: ECE R10.

Cable length 300 mm. Housing: Aluminium. Lens: Polycarbonate. • 5 x 3W LEDs Integrated switch

| Part No. | Qty | Voltage | Description | ECE Reg |
|-----------------|-----|---------|---------------|---------|
| ERCV9607 | 1 | 10-30V | 107 mm Square | R10 |
| | | | | |

· Colour temperature: 5600K




















LED Interior Swivel Lamp - 6 x LED 6W

Lamp material: Aluminium. Lens material: Acrylic. Supplied with stainless steel fixings and 400 mm cable.

| Supplied with stair | nless steel fixii | ngs and 400 mm cable | |
|-----------------------------------|-------------------|----------------------|---|
| On/Off switch | • | Lens swivels 180° | 1 |
| | | | |

| Part No. | Qty | Voltage | Depth x Length | Lumens | |
|----------|-----|---------|----------------|--------|--|
| EBL330 | 1 | 12-24V | 51 x 327 mm | 600 | |





Dia x Length: 46 x 225 mm. Provides 10,000 hours of "Day Light" (10 Years).

| Part No. | Qty | Watts | Output | Cap | |
|----------|-----|-------|--------|---------|--|
| EMH250 | 1 | 250W | 4200K | GES/E40 | |
| EMH400 | 1 | 400W | 4200K | GES/E40 | |



LED Interior Lamp - 18 x SMD LED 3W

Lamp material: Aluminium. Lens material: Acrylic. Supplied with stainless steel fixings

• On/Off switch

| Part No. | Qty | Voltage | Width x Length | Lumens | |
|----------|-----|---------|----------------|--------|--|
| EBL270 | 1 | 12-24V | 28 x 266 mm | 380 | |





LED Interior Lamp - 45 x SMD LED 6W

Lamp material: Aluminium. Lens material: Acrylic. Supplied with stainless steel fixings

On/Off switch

| Part No. | Qty | Voltage | Width x Length | Lumens |
|---------------|-----|---------|----------------|--------|
| EBL570 | 1 | 12-24V | 28 x 570 mm | 900 |







RING 'TruckMaster' Baton LED Strip Light

Dimensions (H x W): 33 x 19 mm.

| Part No. | Qty | DC Voltage | Width | Lumens | |
|----------|-----|------------|--------|--------|--|
| ERCV5012 | 1 | 12/24V | 300 mm | 400 | |
| ERCV5013 | 1 | 12/24V | 600 mm | 800 | |



Metal-Halide Bulbs

Giant Edison screw cap (40 mm).
Dia x Length: 76 x 335 mm.
Provides 10,000 hours of "Day Light" (10 Years).
Suits VT-1 type tower lights.

| Part No. | Qty | Watts | Output | Сар | |
|----------|-----|-------|--------|---------|--|
| EMH1000 | 1 | 1000W | 4200K | GES/E40 | |





































LAP ELECTRICAL Halogen Rotating Beacon - DIN Pole Mount

IP56. Robust design. Reverse polarity protection. -30°C to + 50°C extreme temperature reliability. Takes H1 halogen bulb (<u>NOT</u> included).

| Part No. | Qty | Colour | Voltage | ECE Reg | |
|-----------------|-----|----------|---------|---------|--|
| EBC104 | 1 | Amber | 12/24V | R65 | |
| ERCV9420 | 1 | DIN Pole | | | |













LAP ELECTRICAL Halogen Rotating Beacon - Flexi DIN Pole Mount

IP56. Robust design. Reverse polarity protection. -30°C to + 50°C extreme temperature reliability. Takes H1 halogen bulb (NOT included).

| Part No. | Qty | Colour | Voltage | ECE Reg | |
|-----------------|-----|----------|---------|---------|--|
| EBC105 | 1 | Amber | 12/24V | R65 | |
| ERCV9420 | 1 | DIN Pole | | | |









LAP ELECTRICAL Halogen Rotating Beacon - Single Point

IP56. Robust design. Reverse polarity protection. -30°C to + 50°C extreme temperature reliability. Takes H1 halogen bulb (NOT included).

| EBC101 | 1 | Amber | 12/24V | R65 | |
|----------|-----|--------|---------|---------|--|
| Part No. | Qty | Colour | Voltage | ECE Reg | |
| | | | | | |



- 3 Point





IP56. Robust design. Reverse polarity protection. -30°C to + 50°C extreme temperature reliability. Takes H1 halogen bulb (NOT included).

| Part No. | Qty | Colour | Voltage | ECE Reg |
|----------|-----|--------|---------|---------|
| EBC103 | 1 | Amber | 12/24V | R65 |



- Magnetic Base

IP56. Robust design. Reverse polarity protection. -30°C to $+50^{\circ}\text{C}$ extreme temperature reliability. Takes H1 halogen bulb (NOT included).

• 70 mph rated magnet

| Part No. | Qty | Colour | Voltage | ECE Reg | |
|----------|-----|--------|---------|---------|--|
| EBC102 | 1 | Amber | 12/24V | R65 | |







Halogen Rotating Beacon - 3 Point

EMC approved (ECE R10). Reverse polarity protection. -15°C to +40°C extreme temperature reliability. Maintenance free worm drive mechanism. Supplied with 12V and 24V H1 halogen bulbs.

· Ideal for Refuse Trucks, Agriculture Plant & Contracting

| EBC203 1 Amber 12/24V R65 | Part No. | Qty | Colour | Voltage | ECE Reg |
|---------------------------|----------|-----|--------|---------|---------|
| | EBC203 | 1 | Amber | 12/24V | R65 |

0

0

000

ဇ္



RING 'Truck Master' LED Amber Mini Bar - Magnetic Mount

60 MPH speed rating. Reg 65 compliant. IP67 rated. 20 x programmable patterns. 2.4 m cable. In-vehicle power adaptor with flash and on/off switch included. Dimensions (H x W x D): 41 x 251 x 170 mm. 3 years warranty.

Qty DC Voltage **ERCV9822** 9-30V 40W







LED Rotating Beacon - Magnetic Base

IP65. EMC approved (ECE R10). Fully encapsulated electronics. 40 x LEDs. ABS base and polycarbonate lens.

- 40mph rated magnet
- 3 x Flash patterns Simulated rotating, double flash and quad flash.

| Part No. | Qty | Colour | Voltage | ECE Reg | |
|----------|-----|--------|---------|---------|--|
| EBC302 | 1 | Amber | 12/24V | R65 | |





LED Rotating Beacon - Single Point

IP65. EMC approved (ECE R10). Fully encapsulated electronics. 40 x LEDs. ABS base and polycarbonate lens.

· 3 x Flash patterns - Simulated rotating, double flash and quad flash.

| Part No. | Qty | Colour | Voltage | ECE Reg | |
|----------|-----|--------|---------|---------|--|
| EBC301 | 1 | Amber | 12/24V | R65 | |






IP65. EMC approved (ECE R10). Fully encapsulated electronics. 40 x LEDs. ABS base and polycarbonate lens.

· 3 x Flash patterns - Simulated rotating, double flash and guad flash.

| Part No. | Qty | Colour | Voltage | ECE Reg | |
|----------|-----|----------|---------|---------|--|
| EBC305 | 1 | Amber | 12/24V | R65 | |
| ERCV9420 | 1 | DIN Pole | | | |





IP65. EMC approved (ECE R10).
 Fully encapsulated electronics. 40 x LEDs.
 ABS base and polycarbonate lens.
 3 x Flash patterns - Simulated rotating, double flash and quad flash.

| Part No. | Qty | Colour | Voltage | ECE Reg | |
|---------------|-----|--------|---------|---------|--|
| EBC303 | 1 | Amber | 12/24V | R65 | |
| EBC303G | 1 | Green | 12/24V | R65 | |




































Manufactured from high strength carbon steel with nitrile seal.

| Part No. | Qty | BSPP Thread | Bar | Body Size |
|----------|-----|-------------|-----|-----------|
| HY301 | 1 | 1/4" | 315 | 1/4" BSP |
| HY303 | 1 | 3/8" | 250 | 3/8" BSP |
| HY305 | 1 | 1/2" | 250 | 3/8" BSP |
| HY307 | 1 | 3/4" | 250 | 1/2" BSP |
| HY309 | 1 | 1" | 250 | 3/4" BSP |





Meets the requirements of ISO 16028. Manufactured from high strength carbon steel.

| Part No. | Qty | BSPP Thread | Bar | Body Size |
|----------|-----|-------------|-----|-----------|
| HY300 | 1 | 1/4" | 315 | 1/4" BSP |
| HY302 | 1 | 3/8" | 250 | 3/8" BSP |
| HY304 | 1 | 1/2" | 250 | 3/8" BSP |
| HY306 | 1 | 3/4" | 250 | 1/2" BSP |
| HY308 | 1 | 1" | 250 | 3/4" BSP |

Hydraulic Quick Release Coupling - Carrier (Female)

Meets the requirements of ISO-7241-A. Manufactured from high strength carbon steel.

- Rugged construction
- Ideal for construction equipment, manufacturing machinery and in-plant systems

| Part No. | Qty | BSPP Thread | Max Work Pressure | Size | |
|----------|-----|-------------|-------------------|------|--|
| HY402 | 1 | 1/4" | 350 Bar | 04SF | |
| HY406 | 1 | 3/8" | 315 Bar | 06SF | |
| HY400 | 1 | 1/2" | 250 Bar | 08SF | |
| HY404 | 1 | 3/4" | 250 Bar | 12SF | |
| HV408 | 1 | 1" | 230 Bar | 16SF | |



Hydraulic Quick Release Coupling - Probe (Male)

Meets the requirements of ISO-7241-A. Manufactured from high strength carbon steel.

- Rugged construction
- · Ideal for construction equipment, manufacturing machinery and in-plant systems

| Part No. | Qty | BSPP Thread | Max Work Pressure | Size |
|----------|-----|-------------|-------------------|------|
| HY403 | 1 | 1/4" | 350 Bar | 04SF |
| HY407 | 1 | 3/8" | 315 Bar | 06SF |
| HY401 | 1 | 1/2" | 250 Bar | 08SF |
| HY405 | 1 | 3/4" | 250 Bar | 12SF |
| HY409 | 1 | 1" | 230 Bar | 16SF |
| | | | | |



| raitinu. | ŲĽ | Type | DJFF IIII Cau | |
|----------|----|------|---------------|---|
| HY156 | 2 | F:F | 1/4": 1/4" | |
| HY155 | 2 | F:F | 1/4": 3/8" | П |
| HY154 | 2 | F:F | 3/8": 3/8" | |
| HY153 | 2 | F:F | 3/8":1/2" | |
| HY152 | 2 | F:F | 1/2":1/2" | Т |
| HY151 | 1 | F:F | 3/4": 3/4" | |
| HV150 | 1 | F:F | 1":1" | Т |



Our full range can be found on Page 284



| 2441461 | Aude | toi iviais | i Ciliaic | |
|----------|------|------------|-------------|--|
| Part No. | Qty | Type | BSPP Thread | |
| HY135 | 2 | M:F | 1/4": 3/8" | |
| HY138 | 2 | M:F | 3/8": 1/4" | |
| HY136 | 2 | M:F | 3/8": 3/8" | |
| HY131 | 2 | M:F | 3/8": 1/2" | |
| HY137 | 2 | M:F | 5/8" : 5/8" | |
| HY133 | 2 | M:F | 1/2":3/8" | |
| HY134 | 2 | M:F | 1/2": 1/2" | |
| HY130 | 1 | M:F | 1/2": 3/4" | |
| HY132 | 1 | M:F | 3/4": 1/2" | |
| | | | | |









Hydraulic BSPP/BSPT Adaptor - Male : Male

| | | | _ | |
|----------|-----|------|-------------------|--|
| Part No. | Qty | Type | BSPP: BSPT Thread | |
| HY102 | 5 | M:M | 1/4" : 1/4" | |
| HY100 | 5 | M:M | 3/8": 1/4" | |
| HY101 | 5 | M:M | 3/8": 1/2" | |
| HY103 | 2 | M:M | 1/2": 1/2" | |
| | | | | |



Hydraulic BSPP Equal Elbows - F : F

| Part No. | Qty | Туре | BSPP Thread |
|----------|-----|------|-------------|
| HY202 | 2 | F:F | 3/8" |
| HY204 | 1 | F:F | 1/2" |



| Hydraulic | BSPP |
|-----------|-------------|
| Adaptor - | Male : Male |

| Part No. | Qty | Туре | BSPP Thread |
|----------|-----|------|-------------|
| HY115 | 5 | M:M | 1/4": 1/4" |
| HY114 | 5 | M:M | 1/4": 3/8" |
| HY121 | 5 | M:M | 3/8": 3/8" |
| HY117 | 5 | M:M | 3/8":1/2" |
| HY118 | 5 | M:M | 1/2":1/2" |
| HY112 | 2 | M:M | 1/2":5/8" |
| HY120 | 2 | M:M | 1/2": 3/4" |
| HY116 | 2 | M:M | 5/8": 5/8" |
| HY119 | 2 | M:M | 3/4": 3/4" |
| HY111 | 1 | M:M | 1": 1/2" |
| HY110 | 1 | M:M | 1": 3/4" |
| HY113 | 1 | M:M | 1":1" |



| Part No. | Qty | Type | BSPP Thread |
|----------|-----|------|-------------|
| HY201 | 2 | M:F | 3/8" |
| HY203 | 1 | M:F | 1/2" |



Hydraulic BSPP Equal Elbows - M : M

| Part No. | Qty | Type | BSPP Thread |
|----------|-----|------|-------------|
| HY200 | 1 | M:M | 3/8" |



Hydraulic BSPP Bulkhead Fitting

| Donarcaa i italig | | | | | |
|-------------------|-----|-------------|--|--|--|
| Part No. | Qty | BSPP Thread | | | |
| HY161 | 1 | 3/8" | | | |
| HY160 | 1 | 1/2" | | | |



Hydraulic BSPP Equal Tee - Female

| _qo a | | Cilidic |
|--------------|-----|-------------|
| Part No. | Qty | BSPP Thread |
| HY190 | 1 | 3/8" |
| HV191 | 1 | 1/2" |





Hydraulic BSPP Blanking Plug

| Part No. | Qty | BSPP Thread | |
|----------|-----|-------------|--|
| HY173 | 5 | 1/4" | |
| HY172 | 5 | 3/8" | |
| HY171 | 2 | 5/8" | |
| HY170 | 1 | 1" | |

Hydraulic BSPP Blanking Cap

| | -0 | _ | |
|----------|-----|-------------|--|
| Part No. | Qty | BSPP Thread | |
| HY180 | 5 | 1/4" | |
| HY181 | 5 | 3/8" | |
| HY182 | 5 | 1/2" | |
| HY183 | 2 | 5/8" | |
| HY184 | 1 | 1" | |













1/2" BSP Hydraulic Breaker Hose Sets - 6 m

EN 857 2SC - SAE 100 R16S. Working Pressure: 275 bar/4000 PSI

| Part No. | Qty | Fittings |
|----------|-----|-------------------------|
| HY10 | 1 | Male & Female Couplings |
| HY13 | 1 | 1/2" BSP Male Ends |



| | | 5/12 100 /1100/ 110/ Millig 1 / C550/ C1 2/ 0 50// 1000 1 0// | | |
|----------|--------|---|--|--|
| Part No. | Set of | Fittings | | |
| HY11 | 2 | Male/Female Couplings | | |
| HY12 | 2 | 1/2" BSP Male Ends | | |



Compressor Air Hose Assembly

20 bar/300 PSI high quality rubber hose. Complete with brass claw fitting safety couplings.

| Part No. | Qty | Size | Length | |
|----------|--------|------|--------|--|
| AL500 | 1 Coil | 3/4" | 15 m | |



Whip Check Cables Steel cable and plated springs.

| Part No. | Qty | Cable Diameter Suits Hose Diameter | | Length | |
|----------|-----|------------------------------------|------------------------|--------|--|
| AL90 | 1 | 1/8" | 1/2" to 1 1/4" (Small) | 540 mm | |
| ΔL91 | 1 | 1/4" | 1 1/2" to 3" (Large) | 970 mm | |



FUCHS 'Renolin' ZAF 46 HV High Quality Hydraulic & Lubricating Oil

High viscosity index, zinc and ash free hydraulic oil.

Ideal for powering hydraulic systems working in refrigerated plant, mobile equipment, or where the system demands a fluid capable of working over a wide temperature range.

| Part No. | Qty | Size |
|----------|-----|-----------|
| VC117 | 1 | 20 Litres |





RENOLIN ZAF 46 HV

FUCHS 'Agrifarm'
Universal 2-stroke Oil

Specifications: API, TC, JASO, FB.

Suitable for use in all 2-stroke engines. May be used either as a tank mix or in oil injection systems. Dyed red for ease of identification.

• Ideal for agricultural and horticultural machinery, chain saws, heading cultors stripmers portable generators etc.

hedge cutters, strimmers, portable generators, etc.

| Part No. | Qty | Size |
|----------|-----|-----------|
| VC116 | 1 | 20 Litres |





Specifications: ACEA E7, API CI-4/SL, GLOBAL DHD-1, CAT ECF-1-a/ECF-2. A super long term all season engine oil of the SHPD category for diesel and gasoline engines with and without turbo charging in passenger cars, trucks, buses and industrial equipment

- · Excellent wear protection even under high continuous stress
- Protection from corrosion even when used with diesel fuels with high sulphur content

| · Frotection | 111011110 | in osion even when osed with dieser roels with high solphor content |
|--------------|-----------|---|
| Part No. | Qty | Size |
| VC115A | 1 | 5 Litres |
| VC115 | 1 | 20 Litres |
| | | |







ROCK OIL ISO-32 Hydraulic Oil Meets DIN 51525 and DIN 51524 Parts 1 & 2.

Excellent protection of machinery and systems against corrosion and wear.

* NOT to be used as Brake Fluid.

| Part No. | Qty | Size | |
|----------|-----|-----------|--|
| VC199 | 1 | 20 Litres | |



KOLOR KUT Water Finding Paste

A golden brown colour which turns brilliant red upon contact with water. Can be used to successfully gauge water content in all petrol and hydrocarbons.

| Part No. | Pack of | Size |
|----------|---------|----------|
| VC752 | 1 | 85g Tube |




Water **Finding Strips**

Part No.

VC750

A golden brown colour which turns brilliant red upon contact with water. Can be used to successfully gauge water content in all petrol and hydrocarbons.

| Part No. | Tub of | Description |
|----------|--------|-------------|
| VC751 | 200 | Dip Strips |



















CreteBeater



Non-Corrosive

CreteBeater[®]

The environmentally friendly foam for removing concrete and cement safely and effectively without damaging the surface of vehicles, tools, equipment, machinery and other surfaces

CreteBeater®

Dissolves concrete by breaking down the bond of cement, making concrete layers bubble up and release from the surface

CreteBeater*

Originally developed for use by the ready-mix concrete supply industry



CreteBeater[®]



CreteBeater 'Civil Engineering' **Heavy Duty Concrete Remover**

100% biodegradable and designed to safely remove cement and concrete by dissolving it in a bio-safe way. Does not contain muriatic, phosphoric or citric acids and is therefore, non-corrosive.

Safe to use on:

- Painted surfaces/vehicles
- Aluminium
- Glass/Windows
- Rubber/Tyres/Hoses
- Human Handling
- Qty Pack Size Part No.

CB20 20 Litre Container

ALTA Foam **Pressure Sprayer**

Contains FPM VITON® (FKM) seals. Special lance produces a rich foam to help dissolve/ degrease dirt. Suitable for use with S-A-S Snow Foam (Part No. SAS2017).

· High foaming action spray

Part No. Otv Capacity

CAN27 1.8 Litre



ALTA Foam Pressure Sprayer

Contains FPM VITON® (FKM) seals. Supplied with 3 x interchangeable nozzles to adjust the foam thickness. Suitable for use with S·A·S Snow Foam (Part No. SAS2017.

- · High foaming action spray
- · Lance with 120 cm long hose

Part No. Qty Working Capacity

CAN28 6.0 Litre





In 3 simple steps!



Apply CreteBeater as a foam making sure the surface is covered and saturated



Infuse for 20-45 minutes ensuring area remains wet (especially in hot conditions)*



Rinse off using pressure washer or water and brush for detailing



တွ

0

موه























288

292





304 Grease





300

307





305

306 Plant Machinery Oils 307 Lubricants + Maintenance 311 Rust Treatment 312 Metal Protection Sprays 313 Primers 314 Paints 316 Paint Rollers

317 Paint Brushes 318 Assortment Sprays

















SAS

S-A-S Diesel Fuel Treatment

Improves engine performance. Lubricates and extends life if injectors and fuel pumps. Compatible with catalytic converters and particulate traps. **Reduces Exhaust Emissions**

| Part No. | Qty | Size |
|-----------|-----|---------------|
| SAS701 | 1 | 300ml Bottle |
| SAS701/12 | 12 | 300ml Bottles |



S-A-S Petrol Fuel Treatment

Improves engine performance.

Neutralises acids and improves fuel economy.

Compatible with catalytic converters and engine sensors.

Reduces Exhaust Emissions

| Part No. | Qty | Size |
|----------------------|-----|---------------|
| SAS702 | 1 | 300ml Bottle |
| SAS702/12 | 12 | 300ml Bottles |
| 5A5752,12 | | South Bottles |



S-A-S Engine Flush

Advanced formulation. Helps prolong the life of new engine oil. Removes sludge, lacquer and varnish from all lubrication faces.

| Part No. | Ųty | Size |
|-----------|-----|---------------|
| SAS703 | 1 | 300ml Bottle |
| SAS703/12 | 12 | 300ml Bottles |



STP Engine Flush

Suitable for petrol and diesel engines.

Add directly to used motor oil before each oil change.

Valve Grinding Sticks

- Removes harmful sludge and deposits.
 Contains an anti-wear additive
- to help protect engine surfaces.

| Part No. | Qty | Size |
|----------|-----|--------------|
| VC151 | 1 | 450ml Bottle |



2

TL882A





STP Diesel Injector Cleaner

A high strength, super concentrated cleaner specially formulated to remove power-robbing deposits from all fuel injection systems. Cleans clogged injectors in just one tankful. Compatible with catalytic converters.

- · Restore power and acceleration.
- · Smooth out rough idling.
- Clean and condition fuel delivery system.
- Increase fuel economy.
- · Reduce exhaust emissions.

| Part No. | ŲĮ | Size |
|----------|----|--------------|
| VC153 | 1 | 200ml Bottle |



STP Petrol Injector Cleaner

A high strength, super concentrated cleaner specially formulated to remove power-robbing deposits from all fuel injection systems. Cleans clogged injectors in just one tankful. Compatible with catalytic converters.

- Restore power and acceleration.
- · Smooth out rough idling.
- · Clean and condition fuel delivery system.
- · Increase fuel economy.
- · Reduce exhaust emissions.

| Part No. | Qty | Size | |
|----------|-----|--------------|--|
| VC152 | 1 | 200ml Bottle | |



BAR'S Radiator Stop Leak

Specially designed to stop emergency cooling system leaks and drips and reduce or eliminate cavitation.

- Stops and prevents internal and external leaks up to 0.9 mm in size
- · Freely recirculates to prevent future leaks
- Buffing agents keep system clean will not clog
- · Compatible with all antifreeze brands

| Part No. | Qty | Size |
|----------|-----|---------------|
| VC230N | 10 | 200ml Bottles |





CE-LIT Radiator Cement

Cures all leaky radiators, cylinder blocks and water pumps, etc. even when used with anti-freeze.

· For Cars, Trucks and Tractors.

| Part No. | Qty | Description |
|----------|-----|----------------------------|
| DC70 | 1 | Display Card of 24 Sachets |



CHEMICO Grinding Paste

Silicone carbide and lithium based grease. Double-ended tin of Coarse and Fine paste.

- A handy supply of a Coarse paste to cut and a Fine paste to finish.
- It has inherent shear stability, corrosion protection and good sealing properties.

| Pack of | Size |
|---------|----------|
| 4 | 110g Tin |
| | Pack of |





موو

 \odot







GRANVILLE Brake & Clutch Fluid

DOT 4.

Part No.

VC165 **5 Litre Container**



NEW



ARDINA

Highly concentrated screenwash which removes dirt, water spots and insects. Leaves a pleasant smell and a streak free finish.

NEW

 Highly concentrated product:
 1 bottle makes 3 litres Part No. Box of

DSL62 32ml Bottles 25





AdBlue® Plastic Delivery Nozzle

• 19 mm Spout

• 3/4" BSP

Part No. Description

ADB301 Delivery Nozzle



S-A-S Concentrated Screen Wash

Designed with powerful detergents and an anti-freeze agent to prevent washer jets freezing in the wintertime, and to clear summer fly squash.

• Lowest working temperature: -7.6°C.

Part No. Pack of Size

SAS1060/2 **5 Litre Containers**







CLEARALEX Concentrated Screen Wash

Designed with powerful detergents and a n anti-freeze agent to prevent washer jets freezing in the wintertime, and to clear summer fly squash.

· Lowest working temperature: -7.6°C.

Part No. Pack of

DSL60 **5 Litre Containers**



DECOSOL Ready Mix Screen Wash

Pour into the washer bottle and go! Highly concentrated formula, cleans without smearing.

Part No. Pack of DSL21N 2 **5 Litre Containers**



· Pouring spout included

Part No.

Qty 10 Litres ADB₁₀

ADB₂₀ 20 Litres ADB205 * 4 210 Litres

* Please allow 5-7 days delivery on this product.

Size





0

000

 \odot









NILCO 'Nilglass' Glass & Mirror Cleaner

Britain's leading commercial glass cleaner. For use on all water resistant hard nonporous

| NIL1 | 6 | 1 Litre Trigger Sprays |
|------|---|------------------------|
| NIL5 | 2 | 5 Litre Containers |





TL8020



TL8021 **Ice Scraper**



3-in-1 Ice Scraper

Part No. Qty Description

TL8022 1 Ice Scraper with Squeegee



DECOSOL Power De-icer

High strength formula quickly removes frost and ice from windows and windscreens.
Highly concentrated to prevent refreezing.

Pack of

Part No. DSL31 750ml Sprayers







DECOSOL Glass Cleaner

High performance glass and mirror cleaner leaves a streak-free surface both inside and out. Will not harm rubber and plastics. Removes insect smear, road & traffic film, nicotine and finger prints.

| Part No. | Pack of | Size |
|----------|---------|------|
| | | |

DSL40 6 750ml Sprayers



A selection of professional quality valeting aerosols, providing a clean finish for all vehicles. Plus the No.1 selling Universal Maintenance Lubricant, ideal for everyday



maintenance applications.

Set of 6

6 x 500ml Aerosols: Glass Cleaner, Cockpit Spray, Tyre Foam, Multi Purpose Foam Cleaner, Air Duster, Universal Maintenance Lubricant.



990

ဇ္

Can be used as a Telephone Cleaner (spray onto cloth before use).

S-A-S Air Con Sanitiser

Each aerosol provides up to 4 sanitising applications

- Highly effective natural formulation.
- Eliminates odours from air con and heating systems.
- · Leaves system fresh and germ free for months.
- Complete with specially designed wide-spray extension.

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS55 | 6 | 500ml Aerosols |





· Silicone Free. Part No.

SAS16

S-A-S Glass Cleaner

Pack of

6

· Cleans Glass, Ceramics, Perspex and any hard surfaces.

500ml Aerosols

DECOSOL 'Instant Valay' Foam Upholstery Cleaner

Award winning foam cleaner.

Fast acting, effective foam cleaner, which safely and gently lifts dirt from fabric, upholstery, vinyl and most interior fitments, including carpets and floor mats.

| art No. | Pack of | Siz |
|---------|---------|-----|
| | | |

DSL50 500ml Aerosols 12



S-A-S Cockpit Spray

Restores sheen to any hard surface

- · Enhances appearance of plastics, vinyl and rubber.
- · Suitable for Public Service Vehicles as a protective coating against soiling.
- Acts as a plasticiser. · Contains Silicone.

SAS

SAS

Part No.

SAS15 6 500ml Aerosols





S·A·S Multi-Purpose Foam Cleaner

Use on Upholstery, Curtains, Fabrics and Hard Surfaces; e.g. Computer Casings, Office Furniture.

- · Instant foaming action lifts dirt.
- · Easily wiped away.
- · Removes nicotine stains.
- · Anti-static formula when used with non static cloth (i.e. microfibre).
- Ideal for use in Offices. Cars and Public Service Vehicles.

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS32 | 6 | 500ml Aerosols |



SAS

S-A-S Multi Shine

Designed for use in body shops or adjacent to paint spray areas.

- A Silicone FREE alternative to 'Cockpit Shine'.
- Gives an attractive, satin sheen to surfaces.
- · Ideal for Matt finish dashboard/interiors.

Pack of Size Part No.

SAS51 500ml Aerosols





S-A-S Air Duster

High pressure compressed air.

- · Ideal for use on Vehicle Dashboards, Electronic Equipment, Delicate Instruments, Hi-Fi Equipment, Computer Keyboards, etc.
- · When sprayed upside down acts as a freeze spray which can remove Chewing Gum.

| Part No. | Pack of | Size |
|----------|---------|---------------|
| SAS54 | 6 | 500ml Aerosol |



S-A-S Tyre Foam

Wash vehicle, spray on and leave for shine to develop.

- Suitable for all types of tyre on any vehicle.
- Contains Silicone.

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS43 | 6 | 500ml Aerosols |












S-A-S Pre-Wash Snow Foam

Highly concentrated, high foaming, powerful cleaning formula. Safe to use on all types of paintwork and a great way to prepare your vehicle for washing.

- · Highly concentrated dilute to a ratio of 9 parts water to 1 part product
- pH neutral formula breaks down excess dirt, dust, and grime to leave behind a prepped surface for washing
- Multi-Purpose Application can be used with a foam gun. pressure washer foam lance and through a pump sprayer

Part No. Description

SAS2517A 1 500ml Bottle



A luxurious, high concentration car shampoo. With a dilution ratio of 1900:1 - only 12ml cleans an average sized car.

- Dilution ratio of 1900:1
- High foaming lubrication prevents scratching paintwork
- · Fully compatible with all types of waxes, sealants and ceramic coatings

SAS2511A 500ml Pump Dispenser

S-A-S Concentrated Wash & Wax

A concentrated shampoo and wax that's strong enough to cut through dirt and road film, while gentle enough not to harm the existing layer of protection on your car.

- · Cleans, shines and protects in one easy step
- Between 1:400 and 1:800 dilution ratio add 2 caps to every 10 litres of water
- Special lubricants and waxes provide a smooth glide feel between your wash media and the paint surface
- · Protects paintwork

Description Part No. Qty

SAS2545A 1 500ml Bottle

S-A-S Alloy Wheel Cleaner

Offers a deep rich clean to your vehicle's wheels, without damaging your sealants.

- · Acid-free
- pH neutral
- Safe for use on all types of alloy wheels
- · Tough on dirt but gentle on paint

Part No. Description

SAS2506A **500ml Trigger Spray**



NEW

NEW

NEW

NEW

S-A-S Glass Cleaner

Specially formulated to be safe to use on tinted glass, it leaves behind a streak-free finish and hydrophobic

· Cleans all glass, mirrored surfaces, lights and chrome trims

Part No. Description

SAS2516A 500ml Trigger Spray 1

SAS



S-A-S Cockpit & Trim Shine

Provides the perfect finish to all plastics, rubber trims and tyres leaving behind a protective barrier that is resistant to road debris.

- Fast drying
- · Leaves a protective gloss coating
- · Highly resistant to road debris

Description

SAS2515A 500ml Trigger Spray

SAS



S-A-S Multi Purpose Cleaner

A professional, solvent-free, multi-purpose cleaner designed to clean all exterior and interior automotive surface materials quickly and safely.

- · Highly effective on all hard and soft surfaces
- · Designed for undercarriages, door shuts and engine bay cleaning
- · Breaks down grease and dirt with ease making it ideal for hard to reach places

Qty Description

SAS2510A 1 **500ml Trigger Spray**

SAS



S-A-S Tyre Shine Gel

High gloss tyre sealant. Containing high grade silicone and white oil - leaves tyres looking replenished and new. This highly effective, long lasting formula will protect your tyre wall from cracking and browning.

- · Long lasting formula
- · Leaves tyres looking as good as new
- · Protects tyre wall from cracking and browning

Qty Description **SAS2543A** 1 500ml Flip Top Bottle















SAS

S·A·S Heavy Cutting Paste (Stage 1 of 3)

The first of three stages of cutting compounds. Designed as an aggressive stage of polishing. It will remove scratches of 1200 grit sandpaper and swirl marks with ease, preparing for our Medium Cutting Paste.

- · Formulated with high cutting abrasives and fillers
- Contains kaolin clays to help refine, restore and cleanse your vehicle's paintwork

Part No. Qty Description

SAS2501A 1 500ml Flip Top Bottle

S·A·S Medum Cutting Paste (Stage 2 of 3)

The second of three stages of cutting compounds. Formulated with diminishing abrasive chemistry. This means the particles of abrasive start off large, getting smaller the more you work with them - in effect lowering the cutting power over time.

- Refines, restores and cleanses vehicle paintwork
- · Contains the highest grade of fillers and kaolin clays
- · Helps to even out the deeper cuts of our Heavy Cutting Paste in preparation for our Fine Cutting Paste

SAS2502A 500ml Flip Top Bottle 1

S-A-S Fine Cutting Paste (Stage 3 of 3)

The final of three stages of cutting compounds. Formulated with diminishing abrasive chemistry. This means the abrasive particles get smaller the more they are worked into the paintwork. This effectively means the cutting power of the compound reduces whilst you're using it, offering a more even and gradual application.

- · Contains the highest grade of fillers and kaolin clays
- · Refines and cleanses your vehicle's paintwork
- · Designed as the final stage of polishing

Description Part No. 0tv

SAS2503A 1 500ml Flip Top Bottle

S·A·S High Gloss Polish

All-in-one wax and polish. Essential for any detailing enthusiast. Contains special abrasives and fillers to help remove paintwork defects.

- · Infused with the finest grade Brazilian carnauba wax
- · Long term protection
- · High-gloss finish
- Protects against road debris
- UV protection

SAS2508A 500ml Pump Dispenser 1



NEW











S-A-S Detailing Pack - Exterior

Part No. Qty Description

SASVP1 Set of 6 Exterior Pack

2 x 500ml Pre-Wash Snow Foam, 500ml Concentrated Wash & Wax, 1 x 500ml Care Care Shampoo, 500ml Alloy Wheel Cleaner



S-A-S Detailing Pack - Interior/Exterior

Description

SASVP2 Set of 6 Interior/Exterior Pack

2 x 500ml Glass Cleaner, 500ml Cockpit & Trim Shine, 1 x 500ml Multi Purpose Cleaner, 500ml Tyre Shine Gel



S-A-S Detailing Pack - Exterior Polish

Description Part No.

Set of 6 Exterior Polish Pack

2 x 500ml High Gloss Polish, 500ml Fine Cutting Paste 1 x 500ml Medium Cutting Paste, 500ml Heavy Cutting Paste



























SAS



S-A-S Glass Cleaner

Supplied in a stackable UN container.

- Advanced Silicone Free Formula Rapid evaporation provides a streak-free finish
- Highly Effective Cleaning Power Quickly removes dirt, grease and bird droppings on windows, mirrors, plastic, vinyl & hard surfaces

| Part No. | Qty | Size |
|----------|-----|-----------------------|
| SAS2016 | 1 | 5 Litre Container |
| SAS2000T | 1 | 5 Litre Dispenser Tap |



S·A·S Satin Finish Cockpit Shine

Supplied in a stackable UN container.

- Advanced Silicone Free Polymer Formula -Long lasting satin finish that repels soiling & staining
- Protects All Things Rubber & Plastic -Use on internal & external plastic, vinyl and rubber trims & finishes to prevent drying,

| fading & d | .i dCKII Ig | | |
|------------|-------------|------|--|
| Part No. | Qty | Size | |

5 Litre Container SAS2015





Supplied in a stackable UN container.

- Powerful 3-in-1 Formula -Cleans, rejuvenates and conditions

• pH Balanced - Helps to prolong leather life

Part No. Qty

SAS2033 **5 Litre Container**

S·A·S Concentrated Carpet Shampoo

- · Concentrated Formulation Dilute to remove light soiling or use neat to remove heavy soiling on all carpets
- Powerful Cleaning Action Unique formula breaks down oil & grease for quick & easy cleaning of porous materials

| raitivo. | ŲLY | SIZE |
|----------|-----|----------------|
| SAS2132 | 1 | 1 Litre Bottle |



S·A·S Silicone Tyre Dressing

Supplied in a stackable UN container.

- · Makes Tyres Look Like New -Advanced silicone based formula returns tyres back to a slick black sheen
- · Quick & Easy Application -Simply spray on and wipe
- Contains Silicone

Part No. Qty

SAS2043 5 Litre Container 1





During Cleaning



S-A-S Allov Wheel Cleaner

Supplied in a stackable UN container.

- High Performance Formulation -Dissolves brake dust and other iron-rich contaminants
- Safe On All Wheel Types -Effectively cleans all types of wheel finish including highly polished and anodised aluminium

Part No.

SAS2041 **5 Litre Container** 1



S-A-S Tar & Gum Remover

Supplied in a stackable UN container.

- Extremely Strong Formula Instantly dissolves tar & gum on paintwork & plastics
 Multi-Purpose Application Can also be used
- to remove oil, grease, fuel stains, wax, silicone & adhesive residue

SAS2058 **5 Litre Container**





Contains FPM VITON® (FKM) seals. Supplied with 3 x interchangeable nozzles to adjust the foam thickness. Suitable for use with S-A-S Snow Foam (Part No. SAS2017.

- · High foaming action spray
- · Lance with 120 cm long hose

| Part No. | Qty | Working Capacity | |
|----------|-----|------------------|--|
| CAN28 | 1 | 6.0 Litre | |







موو

9

 \odot



SHS

S-A-S Pre-Wash **Snow Foam**

Supplied in a stackable UN container. Dilute 100/150ml per car.

- Biodegradable Free Formula Safely and efficiently lifts dirt and grime without stripping sealant or wax protection
- Multi-Purpose Application Can be used with a foam gun, pressure washer foam lance and through a pump sprayer

| Part No. | Qty | Size |
|----------|-----|---------------------------|
| SAS2017 | 1 | 5 Litre Container |
| CAN27 | 1 | Foam Pressure Sprayer 1.8 |



Supplied in a stackable UN container. Dilution ratio: 1900:1.

- Paintwork Protection Formula -Special lubricants cuts through tough dirt and grime that is gentle enough to protect existing paint layer
- · Highly Concentrated Formula Very economical dilution ratio 1900 water : 1 solution

| Part No. | Qty | Size |
|----------|-----|-------------------|
| SAS2011 | 1 | 5 Litre Container |



Litre

S-A-S Concentrated Traffic Film Remover

Supplied in a stackable UN container. Dilution ratio: 1:50.

- Heavy Duty Formula -Contains sodium hydroxide for effortless cleaning
- Multi-Purpose Application -Can be used with a foam gun, pressure washer foam lance and through a pump sprayer

| raitiv. | QLY | SIZE |
|---------|-----|-------------------|
| SAS2040 | 1 | 5 Litre Container |



S-A-S Waterless Wash & Wax

Supplied in a stackable UN container.

- Cleans Without Rinsing With Water -The unique formula ensures dirt particles are encapsulated providing a scratch free clean
- Professional Wax Finish Contains Carnauba wax for a durable long lasting protection with an outstanding glossy shine
- Contains Silicone

| Part No. | Qty | Size |
|----------|-----|------------------|
| SAS2022 | 1 | 5 Litre Containe |



SAS

SAS

S-A-S Concentrated Wash & Wax

Supplied in a stackable UN container. Dilution ratio: Between 1:400 and 1:800.

- · Paint Protection Formula -Special lubricants cuts through tough dirt and grime that is gentle enough to protect existing paint layer
- · Leaves A Long Lasting Shine Waxes provide a glossy paint protection finish that leaves vehicles clean and shiny for weeks

| Part No. | Qty | Size |
|----------|-----|--------------------------|
| SAS2045 | 1 | 5 Litre Container |



SAS

S·A·S Hydrophobic Paint Guard

Supplied in a stackable UN container.

- Long Lasting Hydrophobic Guard -A unique sealant provides protection from bird droppings, bugs and road salts
- Multi-Purpose Application -Can be used all over vehicles: Coating paintwork, glass, alloy wheels, steel, plastics and rubbers

| raitinu. | ŲLY | 3120 |
|----------|-----|--------------------------|
| SAS2021 | 1 | 5 Litre Container |
| | | |



S-A-S Wax Spray

Supplied in a stackable UN container.

- Temperature Insensitive Formula Quickly provides a thin protective coating of Carnauba wax & gloss enhancing polymers
- Professional Streak Free Finish Produces a durable long lasting protection with an outstanding ultra-slick glossy shine
- · Contains Silicone

| Part No. | Qty | Size |
|----------|-----|-------------------|
| SAS2046 | 1 | 5 Litre Container |



S-A-S Odour Eliminator

Supplied in a stackable UN container.

- · Complete Odour Control Formula -Captures, breaks down and kills unpleasant odours
- Perfume Free Fresh Fragrance -Removes unwanted smells caused by smoke, damp, pets and traffic fumes leaving it smelling fresh & clean

| Part No. | Ųly | Size |
|----------|-----|------------------|
| SAS2034 | 1 | 5 Litre Containe |







 \odot













'Power Blast' aerosol provides high volume burst of fragrance. For industrial or janitorial applications. Helps eliminates odours in

large areas. Ideal for:

- PSVs.
- Meeting Rooms.
- · Refuse Areas.

| Part No. | Qty | |
|----------|-----|--|
| NIL605 | 1 | |
| NIL606 | 1 | |
| NII 607 | 1 | |

· Changing Rooms & Toilets.

NIL607

Fragrance 750ml Aerosol **Spring** 750ml Aerosol Cranberry Lavender 750ml Aerosol

Conference Halls.

· Warehouses.



Assorted Pack of 3 1 x Spring. 1 x Cranberry. 1 x Lavender.



LITTLE TREES Air Fresheners - 'Black Ice'

The original 'MAGIC TREE'. Men's cologne fragrance. • Ideal for inconspicuous use on black car interiors.

| Part No. | Box of | Description |
|----------|--------|-------------|
| VC663 | 24 | Black Ice |



LITTLE TREES Air Fresheners

The original 'MAGIC TREE'. Assorted Fragrances

| Part No. | Qty | Description |
|----------|-----------|-------------|
| VC660 | Box of 24 | Display Box |





Wheel Brush

Specially designed super soft flexible bristles

· Cleans all hard to reach areas

· Pro-grade, non-scratch safety tip

| dr i NO. | Ųly | Description |
|----------|-----|-------------|
| NB20 | 1 | Wheel Brusl |
| | | |



WB91 Industrial Size Brush 1



LISTER Extension Handles for Vehicle Wash Brushes

Compatible with Part No.s WB91, WB94. (Brush head NOT included).

| Part No. | Qty | Length | |
|-------------|-----|--------|--|
| WB93 | 1 | 3 ft | |
| WB96 | 1 | 6 ft | |





Length: 100 cm closed, extends to 170 cm (5 ft 8").

| Part No. | Qty | Description |
|--------------|-----|------------------------|
| WB90 | 1 | Telescopic Wash Brush |
| WB90H | 1 | Replacement Brush Head |
| | | |













•
















| WC15 | 1 | Professional Wash Mitt |
|----------|-----|------------------------|
| Part No. | Qty | Description |



Jumbo Sponges

Synthetic sponge.

· Designed for professional use.

| Part No. | Qty | Approx. Dimensions. |
|----------|-----|---------------------|
| WC17 | 12 | 250 x 120 x 70 mm |



Microfibre Cloths

Trade size.

WC3

WC13

1

Heavy duty micro fibre.

| raitino. | rackui | Description |
|----------|--------|---------------------------|
| WC18 | 10 | Micro Fibre Cloths |



| Part No. | Qty | Size |
|----------|-----|--------------|
| WC11 | 1 | 400 x 480 mm |



1 kg Bale of Cut Lengths

2 kg Bale of Precut Lengths

'Water Wizard' Waffle Drying Towel

Designed for professional use. • Leaves a streak free finish.

- Dry a car in half the time!
- Double the absorption of standard towels.

| Part No. | Ųty | Size |
|----------|-----|--------------|
| WC12 | 1 | 560 x 760 mm |

Microfibre **Drying Towel** - Large Size

Long pile side for drying with short pile on the other side for detailing.

- · Machine washable.
- · Super soft edging will not scratch.
- Micro fibre technology attracts and holds on to dirt.

| Part No. | Qty | Size |
|----------|-----|--------------|
| WC10 | 1 | 600 x 800 mm |



- · Super soft edging, will not scratch
- · Low lint and clear coat safe

| Part No. | Ųty | Size |
|----------|-----|---------------|
| WC19 | 1 | 600 x 1000 mm |



Professional Chamois Leather

Made from high quality New Zealand leather.

| Part No. | Qty | Size |
|----------|-----|----------------------|
| WC16 | 1 | 2.25 ft ² |

Professional PVA Non-Perforated **Synthetic Chamois**

Mesh reinforced. Rot proof.

- · Machine washable.
- More durable than a chamois leather.
- Soft and long lasting with high absorption.

| - Solt alla lolle lastille Mitti lileli apsoi b | | |
|---|-----|--------------|
| Part No. | Qty | Size |
| WC14 | 1 | 660 x 430 mm |









General **Car Seat Protectors**

Part No. Qty Weight BAG35





Roll of 100 25 Micron

Weight

Roll of 100 10 Micron



BAG15

Economy Car Seat Protectors

Nylon Seat Cover

Supplied on a roll.

Part No.

BAG36

Reusable. Part No. **BAG40**





























Nylon Seat Cover

Steering Wheel Covers

| Part No. | | Description |
|----------|-----|-----------------------|
| BAG31 | 250 | Steering Wheel Covers |





BEST SELLER



TENG TOOLS Magnetic Protective Wing Cover Heavy duty red PVC front with TENG TOOLS logo, cloth backing and full length magnetic strip.

| Part No. | Qty | Dimensions | |
|----------|-----|-------------|--|
| TFC01 | 1 | 40 x 107 cm | |



5-in-1 Disposable Vehicle Interior Protection Set Ideal for use by valeters and in garages to protect customer's vehicle interior whilst performing an M.o.T, service or general valet.

| Part No. | Qty | Description | |
|----------|----------|---|--|
| BAG51 | 100 Kits | 5-in-1 Protection Kits | |
| | | r seat cover, 1 x Disposable elasticated steering wheel cover, t. 1 x Disposable gear stick cover. 1 x Disposable hand brake cover | |



S·A·S Leak Detector

For detecting leaks in pneumatic systems and compression lock fittings.

- · Suitable for use with air con systems.
- · Safe for use during engine operation.
- Meets the requirements of BS EN14291:2004 LPG Safe.
- Non-flammable water based fluid.
- Suitable for Nitrogen gas NOT suitable for Oxysetaline.
- Suitable for MOT.

| Part No. | Packoi | Size |
|----------|--------|----------------|
| SAS53 | 6 | 400ml Aerosols |



AUTOSOL Metal Polish

Award winning metal polish, perfect for use on chrome, aluminium, stainless steel, brass and copper.

- · Cleans, polishes and protects
- Leaves an invisable wax coating to ensure a long-lasting shine

| Part No. | Qty | Size | |
|----------|-----|------------|--|
| VC131 | 12 | 100g Tubes | |
| VC132 | 1 | 750ml Tin | |

SAS



S-A-S Assorted Pack - Cleaning Aerosols 500ml

A selection of popular cleaning aerosols, plus the No. 1 selling Universal Maintenance Lubricant which can be used for a wide range of everyday cleaning applications.

| Part No. | Qty |
|----------|----------|
| SASC | Set of 6 |

6 x 500ml Aerosols: Brake Cleaner, Throttle Body Cleaner, Electrical Cleaner, Label & Gum Remover, Leak Detector, Universal Maintenance Lubricant.



RING UV Dye Range

Find leaks quickly and easily. Safe to leave in any system.





RING UV Dye for Automotive Oils & Fuels

Detect engine oils (mineral and synthetic), hydraulic oil, and petrol/diesel fluid leaks.

25ml Bottle suits: 10L Hydraulic Fluid, 3-4L Diesel Engine Oil, 8-10L Petrol Engine Oil and 15L Petrol/Diesel

| Part No. | Qty | Dose Size |
|----------|-----|-------------|
| ERLD4 | 1 | 25ml Bottle |







RING UV Dye for Coolant Systems

Add to coolant systems to detect leaks in water pipes and radiators.

· Safe to leave in any system

| Part No. | Qty | Dose Size |
|----------|-----|-------------|
| ERLD2 | 1 | 25ml Bottle |







RING UV Dye for Air Con/Refrigerant Systems

Inject into the A/C system and detect any refrigerant leaks from the system*.

(*Engineers conducting A/C tests MUST be F-Gas registered).

| • 2mi Rotti | • 5mi Bottle Suits: 25umi of Refrigerant | | | | |
|-------------|--|------------|--|--|--|
| Part No. | Qty | Dose Size | | | |
| ERLD1 | 1 | 5ml Bottle | | | |







 \odot











Cleans brake and clutch parts without dismantling.

- · Removes brake fluid, oil, dust, etc.
- · Helps maximise brake efficiency.
- Prevents objectionable dust escaping into working environment.
- · Acetone FREE Formula Safe to use in most Solvent Sprayers.

| SAS62T | 1 | Drum Tap Suits Part No. SAS62 |
|-----------------|-----|-------------------------------------|
| SAS62 | 1 | 25 Litre Drum - Side Tap Facility * |
| SAS2000T | 1 | 5 Litre Dispenser Tap |
| SAS52 | 4 | 5 Litre Containers * |
| SAS81 | 12 | 1 Litre Bottles |
| SAS81A | 1 | 1 Litre Bottle |
| Part No. | QTY | Description |

883

^{*} Limited availability due to transport regulations





Cleans brake and clutch parts without dismantling.

- Removes brake fluid, oil, dust, etc.
- · Helps maximise brake efficiency.
- · Prevents objectionable dust escaping

| into wor | into working environment. | | |
|----------|---------------------------|----------------|--|
| Part No. | Pack of | Size | |
| SAS72 | 12 | 200ml Aerosols | |
| SAS2 | 6 | 500ml Aerosols | |





Suitable for dispensing light oils and non-aggressive chemicals.

| Part No. | Qty | Suitable for |
|----------|-----|----------------------|
| CAN25 | 1 | 25 Litre Drums |
| CAN60 | 1 | 60 - 205 Litre Drums |

Lever Operated Barrel PumpSupplied with a 2" BSP and Tri-sure adaptor. Includes telescopic riser tube and 2 metre hose. Polypropylene body. Viton seals. 500cc flow rate (per stroke). Size: 1 m x 260 mm. NOT suitable for products containing Toluene.

- Suitable for use with: Water based liquids
- AdBlue® Solution Thinners
- Solvents
- Antifreeze
- Screenwash
- · Light oils

Suitable for Part No. Qty

CAN50 50 - 205 Litre Drums



S-A-S Citrus Fragrance All Purpose Cleaner

Supplied in a stackable UN container.
Soiling dilution ratio: Very heavy use neat,
Heavy 10:1, Medium 50:1, Light 100:1.

Non Harmful Formulation - Safe to use on

- virtually any substrate, cleans all hard surfaces including floors, walls, desks & washrooms
- Alloy Wheel Safe Formula Perfect for cleaning vehicles inside and out, including highly polished and anodized aluminium alloy wheels
- · Alcohol FREE formula

| Part No. | Qty | Size |
|----------|-----|-----------------------|
| SAS2010 | 1 | 5 Litre Container |
| SAS2000T | 1 | 5 Litre Dispenser Tar |

Solvent Pressure Sprayers

Polyamid pump with FKM seals. Polyethylene container.

| Part No. | Qty | Capacity |
|----------|-----|-----------|
| CAN12 | 1 | 1 Litre |
| CAN15 | 1 | 1.5 Litre |
| | | |









موو

ဇ္

 \odot

S·A·S Electrical/Contact Cleaner

Removes oil, tar, grease and helps remove carbon residues.

- · Improves conductivity and helps prevent arcing and electrical
- · For all heavy duty electrical components, e.g. Switch gear, motors,

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS10 | 6 | 500ml Aerosols |



S-A-S Paint & Gasket Remover

- · Removes work gaskets from rocker box covers. water pumps, manifolds etc.
- Removes paints, varnishes and lacquers, prior to refinishing.
- Removes rubber residues from wheel hubs prior to fitting new or repaired tyres.
- · Removes charred oil residues from engine components.

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS5 | 6 | 500ml Aerosols |

SAS



Amhersil

AMBERSIL 'Amberklene FE10' **Fast Drying Solvent**

A powerful, fast evaporating solvent cleaner and de-greaser. Ideal for removing grease from bearing housings and gear teeth. Removes copper paste from threaded fasteners. Can also be used for stain removal.

- · Silicone FREE.
- · Powerful flushing action, rapidly removes contaminants.
- · Safe for use on ferrous and non-ferrous metals and most
- Meets military specification NATO catalogue No. 6850-99-6636478.

| Part No. | Qty | Size |
|----------|-----|---------------|
| AMB100 | 1 | 400ml Aerosol |



S-A-S Tar & Gum Remover

Supplied in a stackable UN container.

- · Extremely Strong Formula Instantly dissolves tar & gum on paintwork & plastics
- Multi-Purpose Application Can also be used to remove oil, grease, fuel stains, wax, silicone & adhesive residue

| Part No. | Qty | Size |
|----------|-----|-------------------|
| SAS2058 | 1 | 5 Litre Container |



SAS

SAS

S-A-S Label Remover

Clear Adhesive Tape and Tar.

| Part No. | Pack of | Size | |
|----------|---------|----------------|--|
| SASS8 | 6 | 500ml Aerosols | |





S-A-S Throttle Body Cleaner

For all types of carburettors and fuel injection systems. No effect on catalytic converters or lambda sensors.

- · Removes tars and gum build up.
- · Improves performance and economy.

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS4 | 6 | 500ml Aerosols |



SAS

S-A-S Leak Detector

For detecting leaks in pneumatic systems and compression lock fittings.

- · Suitable for use with air con systems.
- · Safe for use during engine operation.
- Meets the requirements of BS EN14291:2004 LPG Safe.
- · Non-flammable water based fluid.
- · Suitable for Nitrogen gas NOT suitable for Oxysetaline.
- · Suitable for MOT.

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS53 | 6 | 400ml Aerosols |
| | | |



SAS

S·A·S Heavy Duty Surface Degreaser

Suitable for use in power wash and hand pump wash dispensers. Can also be used for hand application.

- · Suitable for use on engines and chassis.
- · Water-based and non-flammable Suitable for petrol station forecourts.
- · Economical formula can be diluted
- Silicone FREE formula.

Part No.

SAS1059 5 Litre Container













Grease Nipples Straight - Imperial

| Part No. | Pack of | Size | Туре | |
|----------|---------|--------------|------|--|
| GN1 | 50 | 1/8" BSP Gas | H1 | |
| GN3 | 50 | 1/4" UNF | H1 | |
| GN5 | 25 | 1/4" BSP | H1 | |



Grease Nipples

Straight long.

| Part No. | Pack of | Size | Туре | |
|----------|---------|----------|------|--|
| GN15 | 25 | 1/4" UNF | H1 | |



Grease Nipples Straight - Metric

| Part No. | Pack of | Size x Pitch | Type |
|-------------|---------|---------------|------|
| GN7 | 25 | M6 x 1.00 mm | H1 |
| GN9 | 25 | M8 x 1.00 mm | H1 |
| GN11 | 25 | M8 x 1.25 mm | H1 |
| GN13 | 25 | M10 x 1.00 mm | H1 |



Grease Nipples - Button Head (Tat Type)

Straight. 15 mm Hex.

| Part No. | Pack of | Size | Туре |
|----------|---------|--------------|------|
| GN16 | 25 | 1/8" BSP Gas | T1B |



Grease Nipples Angled 45° - Imperial

| Part No. | Pack of | Size | Type | |
|----------|---------|--------------|------|--|
| GN2 | 50 | 1/8" BSP Gas | H2 | |
| GN4 | 50 | 1/4" UNF | H2 | |
| GN6 | 25 | 1/4" BSP | H2 | |



Slide-on **Connectors**

1/8" BSP Gas. Suits GN16 (for Button Head Nipple).

| Part No. | Pack of | Description |
|----------|---------|---------------------|
| GN17 | 2 | Slide-on Connectors |



Grease Nipples Angled 45° - Metric

| Part No. | Pack of | Size x Pitch | Туре |
|----------|---------|---------------|------|
| GN8 | 25 | M6 x 1.00 mm | H2 |
| GN10 | 25 | M8 x 1.00 mm | H2 |
| GN12 | 25 | M8 x 1.25 mm | H2 |
| GN14 | 25 | M10 x 1.00 mm | H2 |
| | | | |



1/8" BSP Gas.

| GN19 | 5 | Standard Type |
|--------------|---------|---------------|
| Part No. | Pack of | Description |
| 1/0 051 005. | | |



UMETA

4-Jaw Hydraulic Connectors - General Purpose

1/8" BSP Gas.

| Part No. | Pack of | Type |
|----------|---------|-----------------|
| GN191 | 10 | General Purpose |



Grease Nipples Angled 90° - Imperial

| Part No. | Pack of | Size | Туре | |
|-------------|---------|--------------|------|--|
| GN35 | 25 | 1/8" BSP Gas | Н3 | |
| GN36 | 25 | 1/4" UNF | Н3 | |
| GN37 | 25 | 1/4" BSP | H3 | |



1/8" BSP Gas.

| Part No. | Pack of | Type |
|----------|---------|------------|
| GN192 | 3 | Heavy Duty |





Grease Nipples Angled 90° - Metric

| Part No. | Pack of | Size x Pitch | Type | |
|----------|---------|---------------|------|--|
| GN31 | 25 | M6 x 1.00 mm | Н3 | |
| GN32 | 25 | M8 x 1.00 mm | H3 | |
| GN33 | 25 | M8 x 1.25 mm | Н3 | |
| GN34 | 25 | M10 x 1.00 mm | H3 | |



Flexible Rubber Hose - Snap-on Flexible Extension 1/8" BSP Gas. Complete with 4-jaw hydraulic connector.

| Part No. | Qty | Length | | |
|----------|-----|--------|-------|--|
| GN22 | 1 | 300 mm | (12") | |
| | | | | |

Flexible Rubber Hose

1/8" BSP Gas.

| Part No. | Qty | Length | | |
|-------------|-----|--------|-------|--|
| GN20 | 1 | 300 mm | (12") | |
| GN23 | 1 | 450 mm | (18") | |



and 4-jaw hydraulic connector. 1/8" BSP. Takes 400g cartridge.

• 1.2 cc/stroke.

· Withstands pressure up to 7,000 PSI.

| Part No. | Qty | Description |
|----------|-----|-------------|
| TL895 | 1 | Grease Gun |



Withstands pressure up to 10.000 PSI.

| 111115tallas pl cosole op to 10,000 l si. | | | |
|---|-----|-------------|--|
| Part No. | Qty | Description | |
| TL922 | 1 | Grease Gun | |



· Withstands pressure up to 8,000 PSI.

| Part No. | Qty | Description | |
|----------|-----|-------------|--|
| TL899 | 1 | Grease Gun | |



Oil Suction Guns

Supplied with 400 mm hose.

| Part No. | Qty | Capacity | |
|----------|-----|----------|--|
| CAN16 | 1 | 500 cc | |
| CAN11 | 1 | 800 cc | |
| CAN18 | 1 | 1000 cc | |







































FUCHS RENOLIT EP2 Multi-Purpose EP Lithium Grease

| Part No. | Qty | Size | Colour |
|----------|-----|-----------------|--------|
| VC181A | 3 | 400g Cartridges | Brown |
| VC181 | 12 | 400g Cartridges | Brown |
| VC171 | 6 | 500g Tubs | Brown |
| VC182 | 1 | 5 kg Tub | Brown |
| | | | |



BEST SELLER

NINOLIT RED

PUBBER GREASE



Multipurpose with anti-wear and anti corrosion properties. Temperature range: -30°C to +125°C.

| Part No. | Ųty | Size |
|----------|-----|-----------------|
| VC179 | 12 | 400g Cartridges |







Longer life at high temperature. Temperature range: -30°C to +160°C.

| Part No. | Box of | Size | Colour |
|----------|--------|-----------------|---------|
| VC180 | 12 | 400g Cartridges | Natural |



FUCHS RENOLIT Copper Paste

High temperature anti-seize lubricant. Temperature range -30°C to 1100°C.

| Part No. | Qty | Size |
|----------|-----|----------|
| VC187 | 1 | 500g Tub |




FUCHS RENOLIT G51 Red Rubber Grease

Suitable for natural and synthetic rubbers. A special rubber compatible grease for use on hydraulic brake and clutch components where hardening or swelling of rubber must be avoided. Designed to assist in the assembly of rubber components of brake, clutch and suspension units.

| Part No. | Qty | Size |
|----------|-----|----------|
| VC188 | 1 | 500g Tub |
| | | |





Molybdenum Disulphide EP Grease with Graphite. Temperature range: -25°C to 120°C.

| Part No. | Box of | Size |
|----------|--------|-----------------|
| VC184 | 12 | 400g Cartridges |



ARCTIC HAYES Silicone Grease

WRAS approved. Clear paste.

Operating temperature: -50°C to 200°C.

- · Resistant to water, ultraviolet rays and oxygen.
- · WRAS approved food safe and virtually non-toxic.
- · Resilient and flexible even after completing the curing process.
- Resistant to interaction with other chemicals.
- · An excellent electrical insulator.

| Part No. | Qty | Size |
|----------|-----|---------|
| VC189 | 1 | 500g Tu |



S-A-S Moly Anti-Scuff Paste
Contains 40% micronized Molybdenum Disulphide
plus graphite forming soft paste. Load carrying
capacity of MoS2 is in excess of 140,000 PSI.

• Operating temperature: -20°C to +1000°C

- Ideal for pre-treatment of plain bearings, gears, piston rings, cams and valve stems. Small mechanisms which cannot be lubricated with normal grease after assembly. Threaded components in refrigerating and air consystems.

| Part No. | Qty | Size |
|----------|-----|----------|
| SAS194 | 1 | 500g Tin |









9

0

0

990

S-A-S EP2 Lithium Grease

High quality lithium grease.

- Temperature range: -20°C to +140°C
- Excellent extreme pressure and anti-wear performance
- High degree of corrosion protection
- Highly versatile mutli-purpose grease
- · 4-Ball weld load rating: 315 kg

| Part No. | Qty | Size | Colour |
|----------|-----|-----------------|------------|
| SAS171 | 1 | 500g Tub | Dark Brown |
| SAS181 | 12 | 400g Cartridges | Dark Brown |



S·A·S EP2 Lithium Complex Grease

Specially developed lithium complex grease.

- Temperature range: -20°C to +150°C
- Exceptional mechanical stability extends relubrication interval
- Long lasting lubrication at high temperatures
- Excellent EP and anti-wear performance
- Good corrosion resistance components operating in wet conditions
- · 4-Ball weld load rating: 450 kg

| Part No. | Box of | Size | Colour |
|----------|--------|-----------------|------------|
| SAS180 | 12 | 400g Cartridges | Dark Brown |



S-A-S Brake Grease

Copper FREE Bentone anti-seize compound. Unique locking/dispenser cap for precision application.

- ABS Compatible · Reduces squeaking Water resistant · Wide temperature range
- Protects against scratching and corrosion

| Part No. | Box of | Size | |
|----------|--------|------------|--|
| SAS192A | 1 | 75ml Tube | |
| SAS192 | 10 | 75ml Tubes | |



S·A·S Ceramic Anti-Seize Compound

Smooth beige paste. Very high purity, metal-free, anti-seize compound and assembly paste.

- Any sub-zero temp to +1500°C
 Prevents electrolytic corrosion as the product insulates differing metals from each other
- Ideal for use on anti-lock braking systems, ASR traction control, all studs, nuts, bolts and other threaded connections. Heating systems (boilers, furnaces, turbines, burner nozzles, etc.).

| Part No. | Qty | Size | |
|----------|-----|----------|--|
| SAS193 | 1 | 500g Tub | |





High temperature range: -40°C to +1100°C

 Protects against rust, oxidation and other corrosion

| Part No. | Qty | Size | |
|----------|-----|-----------|--|
| SAS107A | 1 | 500g Tin | |
| SAS107 | 6 | 500g Tins | |
| SAS173 | 1 | 3 kg Tin | |

SAS

S-A-S Copper Grease

Stable up to 275°C as a grease & up to 1200°C as a release agent.

- For high temperature applications:
 Brake and hand brake linkages, exhaust manifold nuts,
- studs & parts, wheel nuts
- Can be used on boilers and water heaters, e.g. Inspection flanges and to lubricate moving parts in heat treatment industry

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS17 | 6 | 500ml Aerosols |



S-A-S Red Rubber Grease

A top quality lubricating grease.

- Temperature range: -40°C to 110°C
- · Ideal for use on brake assemblies

| Part No. | Qty | Size |
|----------|-----|-----------|
| SAS188A | 1 | 500g Tin |
| SAS188 | 6 | 500g Tins |



SAS

S·A·S Aluminium Anti-Seize Compound

Copper FREE anti-seize compound. · High temperature range:

- Any sub-zero temp to +1100°C
- · Use on all studs, nuts, bolts and other threaded connections

| Invaluable for application to any component that needs to be dismantled | | | |
|---|---|-----------|--|
| Part No. Qty Size | | | |
| SAS190A | 1 | 500g Tin | |
| SAS190 6 500g | | 500g Tins | |







(<u>o</u>









FUCHS 'Renolin' ZAF 46 HV High Quality Hydraulic & Lubricating Oil

High viscosity index, zinc and ash free hydraulic oil.

· Ideal for powering hydraulic systems working in refrigerated plant, mobile equipment, or where the system demands a fluid capable of working over a wide temperature range.



| Part No. | Qty | Size | |
|----------|-----|-----------|--|
| VC117 | 1 | 20 Litres | |



FUCHS 'Agrifarm' Universal 2-stroke Oil

Specifications: API, TC, JASO, FB. Suitable for use in all 2-stroke engines. May be used either as a tank mix or in oil injection systems. Dyed red for ease of identification.

· Ideal for agricultural and horticultural machinery, chain saws, hedge cutters, strimmers, portable generators, etc.

| art No. | Qty | Size |
|---------|-----|-----------|
| /C116 | 1 | 20 Litres |





FUCHS 'Titan Truck Plus' 15W-40 Oil

Specifications: ACEA E7, API CI-4/SL, GLOBAL DHD-1, CAT ECF-1-a/ECF-2. A super long term all season engine oil of the SHPD category for diesel and gasoline engines with and without turbo charging in passenger cars, trucks, buses and industrial equipment

- Excellent wear protection even under high continuous stress
- Protection from corrosion even when used with diesel fuels with high sulphur content

| Part No. | Qty | Size |
|----------|-----|-----------|
| VC115A | 1 | 5 Litres |
| VC115 | 1 | 20 Litres |

· Rubber/Tyres/Hoses



AGRIFARM

UNIVERSAL

2-STROKE

ROCK OIL ISO-32 Hydraulic Oil

Meets DIN 51525 and DIN 51524 Parts 1 & 2.

· Excellent protection of machinery and systems against corrosion and wear.

* NOT to be used as Brake Fluid.

| Part NO. | Ųly | Size |
|----------|-----|----------|
| VC199 | 1 | 20 Litre |
| | | |





100% biodegradable and designed to safely remove cement and concrete by dissolving it in a bio-safe way. Does not contain muriatic, phosphoric or citric acids and is therefore, non-corrosive.

Safe to use on:

CreteBeater

Heavy Duty

- · Painted surfaces/vehicles
- · Glass/Windows
- Human Handling

Part No. Pack Size **CB20** 20 Litre Container



ALTA Foam Pressure Sprayer

Contains FPM VITON® (FKM) seals. Supplied with to adjust the foam thickness. Suitable for use wi SAS2017.

• High foaming action spray

· Lance with 120 cm long hose

Part No. **Working Capacity** CAN28 6.0 Litre 1



0

0

موو



IAINTAINING AUTOMOTIVE & NGINEERING PROFESSIONALS

S-A-S has been the Universal Maintenance Lubricant of choice for automotive and engineering professionals for over 35 years. The formula that you've come to trust continues to deliver outstanding performance across countless applications in all industrial environments.



The 500 ml aerosol contains a 360° valve which means it can be sprayed at any angle, even upside down, making it the ideal maintenance lubricant for a vast range of projects.





· Inhibits rust & corrosion.

Displaces moisture.

· Silicone FREE formula.































S·A·S Universal Maintenance Lubricant

Bulk liquid for use with dispensers

- · Penetrates & lubricates.
- Cleans & degreases.
- Protects all metals.
- Contains PTFE.
- · Frees seized parts fast! · Inhibits rust & corrosion. · Displaces moisture.

 - Silicone FREE formula.

| raitinu. | QLy | 3120 | |
|----------|-----|------------------------|--|
| SAS22A | 1 | 5 Litre Container | |
| SAS22 | 4 | 5 Litre Container | |
| SAS23 | 4 | 500ml Trigger Sprayers | |



WD-40 Multi-Purpose Lubricant

WD-40 protects metal from rust and corrosion, penetrates stuck or jammed parts, displaces moisture, and lubricates just about anything. WD-40 is also great when it comes to cleaning grease, grime, and other marks from most surfaces.

| Part No. | Pack of | Size |
|----------|---------|----------------|
| VC140 | 12 | 450ml Aerosols |
| | | |



S-A-S Extreme **Universal Maintenance Lubricant**

NATO C-634 for water-displacing corrosion preventatives.

200ml Aerosols

500ml Aerosols with 360° Valve

S·A·S Universal Maintenance Lubricant

and moisture displacers.

· Cleans & degreases.

Protects all metals.

Contains PTFE.

Part No.

SAS6

SAS20

· Penetrates & lubricates.

Pack of

12

12

• Excellent lubrication properties

| rai i Nu. | Ųŧy | SIZE |
|-----------|-----|---------------|
| SAS21A | 1 | 500ml Aerosol |



S·A·S Extreme Universal Maintenance Lubricant

Meets the requirements of MoD specification 68-10 [PX-24] and NATO C-634 for water-displacing corrosion preventatives.

- · Improved corrosion protection vs standard multi-purpose
- · High concentration of water displacement additives mean it can be applied directly to wet surfaces
- · Virtually colourless & transparent
- · Excellent lubrication properties

| Part No. | Qty | Size |
|----------|-----|---------------|
| SAS21A | 1 | 500ml Aerosol |





























Supplied empty.

| ai tivo. | QLy | Description |
|----------|-----|--|
| DEB21 | 1 | 500ml Trigger Sprayer (supplied empty) |



ambersil

AMBERSIL 'PX24' Industrial Strength Protective Lubricant

Formulated specifically to meet exacting standards of Military maintenance personnel. A multi-purpose lubricant, corrosion inhibitor, dewatering & protective fluid. No adverse effects on rubber, paintwork or plastics and acrylic sheet polyester, glass fibre laminate, vinyl sheet and ebonite after immersion for 240 hours.

- · Meets with NATO military specifications.
- Water Displacement: Complete Displacement of NaCI test solution (IP 178).
- · Corrosion Protection: Pass/No Corrosion (IP 178).
- Temperature range: -20°C to +115°C.

| Part No. | Qty | Size |
|----------|-----|---------------|
| AMB110 | 1 | 400ml Aerosol |





S-A-S Freeze Release Spray

Shock freeze and release of seized and corroded parts.

- · Ouick release of seized parts.
- · Prevents corrosion.
- · 2-in-1 Maintenance lubricant spray.

| Part No. | Qty | Size |
|----------|-----|---------------|
| SAS147 | 6 | 500ml Aerosol |

Swarfega

Part No.

VC140



WD-40 Multi-Purpose Lubricant

Pack of

12

WD-40 protects metal from rust and corrosion,

wb-40 protest filetal months and corrosing penetrates stuck or jammed parts, displaces moisture, and lubricates just about anything. WD-40 is also great when it comes to cleaning grease, grime, and other marks from most surfaces.

450ml Aerosols

A silicone-free, non-conductive, multi-purpose service spray. Exceptionally low surface tension means it can easily penetrate and protect with no need to dismantle machinery and parts.

Part No.

Swarfega

DEB20 5 Litre Tin



ambersil

AMBERSIL 'Dry Moly' Dry Molybdenum Disulphide Lubricant

A resin bonded, high pressure resistant, dry film lubricant containing Molybdenum Disulphide (MoS2) for metal-to-metal lubrication where a wet film cannot be tolerated. Once applied, the MoS2 lubricant prevents seizing, fretting, scuffing & reduces friction.


- Tough and long lasting
- Repels water
- · Will not attract dust, dirt and contaminants
- Assists assembly and running-in
- · Highly effective in high-load applications
- Performance can be enhanced by polishing the dry film with a soft, dry cloth
- Operational temperature range: -150°C to +400°C

| Part No. | Qty | Size |
|----------|-----|---------------|
| AMB111 | 1 | 400ml Aerosol |



BRADEX Easy Start

Part No. VC145













S·A·S Graphited Penetration Oil

Rapidly and efficiently loosens and frees seized nuts, bolts and

- Spray gives a grey low viscosity highly penetrating liquid.
- Incorporates a residual lubricant to help reduce friction during
- Leaves a film to protect against further corrosion.
- Silicone FREE.

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS1 | 6 | 500ml Aerosols |



S-A-S Clear Fine Oil

For use in difficult places where lubrication is normally carried out with conventional oil can.

 Gives economical application on types of machinery, small lightly loaded bearings, etc.

| Part No. | Pack of | Size |
|----------|---------|------|

SAS56 500ml Aerosols 6



S-A-S White Grease

Universal grease with almost limitless applications, e.g. Locks, hinges and striker plates. Suitable for clean area applications.

- Anti water wash-out properties
- · Provides visual check where used
- Anti-corrosive
- Silicone FREE

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS7 | 6 | 500ml Aerosols |



S-A-S Clear Grease

For use on areas requiring a tenacious lubricant, whilst retaining a good cosmetic appearance, e.g. Car door locks.

- Silicone FREE
- Does <u>NOT</u> contain PTFE

| Part No. | Pack of | Size |
|----------|---------|---------------|
| SAS18 | 6 | 500ml Aerosol |



S-A-S Food Safe Lube

For food preparation and food packing machinery. For use on chain sprockets, slides or any moving part. Water resistant, suitable for wet pack operations.

- · Based on edible Soya bean oil.
- · Nut and nut oil FREE.
- Taint FREE formula.
- Temperature range: -10 to 100°C.

| rt No. | Pack of | Size |
|--------|---------|------|
| | | |

SAS12 500ml Aerosols



S-A-S Chain and Cable Lube

For heavyweight drive chains, e.g. Fork-lift truck masts, motor cycle chains.

- Silicone FREE
- · Penetrating, anti-fling formula.
- · Rubber grommet friendly.

Pack of

SAS14 500ml Aerosols



S·A·S Heavy Duty Open Gear Lube

Designed specifically for exposed gears, wire ropes, heavy duty chains and other moving parts.

- Ideal for exterior use provides extra protection against rust, corrosion and wear vs standard chain and cable lube
- Maximises the service life of wire rope
- · Excellent resistance to salt water environment
- · Contains bitumen for improved durability & corrosion protection
- · Rapid penetration into wire ropes, gears and link
- · Excellent de-watering properties
- · Viscosity modifiers prevent throw off ensuring long working life
- · Low tack when dry helps reduce dirt build-up

Part No.

SAS33A 1 500ml Aerosol





S-A-S Cutting Oil

For all metal types.

- · Improves lubrication/cooling.
- · Retains viscosity at high cutting temperatures.
- · Prevents tarnishing.
- · Extends tool life.

Part No. Pack of SAS46 500ml Aerosols



WBE





























S-A-S Silicone Spray

For use on curtain slider tracks, folding bus and train doors, coin operated machines, etc. Use as a mould release and for easing slip-fitting parts assembly. Use on surfaces where heat is present, e.g. heat sealing machines. Imparts waterproofing qualities to fabrics, e.g. tarpaulins, industrial outdoor clothing.

- Stable to 275°C
- · Lowers friction & prevents sticking
- · Low stain formula
- · Zero effect on plastics
- · Contains Silicone · NOT food safe

Part No. Pack of

S-A-S Silicone Grease

Pack of

S-A-S Rubber Care

Pack of

 Silicone FREE Part No.

SAS57

SAS

Excellent insulating properties for electronic control and switchgear in exterior applications

500ml Aerosols

Maintains rubber seals on doors, bonnets, tailgates, etc. Can be used on tyres, rubber mats and rubber trim strips.

500ml Aerosols

· Reduces the effect of spray and salt water

· Reduces the effects of diluted acids and alkalines

Prevents rubber parts ageing and cracking and eliminates squealing noises from dry rubber

Moisture repelling

Contains Silicone

Part No.

SAS19

SAS

SAS8 500ml Aerosols



S-A-S Weld Anti-Spatter

- · Provides a protective oily film for use in welding
- Silicone FREE

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS9 | 6 | 400ml Aerosols |





























S-A-S Battery Terminal Protector

Suitable for use on batteries and earthing straps in cars, buses, trains and plant hire equipment.

- · Protects against corrosion
- · Improves electrical continuity thus improving starting Contains an indicator to visualise acid leaks (turns red)
- · Waterproofs terminals Pack of Size

Part No.

| SAS3 | 6 | 500ml Aerosols |
|------|---|----------------|
| | | |







S-A-S Assorted Pack - Lubricant Aerosols 500ml

A selection of our fastest moving lubricant aerosols, including the No. 1 selling Universal Maintenance Lubricant used for a multitude of lubricating and maintenance applications.

Part No. **SASL** Qty

6 x 500ml Aerosols: White Grease with PTFE, Clear Grease, Silicone Spray, Chain & Cable Lube, Copper Grease, Universal Maintenance Lubricant.





LOCTITE '7503' Rust Remedy

Supplied on a blister card.

| Part No. | Qty | Size |
|----------|-----|-------------|
| VC955 | 1 | 90ml Bottle |



Granvi**l**e

GRANVILLE Rust Cure Convertor

A co-polymer latex combined with organic chelating agents designed for application to corroded ferrous substrates. It actively converts the rust present on the substrate into a stable organic iron complex. As the polymer dries it forms an impermeable barrier to oxygen and moisture effectively sealing out any further corrosion. Contact with aliphatic or aromatic solvents will cause softening of the film which will recover.

- · Water based formulation
- Extremely low order of toxicity
- · Does not contain phosphoric acid or lead
- Excellent resistance to acid and alkali splashes

| Part No. | Qty | Size |
|----------|-----|-----------|
| VC161 | 1 | 1L Bottle |



GRANVILLE Rust Repair Gel

A highly effective non drip rust neutraliser and inhibitor based on organic and inorganic acids. It is suitable for treating all ferrous surfaces and will quickly remove and neutralise rust.

- · Non drip formuation Ideal for horizontal and hard to reach areas
- · Easy to apply
- · Effectively treats rust
- Over paintable

Part No

· Fast acting gel formulation Ωtv

| | 4-7 | |
|-------|-----|-------------|
| VC162 | 1 | 150g Bottle |
| | | |



GRANVILLE Rust Repair Liquid

A highly effective rust neutraliser and inhibitor based on organic and inorganic acids. It is suitable for treating all ferrous surfaces and will quickly remove and neutralise rust.

- · Easy to apply
- · Effectively treats rust
- Over paintable
- · Fast acting liquid formulation

| Part No. | Qty | Size |
|----------|-----|--------------|
| VC163 | 1 | 500ml Bottle |



JENOLITE 'The Original' Rust Remover - Liquid

A free-flowing liquid rust removal product that can be applied by spray, brush or immersion. Ideal for box sections, tubular components and articles with tight recessed areas.

- Easy to apply No need to rinse off, simply wipe the surface after application
- Rust will disappear to leave a stable surface ready for priming and painting

| Part No. | Qty | Size |
|----------|-----|--------------|
| VC235 | 1 | 500ml Bottle |



JENOLITE 'The Original' Rust Remover - Gel

A concentrated non-drip gel handy for treating small areas of rust or corrosion on cars, bikes, household appliances and gardening equipment. You can also use it to clean rust spots off chrome plating prior to lacquering or polishing.

- Easy to apply No need to rinse off, simply wipe the surface after application
- Rust will disappear to leave a stable surface ready for priming and painting
- Ideal for small rust spots

| Part No. | Qty | Size |
|----------|-----|----------|
| VC234 | 1 | 40g Tube |



JENOLITE 'No Prime' Rust Convertor - Liquid

The complete remedy for rust! It removes rust, provides a seal to prevent its return, and allows the surface to be painted over without the need for primer.

- 2-in-1 Application Gets rid of the rust and converts the once rusted area into a stable, polymer coated surface ready to
- Provides proven resistance to chemical, bacterial and salt spray attack, as well as a barrier to water vapour, oxygen and carbon dioxide
- Removes even the most stubborn rust to leave metal looking as good as new!

| Part No. | Qty | Size |
|----------|-----|----------|
| VC237 | 1 | 250g Tub |



Part No

S-A-S Ultimate Rust Protector

High melt point of 100-120°C makes it ideal for elevated temperature applications / environments.

- · Ideal for protecting metallic surfaces and inner panels from corrosion e.g. underbody, sills, cracks etc.
- Stops rust and helps prevent future corrosion forming
- · Self healing minor damage to the coating will reflow over time
- · Excellent salt spray and humidity resistance Unlike resin / paint products it will not peel or chip

SAS63A 1 500ml Aerosol



enolite





































S-A-S Bright Alu Zinc Galv Spray

Zinc & Aluminium based coating.

- · 60% metal content in the dried paint film
- · Ideal for the bright cosmetic finish and protection of previously galvanised surfaces
- · Excellent corrosion resistance
- · Self priming one step process
- · Ideal for spot repairs after welding
- Weld-through
- · Excellent adhesion to metallic surfaces

| Part No. | Qty | Size |
|----------|-----|------|
| | | |

500ml Aerosol **SAS68A** 1





ALU ZINC

GALV

SPRAY



Use as a primer coat which can be over painted with acrylic, cellulose, alkyd, polyurethane alkyd and epoxy. Use as a coating on pipes and steel fabrications.

- . 66% zinc content (in dry film).
- . Thin film (e.g. Single coat) can be welded through.

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS24 | 6 | 500ml Aerosols |



S-A-S Primer Adhesion Promoter

- Clear primer for difficult plastic substrates.

 Excellent adhesion to PP / PP composites, TPO (Thermoplastic Olefin), rigid vinyl and SMC (glass fibre reinforced polyester) and fibreglass
- Also improves paint adhesion to galvanised steel, non-ferrous metals (aluminium) and wood
- · Reduces the need to pre-abrade surfaces before painting
- · No sanding required post application
- · Very low film build, virtually invisible
- · Quick drying

| Part No. | Qty | Size |
|----------|-----|---------------|
| SAS65A | 1 | 500ml Aerosol |



 \odot







AMBERSIL 'Cold Galvanise' Zinc-Rich Protective Coating

A zinc rich acrylic coating that offers excellent Cathodic anti-corrosion protection to steel fabrications and all exposed ferrous metalwork. Suitable as a primer, can be over coated with acrylic, cellulose, alkyd, polyurethane-alkyd & epoxy paints.

- · Protects metalwork & steels from corrosion.
- · Can be welded through.
- · For use on bare non-rusted steel & seams.
- Zinc 99% pure, content 88% cured film.
- · Suitable for use as renovation media
- as specified in BS EN ISO 1461:1999. · Matt, dark grey, weathered appearance.
- · Fast drying & Xylene free.

Part No. Qty **AMB120** 1 400ml Aerosol





ambersil

AMBERSIL 'Alu Hi Temp' High Temperature Corrosion Protection

Corrosion protection for high temperature applications based on aluminium pigments. Builds a glossy, hard film on metal surfaces after exposure to high temperatures (+1 hour at 200°C) and is not eroded over time. For use on ferrous metals subjected to continuous high temperatures to continuous high temperatures.

- . Dry to touch in 15 minutes.
- · Lead and Chromate free.
- Continuous protection up to 600°C.
- Passes ASTM D-2485 1-68: Methods 2 & 3.

Qty

AMB121 400ml Aerosol







Suitable for plastics and metal.

· For deep filling and fast priming of surface defects.

| Part No. | Qty | Colour | Size |
|----------|-----|-----------|---------------|
| VIP45G | 1 | Grey | 400ml Aerosol |
| VIP45DG | 1 | Dark Grey | 400ml Aerosol |
| VIP45W | 1 | White | 400ml Aerosol |

S·A·S Anti Corrosion Graphene Primer

Exceptional corrosion protection 1750+ hours ASTM G-85. Smooth matt grey finish with excellent sanding properties.

- Zinc Free formula Less environmentally hazardous
- · Excellent barrier properties of Graphene extends coating life
- Fast drying Touch dry in 3-4 mins, sand & top-coat in 20 mins
- Excellent adhesion to metallic surfaces Mild Steel & aluminium
- Excellent Flexibility ASTM D522 Conical Mandrel No cracking
- Excellent anti-sag properties enables high coat depths
- Fills minor surface imperfections
- · Can also be applied to many rigid plastics

| Part No. | Qty | Size |
|----------|-----|--------------|
| SAS66A | 1 | 500ml Aeroso |



RAPHEN

S·A·S 1K Epoxy Primer

SAS

Single component epoxy modified primer for improved durability, toughness and corrosion protection. Matt red oxide finish.

- Contains Zinc Phosphate to further improve anti-corrosive performance
- 1000+ hours salt spray performance (ASTM B-117)
- Excellent adhesion to metallic surfaces Mild steel & aluminium
- · Ideal for exterior applications or harsher environments / area prone to corrosion e.g. car chassis
- · No need to top-coat other than for cosmetic finish
- · High solids Free from metals

| Part No. | Qty | Size |
|----------|-----|---------------|
| SAS67A | 1 | 500ml Aerosol |
| | | |





SAS

Acrylic

SAS35

· Fast drying. Part No.

S-A-S Primer - Grey

Pack of


6

Size

500ml Aerosols







Acrylic

· Fast drying.

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS37 | 6 | 500ml Aerosols |







High build primer and acid etch in a single product.

- · Twice the paint solids of many conventional primers
- · Improved adhesion to problematic metallic surfaces e.g. nonferrous metals (aluminium and its alloys, brass, copper) and zinc coated steel (Zintec)
- · Excellent anti-sag properties enable high coat depths to be achieved
- Fills minor surface imperfections
- Smooth matt finish with excellent sanding properties
- · Can also be applied to many rigid plastics.

| Part No. | Qty | Size |
|----------|-----|--------------|
| SAS64A | 1 | 500ml Aeroso |



S-A-S Primer - White

Acrylic

· Fast drying.

| rt No. | Pack of | Size | |
|--------|---------|------|--|
| | | | |

Looking

| ai tivo. | r ack or | JIZE | |
|----------|----------|----------------|--|
| V636 | 6 | 500ml Aerocole | |












 \odot









SAS



S-A-S Black Paint - Matt

Tough acrylic formula paint for interior and exterior use.

- Suitable for use on wood, metal, glass, ceramic, paper, card and most plastics
- Professional fan spray Adjustable nozzle for different spray patterns
- · Excellent adhesion Avoids sagging

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS28 | 6 | 500ml Aerosols |





S-A-S Red Paint - Post Office Red

Tough acrylic formula paint for interior and exterior use.

500ml Aerosols

- Suitable for use on wood, metal, glass, ceramic, paper, card and most plastics
- Professional fan spray
 - Adjustable nozzle for different spray patterns
- · Excellent adhesion Avoids sagging

Pack of

| SAS30 | 6 | |
|-------|---|--|
| | | |

Part No.

SAS





SAS





S-A-S Black Paint - Satin

Tough acrylic formula paint for interior and exterior use.

Tough acrylic formula paint for interior and exterior use.

500ml Aerosols

glass, ceramic, paper, card and most plastics Professional fan spray Adjustable nozzle for different spray patterns

· Suitable for use on wood, metal,

S-A-S Black Paint - Gloss

· Suitable for use on wood, metal,

· Excellent adhesion - Avoids sagging

- glass, ceramic, paper, card and most plastics
- Professional fan spray Adjustable nozzle for different spray patterns
- · Excellent adhesion Avoids saggingr

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS25 | 6 | 500ml Aerosols |





Tough acrylic formula paint for interior and exterior use.

- · Suitable for use on wood, metal, glass, ceramic, paper, card and most plastics
- Professional fan spray Adjustable nozzle for different spray patterns
- · Excellent adhesion Avoids saggingr

Part No. Pack of SAS31 500ml Aerosols











Part No.

SAS27

























which are subject to high temperatures.

- · Fast drying aerosol paint with high covering power.
- · Gives a tough durable coating and a matt finish.
- · Petrol & oil resistant when cured.
- Withstands temps up to 650°C.

Pack of Part No. **SAS59** 400ml Aerosols



Tough acrylic formula paint for interior and exterior use.

- Suitable for use on wood, metal, glass, ceramic, paper, card and most plastics
- Professional fan spray
 Adjustable nozzle for different spray patterns
- · Excellent adhesion Avoids sagging

Part No. Pack of 500ml Aerosols **SAS29**



A complete range of lane marking tapes are on Page 322



AINT





SAS

S·A·S Line Marker

A permanent, quick drying and durable acrylic paint. Ideally suited for use with line marking equipment, stencils or for free hand application.

• Suitable For Use On: Concrete,

- Suitable For Use On: Concrete, tarmac, steel, grass and wood
- Quick drying, 30-40 minutes will withstand light traffic
- Through dry in 24 hours
- Areas Of Use: Car parks, road marking, warehouse and walkways, highway maintenance, utility services, sports fields, tennis courts and playgrounds

| Part No. | Qty | Colour | Size |
|----------|-----|--------|---------------|
| SAS40W | 1 | White | 750ml Aerosol |
| SAS40Y | 1 | Yellow | 750ml Aerosol |
| SAS40R | 1 | Red | 750ml Aerosol |
| SAS40B | 1 | Blue | 750ml Aerosol |



ambersil



AMBERSIL Acrylic Paint Marker Pens

Tenacious resin binds paint to the writing surface almost eliminating the problems associated with accidental rub-off and will not wash off with water/rain.

| Part No. | Qty | Colour |
|---------------|-----|--------|
| AMB130 | 1 | White |
| AMB131 | 1 | Yellow |
| AMB132 | 1 | Red |
| AMB133 | 1 | Black |

BEST







S·A·S Assorted Pack - Paint Aerosols 500ml

A selection of top quality paint aerosols, providing a professional finish each and every time. Plus the No. 1 selling Universal Maintenance Lubricant, ideal for everyday maintenance applications.

| Part No. | Qty |
|---|---|
| SASP | Set of 6 |
| 6 x 500ml Aerosols: Universal Maintena | Zinc Spray, Satin Black Paint, Silver Paint, Grey Primer, Red Oxide Primer, nce Lubricant. |



Use on concrete, steel and wooden floors.

Resistant to mild chemicals.

| Resistant to mila cremicals. | | | | | | |
|------------------------------|-----|--|---------------|----------|-------------|---|
| Part No. | Qty | | Colour | Size | VOC Content | |
| VC480 | 1 | | Safety Blue | 5 Litres | High 25-50% | _ |
| VC481 | 1 | | Safety Red | 5 Litres | High 25-50% | _ |
| VC482 | 1 | | Safety Yellow | 5 Litres | High 25-50% | |
| VC483 | 1 | | Black | 5 Litres | High 25-50% | _ |
| VC484 | 1 | | Dark Green | 5 Litres | High 25-50% | _ |
| VC485 | 1 | | Dark Grey | 5 Litres | High 25-50% | _ |
| VC486 | 1 | | White | 5 Litres | High 25-50% | _ |





JOHNSTONE'S TRADE Professional Gloss Paint

VOC 2010 compliant. Solvent based. Suitable for use on steel and metal.

• Optimum high gloss finish.

| Part No. | Qty | Colour | Size | |
|----------|-----|-----------------|----------|--|
| VC470 | 1 | Black | 5 Litres | |
| VC471 | 1 | Post Office Red | 5 Litres | |



MARKER PEN

































Tack Rags

For wiping surfaces prior to painting for a dust-free finish. Can be folded and refolded.

| Part No. | Box of | Description |
|----------|--------|-------------|
| VC410 | 10 | Tack Rags |



4" Paint Roller Frame

Supplied WITHOUT Roller Refill.

| Part No. | Qty | Description | |
|----------|-----|-----------------|--|
| PB100 | 1 | 4" Roller Frame | |



4" Paint Roller Refills

| Part No. | Pack of | Туре |
|----------|---------|------------------------|
| PB101 | 10 | Medium Pile (Emulsion) |
| PB102 | 10 | Smooth Foam (Gloss) |



4" Paint Roller Tray

| Part No. | Qty | Description |
|----------|-----|-------------|
| PB103 | 1 | 4" Trav |



4" Paint Roller Paint Tray Kit

| Part No. | Qty | Description | |
|-------------------|--------------|---|--|
| PB104 | 1 | 4" Roller & Paint Tray Kit | |
| Kit contains: 1) | 4" Roller Fr | ame, 4" Paint Tray. 2 x Roller Refills: Medium Pile, Smooth Foam. | |



Professional 9" x 1 3/4" Ø Paint Roller Frame

Supplied WITHOUT Roller Refill. Suits Part No. PB111.

| art No. | Qty | Description |
|---------|-----|----------------------------|
| PB110 | 1 | 9" x 1 3/4" Ø Roller Frame |



| Part No. | Qty | Description |
|----------|-----|-----------------------------|
| PB111 | 1 | 9" x 1 3/4" Ø Roller Refill |



9" Paint Roller Tray

| Part No. | Qty | Description | |
|----------|-----|-------------|--|
| PB112 | 1 | 9" Tray | |



General Purpose 9" x 1 1/2" Ø Paint Roller Tray Kit Suits Part No. PB121

| Part No. | Qty | Description |
|-----------------|---------|---|
| PB120 | 1 | 9" x 1 1/2" Ø Roller & Paint Tray Kit |
| Kit contains: 1 | x 9" Ro | ller Frame, 9" Medium Pile Roller Refill & 9" Tray. |



| Part No. | Pack of | Check |
|----------|---------|------------------------------|
| PB121 | 3 | 9" x 1 1/2" Ø Roller Refills |

000

ထွ

0

Paint Brushes

- Professional Plain Wooden Handles

| Part No. | Pack of | Size | |
|----------|---------|--------|----------|
| PB48 | 8 | 1/2" | (12 mm) |
| PB51 | 4 | 1" | (25 mm) |
| PB49 | 3 | 1 1/2" | (38 mm) |
| PB52 | 2 | 2" | (50 mm) |
| PB53 | 1 | 3" | (75 mm) |
| PB54 | 1 | 4" | (100 mm) |



Assorted Pack of Paint Brushes - Plastic Handles

| Part No. | Pack of | Description |
|----------------|-----------------|-------------|
| AP30 | 4 Pieces | Small Sizes |
| Sizes: 1/2", 1 | l", 1 1/2", 2". | |





Assorted Pack of Paint Brushes - Plastic Handles

| Part No. | Pack of | Description |
|------------------|----------|-------------|
| AP31 | 3 Pieces | Large Sizes |
| Sizes: 2", 3", 4 | 1". | |





Paint Brushes - Budget Type for General Use

| Part No. | Pack of | Size | |
|----------|---------|--------|--|
| PB1/2 | 12 | 1/2" | |
| PB1 | 12 | 1" | |
| PB1 1/2 | 12 | 1 1/2" | |
| PB2 | 12 | 2" | |
| PB3 | 12 | 3" | |
| PB4 | 12 | 4" | |





Touch Up Brushes - Short Plain Wooden Handles

| Part No. | Pack of | Size | |
|----------|---------|-------|--|
| PB62 | 12 | No. 2 | |
| PB64 | 12 | No. 4 | |
| PB66 | 12 | No. 6 | |
| PB68 | 12 | No.8 | |



Assorted Pack of Touch Up Brushes - Short Plain Wooden Handles

| Part No. | Pack of |
|-----------------------------|-----------|
| AP48 | 10 Pieces |
| 4 x Size No.'s: 2, 4, 6, 8. | |



Assorted Pack of Touch Up Brushes - Plastic Handles

| 100011 | p Di Osi ics | i lastic i lariales |
|-----------------|--------------|---------------------|
| Part No. | Pack of | |
| AP16 | 24 Pieces | |
| 3 x Size No.'s: | 2, 4, 6. | |





White Spirit

Conforms to BS 245.

- Thins solvent based paints.
- Cleans paint brushes.
- De-greases.

| Part No. | Qty | Size | |
|----------|-----|----------|--|
| VC760 | 1 | 2 Litres | |







0







Lubricant Aerosols 500ml

A selection of our fastest moving lubricant aerosols, including the No. 1 selling Universal Maintenance Lubricant used for a multitude of lubricating and maintenance applications.

Part No. Qty

SASL Set of 6

6 x 500ml Aerosols: White Grease with PTFE, Clear Grease, Silicone Spray, Chain & Cable Lube, Copper Grease, Universal Maintenance Lubricant.





- Cleaning Aerosols 500ml

A selection of popular cleaning aerosols, plus the No. 1 selling Universal Maintenance Lubricant which can be used for a wide range of everyday cleaning applications.

Part No. Qty

SASC Set of 6

6 x 500ml Aerosols: Brake Cleaner, Throttle Body Cleaner, Electrical Cleaner, Label & Gum Remover, Leak Detector, Universal Maintenance Lubricant.





































CLASS COCKPIT

A selection of professional quality valeting aerosols, providing a clean finish for all vehicles. Plus the No.1 selling Universal Maintenance Lubricant, ideal for everyday maintenance applications.

Part No. Qty

SASV Set of 6

6 x 500ml Aerosols: Glass Cleaner, Cockpit Spray, Tyre Foam, Multi Purpose Foam Cleaner, Air Duster, Universal Maintenance Lubricant.

SAS



S-A-S Assorted Pack - Paint Aerosols 500ml

Qty

A selection of top quality paint aerosols, providing a professional finish each and every time. Plus the No. 1 selling Universal Maintenance Lubricant, ideal for everyday maintenance applications.

Part No.

SASP Set of 6

6 x 500ml Aerosols: Zinc Spray, Satin Black Paint, Silver Paint, Grey Primer, Red Oxide Primer, Universal Maintenance Lubricant.









Sealants + Adhesives

320 Adhesive Tapes 324 Instant Adhesives 326 Threadlockers 327 Retainers 327 Epoxies

329 Repair Adhesives 332 Instant Gaskets 333 Silicone Sealants 335 MS-Polymer Sealants

335 Pipe Sealants

336 Exhaust Repair





























333



335











For temperatures up to 70°C (158°F). NOT suitable for use in bodyshops.

| Part No. | Qty | Width x Length |
|----------|----------|----------------|
| VC411 | 36 Rolls | 24 mm x 50 m |
| VC412 | 24 Rolls | 48 mm x 50 m |



Sticks firmly and securely to most surfaces with clean removal.

Good performance maintained on bake cycles of 127°C (260°F) for up to 1 hour.

· Designed for paint masking in automotive refinishing and industrial sectors.

| Part No. | Qty | Width x Length |
|----------|---------|----------------|
| MT24 | 6 Rolls | 24 mm x 50 m |
| MT48 | 6 Rolls | 48 mm x 50 m |



3M 'Scotch Auto®' Masking Tape - 2328 • Solvent resistant

Prevents bleed through

| Part No. | Qty | Width x Length | |
|----------|---------|----------------|--|
| MT225 | 9 Rolls | 24 mm x 50 m | |
| MT250 | 5 Rolls | 48 mm x 50 m | |

Trim Masking Tape

High temperature rating: 100°C. Unique tape to mask up around rubber window surrounds and plastic panel trims.

- · Perforated to make the job very quick.
- High temperature rating: 100°C.

| Part No. | Pack of | Width x Length |
|----------|---------|----------------|
| MT11 | 1 Roll | 48 mm x 10 m |





| Part No. | Pack of | Width x Length |
|----------|---------|----------------|
| MT10 | 1 Roll | 3 mm x 55 m |
| | | |

Double-Sided Adhesive Tape - Non-Foam Type

Avoids thickness build-up where

| Todili tape has been previously used. | | | |
|---------------------------------------|---------|----------------|--|
| Part No. | Pack of | Width x Length | |
| VC406 | 1 Roll | 12 mm x 50 m | |
| VC408 | 1 Roll | 25 mm x 50 m | |



Transparent Marque Badge Tape

Transparent tape with strong acrylic adhesive. Adhesive thickness 0.04 mm. Application temperature: 15 to 35°C.

A Simple, no fuss and very effective way to attach car logos and emblems back onto newly painted panels
 Tape is strong and will resist adverse weather conditions, oil and UV light.

| Part No. | Pack of | Width x Length |
|----------|---------|--------------------|
| MT12 | 10 | 50 x 300 mm Strips |



Double-Sided Adhesive Foam Tape - Green Backing

Industrial standard general purpose tape.

· Suitable for interior and exterior use

| Solitable for interior and exterior osc. | | | | |
|--|---------|----------------|-----------|--|
| Part No. | Pack of | Width x Length | Thickness | |
| VC402 | 1 Roll | 12 mm x 10 m | 0.8 mm | |
| VC403 | 1 Roll | 19 mm x 10 m | 0.8 mm | |
| VC404 | 1 Roll | 25 mm x 10 m | 0.8 mm | |
| VC405 | 1 Roll | 50 mm x 10 m | 0.8 mm | |



Designed for automotive trim fixing.

Delayed cure allows for repositioning

| • Delayed core allows for repositioning where required. | | | |
|---|---------|----------------|-----------|
| Part No. | Pack of | Width x Length | Thickness |
| GLU10 | 2 Rolls | 12 mm x 5 m | 1.0 mm |
| GLU11 | 2 Rolls | 19 mm x 5 m | 1.0 mm |
| GLU24 | 2 Rolls | 25 mm x 10 m | 1.0 mm |
| GLU21 | 1 Roll | 48 mm x 5 m | 1.0 mm |











موه

ထွ





ADVANCE 'AT132' Polycloth Duct Sealing Tape (Gaffer)

General purpose waterproof cloth tape.

| Easy unwind and easy tear | | | very III | ign initial stick • Gloss Ilnish | |
|---------------------------|----------|--|----------|----------------------------------|--|
| Part No. | Qty | | Colour | Width x Length | |
| TAPE4 | 2 Rolls | | Silver | 50 mm x 50 m | |
| TAPE4B | 24 Rolls | | Silver | 50 mm x 50 m | |
| TAPE5 | 2 Rolls | | Black | 50 mm x 50 m | |
| TAPE5B | 24 Rolls | | Black | 50 mm x 50 m | |
| TAPE6 | 2 Rolls | | White | 50 mm x 50 m | |



| Part No. | Pack of | Size |
|----------|---------|------------|
| VC400 | 40 | 40 x 28 mm |



Double-Sided Adhesive Pads - Number Plate Pads

| Part No. | Pack of | Size | |
|----------|---------|------------|--|
| VC401 | 20 x 3 | 80 x 25 mm | |



'Hook & Loop' Tapes - Black

Self-adhesive. 25 mm wide x 25 m long.

| Part No. | Qty | Туре | |
|----------|--------|-------------|--|
| VC441 | 1 Roll | 'Hook' Tape | |
| VC442 | 1 Roll | 'Loop' Tape | |



Gaffer Tape

General purpose waterproof cloth tape.

| Part No. | Qty | Colour | Width x Length |
|----------|----------|--------|----------------|
| TAPE7 | 2 Rolls | Silver | 50 mm x 50 m |
| TAPE7B | 24 Rolls | Silver | 50 mm x 50 m |
| TAPE8 | 2 Rolls | Black | 50 mm x 50 m |
| TAPE8B | 24 Rolls | Black | 50 mm x 50 m |



Certifield to BS476. Approved to class 'O' rating, used in the insulation marketplace on foil-faced pipe and slab sections and protects against the effects of fire, dust and moisture.

· Excellent in low temperature and humidity applications

· A soft, conformable aluminium foil conforms to irregular surfaces

| Part No. | Qty | Width x Length |
|----------|-----|----------------|
| TAPE53 | 1 | 50 mm x 45.7 m |

All Weather **Clear Repair Tape**

UV resistant polythene tape. Ideal for reinforcement of horticultural PVC structures and suitable for a variety of long-ageing applications.

- Outside UV resistant for 9 months
- Multi-purpose repairs Polythene film, polytunnels, greenhouses, car lamps
- · Designed for indoor and outdoor repairing and sealing applications

| Part No. | Qty | Width x Length |
|----------|-----|----------------|
| TAPE54 | 3 | 50 mm x 10 m |

Anti Corrosion Petro Tape

Apply by hand. For use on pipes, valves, joints and cables above and below ground. Seals against weathering and protects against water and chemicals.

- · Highly impermeable to water and gases
- Used to protect buried or exposed pipes, valves, pipe fittings, cables and other metalwork from corrosion
- · Non-hardening, non-cracking and highly resistant to deterioration

| Part No. | Qty | Width x Length | |
|----------|-----|----------------|--|
| TAPE50 | 1 | 50 mm x 10 m | |



NEW





















NEW









Crossweave Tape

Clear polypropylene tapereinforced with crossweave glass fibre, coated with a synthetic rubber resin adhesive.

High tensile strength for heavy duty bundling and packaging

· Recommended for packing of pallets and for high level reinforcements

| Part No. | Ųty | Colour | wiath x Length |
|----------|--------|--------|----------------|
| TAPE52 | 1 Roll | Clear | 50 mm x 50 m |



Wide Carton Sealing Tape

Clear polypropylene. Suitable for use with dispenser Part No. TAPE10.

Low Noise

| Part No. | Box of | Colour | Width x Length | |
|----------|----------|--------|----------------|--|
| TAPE11 | 24 Rolls | Clear | 72 mm x 132 m | |



Wide Carton Sealing Tape Dispenser Gun

Suitable for use with Part No. TAPE11

| Part No. | Otv | Description | |
|--------------|---------|---------------------|----|
| JUITUDIC IOI | OSC WIL | II FAI LING, IAFLI. | Ι. |

| TAPE10 | 1 | 75 mm Tape Gun |
|--------|---|----------------|





Description

50 mm Tape Gun



TAPE25

50 mm x 33 m roll. Highly visible. Suitable for use on concrete floors.

1 Roll

| Sultable Ini | 036 011 (011 | crete 110015. |
|--------------|--------------|---------------|
| Part No. | Qty | Colours |
| TAPE24 | 1 Roll | Black/Yellow |



Reflective Tape


Class 1 commercial grade self adhesive tape for safety markings and barriers

· Ideal for the temporary road sign, safety markings and barriers, etc.

White/Red

· Lasts for 3 to 5 years

| Part No. | Qty | Colour | Width x Length |
|----------|--------|--------------|----------------|
| TAPE30 | 1 Roll | Red/White | 50 mm x 10 m |
| TAPE31 | 1 Roll | Black/Yellow | 50 mm x 10 m |



Anti-Slip Hazard Tape

Coarse grade.

| Part No. | Qty | Colours | Width x Length |
|----------|--------|--------------|----------------|
| TAPE26 | 1 Roll | Black/Yellow | 50 mm x 18.4 m |



Part No.

TAPE3

•

BEST SELLER



PVC Insulation Tape

Flame Retardant to BS EN 60454 Type 2.

| Part No. | Pack of | Colour | Width x Length |
|----------|---------|---------------------|----------------|
| EPT1 | 10 | Black | 19 mm x 20 m |
| EPT11 | 10 | Blue | 19 mm x 20 m |
| EPT17 | 10 | Brown | 19 mm x 20 m |
| EPT12 | 10 | Green | 19 mm x 20 m |
| EPT13 | 10 | Green/Yellow Stripe | 19 mm x 20 m |
| EPT18 | 10 | Grey | 19 mm x 20 m |
| EPT14 | 10 | Red | 19 mm x 20 m |
| EPT15 | 10 | White | 19 mm x 20 m |
| EPT16 | 10 | Yellow | 19 mm x 20 m |



Assorted Pack of PVC Insulation Tape

19 mm Wide x 20 m Long. Flame Retardant to BS EN 60454 Type 2.

| Part No. | Pack of | |
|----------|-----------|--|
| EPT3 | 10 Pieces | |

5 x Colours: (2 x) Blue, Green, Red, White, Yellow.



PVC Tape - 2" Wide

| Part No. | Qty | Colour | Width x Length |
|----------|-----|--------|----------------|
| EPT2 | 1 | Black | 50 mm x 33 m |



ADVANCE 'AT7' PVC Insulation Tape

Flame Retardant to BS EN 60454 Type 2.

| Part No. | Pack of | Colour | Width x Length |
|----------|----------|--------|----------------|
| EPT7 | 10 Rolls | Black | 19 mm x 20 m |



ADVANCE High Temperature 'AT74' PVC Insulation Tape

Flame retardant, high temperature PVC electrical insulation tape. 0.15 mm Tape Thickness (150 Micron).

 Part No.
 Pack of
 Colour
 Width x Length

 EPT74
 10 Rolls
 Black
 19 mm x 33 m





NEW

NITTO '21A' PVC Insulation Tape

0.20 mm Tape Thickness (200 Micron).

| Part No. | Pack of | Colour | Width x Length |
|----------|----------|--------|----------------|
| EPT21 | 10 Rolls | Black | 19 mm x 20 m |
| | | | |

Farmers 'Silage' High Strength PVC Tape

High strength tape for repairing around the farm including silage patching, electrical insulation and banding.

- Good resistance to abrasion, corrosion and moisture
- High dielectric strength
- Excellent conformability

| Part No. | Qty | Colour | Width x Length |
|----------|---------|--------|----------------|
| TAPE55 | 3 Rolls | Black | 75 mm x 20 m |



High Density PTFE Gas Tape

Manufactured to EN 751-3 GRp, BS 6920. WRAS approved.

- 33% thicker than standard PTFE tape.
- Developed especially for the gas industry.
- · Suitable for use on all common gases and liquids.

| Part No. | Pack of | Width x Length |
|----------|----------|----------------|
| GLU51 | 10 Rolls | 12 mm x 5 m |



PTFE Thread Sealing Tape

BS 4375. 751-3:1997.

Supplied on a plastic spool.

For use on all materials:
 Steel, Alloy, Plastic, Copper and Ceramics.

| Part No. | Pack of | Width x Length |
|----------|----------|----------------|
| GLU5 | 10 Rolls | 12 mm x 12 m |





000

 \odot



LOCTITE.

LOCTITE '401' **Instant Adhesive**

Universal Adhesive. Otv

| i ui tito. | QLJ | JIZC |
|------------|-----|------------|
| VC906 | 1 | 20g Bottle |
| | | |

LOCTITE



LOCTITE 'Precision' Super Glue Supplied on a blister card.

| Part No. | Qty | Size |
|----------|-----|-----------|
| VC935 | 1 | 5g Bottle |

LOCTITE.



ALLIPIASTICS

LOCTITE 'Easy Brush' Super Glue

Supplied on a blister card.

| Part No. | Ųty | Size |
|----------|-----|-----------|
| VC934 | 1 | 5g Bottle |



LOCTITE 'All Plastics' Super Glue Kit

Extra strong formulation - Even for the most difficult plastics. Supplied on a blister card.

| un neont pi | ustics. st | opplied of a blister card |
|-------------|------------|-----------------------------------|
| Part No. | Qty | Description |
| VC928 | 1 Kit | All Plastics Super Glue Kit |

1 x Super Glue: 2g Tube. 1 x Activator Primer: 4ml Bottle.

LOCTITE.

LOCTITE Super Glue Liquid

Universal instant adhesive. Supplied on a blister card.

- High performance formula.
- No clog pin cap.
- · Bonds metal, rubber, wood, leather & most plastics.

| Part No. | Qty | Size |
|----------|-----|---------|
| VC933 | 1 | 3g Tube |

LOCTITE.



LOCTITE '319' Rear View Mirror Bonder

Supplied on a blister card.

Part No. Qty

VC929 0.5ml Bottle 1










• Fixing time: 90 - 150 seconds.

Part No. Qty VC910 1 10g Dispenser Syringe Kit





0

موم

ထွ



Comprehensive kit containing the most frequently used adhesive and sealant products from the range. Supplied in a tough plastic storage case.

Description Part No. **SASKIT1** 10 Piece Kit

Kit contents: 1 x Super Glue: 20g. 1 x Thread Lock: 10ml. 1 x Stud Lock: 10ml. 1 x Nut Lock: 10ml. 1 x Bearing Fit: 50ml. 1 x Instant Gasket, Blue: 100ml. 1 x Multi Gasket: 50ml. 1 x Brake & Airline Sealant: 50ml. 1 x High Strength Epoxy: 25ml. 1 x Quick Metal Liquid: 25ml.

SAS



S-A-S Spray AdhesiveCan be applied to Roof Linings, Trim Linings, Upholstery and Carpets (NOT suitable for unsupported construction).
This product should NOT be used on surfaces where temperature may exceed 50°C.

- Specially formulated for maintenance and repair applications for all types of substrate and trim (except plasticised PVC)
- · Non-chlorinated formula

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS470 | 6 | 500ml Aerosols |





S-A-S Super Glue

Medium viscosity. Bonds metal, rubber and most materials in seconds.

| Part No. | Qty | Size |
|------------|-----------|-------------|
| SAS401/5 | Pack of 5 | 3g Tubes |
| SAS495/5 | Pack of 5 | 5g Bottles |
| SAS495/24 | Box of 24 | 5g Bottles |
| SAS4950 | 1 | 20g Bottle |
| SAS4950/12 | Box of 12 | 20g Bottles |

SAS



S-A-S Super Glue Gel

Quick setting very thick non-drip gel adhesive. Ideal for applications requiring a viscous product, i.e. Vertical applications. Bonds metal, rubber and most materials in seconds.

| Part No. | Qty | Size |
|-------------|-----------|-----------|
| SAS454 | 1 | 20g Tube |
| SAS/15/1/20 | Boy of 20 | 20σ Tubos |

SAS



S-A-S Super Glue - High Viscosity

| SAS422/12 | Box of 12 | 20g Bottles | |
|--|-----------|-------------|--|
| SAS422 | 1 | 20g Bottle | |
| Part No. | Qty | Size | |
| right viscosity. Butius metal, rubber and most materials in seconds. | | | |

SAS



S-A-S Activator

Dramatically increases the cure speed of instant adhesives/super glue. Can also help the cure rate when used in large gaps and aids bonding on porous materials.

Suitable for use on PVCU, plastic, glass and metal.

| Part No. | Qty | Size | |
|----------|-----|---------------|--|
| SAS325 | 1 | 200ml Aerosol | |

























SAS

LOCTITE '243' Threadlocker

Fast-acting thread lock and sealant. Stops bolts, screws and nuts vibrating loose. Medium strength - Easily undone with normal hand tools. OEM Specified.

| Part No. | Qty | Size |
|----------|-----|-------------|
| VC941 | 1 | 24ml Bottle |
| VC901 | 1 | 50ml Bottle |





BOCTITE

LOCTITE '270' Threadlocker

Stud 'N Bearing Fit. Retains studs and bearings, sealing against corrosion. Vibration proof -Eliminates wear. OEM specified.

| Part Nu. | Ųŧy | 3126 |
|----------|-----|-------------|
| VC942 | 1 | 24ml Bottle |
| VC902 | 1 | 50ml Bottle |





LOCTITE 'Stick 248' Threadlocker - Medium Strength

Removable strength threadlocking adhesive, specially suited to fasteners between 1/4" and 3/4" diameter. Parts can be separated using hand tools.

| Part No. | Qty | Size |
|----------|-----|-----------|
| VC971 | 1 | 19g Stick |



LOCTITE 'Stick 268' Threadlocker - High Strength

High strength threadlocking adhesive.
Offering heavy duty strength and performance for high strength applications.

| art No. | Qty | Size |
|---------|-----|-----------|
| /C972 | 1 | 19g Stick |



S-A-S Thread Lock

Prevents vibration loosening and leakage through threaded fastening. Designed for easy disassembly of treated components. Anaerobic formula allows curing only when confined between metal parts.

- · Strength: Low
- Gap Fill: 0.50 mm

Suitable for use with oil, petrol and diesel

| Part No. | Qty | Size |
|------------|-----------|--------------|
| SAS222/5 | Pack of 5 | 10ml Bottles |
| SAS222/12 | Box of 12 | 10ml Bottles |
| SAS2220 | 1 | 50ml Bottle |
| SAS2220/12 | Box of 12 | 50ml Bottles |

SAS

S-A-S Nut Lock

Prevents shock and vibration loosening and leakage on all types of metal fasteners. Designed for locking and sealing, Nut Lock withstands harsh environments yet is removable with hand tools.

- · Strength: Medium
- Gap Fill: 0.25 mm
- Temp Range: -40°C to +150°C
- Suitable for use with oil, petrol and diesel

| Part No. | Qty | Size | |
|------------|-----------|--------------|--|
| SAS243/5 | Pack of 5 | 10ml Bottles | |
| SAS243/12 | Box of 12 | 10ml Bottles | |
| SAS2430 | 1 | 50ml Bottle | |
| SAS2430/12 | Box of 12 | 50ml Bottles | |
| | | | |

SAS

S-A-S Stud Lock

Fast acting seal against leakage and corrosion. Chemical resistance against fuels, lubricants and gases. Eliminates double nutting and/or welding of critical assemblies.

- · Strength: High
- Gap Fill: 0.10 mm
- Temp Range: -50°C to +150°C
- Suitable for use with oil and petrol

| Part No. | Qty | Size | |
|------------|-----------|--------------|--|
| SAS271/5 | Pack of 5 | 10ml Bottles | |
| SAS271/12 | Box of 12 | 10ml Bottles | |
| SAS2710 | 1 | 50ml Bottle | |
| SAS2710/12 | Box of 12 | 50ml Bottles | |







موو

9

 \odot

S-A-S Rapid Epoxy

Quick setting, waterproof and impact resistant fluid epoxy resin adhesive.

- Temperature range: Up to 50°C
- · Cure time: 5 minutes (Full cure: 24 Hours)

| Part No. | Qty | Size |
|----------|-----|--------------|
| SAS450 | 1 | 25ml Syringe |





S-A-S Bearing Fit

Provides medium strength retention under cyclic loading. Will retain full strength and not suffer fatigue under load stress, as well as benefiting from low corrosivity.

- Strength: Medium
- Gap Fill: 0.20 mm
- Temp Range: Up to 150°C
- Full cure time: 12 hours

| Part No. | Qty | Size |
|-----------|-----------|--------------|
| SAS601 | 1 | 50ml Bottle |
| SAS601/12 | Box of 12 | 50ml Bottles |



S-A-S High Strength Epoxy

High strength, waterproof and impact resistant fluid epoxy resin adhesive.

- Temperature range: Up to 42°C
- · Cure time: 20 minutes (Full cure: 24 Hours)

| Part No. | Qty | Size |
|----------|-----|--------------|
| SAS460 | 1 | 25ml Syringe |





S-A-S High Strength Retainer

Provides high strength retention under cyclic loading. Will retain full strength and not suffer fatigue under load stress, as well as benefiting from low corrosivity.

- · Strength: High
- Gap Fill: 0.20 mm
- Temp Range: Up to 150°C
- Full cure time: 24 hours

| Part No. | Qty | Size |
|-----------|-----------|--------------|
| SAS638 | 1 | 50ml Bottle |
| SAS638/12 | Box of 12 | 50ml Bottles |



BEST SELLER

S-A-S Quick Metal Liquid

Good matching qualities for bonding and repairing of most metals. Ideal for repair of metal housings and steel sheets.

- Temperature Range: Up to 120°C (250°F)
- Cure Time: 45 minutes (Full Cure: 16 hours)
- · Cured material can be filed. bored, tapped and over painted

| raitinu. | ŲLY | SIZE |
|----------|-----|--------------|
| SAS380 | 1 | 25ml Syringe |
| | | |

S-A-S Ouick Metal Putty

Kneedable epoxy repair putty. Ideal for long lasting emergency repairs. Adheres to moist surfaces even curing under water. Steel filled product resistant to corrosion.

- Temperature Range: Up to +120°C
- Cure Time: 1 hour (Full Cure: 24 hours)
- Cured material can be filed, bored, tapped and over painted

| Part No. | Qty | Size |
|----------|-----|------------|
| SAS390 | 1 | 112g Stick |





S-A-S Quick Aluminium Putty

Epoxy putty for rebuilding damaged castings and worn parts.

- Temperature Range: Up to +120°C
- · Cure Time: 1 hour (Full Cure: 24 hours)
- · Cured material can be filled, bored, tapped and painted over

| Part No. | Qty | Size |
|----------|-----|------------|
| SAS391 | 1 | 114g Stick |































EVO-STIK

EVO-STIK 'Impact' Instant Contact Adhesive

Multi-Purpose. Instant bond on contact.


- Instant bond on contact.
- Bonds most materials, even non-porous.
- High strength No need to support.
- Fast drying formula.

| Part No. | Qty | Size |
|----------|-----|-----------|
| VC337 | 1 | 500ml Tin |
| VC336 | 6 | 65g Tube |









Sets In Minutes.

· Bonds: Metal, Wood, Masonry, Ceramics, Glass, Most Plastics, Chipboard, Dry Concrete, Leather, Cardboard, Fabric and Rubber.

| Part No. | Qty | Size | |
|----------|-----|----------------|--|
| VC393 | 1 | 2 x 15ml Tubes | |
| VC394 | 1 | 24ml Syringe | |









J-B WELD **Original Cold Weld**

A remarkable easy, convenient and inexpensive alternative to welding, soldering and bronzing. Bonds to virtually any clean, dry surface. Sets in 4-6 hours, cures in 16-24 hours. Supplied on a blister card.

- Maximum Temperature: 600°F (315°C).
- Tensile Strength: 3960 PSI.
- · Cure Time: 16 hours.

Part No. 0tv VC391 2 x 28 g Tubes



J-B WELD **Industrial Professional Size**

Same product as J-B Weld in an industrial size pack. A remarkable easy, convenient and inexpensive alternative to welding, soldering and bronzing.
Bonds to virtually any clean, dry surface. Sets in 4-6 hours, cures in 16-24 hours.

- Maximum Temperature: 600°F (315°C).
- Tensile Strength: 3960 PSI. · Cure Time: 16 hours.

Part No. Qty Box of VC392

1 2 x 142 g Tubes



J-B WELD 'KwikWeld'

A fast-set, fast cure version of the original J-B Weld. A lightning kwik' bond with strength, perfect for any quick fix repairs. Sets in 4 Minutes, cures in 4-6 hours! Supplied on a blister card.

- Maximum temperature: 300°F (148°C).
- Tensile strength: 2424 PSI.
- · Bonds In 4 Minutes!
- · Cure Time: 4 hours.

Part No. Qty

VC395 2 x 28g Tubes











mixing cards and sticks.

| • Core mine. | Core Time. 3-3 minotes at 20 C. | | | |
|--------------|---------------------------------|------------|--|--|
| Part No. | Qty | Size | | |
| VC380A | 10 Kits | 3g Sachets | | |
| VC380 | 50 Kits | 3g Sachets | | |

AND DESCRIPTION OF THE PARTY NAMED IN



0

0

موو



PLASTIC PADDING 'Super Steel' Epoxy Weld

Hardens in 5 minutes. Supplied on a blister card.

· Seals, Repairs, Fixes, Fills, Replaces.

 For use on Aluminium, Copper, Glass, Marble, Steel, Plastic, Stone, Wood, etc.

| Part No. | Qty | Size |
|----------|-----|---------------|
| VC991 | 1 | 2 x 25g Tubes |





Q-BOND Adhesive System Kits

Quick bonding, ultra strong adhesive system.
Black powder is carbon/graphite based designed for repairing hard plastics.
Grey powder is aluminium based designed for repairing metal surfaces.
Each pack contains: 2 x 10ml adhesive, 1 x black powder and 1 x grey powder.

- · Flexible when dry
- · Resistant to chemicals, petrol, diesel, oil, coolant
- Withstands temperatures up to 180°C and pressures up to 1300psi
- Can be drilled, tapped, ground, sanded, primed, painted or powder coated 10 seconds after use

| Part No. | Qty | Description |
|----------|---------|-----------------------------|
| QB10 | 10 Kits | Q-Bond Kits c/w Display Box |
| QB10A | 1 Kit | Q-Bond Kit |



VIP 'PowerWeld' 2K Methacrylate

2-component structural adhesive (Methyl-Methacrylat-Ester) for bonding metal, modern difficult to bond plastics and innovative composites. Complete with 2 x mixer nozzles.

- · High lapshear resistance
- · Very good chemical resistance
- · High temperature specification
- Non runny
- · Partly no primer / no sanding
- Remains elastic
- Wide adhesion spectrum
- · Very good working consistency
- Fills cuts and gaps up to 4mm
- · Good reworkability (sanding, drilling, painting, etc.)
- UV stable

| Part No. | ŲLY | 3120 |
|----------|-------|----------------|
| VIP52 | 1 Kit | 25ml Cartridge |
| | | |





VIP 'Power Mix' - 1 Minute 2K Polyurethane Universal Repair Adhesive

2-part syringe cartridge. Unique adhesive for plastic and metal components. Cures in 1 minute (full cure time 24 hours).

| Part No. | Pack of | Colour | Weight |
|----------|---------|--------|--------|
| VIP21B | 2 Kits | Black | 56g |



VIP 'Power Mix' - 5 Minute 2K Polyurethane Universal Repair Adhesive

2-part syringe cartridge. Unique adhesive for plastic and metal components. Cures in 5 minutes (full cure time 24 hours).

| Part No. | Pack of | Colour | Weight | |
|----------|---------|--------|--------|--|
| VIP25C | 2 Kits | Clear | 56g | |



BEST





Applicator Nozzles

Suitable for 50ml 2-part syringe cartridges (suits Part No.s VIP25C & VIP21B).

| Part No. | Pack of | Description |
|----------|---------|---------------------------|
| VIP37 | 12 | Applicator Nozzles |





VIP 'Power Mix' Primer

Adhesion promoter for most plastics, compound materials and a variety of surfaces. Developed to improve 2-part component adhesives performance, e.g. 'Power Mix'. Short drying time.

| raitiv. | QLy | Description | |
|---------|-----|---------------|--|
| VIP35 | 1 | 150ml Aerosol | |





































MOTIP

2 Component Filled
Fibreglass Putty
2 component filled
Fibreglass Putty
2 component fibreglass putty for filling surface
holes in steel, aluminium, wood, concrete and
polyester. Fibre putty is easy to sand and has
excellent filling properties. Fibre putty offers
high impact resistance and may be represented high impact resistance and may be resprayed with allpaints. It is resistant to chemicals and weather influences and can be applied in layers up to 2 cm in thickness.

| Part No. | Qty | Weight |
|----------|-----|--------|
| MP9 | 1 | 2508 |





MOTIP 2 Component **Polyester Repair Set**

2 component polyester resin to be used in combination with the enclosed fibreglass mat and fibreglass fleece. To fill holes in surfaces of steel, aluminium, wood, concrete and polyester. Also suitable to create objects for which a mould is required. Polyester resin is elastic and resistant to chemicals and weather influences. MoTip Polyester Pagin has excellent adhesion and is after hardening. Resin has excellent adhesion and is, after hardening, only mechanically sandable.

| Part No. | Qty | Weight | |
|----------|-----|--------|--|
| MP7 | 1 | 250g | |
| | | | |






MOTIP 2 Component Polyester Putty

Universal 2 component polyester putty to level irregularities in surfaces of steel, aluminium, wood, concrete and polyester. Polyester Putty is elastic and very easy to sand. Polyester putty is re-sprayable with all lacquer systems and resistant to chemicals and weather influences. MoTip Polyester Putty can be applied in layers with a thickness up to 2 cm.

| Part No. | Qty | Weight |
|----------|-----|--------|
| MP1 | 1 | 250g |





after hardening only mechanically sandable.

| Part No. | Qty | Weight |
|----------|-----|--------|
| MP6 | 1 | 250g |




MOTIP 2 Component Unfilled Fibreglass Putty

or in leaf and specified and concrete and polyester. Fibre putty has excellent filling properties. It offers high impact resistance and may be resprayed with all paints. It is resistant to chemicals and weather influences and can be applied in layers up a few in the first highests. applied in layers up to 2cm in thickness.

| Part No. | Qty | Weight | |
|----------|-----|--------|--|
| MP8 | 1 | 250g | |

















MOTIP 2 Component **Bumper Repair Putty**

Qty

2 component plastic putty to level irregularities in bumpers. Bumper repair putty is very elastic and easy to sand. Bumper repair putty can be resprayed with all paints, also powder coating, and has a very fine structure. Bumper repair putty is resistant to chemicals and weather influences and has excellent adhesion. MoTip Bumper Repair Putty can be applied in layers with a thickness up to 1 centimetre.

Weight

250g



MOTIP **Grey Finishing Putty (Tube)**

Fast drying finishing putty to level small, superficial irregularities in surfaces of steel, aluminium, wood and polyester. Finishing putty has a fine structure and is easy to sand. MoTip Finishing putty is re-sprayable with all lacquer systems and can be applied in layers up to 0.5

| Part No. | Qty | Weight |
|----------|-----|--------|
| MP5 | 1 | 200g |



Part No.

MP2

MOTIP 2 Component **Metal Putty**

2 component metal putty to level irregularities in surfaces of steel, aluminium, wood, concrete and polyester. As a result of the supplement of aluminium pigments, very easy to draw and consequently, ideal to treat larger surfaces. Metal putty is elastic and very easy to sand. Metal putty can be resprayed with all paints and registrant to chemicals and weather influences. resistant to chemicals and weather influences.
MoTip Metal Putty can be applied in layers with a thickness up to 2 cm.

250g



| MOTIP |
|-------------------|
| |
| Fibreglass |

| Size: 0.5m² Part No. | Qty | Туре |
|-------------------------|-----|--------|
| MP10 | 1 | Tissue |
| MP11 | 1 | Fleece |
| MP12 | 1 | Mat |
| | | |






Part No. MP4

MOTIP 2 Component Fine Putty

2 component fine putty to level small irregularities in surfaces of steel, aluminium, wood, concrete and polyester. Fine Putty is easy to sand, elastic and resprayable with all lacquer systems. Fine Putty has a very fine structure and excellent adhesion and is resistant to chemicals and weather influences. MoTip Fine Putty can be applied in 0.5 cm.



| layers with a thickness up to | | | | |
|-------------------------------|-----|--------|--|--|
| Part No. | Qty | Weight | | |
| МР3 | 1 | 250g | | |



· Ideal for use in automotive workshops, marine and boat industry, fibre glass and general industry.

| Part No. | Pack of | Size |
|----------|---------|-------------|
| TL1001 | 10 | 70 x 106 mm |



TEROSON.

TEROSON UP 130 Chemical Metal

Repairs dents, pinholes and scratches. Can be drilled and tapped.

- Original hard, multi purpose, two part repair paste
- Resistant to water, oil, fuel, most weak acids and chemicals
- · Pot life: 4:30 mins
- · Colour: dark grey
- · Sandable: 15 to 20 mins
- · High chemical resistance

| raitito. | QLy | r ack 312 |
|----------|-----|-----------|
| VC994 | 1 | 321g |
| | | |



TEROSON UP 120 Leak Fix

TEROSON

Emergency repair of fuel tanks, leaking pipes, radiators etc.

- · Two part, all purpose emergency filler
- Resistant to oil, water and common chemicals
- · Pot Life: 3:30 mins

VC995

- · Colour: grey/green/black
- · Sandable: 15 to 20 mins
- Temperature resistance up to 120°C

326g

· Good temperature resistance Part No. Qty Pack Size 1





(<u>o</u>

000

 \odot



S-A-S Multi Gasket

For sealing close fitting joints and flanged connections. Providing resistance to low pressures immediately after flange assembly.

- Temperature range: -55°C up to 150°C.
- Excellent water and oil resistance.
- Anaerobic formula allows curing only when confined between metal parts.
- · Silicone Free.

| Part No. Qty | Size |
|----------------------------|------------------------|
| SAS574 1 | 50ml Accordion Bottle |
| SAS574/12 Box of 12 | 50ml Accordion Bottles |

LOCTITE.



| | 41) | · |
|---------|-----|------|
| art No. | Qty | Size |
| | | |



LOCTITE.



· High performance.

| raitinu. | Ųŧy | SIZE | |
|----------|-----|------|--|
| | | | |

| VC951 | . 1 | . 1 | 00ml | Tube |
|-------|-----|-----|------|------|
| | | | | |

HYLOMAR'

HYLOMAR 'Hylotyte Red'

Semi hardening gasket and jointing compound. Supplied on a blister card.

- · Resistant to steam.
- Operating temperature range: -40°C to 250°C.
- Resistant to automotive fluids: Petrol, oil, water and anti-freeze.

| Part No. | Qty | Size |
|----------|-----|----------|
| VC224 | 1 | 50g Tube |



LOCTITI





• Extra high temperature up to 650°F (343°C) intermittent.

| Part No. | Ųty | Size |
|----------|-----|-----------------|
| VC241 | 1 | 200ml Power Can |

HYLOMAR



HYLOMAR 'Universal Blue' **Gasket Compound**

The original 'Blue Hylomar'.
Resistant to a wide range of fluids including all industrial fuels, oils, water and brine, air, turbine and piston engine combustion products, water, water/glycol and methanol mixtures, petroleum and synthetic diester lubricating oils, gasoline and kerosene fluids (Avtur & Avcat) and fluorocarbon refrigerants.

| Part No. | Qty | Size |
|----------|-----------|------------|
| GLU12A | Pack of 3 | 40g Tubes |
| GLU12 | Box of 12 | 40g Tubes |
| GLU4A | Pack of 3 | 100g Tubes |
| GLU4 | Box of 12 | 100g Tubes |

LOCTITE.



LOCTITE '5926' Instant Gasket

Permanently flexible silicone sealant for gasket flanges of any shape and size. Sets very quickly. Ideal for a wide range of automotive applications.

| Part No. | Qty | Size |
|----------|-----|-----------|
| VC952 | 1 | 40ml Tube |
| | | |



لموما

ၛၟ

 \odot



S-A-S High Temp Instant GasketFor use as a gasket sealant to replace conventional gaskets.

Waterproof formula seals leaks and can be used as an adhesive to bond metal, glass and rubber.

- Temperature range: -40°C up to 240°C (Intermittent).
- · Excellent water and oil resistance.

· Resistant to Petrol.

| raitinu. | ŲĽý | SIZE |
|----------|-----|-----------------|
| SAS591 | 1 | 220ml Power Can |





Red. High modulus flexible acetoxy.

- Replaces conventional gaskets
- Temperature range: -40°C to +350°C (intermittent)
- · Compatible with catalytic converters
- Power can application
- · Resistant to Petrol and Diesel

| | i di cito. | QLy | SIZC |
|--------------------------|------------|-----|-----------------|
| SAS592 1 220ml Power Car | SAS592 | 1 | 220ml Power Can |





S·A·S Instant Gasket - Blue

For use as a gasket sealant to replace conventional gaskets. Waterproof formula seals leaks and can be used as an adhesive to bond metal, glass and rubber.

- Temperature range: -40°C to 240°C (Intermittent)
- · Excellent water and oil resistance
- Resistant to Petrol and Diesel

| resistant to read and bleser | | | | |
|------------------------------|-------------|--|-------------|--|
| Part No. | Qty | | Size | |
| SAS590 | 1 | | 100ml Tube | |
| SAS590/1 | 2 Box of 12 | | 100ml Tubes | |





S-A-S Instant Gasket - Clear

For use as a gasket sealant to replace conventional gaskets. Waterproof formula seals leaks and can be used as an adhesive to bond metal, glass and rubber.

- Temperature range: -40°C to +250°C (intermittent).
- Compatible with catalytic converters.
- Resistant to Petrol.

| Part No. | Qty | Size |
|-----------|-----------|-------------|
| SAS593 | 1 | 100ml Tube |
| SAS593/12 | Box of 12 | 100ml Tubes |



S-A-S RTV Silicone Sealant

Premium quality specially formulated for automotive and industrial use. Bonds and seals metals, glass, rubber, etc. Flexible and resistant to transmission, cooling and lubricating

- Temperature range: -40°C up to 150°C
- · Excellent water and good oil resistance
- · Mildew resistant suitable for sanitary applications

| Part No. | Qty | Colour | Size |
|------------|-----------|--------|------------------|
| SAS202B/3 | Pack of 3 | Black | 300ml Cartridges |
| SAS202B/12 | Box of 12 | Black | 300ml Cartridges |
| SAS202C/3 | Pack of 3 | Clear | 300ml Cartridges |
| SAS202C/12 | Box of 12 | Clear | 300ml Cartridges |
| SAS202W/3 | Pack of 3 | White | 300ml Cartridges |
| SAS202W/12 | Box of 12 | White | 300ml Cartridges |
| | | | |

Assorted Pack of Cartridge Nozzles

Suitable for most 300/310ml cartridges

Part No. Description SASNOZ Pack of 12 2 x Colours: Black, Clear, White.







For use with sealant cartridges up to 400ml.

| art No. | Pack of | Description |
|---------|---------|-----------------|
| L921 | 2 | General Use Gun |







| Part No. | Qty | Description |
|----------|-----|----------------|
| TL885 | 1 | Heavy Duty Gun |
| | | |





























Geore



GEOCEL 'Auto' Silicone

For sealing windscreens and making permanent replacement instant gaskets.

| Part No. | Pack of | Size |
|----------|---------|------|
| | | |

| VC247 | 6 | 78g Injector Cartridge |
|-------|---|------------------------|
| | - | , -8, |




SIROFLEX 'Polyflex-HM' Polyurethane Sealant

| 300ml cartri | dge. | |
|--------------|-----------|--------|
| Part No. | Qty | Colour |
| VC203B | Pack of 3 | Black |
| VC203BB | Box of 12 | Black |
| VC203W | Pack of 3 | White |
| VC203WB | Box of 12 | White |
| | | |





| | | • |
|-------|---|-----------------|
| TL921 | 2 | General Use Gun |
| | 8 | |



For use with sealant cartridges up to 400ml.

| Pari No. | Ųly | Description |
|----------|-----|----------------|
| TL885 | 1 | Heavy Duty Gun |

DEN BRAVEN 'Gasket - Sealant' High Temperature Silicone Sealant

Designed for forming gasket joints where an extremely high temperature resistance is necessary.

• Trade strength.

• Resistance up to 300°C.

| | p | | | |
|----------|---------|--------|------------------|--|
| Part No. | Pack of | Colour | Size | |
| VC204 | 3 | Red | 310ml Cartridges | |

Assorted Pack of Cartridge Nozzles

| Suitable fo | r most 300/310ml cartridges |
|------------------|-----------------------------|
| Part No. | Description |
| SASNOZ | Pack of 12 |
| 2 x Colours: Bla | ack. Clear. White. |



Den Brave



| Part No. | Qty | Size |
|----------|-----|---------------|
| VC205 | 1 | 700ml Aerosol |



အ

موما





VIP 'Power Bond' Windscreen MS-Polymer Sealant/Bonder

A unique sealing and bonding mastic of the new generation high-quality hybrid polymers

- 2 hour drive-away time.
- · Suitable for use with integrated windscreen antenna.
- Cures under the influence of air.
- · Can be painted after 15 minutes, even when wet.
- · Fast drying, contains no isocyanates, solvents or silicone.
- Remains flexible.
- TÜV approved.

| Part No. | Qty | Colour | Size | |
|----------|-----|--------|------------------|--|
| VIP13B | 1 | Black | 310ml cartridge | |
| VIP13BB | 12 | Black | 310ml cartridges | |



VIP 'Power Bond' Seam Sealer 1K MS-Polymer Sealant/Bonder

A unique sealing and bonding mastic of the new generation high-quality hybrid polymers.

- · Cures under the influence of air.
- · Can be painted after 15 minutes, even when wet.
- Fast drying, contains no isocyanates, solvents or silicone.
- Remains flexible.

| rterrianis ne | | | |
|---------------|-----|--------|------------------|
| Part No. | Qty | Colour | Size |
| VIP10B | 1 | Black | 310ml cartridge |
| VIP10B/10 | 10 | Black | 310ml cartridges |
| VIP10C | 1 | Clear | 310ml cartridge |
| VIP10C/10 | 10 | Clear | 310ml cartridges |
| VIP10G | 1 | Grey | 310ml cartridge |
| VIP10G/10 | 10 | Grey | 310ml cartridges |
| VIP10W | 1 | White | 310ml cartridge |
| VIP10W/10 | 10 | White | 310ml cartridges |
| | | | |





VIP Black Windscreen **Activator Primer for Sealant/Bonder**

For use with 'Power Bond S' (Part No. VIP13B)

| VIP33 | 1 | 38ml Bottle |
|---------------|---------|------------------------------|
| Part No. | Qty | Description |
| I OI OSC WICH | 1 01101 | Dona 3 (Fare 140. VIII 13D). |

S·A·S Brake & Air Line Sealant with PTFE

Instant low pressure sealant for fine and coarse threads up to 3 inch in diameter. Cures up to 60 hours after application, allowing for re-alignment of joints. Will not shred or tear. PTFE seals against oils, gases, chemicals.

- Strength: Medium.
- Gap Fill: 0.40 mm.
- · Petrol resistant.

| Part No. | Qty | Size |
|-----------|-----------|------------------------|
| SAS572 | 1 | 50ml Accordion Bottle |
| SAS572/12 | Box of 12 | 50ml Accordion Bottles |





LOCTITE '572' Brake & Air Line Thread Sealant

Seals and locks. Low strength.

| Part No. | Qty | Size |
|----------|-----|-------------|
| VC945 | 1 | 50ml Bottle |



High Density PTFE Gas Tape

Manufactured to EN 751-3 GRp, BS 6920. WRAS approved.

- 33% thicker than standard PTFE tape.
- · Developed especially for the gas industry.
- · Suitable for use on all common gases and liquids.

| Part No. | Pack of | Width x Length | | |
|----------|----------|----------------|--|--|
| GLU51 | 10 Rolls | 12 mm x 5 m | | |



PTFE Thread Sealing Tape

BS 4375. 751-3:1997.

Supplied on a plastic spool.

For use on all materials: Steel, Alloy, Plastic, Copper and Ceramics.

| · · · · · · · · · · · · · · · · · · · | | | |
|---------------------------------------|----------|----------------|--|
| Part No. | Pack of | Width x Length | |
| GLU5 | 10 Rolls | 12 mm x 12 m | |
| | | | |



BEST

























S-A-S Exhaust Assembly Paste

Eases exhaust assembly and seals all joints.

· Silicone free.

| Part No. | Pack of | Size |
|-----------|---------|-----------------|
| SAS210/6 | 6 | 500g Cartridges |
| SAS210/12 | 12 | 500g Cartridges |
































Specially designed for the lubrication and assembly of exhaust systems. Asbestos free and formulated to withstand pressures and temperatures commonly found in vehicle exhaust systems.

• Temperature range: Up to 1,000°C.

| Part No. | Qty | Size |
|-----------|-----------|-----------|
| SAS220 | 1 | 200g Tub |
| SAS220/12 | Box of 12 | 200g Tubs |







HOLTS 'Firegum®'

Eases exhaust assembly and seals all joints. Specially formulated for the assembly of all exhaust systems as well as flues and boiler pipes.

- 100% carbon monoxide proof.
- Withstands temperatures of up to 1000°C.

| Part No. | Pack of | Size |
|----------|---------|-----------|
| VC215 | 12 | 75g Tubes |





Quick, simple and easy to use. Repairs holes in silencers with a gas tight seal. The hotter it gets the harder it gets!

Part No. Pack of Size VC216 12 200g Tins



HYLOMAR 'EAP5' Exhaust Assembly Paste

For efficient leak-proof exhaust systems.

- · Asbestos free.
- Withstands 1000°C.
- · Smooth texture for easy working.

Pack of Size VC211 12

140g Tubes



HYLOMAR 'ERP2'Exhaust **Repair Putty**

For efficient leak-proof repairs.

- · Asbestos free.
- Withstands 1000°C.
- · Smooth texture for easy working.

| Part No. | Pack of | Size |
|----------|---------|-----------|
| VC212 | 12 | 250g Tubs |



Holfs 5

Holfs



















351







363 Fire Safety 364 Safety Signage

374









Disposable Gloves















000

 \odot

ROZALEX

ROZALEX 'Medsan' Sanitising Cream

An alcohol free hand sanitiser lotion which also moisturises and acts as a light duty barrier cream. Chlorhexidine based for broad and safe bug killing properties. Once applied the quick drying, non greasy formula keeps killing bugs for up to 2 hours making ideal for use with food preparation or healthcare.

- · Hand Sanitiser & Moisturiser
- Alcohol FREE
- · Works For 2 Hours After Application
- Non-Greasy

| Part No. | Qty | Size |
|----------|-----|------------------------|
| RZ1001 | 1 | 250ml Dispenser Bottle |



ROZALEX 'Rozsan' Sanitising Gel

High quality BS-EN approved hand sanitiser. Suitable for use in hospitals, nursing homes, schools and food preparation applications. Certified for use against MRSA, eColi, c-Diff, Listeria and Salmonella.

- · BS-EN approved high quality alcohol gel
- · Better quality alcohol gives improved skin feel after use
- Can be used in Food preparation and Healthcare applications
- **Ouick drving**

F

| Part No. | Qty | Size |
|----------|-----|------------------------|
| RZ1002 | 1 | 500ml Dispenser Bottle |
| | | |



ROZALEX 'Wet-Guard®' **Barrier Cream**

A general purpose wet work barrier cream. Designed to give protection against everyday materials such as neat and soluble cutting oils, dilute alkali and acids, detergents, coolants, wet cements and other water/oil based materials in industry.

- Water repellent
- Gives protection against water based materials and contaminants
- · Can be used as a general purpose barrier cream
- Suitable for use under gloves

Part No. Qty Size **RZ1104** 450ml Tub 1



S-A-S Barrier Cream

An essential pre-work tool in preventing irritating skin conditions and infections, its powerful non-greasy action protects the skin against paints, resins, epoxies, inks and tars.

Pack of Size Part No **SAS500** 4 1 Litre Bottles



Antibacterial Hand Gel

Waterless alcohol base hand sanitiser gel. Contains 75% Alcohol.

Size

· Kills 99.9% of germs

Otv

- Fragrance Free

| VC535 | 1 | 500ml Dispenser Bottle |
|-------|---|------------------------|
| | | |





ROZALEX 'Dri-Guard®' **Barrier Cream**

General purpose dry work barrier cream. Designed to give protection against everyday materials such as mineral oils, solvents, dust, grease, factory grime, cement and dry work in industry.

- · Contains lanolin derivative
- · Gives protection against solvent and oil based contaminants
- Escilitates soil removal from skin

| Tacilitates son removal from skill | | | |
|------------------------------------|-----|--------------|--|
| Part No. | Qty | Size | |
| RZ1004 | 1 | 450ml Tub | |
| RZ1005 | 1 | 5 Ltr Bucket | |
| | | | |





XWORX

ET-GUARD



A quality reconditioning cream that enables the skin to re-hydrate & replenish natural oils lost during the day.

- · Non-coloured, non-perfumed & non-greasy
- · Prevents dry and cracked skin a key cause of dermatitis
- · Especially suitable for sensitive skin
- Keeps hands supple and flexible for safer and more efficient handling of tools and machinery

| Part No. | Qty | Size | - | |
|----------|-----|-----------|---|--|
| RZ3004 | 1 | 450ml Tub | | |
| | | | | |











ROZALEX⁶

ZALPON 'Zing' Citrus Gel Hand Cleaner - Heavy Duty

A 100% solvent free heavy duty gel hand cleaner which features walnut scrub and moisturisers to clean working hands and leave them feeling soft with a unique triple citrus fragrance.

- Removes: Oil, Grease, Paint & Grime
- · Heavy Duty Cleaning Action
- Includes Walnut Scrub & Moisturisers

| Part No. | Ųty | Size |
|----------|-----|--------------------------|
| RZ2011 | 6 | 1 Litre Dispenser Bottle |
| RZ2014 | 4 | 4 Litre Pump Pack |





ZALPON 'Zorange' Orange Pumice Gel Hand Cleaner -**Extra Heavy Duty**

An extra heavy duty hand cleaner for ingrained dirt and oils. Containing natural orange oils, moisturisers, esters and pumice for a deep clean without drying the skin.

- Extra Heavy Duty Hand Cleaner
- Contains Natural Orange Oils
- · Ideal For Heavily Ingrained Hands

| Part No. | Qty | Size |
|----------|-----|--------------------------|
| RZ2001 | 6 | 1 Litre Dispenser Bottle |
| RZ2004 | 4 | 4 Litre Pump Pack |

Swarfega

SWARFEGA® 'Heavy' Hand Cleaner

Deep cleaning

| Part No. | Qty | Size |
|----------|-----|----------------|
| DEB15 | 1 | 15 Litre Bucke |











DREUMEX 'Classic' Red Hand Cleansing Gel

Hand cleansing gel for medium soilings such as oil, fats, grease, bitumen and rubber. Contains solvents. Ideal for use in garages, workshops and metalworking industry.

• Increased cleaning powerbecause of skin friendly Silica micrograins

Skin friendly - Dermatologically tested and approved

| Part No. | Qty | Size | |
|----------|-----|-----------------|--|
| VC706 | 1 | 600ml Tub | |
| VC705 | 1 | 4.5 Litre Tin | |
| VC715 | 1 | 15 Litre Bucket | |



| Part No. | Qty | Size |
|----------|-----|-------------------|
| DEB74PP | 4 | 4 Litre Pump Pack |
| DER75 | 1 | 15 Litro Bucket |



Antibacterial Hand Soap

A mild yet effective formulation which leaves hands soft and clean and is suitable for regular use.

- Kills 99.99% of germs
- · Specially formulated and enriched with moisturiser
- · Gentle and effective

| Part No. | Qty | Pack Size | |
|----------|-----|-------------------|--|
| VC506 | 1 | 485 ml Bottle | |
| VC507 | 1 | 5 Litre Container | |
| | | | |



Swarfega



























S-A-S Foam Hand Cleaner

A ready to use high quality, anti-bacterial, foaming hand & skin cleanser.

- · Excellent cleaning performance yet gentle on the skin
- Does not contain petroleum or natural solvents
- · A water based blend of non-ionic surfactants
- · Kills germs and bacteria
- Pleasant fragrance

| Part No. | Qty | Size |
|---------------|-----|-------------------|
| SAS543 | 12 | 600ml Pump Bottle |



SAS

S-A-S Pink Pearl **Hand Cleaner**

A ready to use rich lotion hand cleanser designed for general purpose / washroom.

- · Can be poured into a 1 Litre Dispenser
- Does not contain petroleum or natural solvents
- A water based blend of non-ionic surfactants
- · Excellent cleaning performance yet gentle on the skin
- · Pleasant Jasmine fragrance leaves hands smelling fresh & clean

| Part No. | Qty | Size | |
|----------|-----|----------------|--|
| SAS541 | 6 | 1 Litre Bottle | |
| | | | |



S·A·S Industry Gold Hand Cleaner

Engineering grade general purpose, solvent-free clear golden gel hand and skin cleanser with light orange fragrance.

- Can be poured into a 1 Litre Dispenser
- Does not contain petroleum or natural solvents
- A water based blend of natural soaps
- Can be used with or without water
- · Excellent cleaning performance vet gentle on the skin
- · Pleasant Orange fragrance, leaves hands feeling soft, fresh & clean

| Part No. | Qty | Size |
|----------|-----|----------------|
| SAS542 | 6 | 1 Litre Bottle |



S-A-S Soap Dispenser UnitFor bulk-filling. Dispenser can be used for most hand soap products. Wall Mounting. Complete with wall mounting fixings. NOT suitable for use with beaded hand gels.

| Part No. | Ųly | Description |
|----------|-----|------------------------|
| SAS540 | 1 | 1 Litre Dispenser Unit |
| | | |



Canal Care - Selection Guide

| ONO | | | | | |
|-----|------------|----------------------------|--------------------------|-------------------------|--------------------------|
| | | Natural Mousse Scrub | Red Tough Grit Gel | Orange Pumice Gel | Citrus Sream Scrub |
| | Fragrance: | Lavender | Industrial | Orange | Citrus |
| | Type: | Mousse | Thick Gel | Light Gel | Cream |
| | Category: | Medium Duty | Heavy Duty | Heavy Duty | Extra Heavy Duty |
| | Sizes: | 3L/10L | 5L/15L | 3L/10L | 3L/10L |
| | | | | | |

Effectively Removes:

| Grime | /// | /// | /// | /// |
|---------------|------------------------|------------|------------|------------|
| Grease | $\checkmark\checkmark$ | √√√ | V | √√√ |
| Ingrained Oil | √√ | √√√ | √√√ | √√ |
| Paints | ✓ | √ √ | √√ | √√√ |
| Inks | ✓ | √ √ | √√ | √√√ |
| Dyes | ✓ | √ √ | √√ | √√√ |
| Tar / Glue | ✓ | √√ | /// | √√√ |

Contains:

| Corn Scrub | | | | ✓ |
|------------------------------|----------|----------|---|---|
| Pumice | | ✓ | ✓ | |
| Wood Flour / Walnut Scrub | √ | | | |

S-A-S Abrasive Hand Wipes

Extra heavy duty textured hand and skin wipes impregnated with an effective cleansing solution.

- Abrasive & smooth sides allow scrubbing & wiping
- · Also suitable for cleaning tools
- Non-scratching
- Pleasant orange fragrance leaves hands smelling fresh and clean
- Wipes stay fresh and moist for up to 18 months after opening
- Alcohol content 1-10%

| i di cito. | 4.) | JILC |
|------------|-----|---------------------------|
| SAS527 | 1 | Bucket of 100 Wipe |



S·A·S Non-Abrasive Hand Wipes

Heavy duty hand and skin wipes impregnated with an effective cleansing solution.

- · Also suitable for cleaning tools
- Non-scratching
- · Pleasant orange fragrance leaves hands smelling fresh and clean
- Alcohol content 1-10%

| Part No. | Ųly | 5126 |
|----------|-----|----------------------------|
| SAS520 | 1 | Bucket of 150 Wipes |



HAND WIPE



موو





· A water based blend of natural solvents, surfactants and pumice

15 Litre Bucket

- · Maximum performance on ingrained oils
- Pumice ensure maximum dirt removal

SAS515

· Pleasant citrus fragrance leaves hands smelling fresh & clean

| Part No. | Qty | Size |
|----------|-----|--------------------------|
| SAS506A | 1 | 3 Litre Tub |
| SAS506 | 6 | 3 Litre Tubs |
| SAS502 | 1 | 3 Litre Pump |
| SAS503 | 1 | 3 Litre Tub Wall Bracket |
| SAS516 | 1 | 10 Litre Container |
| SAS512 | 1 | 10 Litre Pump |
| | | |











- · Solvent-free formula Does not contain petroleum
- Natural scrubs provides a skin-Friendly scrub to aid dirt removal
- · Contains lavender oil Leaves a pleasant 'fresh and clean' light fragrance
- · Suitable for use on damaged skin Leaving it feeling smooth and cared for

| Part No. | Qty | Size |
|----------|-----|--------------------------|
| SAS501A | 1 | 3 Litre Tub |
| SAS501 | 6 | 3 Litre Tubs |
| SAS502 | 1 | 3 Litre Pump |
| SAS503 | 1 | 3 Litre Tub Wall Bracket |
| SAS511 | 1 | 10 Litre Container |
| SAS512 | 1 | 10 Litre Pump |







Cream Scrub Hand Cleaner - Extra Heavy Duty Extra heavy duty hand cleaner with moisturisers and natural scrubbing agent.

Specifically formulated for the effective removal of:

• Ingrained Oil Inks Grime • Dyes Grease Paints • Tar

| Part No. | Qty | Description |
|----------|-----|--------------------------|
| SAS504A | 1 | 3 Litre Tub |
| SAS504 | 6 | 3 Litre Tubs |
| SAS502 | 1 | 3 Litre Pump |
| SAS503 | 1 | 3 Litre Tub Wall Bracket |
| SAS514 | 1 | 10 Litre Container |
| SAS512 | 1 | 10 Litre Pump |
| | | |































SCJohnson **PROFESSIONAL** A family company™







DEB Dispenser Units

Suits all DEB (except DEB142) and SWARFEGA cartridges. Supplied empty.

| Part No. | Qty | Description |
|----------|-----|------------------------|
| DEB2 | 1 | 2 Litre Dispenser Unit |
| DEB4 | 1 | 4 Litre Dispenser Unit |







Light duty lotion hand cleaner with a light, pleasant unisex fragrance.

- · Contains glycerin
- · Skin hypoallergenic
- · Silicone-free
- · Ideal for frequent use to remove general workplace dirt and grime

| Part No. | Ųty | Description | |
|----------|-----|--------------------|--|
| DEB112 | 1 | 2 Litre Cartridge | |
| DEB112C | 4 | 2 Litre Cartridges | |
| DEB114 | 1 | 4 Litre Cartridge | |
| DEB114B | 4 | 4 Litre Cartridges | |
| | | | |



DEB 'Kresto'' **Citrus Hand Cleanser**

- Heavy Duty

A powerful citrus hand cleaner.

- Non-abrasive natural cornmeal hand scrub
- · Contains orange oil
- Removes difficult to remove soiling including inks, most adhesives, oil based paints, oil, grease and grime

| Part No. | Qty | Description |
|----------|-----|--------------------|
| DEB22 | 1 | 2 Litre Cartridge |
| DEB22C | 4 | 2 Litre Cartridges |
| DEB24 | 1 | 4 Litre Cartridge |
| DEB24B | 4 | 4 Litre Cartridges |



DEB 'Skin Protection Centre' 2 Litre, 4 Litre & 2 x 1 Litre Dispenser Units

Robust lightweight boards containing DEB dispensers to provide effective 3-Step Skin Safety Programme. Dimensions (W x H): 800 mm x 570 mm. Supplied empty.

- Everything you need for clean healthy skin in the most appropriate location
- · Easy to install, easy to maintain
- Recommended contents: Step 1: 1L = DEB81. Step 2: 2L = DEB112 or DEB32. Step 3: 4L = DEB34, DEB24 or Swarfega DEB74. Step 4: 1L = DEB91.

| Part No. | Qty | Description |
|----------|-----|--------------------|
| DEB6 | 1 | Skin Safety Centre |



DEB 'Solopol®' Lime Hand Cleanser - Medium Duty

A powerful medium duty cream hand cleaner.

- · Non-abrasive natural cornmeal hand scrub
- · Contains lime extracts
- · Removes industrial soiling, oil, grease and general dirt and grime

| Part No. | Qty | Description | |
|----------|-----|--------------------|--|
| DEB32 | 1 | 2 Litre Cartridge | |
| DEB32C | 4 | 2 Litre Cartridges | |
| DEB34 | 1 | 4 Litre Cartridge | |
| DEB34B | 4 | 4 Litre Cartridges | |





موو





- · Hypo allergenics minimise the risk of allergic reactions
- · No gelling agents or polymers that leave a sticky residue on hands

| Part No. | Qty | Size |
|---------------|-----|------------------------|
| DEB201 | 1 | 1 Litre Cartridge |
| DEB201B | 6 | 1 Litre Cartridges |
| DEB200 | 1 | 1 Litre Dispenser Unit |





Extra protection skin cream.

- · Pre-work protective and reconditioning cream
- Protects the skin against contact with water and non-water based contaminants
- · For wet and dry work

| Part No. | Qty | Size |
|----------|-----|------------------------|
| DEB80A | 1 | 100ml Bottle |
| DEB81 | 1 | 1 Litre Cartridge |
| DEB81B | 6 | 1 Litre Cartridges |
| DEB1 | 1 | 1 Litre Dispenser Unit |





Pre-Wark

retact Crear

DEB 'Stokolan® Classic' After-Work **Conditioner Cream**

Apply at the end of each work period to moisturise skin.

 A mild, super-hydrating after work conditioning cream

Increases skin moisture by approximately 60%

| Part No. | Qty | Size |
|----------|-----|------------------------|
| DEB90A | 1 | 100ml Bottle |
| DEB91 | 1 | 1 Litre Cartridge |
| DEB91B | 6 | 1 Litre Cartridges |
| DEB5 | 1 | 1 Litre Dispenser Unit |

Swarfega NEW SWARFEGA® 'Orange' Hand Cleanser - Heavy Duty Advanced formulation, solvent-free heavy duty hand cleanser containing non-abrasive scrubbers for a deep-down cleaning action and moisturiser to help care for the skin. Removes ingrained oil, grease and general grime. Also compatible with DEB Dispenser Unit (Part No. DEB4). Added moisturisers · Fresh orange fragrance · Dermatologically tested

· Toxicological approval Part No.

| DEB74 | 1 | 4 Litre Cartridge |
|--------|---|------------------------|
| DEB74B | 4 | 4 Litre Cartridges |
| DEB7 | 1 | 4 Litre Dispenser Unit |



Advanced formulation, solvent-free heavy duty hand cleanser containing non-abrasive scrubbers for a deep-down cleaning action and moisturiser to help care for the skin. Removes ingrained oil, grease and general grime.

| art No. | Qty | Size |
|---------|-----|-------------------|
| DEB74PP | 4 | 4 Litre Pump Pack |
| DEB75 | 1 | 15 Litre Bucket |

15 Litre Bucket

Swarfega



Heavy buty
Heavy duty gel formula
containing non-abrasive natural
scrubbing granules and added
conditioner to quickly remove
deeply ingrained oil and grease
soilings and leave the skin
feeling smooth after use.

• Deep cleaning

DEB15

Added conditioner

· Fresh fragrance Part No.







 \odot





SCRUBS-IN-A-BUCKET Alcohol Free Hand Cleaner Towels

Fast one-step process hand cleaning towels.

- · Does not transfer soil back onto hands
- Quickly removes: Dirt, Oil, Tar, Adhesives, Lubricants, Grease, Urethanes, Epoxies, Sealants, Paints, Inks and Dyes
- Can also be used on: Tools, Plastics, Painted Surfaces, Work Surfaces, Metals, Vinyls and Equipment
- · Unique alcohol free formula leaves hands feeling moisturised not dry

| Part No. | Qty | Description |
|----------|-----|-------------|
| VC534 | 1 | Tub of 72 |



Hand wipes for general applications in industrial environments including engineering, printing, mechanics and plumbing. Supplied in a re-sealable tub.

- · Low alcohol based antibacterial cleaning solution
- · Leaves skin cleansed and dry
- Wipes will last 18 months if tub is kept resealed
- · No need for water
- Alcohol content 1-10%







BIG WIPES 'Multi-Purpose' Super Tough Absorbent Wipes

Cleans paint (oil, water and hammer finish), adhesives (including adhesive and tape deposits), silicone, epoxy, PU foam, oil grease from hands, tools and surfaces.

Alcohol content 0.1-1.0%

| Part No. | Qty | Size |
|----------|-----|-------------|
| VC2010 | 1 | 80 Wipe Tub |



BIG WIPES 'Heavy-Duty ' Textured, Scrub & Clean Wipes

Dual sided wipes designed for scrubbing and cleaning. Cleans paint, adhesive, oil and more from hands, tools & surfaces. · Alcohol content 0.1-1.0%

Part No.





BEST

S-A-S Abrasive Hand Wipes

Extra heavy duty textured hand and skin wipes impregnated with an effective cleansing solution.

- Abrasive & smooth sides allow scrubbing & wiping
- · Also suitable for cleaning tools
- Non-scratching
- Pleasant orange fragrance leaves hands smelling fresh and clean
- · Wipes stay fresh and moist for up to 18 months after opening
- · Alcohol content 1-10%

| Part NU. | Ųly | 3126 |
|----------|-----|----------------------------|
| SAS527 | 1 | Bucket of 100 Wipes |



S-A-S Non-Abrasive **Hand Wipes**

Heavy duty hand and skin wipes impregnated with an effective cleansing solution.

- · Also suitable for cleaning tools
- Non-scratching
- Pleasant orange fragrance leaves hands smelling fresh and clean
- · Alcohol content 1-10%

Part No. Qty

Bucket of 150 Wipes SAS520 1



HAND WIPE



BIG WIPES 'The Cage' Wall Bracket

Ideal for storing BIG WIPES on a van or in a workshop. Suits Part No.'s VC2010, VC2020 and VC2440.

| Part No. | Qty | Size |
|----------|-----|--------------|
| VC2421 | 1 | Wall Bracket |



The biodegradable alternative for water based products and general dirt. Dermatologically tested and assessed to the latest EU regulations 1223/2009 - ZERO levels of skin irritation recorded. Unique formula cleans paint (oil, water and hammer finish), adhesives (including adhesive and tape deposits), silicone, epoxy, PU foam, oil grease from hands, tools and surfaces. DEGRADABLE

- · All natural plant-based viscose fabric and unique 4X4 formula are 100% biodegradable
- Water-based formula offers
 >99% antibacterial protection
- Alcohol content 0.1-1.0%

Part No. Qty **VC2440** 80 Wipe Tub





 \odot

0

موو





ULTRAGRIME PRO 'Multiuse' Clothwipes

Super-size performance alcohol-free low foaming wipes for hands, tools walls and all surfaces.

- · Removes oil, grease, ink, paint, silicone and uncured PU foam
- 100 super-size wipes
- · Super-soft, strong and absorbent
- Stay wet for over an hour!
- · Contains Vitamin E and Aloe extract
- · Skin safe! Dermatologically tested

· Contains antibacterial agent Qty Pack Size Wipe Size

Part No. VC121 1 Pack of 100 38 cm x 25 cm







ULTRAGRIME PRO 'Multiuse BIO' Biodegradable Clothwipes

Super-size performance alcohol-free low foaming wipes for hands, tools, walls and all surfaces. 100% biodegradable to EN14046.

- · Removes oil, grease, ink, paint, silicone and uncured PU foam
- 100 super-size wipes
- · Stay wet for over an hour!
- · Skin Safe! Dermatologically tested

Part No. Pack Size · Super-soft, strong and absorbent • Contains Vitamin E and Aloe extract

· Contains antibacterial agent

Wipe Size

VC124 38 cm x 25 cm Pack of 100







ULTRAGRIME PRO 'Anti-Bac' Clothwipes

Conforms to EN 1276, EN 13727 and EN 14476 standards. Bactericidal and virucidal wipe with a 60 second kill rate on viruses. Kills enveloped viruses including Coronaviruses and SARS Cov-2 which is the virus which causes Covid-19.

- 100 super-size wipes
- · Kills 99.999% of germs in 30 seconds
- · Stay wet for over an hour!
- · Can be used on any surface
- · Dermatologically tested safe on hands

| Pdi l NU. | Ųly | PdCK SIZE | wipe size |
|-----------|-----|-------------|---------------|
| VC126 | 1 | Pack of 100 | 38 cm x 25 cm |







· Safe for all surfaces

· Large absorbency capacity

· Dual action cleaner and sanitiser

· Very low foaming

ULTRAGRIME PRO 'Power Scrub' Clothwipes

Ultra-strong cloth fabric has a rough abrasive side and a powerful grease-busting cleaning agent.

- 80 super-size wipes
- Dermatologically tested safe on skin
- Stays wet and useable for over an hour 3-in-1 action: lifts, cleans and protects
- · Removes grease, paint, silicone, uncured PU foam, and adhesives
- · Alcohol-free with vitamin E and aloe extract formula Part No. Qty Pack Size Wipe Size

Pack of 80 38 cm x 25 cm VC127



GRIMEX **Alcohol Free Hand Cleaning Wipes**

Individual hand cleaners. No mess, no waste, no water necessary. Cleans hands of: Oil, Grease, Ground in dirt, Inks, Paints and Tars where no water is available. Re-sealable dispenser pack.

| Part No. | Qty | Description |
|----------|-----|-----------------------|
| VC519 | 1 | Dispenser Pack of 100 |



UNIWIPE 'Clinical' Sanitiser & Cleaner WipesFragrance & alcohol-free clinical sanitiser and cleaner. Sanitising efficacy EN1276 and EN13727. Highly effective cleaning wipes with outstanding microbiocidal performance. Effective against bacteria, fungi and viruses. • Trusted in healthcare organisations

- Kills Norovirus, MRSA and H1N1
- · Safe and suitable for all surfaces
- · Grippy and absorbent
- Harmless and hand safe

| - Harriness and hard sale | | | | | | |
|---------------------------|-----|-------------|---------------|--|--|--|
| Part No. | Qty | Pack Size | Wipe Size | | | |
| VC122 | 1 | Pack of 100 | 38 cm x 25 cm | | | |
| VC125 | 1 | Pack of 200 | 20 cm x 20 cm | | | |



































NILCO 'H1' **Professional Antibacterial Cleaner and Sanitiser**

NSF Registration Number 141336. Complies with BS EN 1276. A neutral solvent based aqueous bactericidal and virucidal anti-static cleaner.

- Effective against a wide range of bacteria and moulds
- · Leaves surfaces hygienically clean
- Fast drying, ideal for kitchen surfaces
- Safe for use on: Food preparation areas, work surfaces, stainless steel, ceramic tiles, walls and other hard non-porous surfaces

| Part No. | Qty | Pack Size |
|----------|-----|-------------------------|
| NIL11 | 1 | 1 Litre Trigger Sprayer |
| NII 15 | 1 | 5 Litre Container |



JEYES FLUID Multi-Purpose Disinfectant for Outdoor Use

Strong disinfectant for drains, dustbins, etc.

Removes fungi, algae, moss and lichen from paths, fences, walls etc.

| Part No. | Qty | Size | |
|----------|-----|----------|--|
| IFV5 | 1 | 5 Litres | |



NILCO Bactericidal Washing Up Liquid

Dilute 1:80 with water to ensure effective cleaning.

· Contains a broad spectrum biocide

| Part No. | Qty | Size |
|----------|-----|-------------------|
| NIL630 | 1 | 5 Litre Container |



NILCO Heavy Duty Floor Cleaner

Dilute with water for required performance.

Citrus fragranced

| Part No. | Qty | Size |
|----------|-----|-------------------|
| NIL624 | 1 | 5 Litre Container |











Tested to European Standard EN1276 and prEN 12054. Proven to kill 99.999% of germs making them one of the most effective sanitising wipes on the market. Supplied in a durable resealable pack.

- · Clinically proven to kill superbugs NHS approved
- · Wipes for cleaning and disinfecting surfaces and equipment
- · No damage to surfaces

| Part No. | Qty | Size |
|----------|-----|----------------|
| WS140 | 1 | 40 Wipes Pack |
| WS120 | 1 | 200 Wipes Pack |



NILCO Citrus Urinal Blocks

Deodorant urinal blocks

| NIL618 | 1 | 3 kg Tub |
|--------------|----------|---------------------|
| Part No. | Qty | Size |
| with a power | iui, pei | Sisterit per furre. |



SAS

S·A·S Heavy Duty Surface Degreaser

Suitable for use in power wash and hand pump wash dispensers. Can also be used for hand application.

- · Suitable for use on engines and chassis.
- Water-based and non-flammable
 Suitable for petrol station forecourts.
- · Economical formula can be diluted
- · Silicone FREE formula.

| Part No. | Qty | Size |
|----------|-----|------|
|----------|-----|------|

5 Litre Container SAS1059 1



SAS

S-A-S Citrus Fragrance All Purpose Cleaner

Supplied in a stackable UN container. Soiling dilution ratio: Very heavy use neat, Heavy 10:1, Medium 50:1, Light 100:1.

- · Non Harmful Formulation Safe to use on virtually any substrate, cleans all hard surfaces including floors, walls, desks & washrooms

 Alloy Wheel Safe Formula - Perfect for cleaning
- vehicles inside and out, including highly polished and anodized aluminium alloy wheels
- · Alcohol FREE formula

| Part No. | Qty | Size |
|----------|-----|-------------------|
| SAS2010 | 1 | 5 Litre Container |



990

ထွ

Antiviral Disinfectant

This powerful formulation kills a range of pathogenic viruses in under 5 minutes and is suitable for use on most non-porous surfaces. When used as directed, leaves treated surfaces safe for human contact.

- Effective against Coronavirus
- Kills 99.99% of germs and viruses
- Cleans and disinfects

| Ready to | use | | Distribution |
|------------------------------|-----|----------------------|-------------------|
| Part No. | Qty | Pack Size | |
| VC508 | 1 | 750 ml Trigger Spray | 996 |
| VC509 | 1 | 5 Litre Container | |
| | | | The second second |

NEW

SPRAY CLEANER

WITH

BACTERICIDE

NEW

LIFT Spray Cleaner with Bactericide

A liquid cleaner with a powerful bactericide which provides quick, easy cleaning and sanitising for all food preparation surfaces, microwaves, chopping boards, fridges and freezers.

- An effective hard surface cleaner and sanitiser capable of removing a wide variety of ingrained and greasy soiling
- · Anti-microbial activity: effective against both gram negative and gram positive bacteria
- Tested under BSEN1276 and BSEN13697 and found to kill

| 99.99% of germs within 30 seconds | | |
|--------------------------------------|-----|----------------------|
| Part No. | Qty | Pack Size |
| VC511 | 1 | 750 ml Trigger Spray |
| VC512 | 1 | 5 Litre Container |



Paper Towels

Paper towels help prevent cross contamination through minimal contact.

Made from 100% recycled paper

• Wall Dispensers also available

| Part No. | Pack Qty | Size W x L | Colour | Туре |
|----------|----------|----------------|--------|--------|
| WB41 | 250 | 240 x 235 mm | Blue | Z-Fold |
| WB42 | 240 | 240 x 235 mm | Blue | V-Fold |
| WB43 | 240 | 230 x 310 mm | Green | C-Fold |
| WB40 | 1 | Dispenser Unit | | |



Nail Brushes

| Part No. | Pack of | Description |
|----------|---------|----------------------|
| WS29 | 6 | Plastic Nail Brushes |
| WS21 | 3 | Wooden Nail Brushes |
| | | |

Toilet Rolls

2-ply sheets. Standard size.


Part No. Pack of Description VC524 36 Rolls **Toilet Rolls**



Blue Paper Wipes - Small Rolls

190 mm 2-ply sheets. 150 m rolls. Rolls can be centre fed for use with Dispenser Unit.

Part No. Pack of Description 6 Rolls VC529 **Small Blue Rolls**





| | oly sheets. 4 | 00 m roll. |
|----------|---------------|------------------|
| Part No. | Pack of | Description |
| VCEST | 2 Dolla | Large Dive Delle |

| art No. | Pack of | Description |
|---------------|---------|------------------|
| / C537 | 2 Rolls | Large Blue Rolls |
| /C526 | 1 | Floor Stand |



White Paper Wipes - Low-Lint Airlaid

240 mm x 130 m rolls.

| Part No. | Qty | Description |
|----------|---------|-------------|
| VC538 | 2 Rolls | White Paper |
| VC526 | 1 | Floor Stand |




































NEW

Dustbin & Lid Galvanised steel.

| Part No. | Qty | Capacity |
|----------|-----|-----------|
| WB73 | 1 | 90 Litres |



Basic Coloured Industrial Wipes

Durable and re-useable mixture of cotton-rich material, ideal for heavy industrial cleaning where a cost-effective solution is required. NOT recommended for polishing.

| - | ai t ivu. | ŲLY | SIZE |
|---|--------------|-----|-----------|
| 1 | VC667 | 1 | 10 kg Bag |



Bin Bags White. Part No.

WB71

| Part No. | Qty | Capacity |
|----------|-----|-----------|
| WB113 | 1 | 50 Litres |

Pack Qty

1,000



BEST SELLER

General Purpose Industrial Wipes Absorbent, durable and re-useable 'Rags-in-a-Bag'.

| Part No. | Ųty | Size |
|----------|-----|-----------|
| VC669 | 1 | 10 kg Bag |



380 x 600 x 600 mm



Refuse Sacks/Liners

| BAG17 | 100 | Refuse Sacks/Liners |
|---------------|---------|---------------------|
| Part No. | Pack of | Description |
| rui generarii | eruse. | |



Absorbent, durable and re-useable mixture of cotton-rich material

| Part No. | Qty | Size |
|----------|-----|----------|
| VC668 | 1 | 10 kg Ba |













Stales (Broom Handles) - 1 1/8" (28.7 mm) Ø Suitable for Part Nos WB5, WB9 & WB12.

| Part No. | Pack of | Length | |
|----------|---------|-----------------------|----------|
| WB7L | 2 | 5 ft Stales (Handles) | (1.52 m) |

Broom Head - Soft PVC Bristles

For use with 15/16" Ø handle.

| Part No. | Qty | Width | Hole Size | Suits Stale Part No. |
|----------|-----|--------------|-----------|----------------------|
| WB75 | 1 | 275 mm (11") | 15/16" | WB6/WB6L |




| Part No. | Pack of | Length | |
|----------|---------|-----------------------|----------|
| WB6 | 2 | 4 ft Stales (Handles) | (1.22 m) |
| WB6L | 2 | 5 ft Stales (Handles) | (1.52 m) |



NEW

Hand Brushes - Medium Bristles

| Part No. | Pack of | Description |
|----------|---------|--------------|
| WB14 | 2 | Hand Brushes |



| Part No. | Ųly | Description |
|----------|-----|----------------|
| WB15 | 1 | Metal Dust Pan |



Yard Broom Heads - Stiff Bass

For use with 15/16" Ø handle.


| Part No. | Pack of | Width | | Suits Stale Part No. |
|----------|---------|-------|---------|----------------------|
| WB4 | 2 | 12" | (30 cm) | WB6/WB6L |



| Part No. | Pack of | Width | | Suits Stale Part No. | |
|----------|---------|-------|---------|----------------------|--|
| WB3 | 4 | 12" | (30 cm) | WB6/WB6L | |
| WB9 | 2 | 18" | (46 cm) | WB7L | |
| WB5 | 2 | 24" | (61 cm) | WB7L | |



WB72 2 Piece Set **Dustpan & Brush**





| Part No. | Pack of | Description | |
|----------|---------|-------------|--|
| WB8 | 2 | Metal Stays | |



Our floor cleaning range continus overleaf



အ

 \odot

موم

Stales (Broom Handles) - 15/16" (23.8 mm) Ø Suitable for Part Nos WB3, WB4, WB11 & WB81.

Length

457 mm

| Part No. | Pack of | Length | |
|----------|---------|-----------------------|----------|
| WB6 | 2 | 4 ft Stales (Handles) | (1.22 m) |
| WB6L | 2 | 5 ft Stales (Handles) | (1.52 m) |



Suits Stale Part No.

WB6/WB6L



Chrome plated metal frame.

Qty

Part No.

WB11

| Fitted 100 | % double | mousse blade. Fo | or use with 15/16" Ø handle. |
|------------|----------|------------------|------------------------------|
| Part No. | Qty | Length | Suits Stale Part No. |
| WB12 | 1 | 450 mm | WB6/WB6L |





Mop Bucket - Metal Galvanised Complete

| with wringi | | |
|-------------|-----|--|
| Part No. | Qty | |

Description **JUG11** Mop Bucket

Kentucky Mop System

Durable mop head suitable for wood, laminate and other floor surfaces.

| Part No. | Qty | Description |
|----------|-----|------------------------------------|
| WB76 | 1 | Aluminium Screw Fit Handle - 1.37m |
| WB77 | 1 | Plastic Mop Screw Fitting |
| WB78 | 1 | Kentucky Mop Head - 454g |









WB112

A-frame style foldable "Caution Wet Floor/Cleaning In Progress" sign. Part No. Qty Description

Wet Floor Sign



NEW

000

ဇ္








Soft Round Dusting Brush Brush diameter: 65 mm.

| Part No. | Qty | Diameter |
|----------|-----|----------|
| VAC2 | 1 | 32 mm |



| VAC4 | 1 | 32 mm |
|----------------|------------------------|----------|
| art No. | Qty | Diameter |
| iooi iciigiii. | 2 4 0 IIIII | 11. |



1

VAC8



32 mm



Vacuum Straight

| Qty | Diameter x Length | Material |
|-----|-------------------|---|
| 1 | 32 mm x 500 mm | Chrome |
| | Qty 1 | Qty Diameter x Length 1 32 mm x 500 mm |



| Vacuum | n Bend | l | No. |
|----------|--------|----------|----------|
| Part No. | Qty | Diameter | Material |
| VAC16 | 1 | 32 mm | Chrome |



| | • | _ | | | | |
|----------------|----|----|---|-------|---|---------|
| Suits Numatic | He | nr | V | tvne | ١ | /acuums |
| 50115110111011 | | | , | .,,,, | | |
| | | | | | | |

| Part No. | Pack of | Description | Туре |
|----------|---------|--------------------|------|
| VAC71 | 10 | 1 Motor Type | 1B |
| VAC70 | 10 | 1 Motor - HEPA-FLO | |



Vacuum Filters & Seals Suits Numatic Henry type vacuums.

| Part No. | Qty | Size | |
|----------|-----|----------------|--|
| VAC50 | 1 | 12" Filter Dry | |
| VAC51 | 1 | 12" Seal | |

Angled Hose Cuff

| art No. | Qty | Diameter | |
|---------|-------------|----------|--|
| MC6 | 3 Diece Set | 32 mm | |



Machine End Cuff

| Part No. | Qty | Diameter | |
|----------|-------------|----------|--|
| VAC20 | 2 Piece Set | 32 mm | |



Hose Kit

| VAC14 | 1 | 32 mm x 2.5 m |
|----------|------------|---------------------------------|
| Part No. | Qty | Diameter x Hose Length |
| Complete | with Angle | ed Hose Cuffs and Machine Cuffs |



Extra Long Hose

| Part No. | Qty | Diameter x Hose Length |
|----------|-----|------------------------|
| VAC13 | 1 | 32 mm x 15 m |

























































VAC24

VAC30








Part No.

VAC3







Round Dusting Brush

Qty

Diameter

38 mm



| Part No. | Qty | Diameter |
|----------|-----|----------|
| VAC23 | 1 | 38 mm |







38 mm

38 mm

Angled Hose Cuff

| Part No. | Qty | Diameter |
|----------|-------------|----------|
| VAC7 | 3 Piece Set | 38 mm |



Machine End Cuff

| Part No. | Qty | Diameter |
|----------|-------------|----------|
| VAC21 | 2 Piece Set | 38 mm |



Hose Kit

| VAC1E | 1 | 20 mm v 2 5 m | |
|------------|------------|---------------------------------|--|
| Part No. | Qty | Diameter x Hose Length | |
| Complete v | vith Angle | ed Hose Cuffs and Machine Cuffs | |



Vacuum Straight

| Part No. | Qty | Diameter x Length | Material |
|----------|-----|-------------------|-----------|
| VAC19 | 1 | 38 mm x 500 mm | Aluminium |



| · /- | | | Ber | |
|------|------|----|-----|----|
| va | CI I | иm | Ker | חו |
| | | | | |

| Vacoom Bena | | | | | |
|-------------|-----|----------|-----------|--|--|
| Part No. | Qty | Diameter | Material | | |
| VAC17 | 1 | 38 mm | Aluminium | | |







| FOI 2 dilu 3 motor vacuoms. | | | | | |
|-----------------------------|---------|--------------|------|--|--|
| Part No. | Pack of | Description | Type | | |
| VAC72 | 10 | 2 Motor Type | 3B | | |
| VAC73 | 10 | 3 Motor Type | 4B | | |



Suits 2 and 3 motor vacuums.

Part No. Qty Description

VAC42 1 Wet Ball Float Assembly



Vacuum Filters & Seals Suits 2 and 3 motor vacuums.

1

Part No. Qty Size

VAC52 1 14" Filter Dry



Heater & Vacuum On/Off Switches

VAC53

16(4)A, 250VAC. Panel cut out 'A' style: 27.2 x 22.3 mm.

14" Seal

| Part No. | Qty | Switch Colour |
|----------|-----|-----------------|
| EC13 | 1 | Black |
| EC14 | 1 | Illuminated Red |
| | | |



| Part No. | Pack of | Description | Fitting | |
|----------|---------|-------------|---------|--|
| VAC62 | 1 | 3" Swivel | Female | |
| VAC64 | 1 | 3" Braked | Female | |
| VAC63 | 4 | 3" Swivel | Male | |
| | | | | |

































38 mm Kit contains: 1 x Wet & Dry Multi Tool, 2.5 m Hose Kit, Crevice Tool, Aluminium Bend, 2 x Aluminium Straights x 500 mm.





















Pails (Buckets)











Pack of Capacity Part No. **JUG8** 5 14 Litre (3 Gallon)



Multi-Purpose Drain Pan
Polyethylene with raised
platform for cleaning parts, etc.
Diameter x Height: 40 cm (16") x 10.2 cm (4").

Part No. Qty Capacity JUG12 6 Litre 1



Oil/Fluid Drain Pans

Complete with pouring spout and steadying handle.

| Part No. | Qty | Capacity | |
|----------|-----|-----------|--|
| JUG16 | 1 | 7.6 Litre | |
| JUG17 | 1 | 14 Litre | |



Part No. Capacity **JUG6** 6.5 Litre





Fuel Cans Plastic. Conforms to the Petroleum-spirit

(plastic Containers) Regulations 1982 SI1982/630.

· Colour coded for safe identification of fuels. · c/w easy to use flexible pouring spouts.

| Part No. | Qty | Capacity | Colour | Suits | |
|---------------|-----|----------|--------|--------|--|
| CAN105 | 1 | 5 Litre | Green | Petrol | |
| CAN110 | 1 | 10 Litre | Black | Diesel | |
| | | | | | |



Conforms with UN Certification and UK HSE regulations. Manufactured from 0.8 mm steel. Safety pin included.

- Robust construction for strength and long lasting performance
 Powder coated internally and external for a tough and durable finish

| Part No. | Qty | Capacity | Colour | Size (H x D x W) |
|----------|-----|----------|-------------|------------------|
| CAN305 | 1 | 5 Litre | Khaki Green | 24 x 12 x 31 cm |
| CAN310 | 1 | 10 Litre | Khaki Green | 30 x 13 x 41 cm |
| CAN320 | 1 | 20 Litre | Khaki Green | 36 x 17 x 47 cm |

Steel Jerry Can Spout

Manufactured from 0.8 mm steel. Designed to fit snugly onto the 5, 10 and 20 Litre Jerry Cans.

- · Powder coated internally and external for a tough and durable finish
- · Makes pouring easier

| Part No. | Qty | Description |
|----------|-----|---------------|
| CAN24 | 1 | Pouring Spout |
| | | |



Suits all S-A-S 5 Litre UN containers.

| Part No. | Qty | Thread Size | |
|----------|-----|-------------|--|
| SAS2000T | 1 | 51 mm | |



Manufactured from PE, PP and LDPE. Suitable for use with blow moulded containers with DIN 60 neck finish (HDPE/PP).

| Part No. | Qty | Thread Size | Suits Part No. |
|----------|-----|-------------|----------------|
| SAS62T | 1 | 61 mm | SAS62 |

Die Cast Zinc Drum Tap - Lockable NOT suitable for diesel.

| Part No. | Qty | Thread Size |
|----------|-----|-------------|
| CAN21 | 1 | 3/4" BSP |



Drum Tap - Polyethylene

| Part No. | Pack of | Thread Size |
|----------|---------|-------------|
| VC99 | 3 | 3/4" BSP |

Drum Tap Polypropylene

Lockable. Suitable for diesel and anti-freeze.

| Part No. | Qty | Thread Size |
|----------|-----|-------------|
| CAN22 | 1 | 3/4" BSP |

Drum Tap - Solid Brass

Lockable.

Part No. Description CAN23 3/4" BSP





| Part No. | Qty | Thread Size | |
|----------|-----|-------------|--|
| CAN20 | 1 | 3/4" BSP | |


































Oil Suction Guns

Supplied with 400 mm hose.

| Sopplied With 100 Hill Hose. | | | |
|------------------------------|-----|----------|--|
| Part No. | Qty | Capacity | |
| CAN16 | 1 | 500 cc | |
| CAN11 | 1 | 800 cc | |
| CAN18 | 1 | 1000 cc | |







• Polycarbonate tube with aluminium cap and handle.

| Part No. | Qty | Capacity | |
|----------|-----|----------|--|
| TL7400 | 1 | 1 Litre | |








Supplied with 3 extension tubes. NOT suitable for Petrol or Diesel.

Ideal for extracting* or changing engine oils or lubricants in plant, vehicles, motorbikes, etc. As well as non lubricants such as water from tanks.
 * Extracts fluids ONLY.

| Part No. | Qty | Capacity |
|----------|-----|------------|
| CAN30 | 1 | 6.5 Litres |





| Part No. | Qty | Suitable for |
|----------|-----|----------------------|
| CAN25 | 1 | 25 Litre Drums |
| CAN60 | 1 | 60 - 205 Litre Drums |



Oil Can

Polypropylene body with flexible spout.

| Part No. | Qty | Capacity |
|----------|-----|----------|
| CAN1 | 1 | 500ml |







ALTA Foam Pressure Sprayer

Contains FPM VITON® (FKM) seals. Special lance produces a rich foam to help dissolve/degrease dirt. Suitable for use with S-A-S Snow Foam (Part No. SAS2017).

• High foaming action spray

| Part No. | Qty | Capacity |
|----------|-----|-----------|
| CAN27 | 1 | 1.8 Litre |



ALTA Foam

Pressure Sprayer
Contains FPM VITON® (FKM) seals.
Supplied with 3 x interchangeable
nozzles to adjust the foam thickness.
Suitable for use with S-A-S Snow Foam
(Part No. SAS2017.

· High foaming action spray

· Lance with 120 cm long hose

| Part No. | Qty | Working Capacity |
|----------|-----|-------------------------|
| CAN28 | 1 | 6.0 Litre |



Solvent Sprayer

FKM seal.

| Part No. | Qty | Capacity | |
|----------|-----|----------|--|
| CAN7 | 1 | 1 Litre | |



ALTA Detergent (TFR) Pressure Sprayer

Contains EPDM seals.

Suitable for use with Glycol, Detergents (TFR), Mild Acids, Hydraulic Oils and Solvents containing Acetone.

| Part No. | Qty | Capacity |
|----------|-------|----------------------|
| CAN14 | 1 | 1.8 Litre |
| CAN14K | 1 Kit | EPDM Seal/Repair Kit |



ALTA Solvent Pressure Sprayer

Contains FPM VITON® (FKM) seals.
• Suitable for use with Oils,

Lubricants, Petrol, Solvents and Scale-Removers.

Can only be used with <u>Acetone FREE</u> Brake Cleaner.

| Part No. | Qty | Capacity | Suits Part No.s |
|----------|-------|----------------------------|-----------------|
| CAN19 | 1 | 1.3 Litre | |
| CAN13 | 1 | 1.8 Litre | |
| CAN13K | 1 Kit | FPM VITON® Seal/Repair Kit | CAN13, CAN19 |

































PRESSOL



PRESSOL Industrial Trigger Sprayer - 500 ml Container: HDPE (high density polyethylene).

PRESSOL

- INOX spring and pressure ball on filtered suction hose allows for unique horizontal application.
- Continuous spray action, spray volume per cycle: 1.4 ml.
 FKM seals Suitable for use with thin liquids such as lubricants, <u>Acetone FREE</u> brake cleaner, industrial and automotive cleaners.

| Part No. | Qty | Container Colour | Spray head Colour |
|----------|-----|------------------|-------------------|
| CAN55 | 1 | Black | Black/Silver |
| CAN56 | 1 | Red | Black |
| | 1 | | |























ALTA '500' Leak-proof Solvent Sprayer High-density polyethylene (HDPE) body is resistant to most solvents.

PRESSOL Chemical Sprayers

Suitable for use with cleaning fluids, lubricants and penetrating agents.

Capacity

750ml

750ml

Qty

1

12

Heavy duty polyethylene.

Part No.

CAN3A

CAN3

Stainless steel springs and ball bearings.

- · 100% airtight seal prevents leakage
- · Leak-proof trigger
- · Suitable for aggressive chemicals

| Part NU. | ŲLY | Capacity |
|----------|-----|----------|
| CAN26 | 1 | 500ml |
| | | |



Heavy Duty Adjustable Trigger Sprayer

Polypropylene body. NOT suitable for use with Brake Cleaners.

- · Fully adjustable nozzle
- Suitable for use with general chemicals (i.e. De-Icer, De-Greasers, Maintenance Oils)

| Part No. | Qty | Capacity | |
|----------|-----|----------|--|
| CAN8 | 1 | 750ml | |





| i ory tricine v | vici i Cii | lovable spoot. | |
|-----------------|------------|-----------------------------------|--|
| Part No. | Qty | Capacity | |
| JUG21 | 1 | 1 Litre | |
| JUG22 | 1 | 2 Litre | |
| JUG23 | 1 | 5 Litre | |
| JUG23A | 1 | Replacement Spout for 5 Litre Jug | |



Complete with lid and removable spout with stopper.

| Part No. | Qty | Capacity | |
|----------|-----|----------|--|
| JUG31 | 1 | 1 Litre | |
| JUG32 | 1 | 2 Litre | |
| JUG33 | 1 | 5 Litre | |




| Part No. | ŲLY | Didilielei | |
|----------|-----|------------|--------|
| FUN60 | 1 | 160 mm | (6.4") |





| TICKIDIC SP | oot and i | iicci. | |
|-------------|-----------|----------|------|
| Part No. | Qty | Diameter | |
| FUN1 | 1 | 150 mm | (6") |
| FUN2 | 1 | 230 mm | (9") |











 \odot



General Purpose Absorbent Pads - Lightweight

Supplied in a dispenser box with carrying handle.

| Part No. | Box of | Pad dimensions | Weight |
|----------|---------|----------------|---------|
| VC670 | 50 Pads | 48 x 43 cm | 175 gsm |



General Purpose Absorbent Pads - Lightweight

Supplied in a dispenser box with carrying handle.

| Part No. | Box of | Pad Dimensions | Weight |
|----------|----------|----------------|---------|
| VC670B | 200 Pads | 48 x 43 cm | 175 gsm |



| Part No. | Qty | Size | Wei |
|----------|--------|-------------------|-----|
| VC672 | 1 Roll | 50 cm x 50 m Roll | 35 |

| Part No. | Qty | Size | Weight |
|----------|--------|-------------------|---------|
| VC672 | 1 Roll | 50 cm x 50 m Roll | 350 gsm |
| | | | |



'OIL-DRI' Absorbent Floor Granules

Ideal for oil and grease. Good absorbency.

20 Litre Bag

| Par | t No. | Qty | Size | |
|-----|--------------|----------|-----------|----------------|
| Go | ood resistar | nce to b | reakdown. | White granules |

| Hazard Warning Barrier Tape 70 mm x 500 m roll. NON-adhesive, highly visible. | |
|--|--|



For containment and absorbing spills, and placing around machinery to prevent leaks from spreading causing hazards. Absorbs: 3.5 Litres per sock.

Part No. Pack of Size

VC686 2 8 cm x 1.2 m



Mini spill kit in convenient sealed bag. Absorbs: 9 Litres.

Part No. Description

VC682 1 Kit 7 Piece Kit

Kit contents: 5 x Pads. 1 x Cushion. 1 x Disposal Bag & Tie



General Purpose Spill Kit - 19 Litres

Quick response kit designed for smaller spills. Absorbs: 19 Litres. Weight: 2.5 kg. Part No. Description

Qty 1 Kit 13 Piece Kit

Kit contents:10 x Pads. 2 x Socks: 8 cm x 1.2 m. 1 x Disposal Bag & Tie: (H xW x D) 43 x 52 x 10 cm.



'Isol8' Organic Absorbent

Multipurpose: cleans up spills, cleans hands and machinery. Absorbs: Lubrication Oil, Hydraulic Oil, All Paints, Petrol, Diesel, Grease, Anti-freeze, Acids, Alkalines, Liquid Fats, Water, Body Fluids.

• Highly concentrated: Economical,

- fast acting and space-saving.
- · Lightweight: safe to carry, easy to pour.
- Organic: environmentally friendly, 100% recycled natural material, can be incinerated.

| 200.0100 | y cica ilac | or ar rivacer rai, earr k | oe intentendeda. |
|----------|-------------|---------------------------|------------------|
| Part No. | Qty | Size | Weight |
| VC678 | 1 Bag | 10 Litre Bag | 1.3 kg |
| VC678B | 5 Bags | 10 Litre Bags | 1.3 kg |



BEST

Hazard Warning Adhesive Tapes

50 mm x 33 m roll. Highly visible. Sι

| Suitable for use on concrete floors. | | | te floors. |
|--------------------------------------|--------|--|--------------|
| Part No. | Qty | | Colours |
| TAPE24 | 1 Roll | | Black/Yellow |
| TAPE25 | 1 Roll | | White/Red |
| | | | |



9

 \odot



VC679












Oil & Fuel Only Absorbent Pads - Lightweight

Supplied in a dispenser box with carrying handle.

Part No. Pad dimensions Box of VC671 50 Pads 50 x 40 cm 175 gsm



Oil & Fuel Only Absorbent Pads - Lightweight

Supplied in a dispenser box with carrying handle.

Part No. Pad Dimensions VC671B 200 Pads 50 x 40 cm 175 gsm



Oil & Fuel Only Absorbent Roll - Heavy Duty

Part No. Weight VC673 1 Roll 50 cm x 50 m Roll 350 gsm



Caution Wet Floor Sign

A-frame style foldable "Caution Wet Floor/Cleaning In Progress" sign.

| Part No. | Qty | Description |
|----------|-----|----------------|
| WB112 | 1 | Wet Floor Sign |





Our liquid handling range is on Page 354

Oil & Fuel Only **Maintenance Socks**

Oil only socks, strong tubular knitted outer for extra durability. Absorbs: 3.8 Litres per sock.

Part No. Pack of Size

VC687 9 cm x 1.2 m



Mini spill kit in convenient sealed bag. Absorbs: 10 Litres.

Part No. Qty Description VC683 7 Piece Kit 1 Kit

Kit contents: 5 x Oil Pads. 1 x Cushion. 1 x Disposal Bag & Tie.



Oil & Fuel Only Spill Kit - 22 Litres

Quick response kit designed for smaller spills. Suitable for any type of oil and hydrocarbons. Absorbs: 22 Litres.

Part No. Qty Description VC681 1 Kit 13 Piece Kit

Kit contents: 10 x Oil Pads. 2 x Socks: 8 cm x 1.2 m. 1 x Disposal Bag & Tie: (H xW x D) 43 x 52 x 10 cm.



Oil & Fuel Only Spill Response Kit - 20 Litres

Response kit designed for smaller spills.
Suitable for any type of oil and hydrocarbons.
Absorbs: 20 Litres. Supplied in a red PVC holdall c/w carrying/hanging straps.

Part No. Description

VC684 19 Piece Kit 1 Kit

Kit contents: 12 x Oil Pads. 2 x Oil Socks. 1 x Pair of Gloves 3 x Disposable Bags & Ties. 1 x Red PVC Holdall.

Oil Only Spill Response Kit - 50 Litres

Response kit designed for larger spills. Suitable for any type of oil and hydrocarbons. Absorbs: 50 Litres. Supplied in a red PVC holdall c/w carrying/hanging straps.

VC685 1 Kit 44 Piece Kit

Kit contents: 30 x Oil Pads. 3 x Oil Socks. 3 x Cushions. 1 x Pair of Gloves. 1 x Pair of Goggles. 5 x Disposable Bags & Ties. 1 x Red PVC Holdall.

























British Standard Large Workplace First Aid Kit

1 Kit 91 Piece Kit

Fully compliant to BS 8599-1. Supplied in a robust polypropylene storage case.

| Part No. | Qty | Description |
|----------|-----|-------------|
| | | |

Contents: 1 x Guidance Leaflet 1 x Contents List; 4 x Medium Sterile Dressing; 1 x Large Sterile Dressing; 2 x Triangular Bandage; 6 x Safety Pins; 2 x Sterile Eyepad; 40 x W/Proof Plasters; 20 x Sterile Saline Wipes; 1 x Microporous Tap; 6 x Nitrile Gloves (pairs; 2 x Sterile Finger Dressing; 1 x Resuscitation Face Shield; 1 x Foil Blanket; 1 x Hydrogel Burn Dressing; 1 x Scissor; 1 x Conforming Bandage

British Standard Small Workspace First Aid Kit Fully compliant to BS 8599-1. Supplied in a durable storage bag.

| Part No. | Qty | Description |
|----------|-------|--------------|
| WS165 | 1 Kit | 41 Piece Kit |

Contents: 1 x Guidance Leaflet 1 x Contents List 1 x Medium Sterile Dressing 1 x Large Sterile Dressing 1 x Triangular Bandage 2 x Safety Pins 1 x Sterile Eyepad 10 x W/Proof Plasters 4 x Sterile Saline Wipes 1 x Microporous Tape 1 x Nitrile Gloves (pairs) 1 x Sterile Finger Dressing 1 x Resuscitation Face Shield 1 x Foil Blanket 1 x Sterile Eyewash (500ml) 1 x Hydrogel Burn Dressing 1 x Scissors 1 x Conforming Bandage





1-10 Persons

HSE PSV (Public Service Vehicle) First Aid Kit

Part No. Description WS101 1 Kit 32 Piece Kit



HSE Small First Aid Kit - Bag

| Part No. | Qty | Description | Suitable for |
|----------|-------|--------------|--------------|
| WS105 | 1 Kit | 47 Piece Kit | 1-10 Persons |



Wash-proof Sterostrip Plasters Assortment

| WS77 1 Box of 100 | |
|-------------------|--|



| Plastel 3 Assol tillelit | | | | |
|--------------------------|-----|-------------|--|--|
| Part No. | Qty | Description | | |
| WS76 | 1 | Box of 100 | | |



000

ဇ္

0

WS110

1 Kit

47 Piece Kit



- · The red box makes it highly visible & easy to identify
- · The kit provides effective and fast treatment for burns, scalds and sunburn

Description Part No.

WS170 1 Kit 23 Piece Kit

Contents: 1 x Burnshield burn dressings 20cm x 20cm 2 x Burnshield burn dressings 10cm x 10cm 8 x Burnshield blott sachets 5 x Sterowash 20ml eyewash pods 1 x Crepe bandage - 10cm x 5m 2 x Conforming bandage - 7.5cm x 4m 2 x Vinyl gloves (pair) 1 x Microporous tape 2.5cm x 5m 1 x Scissors (pair)





RING Fire Extinguishers

Complete with secure mounting bracket.ABC rating for solid, liquid, gas and electrical fires. Weight: 1 kg.

 Ideal for all automotive. domestic and leisure use. Otv

| raitito. | Ųŧy | турс |
|----------|-----|---------------------------|
| FE1 | 1 | ABC Dry Powder |
| FE2 | 1 | ABC Dry Powder with Gauge |



Evewash Station

Contains 2 x 500ml bottles of sterile sodium chloride solution.

| Part No. | Qty | Description |
|----------|-------|-------------------------------|
| WS200 | 1 Kit | Eyewash Station |
| WS200R | 1 | Eyewash Solution 500ml Bottle |



SLEEPSAFE Smoke Alarm

Certified to EN 14604:2005. Photoelectric technology, helps to reduce nuisance alarms.

- · Complete with 9V battery
- · No mains power required
- · Easy to install
- · Reliable, compact and robust
- Powerful 85 dB speaker

Part No. Qty Description **DET6 Smoke Alarm**



SLEEPSAFE CO Alarm

Certified to EN 50291:2001. Features 3 visual LED readouts: Alarm, Sensor and Power

- · Complete with 9V battery · Easy to install
- · No mains power required • 6 year guarantee Reliable, compact and robust
- Part No. Qty Description **CO Alarm** DET5





SLEEPSAFE 10 Year CO Alarm

Certified to EN50291-1:2010 and EN50291-2:2010. Features 3 visual LED readouts: Alarm, Fault and Power

- · Complete with 10 Year sealed-for-life battery
- No mains power required · Easy to install
- · Reliable, compact and robust · Powerful 85 dB audible alarm
- Part No. Qty Description

CO Alarm **DET7**



Part No.

WS78

SLEEPSAFE CO Detectors

Coloured dot will change colour in the presence of excess Carbon Monoxide. A small and convenient simple CO detector, ideal for testing heating equipment at work, home or away. 4 month life span once opened. Supplied in a blister pack.

| art No. | Pack of | Description | |
|---------|---------|--------------|--|
| DET1 | 2 | CO Detectors | |

Box of







































Size: 240 x 360 mm



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB130 | 1 | Sign |
| SSA131 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB132 | 1 | Sign |
| SSA133 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB134 | 1 | Sign |
| SSA135 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB136 | 1 | Sign |
| SSA137 | 1 | Sticker |



| - | Part No. | Qty | Туре |
|---|----------|-----|---------|
| | SSB122 | 1 | Sign |
| | SSA123 | 1 | Sticker |
| | | | |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB124 | 1 | Sign |
| SSA125 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB126 | 1 | Sign |
| SSA127 | 1 | Sticker |
| | | |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB128 | 1 | Sign |
| SSA129 | 1 | Sticker |

Size: 360 x 120 mm



| Part No. | Qty | Туре | |
|----------|-----|---------|--|
| SSB114 | 1 | Sign | |
| SSA115 | 1 | Sticker | |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB106 | 1 | Sign |
| SSA107 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB104 | 1 | Sign |
| SSA105 | 1 | Sticker |

| | No smoking |
|--|------------|
|--|------------|


| Qty | Туре |
|-----|---------|
| 1 | Sign |
| 1 | Sticker |
| | ., |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB112 | 1 | Sign |
| SSA113 | 1 | Sticker |

|--|

| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB110 | 1 | Sign |
| SSA111 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB108 | 1 | Sign |
| SSA109 | 1 | Sticker |

O

موم



| Part No. | Qty | Type |
|----------|-----|---------|
| SSB116 | 1 | Sign |
| SSA117 | 1 | Sticker |

No

smoking

Sign

Sticker

Qty Type

Part No.

SSB118 1

SSA119 1



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB120 | 1 | Sign |
| SSA121 | 1 | Sticker |

Size: 480 x 350 mm



| Part No. | Qty | Туре | |
|----------|-----|------|--|
| SSB143 | 1 | Sign | |



Size: 350 x 480 mm

| Part No. | Qty | Type |
|----------|-----|------|
| SSB142 | 1 | Sign |
| | | |



| Part No. | Qty | Type | |
|----------|-----|------|--|
| SSB139 | 1 | Sign | |



| No smoking | No HGV's past this point |
|---------------|--------------------------------|
| | |



| Size | RN | v | ደበ | mm |
|------|----|---|----|----|

SSB141 1

Qty Type

Sign



| Part No. | Qty | Туре |
|----------|-----|----------|
| SSA101 | 10 | Stickers |



| Part No. | Qty | Туре |
|----------|-----|------|
| SSB138 | 1 | Sign |

Traffic & Prohibitory Signs

These signs are used to warn people of a potential hazard.

Designed to be used in a wide variety of situations, in factories, building sites, farms, estates and warehouses, they can be displayed inside or outside and are fully waterproof.

Traffic signs are ideal for use on private traffic routes, car parks and industrial estates.

Prohibitory signs or "No" signs are generally depicted with a black safety symbol in a red circle with a diagonal cross through.

Signs are manufactured from high quality 3 mm foamex board.

Self adhesive vinyl stickers are fully waterproof conforming to BS ISO EN 7010.







 \odot

موه

Size: 100 x 250 mm





| Part No. | Qty | Type |
|----------|-----|---------|
| SSA258 | 1 | Sticker |



Water

| Part No. | Qty | Туре |
|----------|-----|---------|
| SSA261 | 1 | Sticker |



Size: 120 x 120 mm



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSA254 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSA255 | 1 | Sticker |



| Part No. | Qty | Туре | |
|----------|-----|---------|--|
| SSA256 | 1 | Sticker | |



| Part No. | Qty | Туре | |
|----------|-----|---------|--|
| SSA257 | 1 | Sticker | |



Dry Powder

| Par | t No. | Qty | Type | |
|-----|-------|-----|---------|--|
| SS | Δ260 | 1 | Sticker | |



Foam Spray

| Part No. | Qty | Туре |
|----------|-----|---------|
| SSA259 | 1 | Sticker |





| | <u> </u> |
|--|----------|
| | |
| | |

| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB270 | 1 | Sign |
| SSA271 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB272 | 1 | Sign |
| SSA273 | 1 | Sticker |



Fire Extinguisher Stickers are used to indicate the type of fire extinguisher present, and for what types of fire it can be used.

Mandatory Fire Stickers, such as "Fire door keep closed", are used on fire doors and fire escape doors and must be kept clear on both sides for ease of evacuation.



Signs are manufactured from high quality 3 mm foamex board.

Self adhesive vinyl stickers are fully waterproof conforming to BS ISO EN 7010.



0







Type

Sign

Sticker

| プ | F | RE |
|----------|---|----|
| - | E | |

| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB287 | 1 | Sign |
| SSA288 | 1 | Sticker |

Fire Exit & Emergency Signs



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB266 | 1 | Sign |
| SSA267 | 1 | Sticker |

| Part No. | Qty | Type | |
|----------|-----|---------|--|
| SSA276 | 1 | Sticker | |

Part No. **SSB264** 1 **SSA265** 1



Type

Sticker

Part No.

SSB268 1 Sign

SSA269



Sticker

Qty Type

Part No.

SSA277 1

| EXIT |
|-------------|
|-------------|

| Part No. | Qty | Type |
|----------|-----|---------|
| SSB262 | 1 | Sign |
| SSA263 | 1 | Sticker |
| 33AZ03 | 1 | Sucker |





| Z. | FIRE EXIT |
|----|------------|
| 0 | Keep clear |

| Part No. | Qty | Туре | |
|----------|-----|---------|--|
| SSA278 | 1 | Sticker | |





Part No. Qty Type **SSA275** 1 Sticker Part No. Qty Type **SSA274** 1 Sticker

Size: 240 x 360 mm



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB279 | 1 | Sign |
| SSA280 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB285 | 1 | Sign |
| SSA286 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB281 | 1 | Sign |
| SSA282 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB283 | 1 | Sign |
| SSA284 | 1 | Sticker |

Fire Exit & Emergency Signs

Fire Exit Signs are used to tell people where to go in the event of a fire. An essential sign for use on all commercial premises.

You should always be able to see a "Fire Exit" sign indicating the direction you should take.



Self adhesive vinyl stickers are fully waterproof conforming to BS ISO EN 7010.



 \odot

000

ၻ

Size: 100 x 100 mm



Part No. Qty Type

SSA239 1 Sticker



Part No. Qty Type

SSA 240 1 Sticker



Part No. Qty Type

SSA 241 1 Sticker



Part No. Qty Type

SSA242 1 Sticker



Part No. Qty Type
SSA 243 1 Sticker



Part No. Qty Type

SSA244 1 Sticker



Part No. Qty Type

SSA245 1 Sticker



Size: 240 x 360 mm



 Part No.
 Qty
 Type

 SSB227
 1
 Sign

 SSA228
 1
 Sticker



 Part No.
 Qty
 Type

 SSB219
 1
 Sign

 SSA220
 1
 Sticker



 Part No.
 Qty
 Type

 SSB203
 1
 Sign

 SSA204
 1
 Sticker



 Part No.
 Qty
 Type

 SSB213
 1
 Sign

 SSA214
 1
 Sticker



 Part No.
 Qty
 Type

 SSB205
 1
 Sign

 SSA206
 1
 Sticker



 Part No.
 Qty
 Type

 SSB201
 1
 Sign

 SSA202
 1
 Sticker

Transport Hazard Warning Labels

The ADR (European agreement concerning the international carriage of dangerous goods by road) regulations, state that all packages containing dangerous goods should have a warning label. The labels shall be in the form of a square at an angle of 45° (diamond shaped).

Used in the transportation of dangerous goods by road, sea and air. Our Hazard Warning Diamonds comply with International legislation.





0

000

Self adhesive vinyl stickers are fully waterproof conforming to BS ISO EN 7010.



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB207 | 1 | Sign |
| SSA208 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB209 | 1 | Sign |
| SSA210 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB223 | 1 | Sign |
| SSA224 | 1 | Sticker |

Warning

Vehicles reversing

Sign

Sticker

Qty Type

Part No.

SSB221 1

SSA222 1



Size: 360 x 120 mm



| Part No. | Qty | Туре | |
|----------|-----|---------|---|
| SSB233 | 1 | Sign | _ |
| SSA234 | 1 | Sticker | _ |
| | | | _ |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB235 | 1 | Sign |
| SSA236 | 1 | Sticker |



| Part No. | Qty | Туре |
|---------------|-----|---------|
| SSB237 | 1 | Sign |
| SSA238 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB215 | 1 | Sign |
| SSA216 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB229 | 1 | Sign |
| SSA230 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB225 | 1 | Sign |
| SSA226 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB211 | 1 | Sign |
| SSA212 | 1 | Sticker |

SSB217 1 Sign SSA218 1 Sticker

Qty Type

Part No.

Flammable

liquid

Hazard Warning Signs

Identify and warn staff and visitors of potential hazards.

Signs should be placed so people have plenty of time to see and fully understand them and to take action, reducing risks before reaching the hazard. Designed to be used in a wide variety of situations, in factories, building sites, farms, estates and warehouses.

Signs are manufactured from high quality 3 mm foamex board.

Self adhesive vinyl stickers are fully waterproof conforming to BS ISO EN 7010.



Mind the step





 \odot

 \odot

Size: 360 x 120 mm

Toilet

Visitor parking only

| Part No. | Qty | Туре | |
|----------|-----|---------|--|
| SSB319 | 1 | Sign | |
| SSA320 | 1 | Sticker | |

| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB325 | 1 | Sign |
| SSA326 | 1 | Sticker |



| | _ | _ | | _ 1 | e di | _ | |
|---|---|---|----|-----|------|---|---|
| к | e | C | 21 | 01 | Ш | O | n |
| | | | | Γ, | ••• | | • |

| Part No. | Qty | Туре | |
|----------|-----|---------|--|
| SSB317 | 1 | Sign | |
| SSA318 | 1 | Sticker | |

| Part No. | Qty | Туре | |
|----------|-----|---------|--|
| SSB315 | 1 | Sign | |
| SSA316 | 1 | Sticker | |



Men

Private Property Keep out

| Part No. | Qty | Туре | |
|----------|-----|---------|---|
| SSB323 | 1 | Sign | |
| SSA324 | 1 | Sticker | _ |

| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB311 | 1 | Sign |
| SSA312 | 1 | Sticker |





| Part No. | Qty | Туре | |
|----------|-----|---------|--|
| SSB321 | 1 | Sign | |
| SSA322 | 1 | Sticker | |

| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB313 | 1 | Sign |
| SSA314 | 1 | Sticker |

Customer car parking

Size: 360 x 240 mm

| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB307 | 1 | Sign |
| SSA308 | 1 | Sticker |

All visitors must report to office

| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB301 | 1 | Sign |
| SSA302 | 1 | Sticker |

NO PARKING

This access to be kept clear at all times

| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB305 | 1 | Sign |
| SSA306 | 1 | Sticker |

WARNING

C.C.T.V. system

→ installed on ←
these premises

Video recording in operation

| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB309 | 1 | Sign |
| SSA310 | 1 | Sticker |

WARNING

These premises are alarm protected

| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB303 | 1 | Sign |
| SSA304 | 1 | Sticker |

General Signs

Use to advise staff and visitors of common site and warehouse locations and ensure procedures are followed.







370

Signs are manufactured from high quality 3 mm foamex board.

Self adhesive vinyl stickers are fully waterproof conforming to BS ISO EN 7010.



Disablea | NO PARKING

This access to be kept clear at all times

Multi-Message Signs

PRIVATE Keep out



Danger asbestos





Report accidental damage immediately

| Part No. | Qty | Type | Material |
|----------|-----|------|-------------|
| SSB253 | 1 | Sign | 3 mm Foamex |



| Part No. | Qty | Туре | Material |
|----------|-----|------|-------------|
| SSB251 | 1 | Sign | 3 mm Foamex |

<u>PRIVATE</u>

Legal action may be taken against unauthorised persons found on this property





| Part No. | Qty | Туре | Material |
|----------|-----|------|-------------|
| SSB252 | 1 | Sign | 3 mm Foamex |




| Part No. | Qty | Туре | Material |
|----------|-----|------|-------------|
| SSB143 | 1 | Sign | 3 mm Foamex |

WARNING

C.C.T.V.
★ security system in operation

24 hour video recording

| Part No. | Qty | Туре | Material | |
|----------|-----|------|-------------|--|
| SSB247 | 1 | Sign | 3 mm Foamex | |



| Part No. | Qty | Type | Material |
|----------|-----|------|-------------|
| SSB250 | 1 | Sign | 3 mm Foamex |

Size: 360 x 350 mm



| Part No. | Qty | Type | Material |
|----------|-----|---------|---------------------|
| SSB237 | 1 | Sign | 3 mm Foamex |
| SSA238 | 1 | Sticker | Self Adhesive Vinyl |

Multi-Message Signs

Used for areas and situations where more than one safety message is required, ideal for situations where wall space is limited.

Signs are manufactured from high quality 3 mm foamex board.

Self adhesive vinyl stickers are fully waterproof conforming to BS ISO EN 7010.





 \odot

000

Size: 240 x 360 mm



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB405 | 1 | Sign |
| SSA406 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB411 | 1 | Sign |
| SSA412 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB403 | 1 | Sign |
| SSA404 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB407 | 1 | Sign |
| SSA408 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB415 | 1 | Sign |
| SSA416 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB409 | 1 | Sign |
| SSA410 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB417 | 1 | Sign |
| SSA418 | 1 | Sticker |
| SSA418 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB419 | 1 | Sign |
| SSA420 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB401 | 1 | Sign |
| SSA402 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB421 | 1 | Sign |
| SSA422 | 1 | Sticker |



| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB413 | 1 | Sign |
| SSA414 | 1 | Sticker |




| Part No. | Qty | Туре |
|----------|-----|---------|
| SSB423 | 1 | Sign |
| SSA424 | 1 | Sticker |


Mandatory PPE Signs

Mandatory PPE Signs are used to warn people of potential damage to their health if they do not wear the correct PPE and encourages them to do so. Designed to be used in a wide variety of situations, in factories, building sites, farms, estates and warehouses, displayed inside or outside.




000











Size: 480 x 300 mm

☆M.o.T. ☆ VIEWING AREA

| Part No. | Qty | Туре | Material | |
|----------|-----|------|-------------|--|
| SSB503 | 1 | Sign | 3 mm Foamex | |

M.O.T. X RECEPTION AND WAITING AREA

| Part No. | Qty | Type | Material |
|----------|-----|------|-------------|
| SSB502 | 1 | Sign | 3 mm Foamex |

Size: 350 x 350 mm



| Part No. | Qty | Туре | Material |
|----------|-----|------|-------------|
| SSB501 | 1 | Sign | 3 mm Foamex |

Size: 480 x 150 mm



| Part No. | Qty | Type | Material |
|----------|-----|------|-------------|
| SSB506 | 1 | Sign | 3 mm Foamex |



| Part No. | Qty | Type | Material |
|----------|-----|------|-------------|
| SSB507 | 1 | Sign | 3 mm Foamex |

DIESELS TESTED

| Part No. | Qty | Type | Material |
|----------|-----|------|-------------|
| SSB505 | 1 | Sign | 3 mm Foamex |

CATALYSTS TESTED

| Part No. | Qty | Туре | Material | |
|----------|-----|------|-------------|--|
| SSB504 | 1 | Sign | 3 mm Foamex | |

M.o.T. Signs

M.o.T. Signs should be used at a vehicle testing station which is approved by the Department of Transport.

Clearly indicate an M.o.T. station, designated area or services available that will inform new and existing customers alike.

Signs are manufactured from high quality 3 mm foamex board are fully waterproof conforming to BS ISO EN 7010.





 \odot





3/3



- Nitrile provides good strength, protection and a snug fit combined with the sensitivity of vinyl
- Synthetic materials ensures 100% latex FREE

| Qty | Size |
|-------------------|---|
| Box of 100 | S |
| 10 x Boxes of 100 | S |
| Box of 100 | М |
| 10 x Boxes of 100 | М |
| Box of 100 | L |
| 10 x Boxes of 100 | L |
| Box of 100 | XL |
| 10 x Boxes of 100 | XL |
| | Box of 100 10 x Boxes of 100 Box of 100 10 x Boxes of 100 Box of 100 10 x Boxes of 100 Box of 100 Box of 100 |



GRIPPAZ Orange Grip Gloves

This glove is designed to cover a broad spectrum of industrial uses including automotive, assembly, paint spraying, cleaning, electro-plating asbestos removal and janitorial.

- Ambidextrous
- · CE Level 5 Dexterity
- Ergonomic Grip
- Chemical Resistant

| Part No. | Qty | Size |
|----------|------------------|------|
| VC619 | Box of 50 | M |
| VC626 | 10 x Boxes of 50 | M |
| VC620 | Box of 50 | L |
| VC627 | 10 x Boxes of 50 | L |
| VC621 | Box of 50 | XL |
| VC628 | 10 x Boxes of 50 | XL |
| VC622 | Box of 50 | XXL |
| VC629 | 10 x Boxes of 50 | XXL |
| | | |



'Black Pearl' Soft Nitrile Gloves -**Powder FREE**

Complies to EN455.

High quality powder free nitrile AQL 1.5.

- · Latex Free Synthetic materials eliminates protein sensitisation
- Nitrile Formulation Provides good resistance to tears and punctures
- Fingertip textured

| Part No. | Qty | Size | |
|----------|-------------------|------|--|
| VC563 | Box of 100 | М | |
| VC594 | 10 x Boxes of 100 | M | |
| VC564 | Box of 100 | L | |
| VC595 | 10 x Boxes of 100 | L | |
| VC565 | Box of 100 | XL | |
| VC596 | 10 x Boxes of 100 | XL | |



























Blue Nitrile Gloves - Powder FREE

| Part No. | Qty | Size |
|----------|-------------------|------|
| VC553 | Box of 100 | S |
| VC590 | 10 x Boxes of 100 | S |
| VC554 | Box of 100 | M |
| VC591 | 10 x Boxes of 100 | M |
| VC555 | Box of 100 | L |
| VC592 | 10 x Boxes of 100 | L |
| VC556 | Box of 100 | XL |
| VC593 | 10 x Boxes of 100 | XL |
| | | |



Orange HD Diamond Grip Nitrile Gloves - Powder Free

High quality powder free nitrile AQL 1.5.

- · Unique diamond grip optimises surface performance and provides a high grip strength
- Good resistance to tears and punctures
- · Latex Free Synthetic materials eliminates protein sensitisation

| Part No. | Qty | Size | |
|----------|-------------------|------|--|
| VC600 | Box of 100 | М | |
| VC886 | 10 x Boxes of 100 | М | |
| VC601 | Box of 100 | L | |
| VC887 | 10 x Boxes of 100 | L | |
| VC603 | Box of 100 | XL | |
| VC889 | 10 x Boxes of 100 | XL | |



Latex Gloves - Powder FREE

| Part No. | Ųty | Size |
|----------|-------------------|------|
| VC541 | Box of 100 | S |
| VC578 | 10 x Boxes of 100 | S |
| VC539 | Box of 100 | М |
| VC576 | 10 x Boxes of 100 | М |
| VC540 | Box of 100 | L |
| VC577 | 10 x Boxes of 100 | L |
| VC542 | Box of 100 | XL |
| VC579 | 10 x Boxes of 100 | XL |





KS TOOLS Mechanics Anti-Vibration Gel Gloves

Absorbs and dissipates repeated impacts and shocks.

Designed for handling power tools, industrial tools and any tools with repetitive vibration.

| With repetitive vibrations | | | | | | |
|----------------------------|--------|------|--------------|--|--|--|
| Part No. | Qty | Size | EN388 Rating | | | |
| K310.0250 | 1 Pair | L | 2112 | | | |
| K310.0255 | 1 Pair | XL | 2121 | | | |
| K310.0260 | 1 Pair | XXL | 2121 | | | |





Designed for maximum comfort when used in cold, wet and dirty environments.

- · Palm covered with rubber nodules for maximum grip.
- Hard wearing 'Dry Suit' material technology for maximum protection.





PU Coated Gloves

- Seamless knitted shell with a polyurethane coated palm
- Seamless for extra comfort with open back style that allows hand to breathe
- · Tight fitting for maximum dexterity

| Pack Qty | Size | |
|----------|----------------------------------|---|
| 10 Pairs | M | |
| 10 Pairs | L | |
| 10 Pairs | XL | |
| 10 Pairs | XXL | |
| | 10 Pairs 10 Pairs 10 Pairs | PackQty Size 10 Pairs M 10 Pairs L 10 Pairs XL 10 Pairs XXL |



· Enhance abrasion/cut resistant

· Good dexterity

Ideal for Automotive, Glass, Construction and General handing applications

| Part No. | Qty | Size | EN388 Rating |
|----------|--------|------|--------------|
| WS311 | 1 Pair | XL | 4544 |



Nitrile Coated Gloves

 Seamless knitted shell with a nitrile coated palm

Seamless for extra comfort with open back style that allows hand to breathe

· Tight fitting for maximum dexterity Pack Oty Part No

| i di cito. | i uch Qty | Size |
|------------|-----------|------|
| WS514 | 10 Pairs | M |
| WS515 | 10 Pairs | L |
| WS516 | 10 Pairs | XL |
| WS517 | 10 Pairs | XXL |



and general plant use. EN388 Rating Part No. 0tv Size **WS307** 12 Pairs М 4122 **WS308** 12 Pairs 4122 12 Pairs 4122 **WS309** XL



Nylon Gloves

Part No.

WS304

WS305

WS306

Textured polyurethane palm coated nylon.

Qty

12 Pairs

12 Pairs

12 Pairs

M

XL



Woven Gloves - Black Permeable to air, elasticated wrists. Conforms to EN388.

| Part No. | Box of | Size | EN388 Rating |
|-----------|----------|------|--------------|
| K310.0470 | 12 Pairs | L | 1131 |
| K310.0475 | 12 Pairs | XL | 1131 |
| K310.0480 | 12 Pairs | XXL | 1131 |

3121

3121

3121



Conforms to EN388 (Glove rating 1131). Textured latex palm coating offers a superb grip. 10 gauge poly cotton with fleece lining and ribbed knit wrist for comfort.

Ideal for general handling, construction and maintenance use.

| Part No. | Qty | Size | EN388 Rating | |
|----------|--------|------|--------------|--|
| WS302 | 1 Pair | L | 1131 | |
| WS303 | 1 Pair | XL | 2242 | |



Latex Coated Grip Gloves

Conforms to EN388, EN420. Latex coated palm. 10 gauge poly cotton and seamless liner.

| Part No. | Pack of | Size | EN388 Rating | |
|----------|---------|------|--------------|--|
| WS48 | 5 Pairs | L | 2121 | |
| WS49 | 5 Pairs | XL | 2142X | |





















DELTAPLUS Heat Tolerant Glove

100% polyester. PURE latex coating on palm and fingertips. Gauge 13.

| Part No. | Qty | Size | EN388 Rating | |
|----------|--------|------|--------------|--|
| WS320 | 1 Pair | М | 2142 | |
| WS321 | 1 Pair | L | 2142 | |
| WS322 | 1 Pair | XL | 2142 | |
| | | | | |





Outside: 100% acrylic gauge 10.
Outside: 100% polyamide gauge 15.
Full latex coating of the hand.
Second foam latex coating on palm and fingertips.

| Part No. | Qty | Size | EN388 Rating |
|----------|--------|------|--------------|
| WS325 | 1 Pair | L | 2231 |
| WS326 | 1 Pair | XL | 2231 |





Chrome palm and cotton liner.

| one size rit | .S all. | The state of the s | | | |
|--------------|---------|--|--------------|--|--|
| Part No. | Pack of | Descriptions | EN388 Rating | | |
| WS46 | 5 Pairs | Cotton & Chrome Gloves | 1000 | | |



Rigger Gloves Canadian pattern.

| Part No. | Pack of | Description | EN388 Rating |
|----------|---------|---------------|--------------|
| WS7 | 5 Pairs | Rigger Gloves | 2111X |



PVC Gloves

NEW

NEW

With knitted wrist.

| Part No. | Qty | Description | EN388 Rating |
|----------|---------|-------------|--------------|
| WS6 | 5 Pairs | PVC Gloves | 3131 |





Knit Wrist Stockinette Gloves

One size fits all.

| Part No. | Pack of | Descriptions | EN388 Rating |
|----------|----------|--------------------|--------------|
| WS45 | 10 Pairs | Stockinette Gloves | 1000 |



| man room on the rank milear coloors may ran y. | | | 50.51.ay va. y. |
|--|---------|------|-----------------|
| Part No. | Pack of | Size | EN388 Rating |
| WS42 | 5 Pairs | L | 4244 |
| | | | |

000

9



14" PVC **Gauntlets**

Cotton lined. Conforms to EN388, EN420.

| Part No. | Pack of | Description | EN388 Rating |
|----------|---------|-------------------|--------------|
| WS41 | 2 Pairs | 14" PVC Gauntlets | 2003 |



Cotton flock lined. Conforms to EN420.

| Pack OI | Size | EN388 Kallilg |
|----------|----------|-------------------|
| 12 Pairs | М | 1000 |
| 12 Pairs | L | 1000 |
| | 12 Pairs | 12 Pairs M |



Rubber Gloves

Black. Heavy duty acid resistant for platers.

| Part No. | Qty | Description | EN388 Rating | |
|----------|--------|---------------|--------------|--|
| WS24 | 1 Pair | Rubber Gloves | 3121 | |



Gauntlets

| With tough | With tough cotton fleece lining, 5" cuffs. Colour may vary. | | | | |
|------------|---|-------------|--------------|--|--|
| Part No. | Qty | Description | EN388 Rating | | |
| WS8 | 1 Pair | Gauntlets | 4133 | | |



EN 812

Part No. Description Qty **WS35** 1 **Bump Cap**





DELTAPLUS Impact Resistant Bump Cap

Approved to EN812:2012.

- · Highly ventilated polyester/Cotton with mesh fabric
- Lined with polyethylene and comfortable EVA foam shell to absorb shocks.

| Part No. | Qty | Description | Size | |
|----------|-----|-------------|----------|--|
| WS403 | 1 | Rumn Can | 52-56 cm | |



Approved to EN397:2012 /
A1:2012 / EN50365:2002.
Electrical insulation up to 100V.A.C (Class 0)
UV-resistant high density polyethylene or polypropylene.
Low density polyethylene cradle with 8 fixing points.

- · Standard holes for accessories and anchorage for chin straps with 2 or 4 points

| Part No. | Ųly | COLOUR |
|----------|-----|--------|
| WS417W | 1 | White |
| WS417Y | 1 | Yellow |
| | | 166 |



ABS dual shell safety helmet with polycarbonate retractable visor. Electrical insulation up to 1000 V.A.C. or 1500 V.D.C, protection against arc fault Class 1 (GS-ET 29). Visor with anti-Fog N and anti-scratch K treatments and protection against electrical arcs, and molten metals or hot liquids projections.

- One-D Rotor clamping system: head size 53 to 63 cm
- 2 headband positions
- · Retro-reflective stickers

| Part No. | Qty | Description |
|----------|-----|--------------------------|
| WS420 | 1 | Safety Helmet with Visor |
| | | |

































WS18 Face Shield with Clear Visor WS18C 1 Replacement Clear Visor **WS18S** Replacement Anti-Glare Visor 1



CE marked. 99.9% UV/B protection.
EN166 / EN170 / EN175.
Soft rubber body provides exceptional comfort.
Withstands high temperatures. Fits over most spectacles. Anti scratch/mist.

| Part No. | Qty | Lens Colour | Markings |
|----------|-----|-------------|----------|
| WS1508 | 1 | Clear | 1 BT 9 O |

Wide Vision **Welding Goggles**

CE marked. 99.9% UV/B protection. EN166 / EN171 / EN175.

| Fits over mo | ost spectac | ies. Anti scratch/mist | • | |
|--------------|-------------|------------------------|--------------|--|
| Part No. | Qty | Lens Colour | Markings | |
| WS1511 | 1 | Shade 5 | 4-5 1 BT 9 0 | |



Grinding Goggles BS FN 166/1/B

| WS23 | 1 | Grinding Goggles |
|-------------|-------|------------------|
| Part No. | Qty | Description |
| DO LIN 100/ | 1/ D. | |



Safety Goggles - Wide Vision BS 679/1959.

| Part No. | Qty | Description |
|----------|-----|----------------|
| WS3 | 1 | Safety Goggles |



Lightweight Wraparound Safety Spectacles with Safety Cord

CE marked. 99.9% UV/B protection.EN166 / EN170 (*EN172). Outstanding field of vision, exceptional protection. Adjustable arms/lens angle. Anti scratch. Integral nose piece.

| Part No. | Qty | Lens Colour | Markings |
|----------|-----|-------------|--------------|
| WS1491 | 1 | Clear | 2-1.2 1 FT 0 |



Wraparound Safety Spectacles with Rubber Nose Pads

CE marked. 99.9% UV/B protection. EN166 / EN170 (*EN172) (*EN171).

| connortable lightweight design, robbet hose pads and sort temple tips. And seraten. | | | | | |
|---|-----|----------------------|--------------|--|--|
| Part No. | Qty | Lens Colour | Markings | | |
| WS1498 | 1 | Clear | 2-1.2 1 FT 0 | | |
| WS1500 | 1 | Shade 5 [†] | 4-5 1 FT 0 | | |



CE marked, 99.9% UV/B protection. EN166 / EN170 (*EN172). Adjustable temple length. Anti scratch. Lightweight. Integral nose piece.

| Part No. | Qty | Lens Colour | Markings |
|----------|-----|-------------|--------------|
| WS1505 | 1 | Clear | 2-1.2 1 FT 0 |
| WS1506 | 1 | Smoke* | 5-3.1 1 FT O |





DELTAPLUS 'Metal Free' Single Lens Safety Glasses

Polycarbonate. CE marked. 99.9% UV/B protection. Approved to EN166, EN172:2002 Ultraviolet filters.Metal free: dielectric.

- Ideal for spraybooths
- Ultra light: 18g
- Ultra flexible Anti scratch

| Part No. | Qty | Lens Colour | Markings | |
|----------|--------|-------------|----------|--|
| WS1516 | 1 Pair | Clear | 1 FT/FT | |
| WS1517 | 1 Pair | Smoke | 1 FT/FT | |



Safety Spectacles

Polycarbonate over specs. BS EN 166/1/F.

| Part No. | Pack of | Description | |
|----------|---------|-------------------|--|
| WS17 | 10 | Safety Spectacles | |

موه

ဇ္





DELTAPLUS Twin Lens Safety Glasses

Polycarbonate CE marked. 99.9% UV/B protection. Approved to EN166, EN172:2002 Ultraviolet filters

- Soft tips. Soft TPE nose piece
 - · Anti mist (WS1514 only)

| Part No. | Qty | Lens Colour | Markings | |
|----------|--------|-------------|-----------|--|
| WS1514 | 1 Pair | Clear | ANSI Z87+ | |
| WS1515 | 1 Pair | Gradient | 1 FT/FT | |



Anti scratch



DELTAPLUS LYVIZ Coated Single Lens Easy Clean Safety Glasses

Polycarbonate. CE marked. 99.9% UV/B protection. Approved to EN166, EN172:2002 Ultraviolet filters

- Removable Foam Frame · Adjustable nylon arms. Side protection
- LyViz treatment: oleophobic and hydrophobic coating enables user to clean lenses with a quick wipe and eliminates the danger of removing them whilst working

| Part No. | Qty | Lens Colour | Markings |
|----------|--------|-------------|--------------------|
| WS1522 | 1 Pair | Clear | 1 FT/FT ANSI Z787+ |





DELTAPLUS Ergonomic Safety Glasses with Removable Foam

CE marked. 99.9% UV/B protection. Approved to EN166, EN172:1994 / A1:2000 / A2:2001 Sunglare filters for industrial use C/w protective pouch and neck cord.

- Polycarbonate lens
- · Twin material curved arms
- Sports elastic strap
- · Anti-slip soft TPE nose piece
- UV/IR Anti-mist
- · Anti-scratch
- · 'Soft comfort' removable foam frame for dust and shock protection

| Part No. | Qty | Lens Colour | Markings |
|----------|--------|-------------|----------|
| WS1524 | 1 Pair | Gradient | 1 FT/FT |



Extra fine frame. Suitable for long duration wear.

- Metallically charged blue frame visually detectable by X-ray and magnetism
- Blue tint with excellent transmission factor (80%)
- Extra fine frame
- Suitable for the food industry
- Comfortable for indoor use
- Compatibility with noise cancelling headphones

| companies, transcent discounting records | | | |
|--|--------|-------------|----------|
| Part No. | Qty | Lens Colour | Markings |
| WS1550 | 1 Pair | Blue | 1FT/FT |
| | | | |





DELTAPLUS Monobloc Single Lens Safety Glasses

Polycarbonate. CE marked. 99.9% UV/B protection. Approved to EN166, EN172:2002. Ultraviolet filters.

- · Integrated nose piece
- · Side protection
- Soft flat spatula type arms
- Anti Scratch
- · Easy to use with safety helmet and ear defenders and disposable masks

| Part No. | Qty | Lens Colour | Markings |
|----------|--------|-------------|--------------------|
| WS1494 | 1 Pair | Clear | 1 FT/FT ANSI Z787+ |
| WS1495 | 1 Pair | Smoke | 1 FT/FT ANSI Z787+ |
| WS1496 | 1 Pair | Yellow | 1 FT/FT ANSI Z787+ |
| WS1497 | 1 Pair | Mirror | 1 FT/FT ANSI Z787+ |

Eye Protection - Markings

This range of eye protectors are suitable for use in accordance with the marking of the lens and frame.

UV 400

UV 400 protection provides protection against 99 to 100% of UVA and UVB ultraviolet radiation. It is called UV 400 because it blocks all rays of light up to a wavelength of 400 nanometers.



Frame Marking

Standard Number

EN166 = Personal Eye Protection (technical performance standard)

EN175 = Welding Personal Protection (equipment for eye and face protection during welding and allied processes)

Symbol for Mechanical Strength

TF = Low Energy Impact (45m/s)

BT = Medium Energy Impact (10 m/s) - Goggles

Field(s) Of Use

- Resistance to Molten (Metal and Hot Solids) Goggles
- = Resistance to Liquids (Droplets or Splashes) Goggles

Ocular Marking Scale Number (first digit)

= EN170 - Ultraviolet Filters

(transmittance requirements and recommended utilisation)

= EN171 - Infrared Filters 4

(transmittance requirements and recommended use)

EN172 - Solar Radiation Filters (sun glare filters for industrial use)

Shade Number (second and third digit)

1.2 = Clear / Amber

= Smoke / Green / Blue Mirror 3.1

5 = Shade 5

Optical Class

High Optical Quality (suitable for occasional wear)

Symbol for Original Ocular

 Original Ocular EN170 - Ultraviolet Filters (transmittance requirements and recommended utilisation)































KN95 Face Masks

Meets the standard GB/T 2626-2006. 5-layer mask with stretchable ear-loops. Non-woven polypropylene fabric.

- Adjustable nose piece form-fit design provides high breathability for maximum comfort
- · Excellent anti-fog and anti-haze properties
- Hypoallergenic -Latex and fibreglass-free

| Part No. | Box of | Description |
|----------|--------|-------------|
| | | _ |

WS95 10 **KN95 Face Masks**











• Non-woven polypropylene 160 g/m2.

· Elasticated straps and nose clip for adjustment.

| Part No. | Box of | Description |
|----------|--------|---------------|
| WS5 | 50 | Hygiene Masks |







- · Foam edge under nose clip

| Part No. | Box of | Description |
|----------|--------|--------------|
| WS412 | 10 | FFP1 + Valve |





DELTAPLUS Moulded Disposable FFP2 Masks

Approved to EN149:2001 / A1:2009

- · Nose clip for adjustment
- · Foam edge under nose clip

| Part No. | Box of | Description |
|----------|--------|-------------|
| WS27 | 20 | FFP2 |





DELTAPLUS Moulded Disposable FFP2 Masks + Valve Approved to EN149:2001 / A1:2009

- Nose clip for adjustment
- · Foam edge under nose clip
- · High performance exhalation valve

| Part No. | Box of | Description |
|----------|--------|--------------|
| WS28 | 10 | FFP2 + Valve |



Supplied in a dispenser box.

- Individually packaged, fits into your pocket.
- · Protected from dust and kept hygienic before use.

Part No. Description Box of

MX2475 FFP2 + Ventex Valve







Approved to EN149:2001.

• Even with gloves putting the '1-Strap' mask on and taking it off is quick, simple and safe.

| Part No. | Box of | Description | |
|----------|--------|---------------------|--|
| MX2395 | 20 | FFP1 + Ventex Valve | |
| MX2495 | 20 | FFP2 + Ventex Valve | |





- Nose clip for adjustment
- · High performance exhalation valve

| Part No. | Box of | Description |
|----------|--------|--------------|
| WS412 | 10 | FFP1 + Valve |
| | | |











MOLDEX



MOLDEX Smart Series FFP Masks + Valve

Approved to EN149:2001.

- The clip and adjustable strap make putting the mask on and off easier.

 • During breaks the mask
- can be worn around the neck.

| Part No. | Box of | Description | |
|----------|--------|---------------------|--|
| MX2385 | 20 | FFP1 + Ventex Valve | |
| MX2485 | 20 | FFP2 + Ventex Valve | |
| MX2505 | 10 | FFP3 + Ventex Valve | |





MOLDEX AIR Plus Reusable FFP3 Masks

5

Approved to EN149:2001.

- · Washable full face seal.
- The full face seal is made of soft Kraton material, so it can be wiped clean leaving the mask ready to be used again.

FFP3 + Ventex Valve

Stran length can be adjusted with the beln of the clin

| - Strup icrigati | cui i bc | adjusted with the neip of the clip. |
|------------------|----------|-------------------------------------|
| Part No. | Box of | Description |



MX3405



Approved to EN149:2001 / A1:2009

- Nose clip for adjustment
- · EVA edge for extra comfort under nose clip
- High performance exhalation valve

| Part No. | Box of | Description |
|----------|--------|--------------|
| WS415 | 10 | FFP3 + Valve |





DELTAPLUS Moulded Disposable FFP3 Masks + Valve

Approved to EN149:2001 / A1:2009

- Non-woven synthetic fibre
- Wide adjustable strap
- · Complete ultra soft face joint ring
- · High performance exhalation valve

| Part No. | Box of | Description |
|----------|--------|--------------|
| WS416 | 5 | FFP3 + Valve |

Half Mask

Complete with A1 P2 Dust Complete with AFZ bost filter cartridges suitable for automotive refinish workshops. Cartridges colour coded to European norms: EN14387:2004/A1:200843 and EN143:2000/A1:2006.

- Durable manufactured from natural rubber and features fully adjustable straps ensuring a comfortable and efficient fit with maximum protection
- The A1 P2 cartridges offer protection from organic vapours and gases and are

| Part No. | Qty | Description |
|----------|-------|------------------------|
| WS50 | 1 Kit | Half Mask |
| WS51 | 4 | Replacement Cartridges |







MOLDEX Compact Half Face Mask

Tested and certified to EN 405:200. Maintenance free and ready for use.

- · Wide field of vision
- · Unrestricted freedom of movement
- · Lightweight and comfortable
- · FlexFit: automatically adjusts to different face shapes
- Pleated Filter Technology: low breathing resistance, high durability

| Part No. | Pack Qty | Protection Level |
|----------|----------|------------------|
| MX5120 | 1 | FFA1P2 R D |
| MX5230 | 1 | FFA2P3 R D |
| MX5330 | 1 | FFA1B1E1P3 R D |
| MX5430 | 1 | FFA1B1E1K1P3 R D |



Our range of full face masks with replacement filters features overleaf



NEW































| Part No. | Qty | Description |
|----------|-------|-----------------------------------|
| MX7002 | 1 | Medium Mask |
| MX7003 | 1 | Large Mask |
| MX7122 | 1 Kit | Medium Mask & x 2 A1P2 Filters |
| MX7232 | 1 Kit | Medium Mask & x 2 A2P3 Filters |
| MX7432 | 1 Kit | Medium Mask & x 2 ABEK1P3 Filters |
| | | |



• Class 2

| raitivo. | ŲLY | Description |
|----------|-----|-------------|
| MX9002 | 1 | Medium Mask |
| MX9003 | 1 | Large Mask |

MOLDEX



MOLDEX EasyLock Filters For 7000 + 9000 Series

EasyLock particulate filters can either be connected to the EasyLock gas cartridges or directly with the mask body.

- · Revolutionary filter system
- · No need for additional clips or holders
- Different filters can be combined

| Part No. | Pack Qty | Туре | | |
|----------|----------|-----------------------------|--|--|
| MX9100 | 1 Pair | A1 Gas Filters | | |
| MX9400 | 1 Pair | ABEK1 Gas Filters | | |
| MX9020 | 1 Pair | P2 R D Particulate Filters | | |
| MX9030 | 1 Pair | P3 R D Particulate Filters | | |
| MX9200 | 1 Pair | A2 Gas Filters | | |
| MX9500 | 1 Pair | A2B2E1 Gas Filters | | |
| MX9600 | 1 Pair | AX Gas Filters (Single Use) | | |

MOLDEX



MOLDEX 'Spark Plugs' Disposable Earplugs Dispenser Stations with Earplugs

The dispensing system is made of recyclable material. As the dispenser mechanism is automatically replaced with every refill plugs remain hygienic. (Mounting bracket shown available separately).

| Part No. | Contains | Description |
|----------|-----------|-------------------------------|
| MX7825 | 250 Pairs | Small Station |
| MX7850 | 500 Pairs | Large Station |
| MX7060 | 1 | Mounting Bracket c/w Fittings |

MOLDEX

MOLDEX 'Spark Plugs' Disposable Earplugs

Approved to EN352-2:2002.
Contoured shape, comfortable PU foam earplugs.
Suited to protect against long-term exposure. Soft material that is easy to insert.

| Part No. | Pack of | SNR | High, Medium, Low | |
|----------|----------|------|-------------------|--|
| MX7800 | 20 Pairs | 35dB | (34, 32, 31dB) | |

MOLDEX

MOLDEX 'MelLows' Disposable Earplugs Approved to EN352-2:2002. Contoured shape,

comfortable PU foam earplugs. Suited to protect against long-term exposure. Soft material that is easy to insert.

• Protects against lower noise levels

Designed to keep you in touch with your environment and aid communication

| • Designed | to keep you | II tootii witi | i yoor environment and ald commonication |
|------------|-------------|----------------|--|
| Part No. | Pack of | SNR | Nigh, Medium, Low |
| MX7600 | 20 Pairs | 22dB | (26, 18, 12dB) |

MOLDEX

MOLDEX 'Jazz-Band' Reusable Banded Earplugs

Approved to EN35-2:1991. The convenient option against intermittent noise throughout the day. Dual material technology reduces noise transmission.

· Complete with neck cord

| with safety | release ı | mechanism | | |
|-------------|-----------|------------------|-------------------|--|
| Part No. | Pack of | SNR | High, Medium, Low | |
| MX6700 | 1 Pair | 23dB | (25, 19, 18dB) | |
| MX6750 | 2 Pairs | Replacement Pods | | |





0

0

موو

MOLDEX 'Pura-Band' Reusable Banded Earplugs

Approved to EN35-2:1991. The convenient option against intermittent noise throughout the day. Durable and washable pods made of soft thermoplastic.

| Part No. | Pack of | SNR | High, Medium, Low |
|----------|---------|------|-------------------|
| MX6600 | 1 Pair | 22dB | (24, 18, 17dB) |





DELTAPLUS Linked Folding Ear Plugs

Approved to EN352-2

- · Can be worn under the chin
- · PU earplugs with headband in polypropylene.
- · Ideal for intermittent or occasional wear.
- · Individual pack

| Part No. | Qty | SNR | High, Medium, Low |
|----------|--------|------|-------------------|
| WS407 | 1 Pair | 24dB | (25, 20, 19dB) |



MOLDEX 'Rockets Cord'





Reusable Earplugs Approved to EN352-2:2002. For long term exposure to noise.

Supplied in a compact plastic storage case.

- · Washable plugs made of soft and durable Kraton material.
- · Dual material ensures easy insertion & maximum comfort.

| Part No. | Pack of | SNR | High, Medium, Low |
|----------|---------|------|-------------------|
| MX6401 | 1 Pair | 30dB | (31, 26, 24dB) |



DELTAPLUS High Visibility Disposable Corded Ear Plugs Approved to EN352-2

- HV disposable PU earplugs with plastic cord.
- Frgonomic design for more comfort

| Part No. | Qty | SNR | High, Medium, Low | | |
|----------|----------|------|-------------------|--|--|
| WS404 | 20 Pairs | 34dB | (33, 31, 30dB) | | |



JSP Ear Plugs - Reusable Type

Supplied with cord.

| Part No. | Pack of | Description |
|----------|---------|-------------------|
| WS20 | 5 Pairs | Reusable Ear Plug |
| | | |



Glass filled nylon ear cups, polystyrene pads with flexible foam protection. BS 6344 Part 2. Frequency range: 1000 - 8000 Hz.

Part No. Description

WS15 1 Pair Ear Defenders



DELTAPLUS Ear Defenders

Approved to EN352-1. ABS and synthetic foam cups. ABS headband.

- · Adjustable in height to give an individual fit.
- Padded and flexible.

| Part No. | Qty | SNR | High, Medium, Low |
|----------|--------|------|-------------------|
| WS408 | 1 Pair | 26dB | (30, 24, 15dB) |



DELTAPLUS Foldable Ear Defenders

Approved to EN352-1. Supplied with carry bag and belt clip.

- Adjustable in height to give an individual fit
- · ABS and synthetic foam cups
- Double plastic headband
- · Can be folded away into a compact size for easier storage and hygiene

| Part No. | Qty | SNR | High, Medium, Low |
|----------|--------|------|-------------------|
| WS409 | 1 Pair | 30dB | (33, 29, 19dB) |

MOLDEX

MOLDEX 'M1' Ear Defenders

Approved to EN352-1. For protection from intermittent noise or for those who cannot achieve a safe and comfortable fit with earplugs. Metallic colour 'SoftCoat' material with padded steel headband, comfortable and robust.

- · 6 adjustment points to give an individual fit

| · Ornque de. | Jibii caii be | . ioiaca avvay | into a compact size for caster storage and mysic |
|--------------|---------------|----------------|--|
| Part No. | Pack of | SNR | High, Medium, Low |
| MX6100 | 1 Pair | 31dB | (31, 29, 21dB) |

MOLDEX

MOLDEX 'M2' Ear Defenders

Approved to EN352-1. Metallic colour 'SoftCoat' material. Moulded cup grips make fitting and alignment quick and easy. Wide range of cup adjustment gives excellent pressure distribution for all sizes.

· Can be worn behind the neck, ideal when using head gear Part No. Pack of High, Medium, Low **MX6200** 1 Pair 27-30dB (31, 26, 17dB)













































Hi-Vis Vest - Orange

Conforms to EN 471 Class 2. 100% polyester fabric hook & loop fastening.

| Part No. | Qty | Size | Colour |
|----------|-----|------|--------------------|
| WS459L | 1 | L | Fluorescent Orange |
| WS459XL | 1 | XL | Fluorescent Orange |



Hi-Vis Vest - Yellow

Conforms to EN 471 Class 2.

100% polyester fabric hook & loop fastening.

| Part No. | Qty | Size | Colour |
|----------|-----|------|--------------------|
| WS400 | 1 | М | Fluorescent Yellow |
| WS401 | 1 | L | Fluorescent Yellow |
| WS402 | 1 | XL | Fluorescent Yellow |







PVC-coated polyester bodywarmer.

- Collar with polar lining for optimal comfort
- · 3 pockets
- · Extra comfort opening on both sides
- · Lower back protection

| Part No. | Qty | Size | Colour |
|----------|-----|------|------------|
| WS458M | 1 | М | Grey-Black |
| WS458L | 1 | L | Grey-Black |
| WS458XL | 1 | XL | Grey-Black |



DELTAPLUS '2 in 1' Hi-Vis Bomber Jacket/

Body Warmer
Approved to EN343:2003
A1:2007 / EN ISO 20471:2013
High visibility Class 3.
Silver coloured shoulder-belt and parallel assembly.

- Bomber jacket with removable sleeves
- · Collar with polar lining for optimal comfort
- Knitted cuffs and at bottom of garment
- 4 x Pockets

| Part No. | Qty | Size |
|----------|-----|------|
| WS452L | 1 | L |
| WS452XL | 1 | XL |
| VV343ZAL | Т | ΛL |



| Colour | |
|--------------------|--|
| Fluorescent Yellow | |
| Fluorescent Yellow | |
| | |





Approved to EN ISO 13688:2013 / EN ISO 20471:2013 / EN343:2003 A1:2007. High visibility Class 3. Silver colour shoulder-belt and parallel assembly

- Warm parka waterproof seams
- Fixed hood
- Fastening with zip under Hook & Loop storm flap
- 4 x Pockets

| Part No. | Qty | Size | |
|----------|-----|------|--|
| WS454L | 1 | L | |
| WS454XL | 1 | XL | |







- under storm flap · Bottom of sleeves
- with bias finishing
- 5 x Pockets

| Adjustable bottom of garment with elastic drawstring | | | | | | | | | |
|--|-----|------|--|------------|-------|--|--|--|--|
| Part No. | Qty | Size | | Colour | Chest | | | | |
| WS453M | 1 | М | | Grey-Black | 48/50 | | | | |
| WS453L | 1 | L | | Grey-Black | 52/54 | | | | |
| WS453XL | 1 | XL | | Grey-Black | 56/58 | | | | |



























DELTAPLUSRain Suit

Approved to EN ISO 13688:2013 / EN343:2003 A1:200. Weatherproof Rating 3 -1*.

JACKET:

- · Fastening with zip under storm flap
- Fixed hood
- Raglan sleeves and adjustable cuffs with press-studs
- 2 x Pockets

TROUSERS:

- Elasticated waist
- · Adjustable bottom of legs with press-studs
- 2 x Hand slits

| Part No. | Ųty | Size | Cnest | |
|----------|-------|------|-------|--|
| WS455L | 1 Set | L | 52/54 | |
| WS455XL | 1 Set | XL | 56/58 | |







DELTAPLUS Cargo Style Work Trousers

Approved to EN ISO 13688:2013. Navy with royal blue trim

- · Elasticated waist on both sides.
- 7 pockets including 1 ruler.
- Twill 65% polyester 35% cotton 245 g/m².

| Part No. | Qty | Size | Waist |
|----------|-----|------|-------|
| WS450M | 1 | М | 38/40 |
| WS450L | 1 | L | 42/44 |
| WS450XL | 1 | XL | 46/48 |





Approved to EN340:2003. Navy with orange trim.

- · Front zip fastening with bias finishing
- Elasticated waist & cuffs
- 7 x Pockets
- Twill 65% polyester 35% cotton 235 g/m²

| Part No. | Qty | Size | Chest |
|----------|-----|------|-------|
| WS451M | 1 | M | 48/50 |
| WS451L | 1 | L | 52/54 |
| WS451XL | 1 | XL | 56/58 |





· Outside anti slip shell.

- Elastic hook & loop band to maintain the knee.
- Adjustable strips in elastic hook & loop.

| Part No. | Qty | Description | |
|----------|--------|--------------|--|
| WS418 | 1 Pair | Gel Kneepads | |
| | | | |







| Part No. | Qty | Size |
|----------|--------|--------------|
| WS419 | 1 Pair | 200 x 150 mm |



DELTAPLUS









Approved to EN ISO 20344:2011 / EN ISO 20345:2011.

Outsole: Ladder lateral grips, cleats with grip on all indoor and outdoor surfaces.

Upper: Pigmented split leather. S3 water resistant treatment. Insole: Ultra flexible anti-perforation composite insole.

- · Ultra light weight
- · Composite toe cap 200 joule, lighter than steel, non-conductive material
- · Non metallic footwear

Ideal for agriculture, construction, craftsmen, light industry, service logistics & mining

| Part No. | Qty | Size UK (EU) | | Class | Performance | |
|----------|--------|--------------|--------|------------|-------------|--|
| WS55008 | 1 Pair | 8 | (42) | S3 | SRC | |
| WS55009 | 1 Pair | 9 | (43) | S3 | SRC | |
| WS55010 | 1 Pair | 10 | (44.5) | S 3 | SRC | |





DELTAPLUS Leather Safety Boots - Black

Approved to EN ISO 20344:2011 / EN ISO 20345:2011. Upper: Pigmented split leather. Lining: Polyamide mesh. Insole: Fixed - Polyamide on EVA. Outsole: Injected dual-density PU.

· Ideal for construction, craftsmen, service logistics, light industry and mining

| Part No. | Qty | Size UK (EU) | , | Class | Performance | |
|----------|--------|--------------|--------|-------|-------------|--|
| WS55308 | 1 Pair | 8 | (42) | S1P | SRC | |
| WS55309 | 1 Pair | 9 | (43) | S1P | SRC | |
| WS55310 | 1 Pair | 10 | (44.5) | S1P | SRC | |







Approved to EN ISO 20344:2011 / EN ISO 20345:2011. Outsole: Injected dual density PU with front PU reinforcement.

Lining: Acrylic fur. Insole: Removable preformed polyester on EVA. Upper: Cowhide leather, water resistant treatment S3 with TPR heel protection.

· Ideal for agriculture, construction, craftsmen, light industry, service logistics and

| Part No. | Qty | Size UK (EU) | | Class | Performance | |
|----------|--------|--------------|--------|-------|-------------|--|
| WS56008 | 1 Pair | 8 | (42) | S3 CI | SRC | |
| WS56009 | 1 Pair | 9 | (43) | S3 CI | SRC | |
| WS56010 | 1 Pair | 10 | (44.5) | S3 CI | SRC | |



DELTAPLUS Water Resistant Leather Hiker Safety Boots - Black

Approved to EN ISO 20344:2011 / EN ISO 20345:2011. Upper: Pigmented split leather, S3 water resistant treatment. Outsole: Ladder lateral grips, toe and heel grips.

- Comfortable wider fit
- · Anti fatigue sole with integrated flexing zone
- Reflective strip
- Reinforced toe protection with PU cover (Bumper Cap System)
- Ideal for agriculture, construction, craftsmen, light industry, service logistics & mining

| Part No. | Qty | Size UK (EU) | | Class | Performance | |
|----------|--------|--------------|--------|-------|-------------|--|
| WS55708 | 1 Pair | 8 | (42) | S3 | SRC | |
| WS55709 | 1 Pair | 9 | (43) | S3 | SRC | |
| WS55710 | 1 Pair | 10 | (44.5) | S3 | SRC | |



Nubuck Leather **Hiker Safety Boots - Sand**

Approved to EN ISO 20344:2011 / EN ISO 20345:2011. Upper: Cow Nubuck. Midsole: Steel. Outsole: PU/rubber. Lining: Polyester. Insole: Removable, Polyester 4 mm EVA.

· Ideal for craftsmen, light industry and service logistics

| Part No. | Qty | Colour | Size L | JK (EU) | Class | Performance |
|----------|--------|--------|--------|---------|---------|-------------|
| WS55808 | 1 Pair | Sand | 8 | (42) | S1P HRO | SRC |
| WS55809 | 1 Pair | Sand | 9 | (43) | S1P HRO | SRC |
| WS55810 | 1 Pair | Sand | 10 | (44.5) | S1P HRO | SRC |
| WS55908 | 1 Pair | Black | 8 | (42) | S1P HRO | SRC |
| WS55909 | 1 Pair | Black | 9 | (43) | S1P HRO | SRC |
| WS55910 | 1 Pair | Black | 10 | (44.5) | S1P HRO | SRC |





Approved to EN ISO 20344:2011 / EN ISO 20345:2011. Upper: Leather/mesh. Lining: Polyester.
Outsole: Cemented PU/rubber for better abrasion resistance.

- Ultra flexible anti-perforation composite insole
- Composite toe cap 200 joule, lighter than steel, non-conductive material
- · Ideal for craftsmen, light industry and service logistics

| Part No. | Qty | Size UK (EU) | | Class | Performance |
|----------|--------|--------------|--------|---------|-------------|
| WS55408 | 1 Pair | 8 | (42) | S1P HRO | SRC |
| WS55409 | 1 Pair | 9 | (43) | S1P HRO | SRC |
| WS55410 | 1 Pair | 10 | (44.5) | S1P HRO | SRC |































DELTAPLUS



Slip-On Safety Shoes Approved to EN ISO 20344:2011 / EN ISO 20345:2011. Upper: Polyester and cotton.

Insole: Removable preformed polyester on EVA. Midsole: Injected single density PU.

- · Ultra lightweight for all day comfort
- Ideal for craftsmen, light industry and service logistics

| WS55104 1 Pair Blue 4 (37) S1P SRC WS55105 1 Pair Blue 5 (38) S1P SRC WS55106 1 Pair Blue 6 (39) S1P SRC WS55107 1 Pair Blue 7 (40.5) S1P SRC WS55108 1 Pair Blue 8 (42) S1P SRC WS55204 1 Pair Black 4 (37) S1P SRC WS55205 1 Pair Black 5 (38) S1P SRC WS55206 1 Pair Black 6 (39) S1P SRC WS55207 1 Pair Black 7 (40.5) S1P SRC WS55208 1 Pair Black 8 (42) S1P SRC | Part No. | Qty | Colour | Size | UK (EU) | Class | Performance | |
|--|----------|--------|--------|------|---------|-------|-------------|--|
| WS55106 1 Pair Blue 6 (39) S1P SRC WS55107 1 Pair Blue 7 (40.5) S1P SRC WS55108 1 Pair Blue 8 (42) S1P SRC WS55204 1 Pair Black 4 (37) S1P SRC WS55205 1 Pair Black 5 (38) S1P SRC WS55206 1 Pair Black 6 (39) S1P SRC WS55207 1 Pair Black 7 (40.5) S1P SRC | WS55104 | 1 Pair | Blue | 4 | (37) | S1P | SRC | |
| WS55107 1 Pair Blue 7 (40.5) S1P SRC WS55108 1 Pair Blue 8 (42) S1P SRC WS55204 1 Pair Black 4 (37) S1P SRC WS55205 1 Pair Black 5 (38) S1P SRC WS55206 1 Pair Black 6 (39) S1P SRC WS55207 1 Pair Black 7 (40.5) S1P SRC | WS55105 | 1 Pair | Blue | 5 | (38) | S1P | SRC | |
| WS55108 1 Pair Blue 8 (42) S1P SRC WS55204 1 Pair Black 4 (37) S1P SRC WS55205 1 Pair Black 5 (38) S1P SRC WS55206 1 Pair Black 6 (39) S1P SRC WS55207 1 Pair Black 7 (40.5) S1P SRC | WS55106 | 1 Pair | Blue | 6 | (39) | S1P | SRC | |
| WS55204 1 Pair Black 4 (37) S1P SRC WS55205 1 Pair Black 5 (38) S1P SRC WS55206 1 Pair Black 6 (39) S1P SRC WS55207 1 Pair Black 7 (40.5) S1P SRC | WS55107 | 1 Pair | Blue | 7 | (40.5) | S1P | SRC | |
| WS55205 1 Pair Black 5 (38) S1P SRC WS55206 1 Pair Black 6 (39) S1P SRC WS55207 1 Pair Black 7 (40.5) S1P SRC | WS55108 | 1 Pair | Blue | 8 | (42) | S1P | SRC | |
| WS55206 1 Pair Black 6 (39) S1P SRC WS55207 1 Pair Black 7 (40.5) S1P SRC | WS55204 | 1 Pair | Black | 4 | (37) | S1P | SRC | |
| WS55207 1 Pair Black 7 (40.5) S1P SRC | WS55205 | 1 Pair | Black | 5 | (38) | S1P | SRC | |
| | WS55206 | 1 Pair | Black | 6 | (39) | S1P | SRC | |
| WS55208 1 Pair Black 8 (42) S1P SRC | WS55207 | 1 Pair | Black | 7 | (40.5) | S1P | SRC | |
| | WS55208 | 1 Pair | Black | 8 | (42) | S1P | SRC | |



Approved to EN ISO 20344:2011 / EN ISO 20345:2011.

Upper: Leather/mesh. Lining: Polyester.
Outsole: Cemented PU/rubber for better abrasion resistance.

- Ultra flexible anti-perforation composite insole
- · Composite toe cap 200 joule, lighter than steel, non-conductive material
- · Ideal for craftsmen, light industry and service logistics

| Part No. | Qty | | Size U | K (EU) | Class | Performance |
|----------|--------|-----------|--------|--------|---------|-------------|
| WS55508 | 1 Pair | Blue/Grey | 8 | (42) | S1P HRO | SRC |
| WS55509 | 1 Pair | Blue/Grey | 9 | (43) | S1P HRO | SRC |
| WS55510 | 1 Pair | Blue/Grey | 10 | (44.5) | S1P HRO | SRC |
| WS55608 | 1 Pair | Biege | 8 | (42) | S1P HRO | SRC |
| WS55609 | 1 Pair | Biege | 9 | (43) | S1P HRO | SRC |
| WS55610 | 1 Pair | Biege | 10 | (44.5) | S1P HRO | SRC |

Safety Boots + Footwear - Selection Guide

To make selection easier, safety boots and footwear normally carries a simple two or three letter code which defines the basic safety standards for that particular product. Typically this begins with an S for 200 Joule toe caps and less commonly P for 100 Joule toe caps; additional properties may be indicated by the use of further codes or pictograms.

As a basic requirement safety footwear must have a 200 joule toe cap. Other properties that may be included are: penetration resistance (midsole protection), conductive, anti-static, insulated against heat or cold, energy absorbing, outsole resistant to hot contact, water resistant.

Summary of Basic Ratings

- SB Safety basic, 200 joules Toe Protection, Oil Resistant outer sole. (Minimum Requirement)
- **SBP** As SB plus Mid-Sole for penetration resistance.
- As SB plus Anti-Static properties and fully enclosed Energy Absorbing heel area. S1
- S₁P As S1 plus Mid-Sole for penetration resistance.
- **S2** As S1 plus resistance to Water Penetration and absorption.
- **S3** As S2 plus Mid-Sole for penetration resistance and cleated outsole

Toe Protection (SB)

Your toes are a very vulnerable part of your body, especially in a workplace. Toe protection must withstand a 200 joule impact. Joule is the unit of energy and this standard is purposefully specific. Something heavy falling from a low height could have a lot less energy than something lighter from a much higher height. As well as impacts, the toe area must withstand a resting mass of well over 1000kg.

Most people have heard of steel toe cap boots but the protection doesn't have to be steel. In fact there are advantages to alternatives. Nonmetallic protection can be equally as strong but

Midsole Penetration Protection (P) -**SBP. S1P. S3**

Sharp objects where we walk and stand are a significant risk not only in the workplace but also outdoors and at home. Midsole protection will guard against nails and other objects. To meet this standard the footwear must be able to resist a penetration force of 1100N. Midsole protection is provided in one of these methods: a stainless steel insert in the sole, aluminium insert in the sole, or by Kevlar insole. The Aluminium and Kevlar solutions are the most flexible and lightest and cover the greatest area of the foot. Kevlar insoles also offer much higher thermal insulation.

Ε **Energy Absorption**

Energy Absorption in the heel region

WRU Water Resistant Upper

Water resistant upper; not used on all rubber or polymeric footwear.

Heat Resistant

Heat resistant outsole: to resist 300°C for 60 seconds

CI **Insulation against Cold**

Insulation against cold: tested for 30 minutes at 1-20°C

Insulation against heat

Insulation against heat: tested for 30 minutes at 150°C

Electro-Static Discharge

ESD footwear is designed for the electronics and explosives industry and meet ESD CEI EN 61340-5-1 standard.

Non-metallic footwear

Safety footwear containing no metal parts is ideal for workplaces with metal detectors like airports, eliminating the hassle of removing them.

All safety footwear can have more features than

are listed above but these are the minimum requirements to meet each of the safety ratings and the most common.

Options for specific protection are categorised as:

- A Antistatic: Comes as standard with level S1. S2 and S3
- Energy absorbing heel: Comes as standard with level S1, S2 and S3
- Puncture Resistant: Comes as standard with level SBP, S1P and S3
- Heat Resistant Outsole: Comes as standard with level SB, S1, S2 and S3

Slip Resistance

The safety features of footwear, including slip resistance, are also tested according to a set of European test standards written into EN ISO 20344:2011 Personal protective equipment. Test methods for footwear.

Depending on the test conditions chosen, footwear tested according to the EN standards is now marked with one of the following codes: SRA, SRB, SRC.

The codes indicate that the footwear has met the specified requirements when tested as follows:

- **SRA** Tested on ceramic tile wetted with dilute soap solution
- Tested on smooth steel with glycerol
 - Tested under both the above conditions.



Foot protection

must be

worn



























DELTAPLUS Restraint **Work Harness Kit**

Approved to EN355:2002 / EN361:2002 / EN363 : 2008 / EN364 : 1992 / EN365 : 2004. Ready for use kit:

1 fall arrester anchorage point harness (back).

- 2 x Adjustment loops
- · 2 x Adjustable side plates with lanyard
- 1 x Connector

| Part No. | Qty | Description | Size |
|----------------|------------|------------------------------|--------|
| WS472 | 1 Kit | Work Harness Kit | L |
| Lanvard in irr | emovable s | tranded rope Ø 12 mm. Lengtl | 1.50 m |





'Classic' **Fall Arrester Kit**

Approved to EN355:2002 / EN361:2002 / EN363:2008 / EN364:1992 / EN365:2004. Ready for use fall arrester kit: 2 fall arrester anchorage point harness (back - front).

- 2 x Adjustment loops
- · 2 x Adjustable side plates
- 1 x Screw Karabiner

| Part No. | Qty | Description | Size | | | |
|--|-------|-------------------|------|--|--|--|
| WS471 | 1 Kit | Fall Arrester Kit | L | | | |
| 1 x Fall arrest with non removable energy absorber in stranded rope dia. 12mm, length 2 m. | | | | | | |



DELTAPLUS 'Scaffolding' Fall Arrester Kit

Approved to EN355:2002 / EN361:2002 / EN362:2004 / EN363:2008 / EN364:1992 / EN365:2004.

Ready for use fall arrester kit: 2 fall arrester anchorage point harness (back - front).

- 2 x Adjustment loops
- · 2 x Adjustable side plates

| Part No. | Qty | Description | Size | | | |
|--|-------|-------------------|------|--|--|--|
| WS470 | 1 Kit | Fall Arrester Kit | L | | | |
| Fall arrest with energy absorber with lanyard strap, length 2 m, equipped with 1 connector and 1 hook. | | | | | | |



DELTAPLUS

Approved to EN361:2002 / EN363:2008 / EN364:1992 / EN365:2004 / EN355:2002 / EN361:2002

- 2 x Fall arrester anchorage point harness (back front)
- 2 x Adjustment loops
- · 2 x Adjustable lateral plates

Fall Arrester Harness

| Part No. | Qty | Description | Size |
|----------|-----|-----------------------|------|
| WS473 | 1 | Fall Arrester Harness | L |





DELTAPLUS 'Riplight System II®' **Fall Arrester Harness**

Approved to EN361:2002 / EN363:2008 / EN364:1992 / EN365:2004 / EN355:2002 / EN361:2002. Elasticated harness with extensible 'Riplight System II'' patented waves.

- · 2 x Fall arrester anchorage points (back front)
- 4 x Adjustable buckles

| - A Aujostable Boelles | | | | |
|------------------------|-----|-----------------------|------|--|
| Part No. | Qty | Description | Size | |
| WS474 | 1 | Fall Arrester Harness | L | |
| | | | | |



DELTAPLUS Energy Absorber Lanyard

Approved to EN363:2008 / EN364:1992 / EN365:2004 / EN355:2002. Fall arrester with energy absorber in woven webbing with integrated crumple on the lanyard.

- · Retracted length: 1.40 m. Stretched length: 2 m
- 1 x Screw lock karabiner in galvanized steel, opening 17 mm
- 1 x Automatic hook lock in galvanized steel, large opening 55 mm

| Part No. | Ųly | Description |
|----------|-----|--------------------------------|
| WS475 | 1 | Energy Absorber Lanyard |



DELTAPLUS Lanyard

Approved to EN363:2008 / EN364:1992 / EN365:2004 / EN358:2002.

- · Adjustable work positioning lanyard via reducer
- · Protective sheath on the splices

| Part No. | Qty | Rope Ø x Length |
|----------|-----|-----------------|
| WS476 | 1 | 12 mm x 2 m |




DELTAPLUS Screw Karabiner


Galvanized steel. Approved to EN362:2004 / EN363:2008 / EN364:1992 / EN365:2004. R > 23 kN. Set of 5 screw lock karabiners in galvanized steel.

- · Automatic locking mechanism
- Large eye opening

| Part No. | Qty | Opening |
|----------|-----|---------|
| WS477 | 5 | 17 mm |




















 \odot























Welding, Gas + Abrasives














400 Wire Wheels 401 **Wire Brushes 402** Abrasive Rolls

402 Abrasive Paper 403 Sanding Blocks

404 Abrasive Discs 406 Abrasive Flap Discs

407 Polishing Discs 408 Cut-Off Discs

408 Thin Cutting Discs 409 Flat Cutting Discs

410 Depressed Centre **Cutting Discs**

411 Grinding Discs

412 Hand Files

Rotary Burrs 413

414 Aerosol Spray Packs









408













Welders' Face Shield - Hand Held Type

EN 175. Aperture.

Part No. **WS22** 4 1/4" x 3 1/4" (108 x 82.5 mm)





Welders' **Face Shields**

Complete with headband and fixed lens holder (Lens NOT included).

| Part No. | Qty | Takes Lens Size |
|----------|-----|------------------|
| WC26 | 1 | / 1 / / II v 2 · |

4 1/4" x 3 1/4" (108 x 82.5 mm)



Welders' **Face Shields**

Complete with headband and flip-up lens holder (Lens NOT included).

| WS37 | 1 | 4 1/4" x 2" | (108 x 51.0 mm) |
|-------------|-----------|--------------------|-----------------|
| Part No. | Qty | Takes Lens Size | |
| The objects | monuci (i | Lens Not incloded, | ,. |





Face Shield Lenses - 4 1/4" x 2" DIN 0196CE where applicable. (108 x 51 mm).

| Part No. | Pack of | Lens Type |
|----------|---------|--------------|
| WS22C | 5 | Anti-Spatter |
| WS22S | 5 | Shade No. 10 |





Face Shield Lenses - 4 1/4" x 3 1/4" DIN 0196CE where applicable. (108 x 82 5 mm)

| DIM 0130CE / | wilere a | pplicable. (106 x 62.5 Hill). |
|--------------|----------|-------------------------------|
| Part No. | Pack of | Lens Type |
| WS22CA | 5 | Anti-Spatter |
| WS22SA | 5 | Shade No. 10 |



Welding Goggles
One-piece. Spatter resistant lenses incorporating a gas welding filter for gas welding only. BS 679/1959.

| Part No. | Qty | Lens Colour |
|----------|-----|-------------|
| WS4 | 1 | Shade 5 |



Welding Goggles - Flip-Up Type

Flexible body with 50 mm round polycarbonate lenses and indirect vents for gas welding only. KM348551F.

| Part No. | Qty | Lens Colour |
|----------|-----|-------------|
| WS16 | 1 | Shade 5 |



Wide Vision Welding Goggles

CE marked. 99.9% UV/B protection. EN166 / EN171 / EN175.

Fits over most spectacles. Anti scratch/mist.

| Part No. | Qty | Lens Colour | Markings |
|----------|-----|-------------|--------------|
| WS1511 | 1 | Shade 5 | 4-5 1 BT 9 O |



CE marked. 99.9% UV/B protection. EN166 / EN170 (*EN172) (†EN171).

Comfortable lightweight design, rubber nose pads and soft temple tips. Anti scratch,

| Part No. | Qty | Lens Colour | Markings |
|----------|-----|-------------|------------|
| WS1500 | 1 | Shade 5 † | 4-5 1 FT O |



With tough cotton fleece lining, 5" cuffs. Colour may vary.

| Part No. Qty | Description | EN388 Rating | |
|-----------------|--------------------|--------------|--|
| WS8 1 Pa | r Gauntlets | 4133 | |



000




| Part No. | Weight | Size | |
|----------|--------|--------------|--|
| WR51 | 5 kg | 2.0 x 350 mm | |
| WR52 | 5 kg | 2.5 x 350 mm | |
| WR53 | 5 kg | 3.2 x 350 mm | |
| WR54 | 5 kg | 4.0 x 350 mm | |



- · Suitable for general purpose electrode, including thin sheet work.
- · Easy striking, even on transformers with a low open circuit voltage.

| Part No. | Qty | Ø | Weight | |
|----------|-----|--------|--------|--|
| WR41 | 1 | 2.0 mm | 4.1k g | |
| WR42 | 1 | 2.5 mm | 5.0 kg | |
| WR43 | 1 | 3.2 mm | 5.0 kg | |
| WR44 | 1 | 4.0 mm | 5.0 kg | |



- Suitable for all types of welding: MIG, TIG, stick, oxy/fuel and plasma cutting
- Lightweight and portable
- Quick and easy to erect

| Part No. | Qty | Description |
|----------|-------|-------------------------------|
| WS500 | 1 Set | Welding Curtain Set |
| WS501 | 1 | Replacement PVC Green Curtain |
| WS502 | 1 | Replacement Metal Frame |
| WS503 | 20 | Replacement Curtain Rings |



SIF 'Sifsteel No. 11' **Welding Rods**

Steel. Low carbon copper coated mild steel. BS 1453 A1.

| | | steer and wrought from. |
|----------|--------|-------------------------|
| Part No. | Weight | Size |

| Part No. | Weight Size | Equiv | |
|----------|----------------------|-------|--|
| WR1 | 2.5 kg 1.6 mm | 1/16" | |
| WR2 | 2.5 kg 2.4 mm | 3/32" | |
| WR3 | 2.5 kg 3.2 mm | 1/8" | |
| | | | |



SIF 'Sifredicote' **Brazing Rods - Flux Coated**

BS EN ISO 17672:2016 CU 470. A 'Sifbronze' No. 1 with a full flux coating.

- · Provides a faster continuous brazing through not having to flux-dip.
- Ideal for general mild steel work, galvanised steel and dissimilar metal applications.

| Part No. | Weight | Size | Equiv | |
|----------|--------|--------|-------|--|
| WR82 | 1 kg | 2.4 mm | 3/32" | |
| WR83 | 1 kg | 3.2 mm | 1/8" | |



SIF 'Sifbronze No. 1' **Brazing Rods**

Non-impregnated. BS 1845 CZ6 / BS 1453 C2.

| Part No. | Weight | Size | Equiv |
|----------|--------|--------|-------|
| WR11 | 1 kg | 1.6 mm | 1/16" |
| WR12 | 1 kg | 2.4 mm | 3/32" |
| WR13 | 1 kg | 3.2 mm | 1/8" |



CIE Brazing Eluv

| SIL DI C | ızırıg r | -IUX | |
|----------|----------|----------|--|
| Part No. | Qty | Size | |
| WRF3 | 1 | 225g Tub | |







































Electrode Holder

Twist type. Part No.

Amperage **WS74** 400 A 1



Chipping Hammer Sprung handle.

| Part No. | Qty | Description |
|----------|-----|-----------------|
| WS70 | 1 | Chipping Hammer |




Spanner/ Cylinder Keys

| Part No. | Pack of | Description |
|----------|---------|-----------------------|
| WS13A | 1 | Spanner/Cylinder Key |
| WS13 | 2 | Spanner/Cylinder Keys |



| Part No. | Packui | Description |
|----------|--------|------------------------|
| WS14A | 1 | Nozzle Cleaners |
| WS14 | 5 | Nozzle Cleaners |



Mig Wire

Copper coated deoxidised steel for semi-automatic welding (CO2 wire). BS 2901 A18.

| Part No. | Qty | Diameter |
|----------|-------------|----------|
| WR73 | 5 kg Spool | 0.6 mm |
| WR75 | 15 kg Spool | 0.6 mm |
| WR74 | 5 kg Spool | 0.8 mm |
| WR76 | 15 kg Spool | 0.8 mm |



| Part No. | Pack of | Size |
|----------|---------|-------------|
| WS84 | 10 | Tips 0.6 mm |
| WS85 | 10 | Tips 0.8 mm |



Torch Spares for Mig No. 15 Type Torches

| | PC .0 | 1 61165 |
|----------|---------|-------------|
| Part No. | Pack of | Description |
| WS86 | 2 | Shrouds |
| | | |

Torch Spares for Mig No. 25 Type Torches



| Part No. | Pack of | Size | |
|----------|---------|-------------|--|
| WS89 | 10 | Tips 0.6 mm | |
| WS90 | 10 | Tips 0.8 mm | |



Torch Spares for Mig No. 25 Type Torches

| Part No. | Pack of | Description |
|----------|---------|-------------|
| WS91 | 2 | Shrouds |



Torch Spares for Mig No. 25 Type Torches

| Part No. | Pack of | Description | |
|----------|---------|-------------|--|
| MCQ2 | 2 | Tin Adaptor | |



Lightweight.

| Part No. | Pack of | Size No. | |
|----------|---------|----------|--|
| WS9 | 3 | No. 2 | |
| WS10 | 3 | No. 3 | |
| WS11 | 3 | No. 5 | |
| WS53 | 3 | No. 10 | |





Male Fitting/Coupler

Suits fuel gases.

| Part No. | Qty | Thread | |
|----------|-----|-----------------|--|
| GAS26 | 1 | 3/8" Left Hand | |
| GAS25 | 1 | 3/8" Right Hand | |



موم

အ

O

BEST



Gas Cutting Nozzles - Acetylene

1/16"

A-NMS. Suits 18/90 style torch. Part No. Qty Size **WS60** 1/32" 1 **WS61** 1 3/64"



Gas Cutting Nozzles - Propane

P-NMS. Suits 18/90 style torch.

1

WS62

| Part No. | Qty | Size | Cutting Capability | |
|----------|-----|-------|--------------------|--|
| WS64 | 1 | 1/32" | 3 - 6 mm Plate | |
| WS67 | 1 | 3/64" | 5 - 12 mm Plate | |
| WS63 | 1 | 1/16" | 10 - 75 mm Plate | |
| WS68 | 1 | 5/64" | 70 - 100 mm Plate | |
| WS66 | 1 | 3/32" | 90 - 150 mm Plate | |
| WS65 | 1 | 1/8" | 140 - 300 mm Plate | |



Welding Cable Plug

BS EN 60974-12. A standard Dinse type plug.

| Part No. | Pack of | Type/Cable Size |
|----------|---------|-------------------------|
| WCP25 | 1 | 10 - 25 mm ² |
| WCP50 | 1 | 35 - 50 mm ² |



Welding Cable Socket

BS EN 60974-12. A standard Dinse type socket.

| Part No. | Pack of | Type/Cable Size | | |
|----------|---------|-------------------------|--|--|
| WCS50 | 1 | 35 - 50 mm ² | | |
| WCS25 | 1 | 10 - 25 mm ² | | |






Part No. Qty Description **WS54 Triple Flint Lighter**



Triple Flints

Suits Part No. WS54.

| Part No. | Pack of | Description | |
|----------|---------|---------------|--|
| WS55 | 10 | Triple Flints | |



Flint Lighter Pistol type.

| Part No. | Qty | Description |
|----------|-----|---------------|
| WS12 | 1 | Flint Lighter |





Water Based

• Provides a protective oily film for use in welding

• Silicone FREE

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS9 | 6 | 400ml Aerosols |





| Part No. | Qty | Size | |
|----------|-----|----------|--|
| WRF3 | 1 | 225g Tub | |





































Part No. Pack of Dia x Length DRP1 500 2.0 x 50 mm







Flux cored. 40% Tin / 60% Lead. BS 441.

· General purpose.

| Part No. | Qty | Diameter | | |
|------------|-------------|----------|----------|--|
| SO2 | 0.5 kg Coil | 1.6 mm Ø | (16 SWG) | |
| SO1 | 0.5 kg Coil | 3.2 mm Ø | (10 SWG) | |





BEST

Solder Wire Flux cored. 60% Tin / 40% Lead.

BS 441. • For circuit boards, etc.

| Part No. | Qty | Diameter | | |
|-------------|-------------|----------|----------|--|
| SO22 | 0.5 kg Coil | 0.7 mm Ø | (22 SWG) | |
| SO18 | 0.5 kg Coil | 1.2 mm Ø | (18 SWG) | |
| | 0.0 .18 00 | | (100110) | |









e.g. capillary joints on pipe work.

NOT suitable for use on Aluminium or Stainless Steel.

| Part No. | Qty | Size |
|------------|-----|----------|
| SO9 | 1 | 50g Tin |
| SO8 | 1 | 250g Tub |
| | | |





TEMPLER'S

telux

DOLDENING FAST

Soldering Flux

| Zin | c chlori | de rosin | free. |
|------|----------|----------|-------|
| Dart | No | Otv | Ciz |

| 500 | - | 300mi Bottic | |
|----------------|---------------|--------------|--|
| S06 | 1 | 500ml Bottle | |
| Part No. | Qty | Size | |
| ZITIC CHIOTIGE | de rosin nee. | | |

000

ထွ

BEST SELLER



S-A-S Butane Gas Chargers

High quality, ultra pure butane gas. Fitted with universal refill adaptor.

Ideal for gas lighters, torches, gas soldering irons and glue guns.

Pack of Size Part No.

SAS50 6 200ml Aerosols



KS TOOLS

Temperature up to 1300°C / 2450°F. Flame soldering burner with small bundled flamer for fine soldering work. Dimensions: 36 x 143 x 92 mm.

K960.1200 1 **Soldering Gun**



Universal Butane Soldering Gun

Complete with table stand. Part No. Qty Description



1 x Gas soldering iron. 1 x Soldering head for screw-in soldering tips. 2 x Tips: 3.5 mm chisel tip, 4.5 mm diagonal tip.

Gas powered micro soldering equipment up to 1,300°C. With Piezo ignition. Adjustable gas flow, refillable with gas lighter refills.

1 x Heat-shrink tubing attachment. 1 x Cap Soldering. 1 x Solder wire spool. 1 x Cap. 1 x Tower housing.

Description

Supplied in robust storage case.


K960.1160 1 Set 10 Piece Set

TL955 5 Piece Set 1 x Torch with blow torch attachment. 2 x Soldering tips. 1 x Torch stand. 1 x Pack of solder.



Part No. Description

TL7600 Butane Gas Torch





Windproof Jet Flame Torch

Refills with standard butane gas chargers (suits Part No. SAS50). Colour/model may vary.

· Windproof jet flame

Part No. Qty Description Jet Flame Torch **TL130**





























Adjustable Propane Gas Regulator - 0.35 - 2 Bar

Outlet: 1/4" BSP Female.

Part No.

Adjustable 0.35 - 2.0 Bar GAS3





Propane/Butane Gas Bottle Spanner

Lightweight type. Pressed gas regulator spanner fits propane regulators and butane regulators with a 28/30mm nut.

| Part No. | Qty | Description |
|----------|-----|--------------------|
| GAS24 | 1 | Gas Bottle Spanner |



Regulator - 0.5 - 1 Bar Outlet: 1/4" BSP Female.

Adjustable Propane Gas

| Part No. | ŲĮ | Pressure |
|----------|----|--------------------------|
| GAS4 | 1 | Adjustable 0.5 - 1.0 Bar |







Outlet: For 10 mm Ø bore hose.

| Part No. | Qty | Pressure |
|----------|-----|---------------|
| GAS7 | 1 | Fixed 37 Mbar |





Outlet: 1/4" BSP Female

| Part No. | Qty | Pressure |
|----------|-----|-------------|
| GAS5 | 1 | Fixed 1 Bar |



Fixed Propane Gas Regulator - 2 Bar

| GAS6 | 1 | Fixed 2 Bar |
|-------------|----------|-------------|
| Part No. | Qty | Pressure |
| Outlet: 1/4 | R25 Male | |



| CASE | 1 | Eivo |
|--------------|----------|----------|
| Part No. | Qty | Pressure |
| Outlet: 1/4" | R25 Wale | |





| GAS23 | 50 | Protection Caps |
|--------------|---------|------------------------|
| Part No. | Pack of | Description |
| DIGCK KUDDEI | | |



| | - |
|--|---|

18"

1

T Manifold for **Propane Bottles**

Brass.

GAS32

| Part No. | Qty | Description |
|----------|-----|-------------|
| GAS30 | 1 | T Manifold |



Zinc. 60° coned seat

| ZIIIC. 00 CC | Jiica sca | | | |
|--------------|-----------|-----------|---------|--|
| Part No. | Qty | Hose I.D. | | |
| GAS20 | 1 | 4.8 mm | (3/16") | |
| GAS21 | 1 | 6.3 mm | (1/4") | |
| GAS22 | 1 | 8.0 mm | (5/16") | |





Fitting/Coupler

| Suits | fuel | gases. |
|-------|------|--------|

| Part No. | Qty | Thread |
|----------|-----|-----------------|
| GAS26 | 1 | 3/8" Left Hand |
| GAS25 | 1 | 3/8" Right Hand |

موم

အ

O

Butane Fixed Low Pressure 'Quick-On' Regulators - 28 Mbar Conforms to EN 12864.

Outlet: For 10 mm Ø bore hose.

| Part No. | Qty | Cylinder Diameter |
|----------|-----|-------------------|
| GAS8 | 1 | 20 mm |
| GAS9 | 1 | 21 mm |



| B23717; 15 | B53212: 1991/2/4,8. High pressure LPG. | | | |
|------------|--|------------------|---------|--|
| Part No. | Qty | Dia x Length | | |
| GAS38 | 1 | 5 mm x 50 m Roll | (3/16") | |
| GAS39 | 1 | 6 mm x 50 m Roll | (1/4") | |
| GAS40 | 1 | 8 mm x 50 m Roll | (5/16") | |



Gas Hose with 1/4" BSP Female FittingsBS3212: 1991/2/4,8. High pressure LPG.

| Part No. | Qty | Dia. x Length | | |
|----------|-----|---------------|--------|--|
| GAS35 | 1 | 6 mm x 1.5 m | (1/4") | |
| GAS37 | 1 | 6 mm x 3.0 m | (1/4") | |



Gas Hose with 1/4" BSP Female Fittings including 90° Fitting

BS3212: 1991/2/4,8. High pressure LPG.

| Part No. | Qty | Dia x Length | |
|----------|-----|-----------------|--------|
| GAS36 | 1 | 6 mm x 2 m Hose | (1/4") |



 Brass
 Pack of GAS63
 Pack of Description

 GAS63
 20
 Thermocouple Locknuts



| Part No. | Qty | Description |
|----------|-----|---------------|
| GAS73 | 1 | Piezo Ignitor |



Thermostat Otterstat

| Part No. | Qty | Description |
|----------|-----|----------------------|
| GAS64 | 1 | Thermostat Otterstat |



Universal Electrode

| Part No. | Qty | Description |
|----------|-----|-------------|
| GAS71 | 1 | Flectrode |



Boxer Heater Flame Supervision Device

Mfr. Ref: SP 1400CN. Complete with locknuts.

| Part No. | Qty | Description |
|----------|-----|---------------------|
| GAS72 | 1 | Heater Flame Device |





BULLFINCH Boxer Heater Igniter & Lead

| GAS75 | 1 | Heater Igniter & Lead |
|---------------|--------|-----------------------|
| Part No. | Qty | Description |
| VIII. REI. SP | 140000 | |



Boxer Heater Spark Plug

Mfr. Ref: SP 1500C.

| Part Nu. | Ųly | Description |
|----------|-----|-------------------|
| GAS74 | 1 | Heater Spark Plug |



GAS61

GAS60

Thermocouples

| Part No. | Qty | Description |
|----------|-----|--------------------------|
| GAS62 | 1 | Boxer Heater Type |
| GAS61 | 1 | 300/350 (Unthreaded) (A) |
| GAS60 | 1 | Threaded Type (E) |



































PROVIDUS+ Professional Turbo Torch

For use with GASEX® (VC51) gas cylinders. Particularly suited to both heating small parts and for small welding jobs. It can also be used for stripping paint, thawing piping, burning and brazing.

Part No. Qty Description

TL956 1 **Professional Turbo Torch**





PROVIDUS+ GASEX® Gas Cylinder

EN 471. TÜV approved. • 35% faster than Propane.

Part No. Qty


| VC51 | 1 | 860ml Cylinder |
|------|---|----------------|
| | | |



woven glass fibre. Dimensions: 250 mm x 250 mm (10" x 10"). For use with brazing torches, soldering irons, etc.

· Withstands temperatures up to 600°C.

| Part No. | Qty | Description | |
|----------|-----|-------------|--|
| WS19 | 1 | Heat Ma | |









AMBERSIL Acrylic Paint Marker Pens

Tenacious resin binds paint to the writing surface almost eliminating the problems associated with accidental rub-off and will not wash off with water/rain.

| Part No. | Qty | Colour | Nib Ø | |
|---------------|-----|--------|-------|--|
| AMB130 | 1 | White | 3 mm | |
| AMB131 | 1 | Yellow | 3 mm | |
| AMB132 | 1 | Red | 3 mm | |
| AMB133 | 1 | Black | 3 mm | |



ARCTIC

Fits 1 inch CGA600 thread gas cylinders (suits Part No.s VG1 & VG2).

Lightweight tough magnesium alloy body with soft rubber hand grip

· Piezo ignition, flame regulator and safety lock

Description VT1 **Brazing Torch** 1





ARCTIC HAYES 'Vortex' Map-X Gas

Suitable for all soldering and brazing applications.

• Burns up to +115°C.

| Part No. | Ųty | SIZE |
|----------|-----|---------------|
| VG1 | 1 | 400g Cylinder |





ARCTIC HAYES 'Vortex' Propane Gas

Ideal for soldering fittings, etc. • Burns up to 900°C+.

| Part No. | Qty | Size |
|----------|-----|---------------|
| VG2 | 1 | 400g Cylinder |



موم









Grinding Wheels - A60 Fine

Aluminium oxide. 1 1/4" hole with reducing bushes for 1/2" axle.

| Part No. | Qty | O.D. x Hole Ø | |
|----------|-----|---------------|-------------|
| WCD31 | 1 | 150 x 20 mm | (6" x 3/4") |



Grinding Wheels - A46 Medium

Aluminium oxide. 1 1/4" hole with reducing bushes for 1/2" axle.

| Part No. | Qty | O.D. x Hole Ø | |
|----------|-----|---------------|-------------|
| WCD32 | 1 | 150 x 20 mm | (6" x 3/4") |



Grinding Wheels - A36 Coarse

Aluminium oxide. 1 1/4" hole with reducing bushes for 1/2" axle.

| Part No. | Qty | O.D. x Hole Ø | , |
|----------|-----|---------------|-------------|
| WCD33 | 1 | 150 x 20 mm | (6" x 3/4") |



Grinding Wheels - 3C60 Silicon Carbide 60 Grit

NOT aluminium oxide. 1 1/4" hole with reducing bushes for 1/2" axle.

| raitinu. | ŲLY | U.D. X HUIC D | |
|----------|-----|---------------|-------------|
| WCD34 | 1 | 150 x 20 mm | (6" x 3/4") |
| | | | |



Quality steel wool.

| Part No. | Weight | Grade |
|-------------|------------------------|--------------|
| WB26 | 1 lb (0.45 kg) Approx. | Fine Grade |
| WB28 | 1 lb (0.45 kg) Approx. | Medium Grade |



Non-Woven Material Rolls - Aluminium Oxide

100 mm wide x 10 m roll.

| Part No. | Qty | Colour | Grade | |
|----------|-----|--------|-----------|--|
| WB220 | 1 | Red | Very Fine | |



Non-Woven Material Rolls - Silicon Carbide

100 mm wide x 10 m roll.

| Part No. | Qty | Colour | Grade |
|----------|-----|--------|------------|
| WB210 | 1 | Grey | Ultra Fine |



Finishing Pads - Fibre

Dimensions: 152 x 229 mm

| D | Difficiolorist 102 X 223 Hilli | | | | |
|----------|--------------------------------|--------|-----------------|--|--|
| Part No. | Pack of | Colour | Grade | | |
| WB21 | 10 | Grey | Ultra Fine | | |
| WB22 | 10 | Red | Very Fine | | |
| WB23 | 10 | Green | General Purpose | | |





































Hardened steel wire.

| Part No. | Qty | O.D. x Wire Ø | Size | Max RPM |
|----------|-----|------------------|------------|---------|
| WB55 | 1 | 70 mm x 0.35 mm | M10 | 14,000 |
| WB60 | 1 | 70 mm x 0.35 mm | M10 x 1.25 | 14,000 |
| WB56 | 1 | 70 mm x 0.35 mm | M14 | 14,000 |
| WB57 | 1 | 85 mm x 0.50 mm | M14 | 8,500 |
| WB59 | 1 | 105 mm x 0.50 mm | M14 | 8,500 |





0.30 mm high resistance

| crimped steel wire. | | | A. A. W. Liberton | |
|---------------------|-----|--------|-------------------|---------|
| Part No. | Qty | 0.D. | Size | Max RPM |
| WB54 | 1 | 120 mm | M14 | 8,500 |



Wheel Brush - Twist Knot

0.50 mm Ø twist knot hardened steel wire.

| Part No. | Qty | 0.D. | Size | Max RPM | |
|----------|-----|--------|------|---------|--|
| WB67 | 1 | 115 mm | M14 | 20,000 | |



0.50 mm Ø twist knot hardened steel wire.

| riai acrica | naracited steel wire. | | | | |
|-------------|-----------------------|-------|------|---------|--|
| Part No. | Qty | 0.D. | Size | Max RPM | |
| WB69 | 1 | 95 mm | M10 | 14,000 | |
| WB68 | 1 | 95 mm | M14 | 14,000 | |



Cup Brushes

| costance crimped steel wire. | | | | |
|------------------------------|-----|-------|---------|--|
| Part No. | Qty | O.D. | Max RPM | |
| WB61 | 1 | 50 mm | 4,500 | |
| WB62 | 1 | 75 mm | 4,500 | |



Wire Brushes with Metric Adaptors

0.35 mm Ø high resistance crimped steel wire.

Suitable for use with bench grinders.
Supplied with reducing adaptor kit for 16 mm, 20 mm, 25 mm bore hole.

| Part No. | Qty | O.D. x Width | Bore Hole | Max RPM |
|----------|-----|--------------|-----------|---------|
| WB49 | 1 | 150 x 20 mm | 38 mm | 6,000 |
| WB50 | 1 | 200 x 29 mm | 38 mm | 6,000 |





Wire Brushes with Imperial Adaptors

0.35 mm Ø high resistance crimped steel wire. Suitable for use with bench grinders.

Supplied with reducing adaptor kit for 1/2", 5/8", 3/4", 1" bore hole.

| Part No. | Qty | O.D. x Width | Bore Hole | Max RPM |
|----------|-----|--------------|-----------|---------|
| WB51 | 1 | 200 x 23 mm | 38 mm | 6.000 |



Shaft Mounted Brush

0.30 mm Ø high resistance crimped steel wire.

| Part No. | Qty | 0.D. | Max RPM |
|----------|-----|-------|---------|
| WB66 | 1 | 20 mm | 18,000 |



6 mm Ø Shaft. 0.30 mm Ø high resistance crimped steel wire

| HIGHTCSISC | High resistance chimped steel wire. | | | | |
|------------|-------------------------------------|--------------|---------|--|--|
| Part No. | Qty | O.D. x Width | Max RPM | | |
| WB64 | 1 | 50 x 8 mm | 5,000 | | |
| WB65 | 1 | 60 x 8 mm | 6.000 | | |




6 mm Ø Shaft. 0.30 mm Ø

| ni ass coale | u steer v | vire. | | |
|--------------|-----------|-------|---------|--|
| Part No. | Qty | 0.D. | Max RPM | |
| WB70 | 1 | 60 mm | 18,000 | |
| | | | | |







000

ထွ



SIT 'SPID' Brushes

| Part No. | Qty | Wire Type | |
|----------|-----|--------------------|--|
| WB19A | 6 | Brass Plated Steel | |
| WB19 | 24 | Brass Plated Steel | |



SIT 'SPID' Brushes

| Part No. | Qty | Wire Type |
|----------|-----|-----------------|
| WB31 | 6 | Stainless Steel |



TL7120 1 Set 20 Piece Set 1 x Soft grip handle. 1 x 1/4" Shank quick release chuck: 6". 6 x Stainless steel brushes: 9, 10, 13, 15, 17, 19 mm. 6 x Brass brushes: 9, 10, 13, 15, 17, 19 mm. 6 x Nylon brushes: 9, 10, 13, 15, 17, 19 mm.



KS TOOLS Rubber Eraser Pad

(Toffee/Carmel Wheel). M8 shaft, for use in drills and cordless power tools (NOT suitable for air sanders).

• For complete and careful removal of pinstripes and adhesive wheel balance stickers on high value alloy wheels

 The neutral coloured rubber eraser pad ensures optimal results and prevents surface smudging

| Part No. | Qty | Ø x Width | Max RPM | |
|-----------|-----|---------------|---------|--|
| K515.1243 | 1 | 90 mm x 15 mm | 2,000 | |





| | | _ | _ | • | | |
|---|----|----|------|-----|-----|----|
| W | 00 | de | n ha | and | Яle | S. |

| Part No. | Pack of | Туре | |
|----------|---------|-------|--|
| WB1A | 6 | 4-Row | |
| WB1 | 12 | 4-Row | |





Mini 3-Row **Wire Brushes Set**

| Part No. | Ųly | Description |
|----------|-------|-------------|
| WB30 | 1 Set | 3 Piece Set |

1 x Steel (Brush Head W x D): 90 x 20 mm. 2 x Brass (Brush Head W x D): 35 x 10, 90 x 20 mm.







































Emery Rolls - Blue Twill

| Part No. | Length | Width | Grit |
|----------|-----------|-------------------|------|
| WER150 | 25 m Roll | 25 mm (1") | 150 |
| WER80 | 25 m Roll | 25 mm (1") | 80 |
| WER60 | 25 m Roll | 25 mm (1") | 60 |
| WER40 | 25 m Roll | 25 mm (1") | 40 |



Emery Rolls - Blue Twill

| D.00 . | | | | | |
|----------|-----------|-------|------|------|--|
| Part No. | Length | Width | | Grit | |
| WER1 | 50 m Roll | 25 mm | (1") | 150 | |
| WER10 | 50 m Roll | 25 mm | (1") | 120 | |
| WER2 | 50 m Roll | 25 mm | (1") | 80 | |
| WER25 | 50 m Roll | 25 mm | (1") | 60 | |
| WER3 | 50 m Roll | 25 mm | (1") | 40 | |



Emery Rolls - Blue Twill

| Part No. | Length | Width | Grit | |
|----------|-----------|-------------------|------|--|
| WER30 | 50 m Roll | 50 mm (2") | 80 | |
| WED31 | 50 m Poll | 50 mm (2") | 40 | |



50 m Roll

WER4

| - Brown | า ers' Quality | () | - | | |
|----------|-------------------|-------|------|------|--|
| Part No. | Length | Width | | Grit | |
| WER6 | 50 m Roll | 25 mm | (1") | 120 | |

25 mm (1")

80

Emery Rolls
- Brown
(Engineers' Quality)

| (Engineers Quality) | | | | |
|---------------------|-----------|-------|------|------|
| Part No. | Length | Width | | Grit |
| WER7 | 50 m Roll | 50 mm | (2") | 120 |
| WER5 | 50 m Roll | 50 mm | (2") | 80 |



| Part No. | Pack of | Grit | |
|----------|---------|------|--|
| WES1 | 25 | 150 | |
| WES21 | 25 | 120 | |
| WES2 | 25 | 80 | |
| WES31 | 25 | 60 | |
| WES3 | 25 | 40 | |



Production Papers - Aluminium Oxide

Sheet dimensions: 230 x 280 mm (9" x 11").

| Part No. | Pack of | Grit | |
|----------|---------|------|--|
| WPP1 | 25 | 80 | |
| WPP2 | 25 | 60 | |
| WPP3 | 25 | 40 | |



Wet & Dry Papers

Sheet dimensions: 230 x 280 mm (9" x 11").

| Silect diffici | 1310113. 231 | 3 X 200 Hilli (3 X 11). |
|----------------|--------------|--------------------------|
| Part No. | Pack of | Grit |
| WAP7 | 25 | 1200 |
| WAP6 | 25 | 1000 |
| WAP800 | 25 | 800 |
| WAP1 | 25 | 600 |
| WAP2 | 25 | 400 |
| WAP360 | 25 | 360 |
| WAP3 | 25 | 320 |
| WAP240 | 25 | 240 |
| WAP4 | 25 | 180 |
| WAP120 | 25 | 120 |
| WAP5 | 25 | 80 |





























KS TOOLS Sanding Block

Sponge rubber backing, stainless steel clamping clips.

- · For use with emery, wet & dry, sand paper, etc.
- · Very good for working on surfaces
- Moulded handle ensures a comfortable grip

Description Part No. Qty

Sanding Block K515.3095 1



BIBIELLE



| Part No. | Pack of | Ø | Grit | |
|----------|---------|-------------|------|--|
| WSB31 | 10 | 13 x 305 mm | 80 | |
| WSB32 | 10 | 13 x 305 mm | 60 | |
| WSB33 | 10 | 13 x 305 mm | 36 | |
| WSB51 | 10 | 19 x 520 mm | 80 | |
| WSB52 | 10 | 19 x 520 mm | 60 | |
| WSB53 | 10 | 19 x 520 mm | 36 | |







BIBIELLE Flap Wheels

Aluminium oxide cloth. 6 mm shaft.

| Alominion | Muc Cio | ui. O mim Smart. | | |
|---------------|---------|------------------|------|--|
| Part No. | Pack of | Ø x Thickness | Grit | |
| WAF216 | 4 | 25 mm x 10 mm | 60 | |
| WAF218 | 4 | 25 mm x 10 mm | 80 | |
| WAF226 | 4 | 25 mm x 20 mm | 60 | |
| WAF228 | 4 | 25 mm x 20 mm | 80 | |
| WAF424 | 4 | 40 mm x 20 mm | 40 | |
| WAF426 | 4 | 40 mm x 20 mm | 60 | |
| WAF428 | 4 | 40 mm x 20 mm | 80 | |
| WAF434 | 4 | 40 mm x 30 mm | 40 | |
| WAF436 | 4 | 40 mm x 30 mm | 60 | |
| WAF438 | 4 | 40 mm x 30 mm | 80 | |
| WAF524 | 4 | 50 mm x 25 mm | 40 | |
| WAF526 | 4 | 50 mm x 25 mm | 60 | |
| WAF528 | 4 | 50 mm x 25 mm | 80 | |
| WAF624 | 4 | 60 mm x 30 mm | 40 | |
| WAF626 | 4 | 60 mm x 30 mm | 60 | |
| WAF628 | 4 | 60 mm x 30 mm | 80 | |
| WAF854 | 2 | 80 mm x 50 mm | 40 | |
| WAF856 | 2 | 80 mm x 50 mm | 60 | |
| WAF858 | 2 | 80 mm x 50 mm | 80 | |
| | | | | |

Sanding Block - Dense Red Rubber

Dense rubber sanding block fitted with slots to attach the abrasive paper.

· Can be used with wet or dry sanding

Size

Part No. Qty WSD102 70 x 125 mm 1



Sanding Kit - Curved Blocks Includes both concave and convex adaptors. Takes standard 150 mm diameter hook and loop abrasive discs. Supplied in a robust storage case.

- · Ideal for body contours and excellent for wheel arches, wings.
- · Teardrop sander included, great for sanding grooves.

Part No. Description **WSD100** 6 Piece Set Sanding Kit

Kit contains: 1 x Sanding wedge. 5 x Sanding blocks: Various shapes.



Sanding Block - Hook & Loop

Soft foam hand sanding block with a hook and loop backing. Takes standard 150 mm diameter hook and loop abrasive discs.

Part No. WSD101 150 mm Ø Discs





Hook and loop fitting.
Dust extraction outlet 19 mm (external), supplied with 2 adaptors to allow a wide range of extraction systems to be connected (Adaptors: 25 mm and 28 mm).

Dust extraction facility that can be coupled to a central vacuum unit for dust free sanding.

· Multiple hole configurations to accept a wide range of manufacturers abrasive sheets.

Part No. Qty WSD103 1 70 x 420 mm



































ISO 15636

| Part No. | Qty | Diameter | Size x Pitch | Max RPM |
|----------|-----|----------|---------------|---------|
| WSD61 | 1 | 90 mm | M10 x 1.50 mm | 15,300 |
| WSD62 | 1 | 102 mm | M14 x 2.00 mm | 13,300 |
| WSD63 | 1 | 178 mm | M14 x 2.00 mm | 8,600 |



Sanding Discs - Fibre-Backed

| Vulcanised. | | | | | |
|-------------|---------|--------|----------|------|--|
| Part No. | Pack of | Ø | | Grit | |
| WSD1 | 25 | 100 mm | (4") | 50 | |
| WSD2 | 25 | 100 mm | (4") | 36 | |
| WSD3 | 25 | 100 mm | (4") | 24 | |
| WSD31 | 25 | 115 mm | (4 1/2") | 50 | |
| WSD32 | 25 | 115 mm | (4 1/2") | 36 | |
| WSD33 | 25 | 115 mm | (4 1/2") | 24 | |
| WSD34 | 25 | 180 mm | (7") | 50 | |
| WSD35 | 25 | 180 mm | (7") | 36 | |
| WSD36 | 25 | 180 mm | (7") | 24 | |



Sanding Discs - Self-Adhesive

150 mm (6") Ø

| Part No. | Pack of | Ø | | Grit | |
|----------|---------|--------|------|------|--|
| WSD7 | 100 | 150 mm | (6") | 320 | |
| WSD8 | 100 | 150 mm | (6") | 180 | |
| WSD81 | 100 | 150 mm | (6") | 120 | |
| WSD9 | 100 | 150 mm | (6") | 80 | |
| WSD91 | 100 | 150 mm | (6") | 40 | |



Part No. Description E1 Dioco Cot

| AP70 | 51 Piece Set |
|------------------------|---|
| 10 x 50 mm (2") Discs: | 50, 120, 240, 320, 400 Grit. 1 x Backing Pad: 50 mm (2"). |



Part No. Qty **WSD60** 150 mm M14 x 2.00 mm



| Part No. | Pack of | Ø | | Grit | |
|----------|---------|--------|------|------|--|
| WSD41 | 100 | 150 mm | (6") | 120 | |
| WSD42 | 100 | 150 mm | (6") | 80 | |
| WSD43 | 100 | 150 mm | (6") | 60 | |
| WSD44 | 100 | 150 mm | (6") | 40 | |




| 11160 14 | | | | |
|-----------------|------|-------|------|-----|
| WSD51 10 | 00 1 | 50 mm | (6") | 240 |
| WSD52 10 | 00 1 | 50 mm | (6") | 180 |



| Part No. | Pack of | Ø | | Grit | |
|----------|---------|-------|------|------|--|
| WSD70 | 10 | 50 mm | (2") | 60 | |
| WSD71 | 10 | 50 mm | (2") | 120 | |
| WSD72 | 10 | 50 mm | (2") | 240 | |
| WSD73 | 10 | 50 mm | (2") | 320 | |
| WSD74 | 10 | 50 mm | (2") | 400 | |







000

9



BIBIELLE Quick Change 'R' Holders

Medium (80 SHA) hardness.

| Part No. | Qty | Diameter | Shaft Ø | |
|----------|-----|------------|---------|--|
| WQD51 | 1 | 51 mm (2") | 6 mm | |
| WQD76 | 1 | 76 mm (3") | 6 mm | |





BIBIELLE Quick Change 'R' Aluminium Oxide Discs

Max RPM: 25,000 (51 mm) & 20,000 (76 mm). Y-weight backing.

• Work surfaces: Standard steel and non-ferrous materials.

| Part No. | Pack of | Diameter | Grit |
|---------------|---------|------------|------|
| WQD112 | 10 | 51 mm (2") | 120 |
| WQD108 | 10 | 51 mm (2") | 80 |
| WQD106 | 10 | 51 mm (2") | 60 |
| WQD103 | 10 | 51 mm (2") | 36 |
| WQD122 | 10 | 76 mm (3") | 120 |
| WQD118 | 10 | 76 mm (3") | 80 |
| WQD116 | 10 | 76 mm (3") | 60 |
| WOD113 | 10 | 76 mm (3") | 36 |





BIBIELLE Quick Change 'R' High Performance Zirconium Discs

Max RPM: 25,000 (51 mm) & 20,000 (76 mm). Y-weight backing.

Work surfaces: Standard steel, alloyed steel and non-ferrous materials.

| Part No. | Pack of | Diameter | Grit |
|---------------|---------|------------|------|
| WQD132 | 10 | 51 mm (2") | 120 |
| WQD128 | 10 | 51 mm (2") | 80 |
| WQD126 | 10 | 51 mm (2") | 60 |
| WQD123 | 10 | 51 mm (2") | 36 |
| WQD142 | 10 | 76 mm (3") | 120 |
| WQD138 | 10 | 76 mm (3") | 80 |
| WQD136 | 10 | 76 mm (3") | 60 |
| WQD133 | 10 | 76 mm (3") | 36 |



BIBIELLE Quick Change 'R' Surface Strip-It Discs

Rigid material with faster cuts and longer life. Leaves a cleaning manageable surface to work on.

Applications: Clearing welds, removing corrosion, rust, scale and paints.

| Part No. | Pack of | Diameter | Max RPM | | | |
|----------|---------|------------|---------|--|--|--|
| WQD170 | 2 | 51 mm (2") | 10,500 | | | |
| WOD171 | 2 | 76 mm (3") | 7,000 | | | |



BIBIELLE Quick Change 'R' Surface Conditioning Discs

Max RPM: 22,100 (51 mm) & 15,100 (76 mm).

Applications: deburring, cleaning, blending, finishing and polishing of a wide range of parts

 Suitable work surfaces: Any kind of metal (stainless steel, titanium, aluminium, alloys), plastic and composite

| Part No. | Pack of | Diameter | Grade | Colour |
|---------------|---------|------------|--------|--------|
| WQD152 | 10 | 51 mm (2") | Fine | Blue |
| WQD151 | 10 | 51 mm (2") | Medium | Red |
| WQD150 | 10 | 51 mm (2") | Coarse | Brown |
| WQD162 | 10 | 76 mm (3") | Fine | Blue |
| WQD161 | 10 | 76 mm (3") | Medium | Red |
| WQD160 | 10 | 76 mm (3") | Course | Brown |





M12

| diass backet | did33 backed. Extra codi 3c. | | | | | | |
|--------------|------------------------------|--------|----------|-----------|--|--|--|
| Part No. | Pack of | 0.D. | | Thickness | | | |
| WB304 | 2 | 100 mm | (4") | 16 mm | | | |
| WB3045 | 2 | 115 mm | (4 1/2") | 22 mm | | | |

8 mm

WB812



000





Compliant with EN 13743. For mild steel, stainless steel.

- For surface grinding on steel and stainless steel.
- · No clogging up.
- · Good grinding capacity.

| Part No. | Pack o | of O.D. x Hole Ø | | Grit | Mx RPM |
|----------|--------|------------------|----------------|------|--------|
| DFD1110 | 2 | 4 1/2" | 115 x 22.23 mm | 120 | 13,280 |
| DFD118 | 2 | 4 1/2" | 115 x 22.23 mm | 80 | 13,280 |
| DFD116 | 2 | 4 1/2" | 115 x 22.23 mm | 60 | 13,280 |
| DFD116B | 10 | 4 1/2" | 115 x 22.23 mm | 60 | 13,280 |
| DFD114 | 2 | 4 1/2" | 115 x 22.23 mm | 40 | 13,280 |
| DFD114A | 5 | 4 1/2" | 115 x 22.23 mm | 40 | 13,280 |
| DFD1210 | 2 | 5" | 125 x 22.23 mm | 120 | 12,200 |
| DFD128 | 2 | 5" | 125 x 22.23 mm | 80 | 12,200 |
| DFD126 | 2 | 5" | 125 x 22.23 mm | 60 | 12,200 |
| DFD124 | 2 | 5" | 125 x 22.23 mm | 40 | 12,200 |





























All DRONCO product labels will be rebranded under a new OSBORN design. The new designs will include clear user friendly information and pictograms whilst retaining the renowned DRONCO professional performance.







BIBIELLE Zirconium Flap Discs

Fibreglass backing.

For deburring, removing welding seams and spots, removing scale, rust and oxidation of any kind, blunting sharp corners and edges.

| Part No. | Pack of | O.D. x Hole Ø | | Grit | Max RPM |
|----------|---------|---------------|----------------|------|---------|
| WAF108 | 4 | 4" | 100 x 16 mm | 80 | 15,150 |
| WAF106 | 4 | 4" | 100 x 16 mm | 60 | 15,150 |
| WAF104 | 4 | 4" | 100 x 16 mm | 40 | 15,150 |
| WAF118 | 4 | 4 1/2" | 115 x 22.23 mm | 80 | 13,300 |
| WAF116 | 4 | 4 1/2" | 115 x 22.23 mm | 60 | 13,300 |
| WAF114 | 4 | 4 1/2" | 115 x 22.23 mm | 40 | 13,300 |



OSBORN Polishing Flap Discs

For use with angle grinders. Compliant with EN 13743. Professionally de-rust and descale. Effective on stainless steel, steel, aluminium and non-ferrous metals.

| Part No. | Pack of | 0.D. | O.D. x Hole Ø | Grade Colour |
|----------|---------|--------|----------------|--------------|
| DPD13 | 2 | 4 1/2" | 115 x 22.23 mm | Fine Blue |
| DPD12 | 2 | 4 1/2" | 115 x 22.23 mm | Medium Red |
| DPD11 | 2 | 4 1/2" | 115 x 22.23 mm | Coarse Brown |



OSBORN Polishing Flap Discs

For use with angle grinders. Compliant with EN 13743. Professionally de-rust and descale. Effective on stainless steel, steel, aluminium and non-ferrous metals.

Part No. Description

Assorted Pack of 3

1 x Coarse, 1 x Medium, 1 x Fine.





OSBORN Polishing Wheels

Soft fleece resin bonded on rigid plastic backing. For use with angle grinders. Suitable for corners, angles, U-profiles, on rounded or flat surfaces. Suitable for use on stainless steel, steel, aluminium and non-ferrous metals.

| Part No. | Qty | 0.D. | O.D. x Hole Ø | Grade |
|----------|-----|--------|----------------|--------|
| DPW21 | 1 | 4 1/2" | 115 x 22.23 mm | Fine |
| DPW22 | 1 | 4 1/2" | 115 x 22.23 mm | Medium |
| DPW31 | 1 | 5" | 125 x 22.23 mm | Fine |
| DPW32 | 1 | 5" | 125 x 22.23 mm | Medium |



| with | Velour | Backing c/ | w Backing Pad |
|---------|--------|-------------|---------------|
| Part No | Otv | Description | |

| 1165 | 1 500 | 71100 | COCL | | |
|---------------------|----------------|-----------|----------------|----------------|---------------|
| 3 x 75 mm (3") Bu | offing Pads: L | ambs wool | , sponge pad (| white), sponge | oad (yellow). |
| A De date a De d. T | 7E (OIII) | | | | |

1 x Backing Pad: 75 mm (3")



Fibreglass backing. Flaps are made of high quality special felt. Use for buffing and polishing components.

· Provides a mirror finish.

| Part No. | Pack of | 0.D. | O.D. x Thickness x Hole | Max RPM |
|----------|---------|--------|-------------------------|---------|
| DPD14 | 2 | 4 1/2" | 115 x 1.0 x 22.23 mm | 4,500 |





KS TOOLS Rubber Eraser Pad

(Toffee/Carmel Wheel). M8 shaft, for use in drills and cordless power tools (NOT suitable for air sanders).

For complete and careful removal of pinstripes and adhesive wheel balance stickers on high value alloy wheels

The neutral coloured rubber eraser pad ensures optimal results and prevents surface smudging

| Part No. | Qty | Ø x Width | Max RPM |
|-----------|-----|---------------|---------|
| K515.1243 | 1 | 90 mm x 15 mm | 2.000 |





Compounding Pad - European Foam

Size (Thickness x Dia): 50 x 150 mm. Thread: M14. Speed rating: 2.600 RPM.

| Part No. | Qty | Colour | Туре |
|----------|-----|--------|-------------|
| WSD110 | 1 | White | Hard |
| WSD111 | 1 | Black | Soft/Medium |





































Cut-off Wheels

Resinoid. Double reinforced for safe operation at high speed. One mandrel for all sizes. For cut-off or slotting hard or ferrous metals. Use with high speed air guns (for best results and prolonged wheel life), 1/4" chuck or larger, or with electric drills and grinders.

| Part No. | Pack of | O.D. x Thick x Hole Ø | Max RPM |
|----------|---------|-----------------------|-------------------------|
| WCD23 | 5 | 3" x 1/32" x 3/8" | 76 x 0.8 x 10 mm 20,372 |
| WCD24 | 5 | 3" x 1/16" x 3/8" | 76 x 1.6 x 10 mm 20,372 |





OSBORN 'Special' Mini Metal Cutting Discs

Compliant with EN 12413. Small cutting disc for pneumatic grinders. Perfect for thin sheet steel.

Good performance on construction steel, tool steel and high speed steel.

| Part No. | Pack of | O.D. x Thickness | O.D. x Thickness x Hole Ø | Max RPM |
|----------|---------|------------------|---------------------------|---------|
| DCD23 | 10 | 3" x 3/64" | 76 x 1.2 x 10 mm | 20,100 |
| DCD24 | 10 | 3" x 5/64" | 76 x 2.0 x 10 mm | 20,100 |





BIBIELLE 1.0 mm Thin Cut-off **Flat Metal Cutting Discs**

Applications: Cutting sheet metals, pipes, box beams, sections and solid metal structures, bodyworks. Work surfaces: Standard steel, iron.

| Part No. | Pack of | 0.D. | O.D. x Thick x Hole Ø | Max RPM |
|----------|---------|------|-----------------------|---------|
| WCD50 | 5 | 3" | 76 x 1.0 x 10.0 mm | 20,000 |



3 Pc Kit Mandrel Kit





Workshop Warehouse
1 mm Thin Flat Cutting Disc

Manufactured in Europe. Compliant with EN 12413. Free from Fe, S or Cl. Designed specifically for special cutting applications where speed, efficiency and accuracy are all important. Typical applications: Cutting stainless steel, construction steel.

| Part No. | Pack of | 0.D. | O.D. x Thickness x Hole | Max RPM |
|-----------|---------|--------|-------------------------|---------|
| WCD145/25 | 25 | 4 1/2" | 115 x 1.0 x 22.23 mm | 13,200 |

osborn







OSBORN '1 mm Inox Special' Flat Metal Cutting Discs

Compliant with EN 12413. Extremely fast cutting with minimum effort required. Precision cutting accurate to the millimetre. Low-burr giving burr-free edges. Ideal for sheet metal, steel cable, thin-walled profile sections, pipes of stainless steel and non-ferrous metals and composite materials (FRP).

| Part No. | Pack of | 0.D. | O.D. x Thickness x Hole Ø | Max RPM |
|----------|---------|--------|---------------------------|---------|
| DCD51 | 5 | 4 1/2" | 115 x 1.0 x 22.23 mm | 13,280 |
| DCD51B | 25 | 4 1/2" | 115 x 1.0 x 22.23 mm | 13,280 |
| DCD52 | 5 | 5" | 125 x 1.0 x 22.23 mm | 12,200 |
| DCD52B | 25 | 5" | 125 x 1.0 x 22.23 mm | 12,200 |

osborn^{*}





OSBORN '1 mm Inox Special' Flat Metal Cutting Discs In 'Lifetime-Plus' Tins

Compliant with EN 12413. Extremely fast cutting with minimum effort required. Precision cutting accurate to the millimetre. Low-burr giving burr-free edges. Extreme cutting power and speed with ultra-long life for more cuts. Ideal for sheet metal, steel cable, thin-walled profile sections, pipes of stainless steel and non-ferrous metals and composite materials (FRP).

- · Over 30% more service-life of cutting discs from a freshly opened 'Lifetime-Plus' pack!
- The "fresh from the oven" discs ensure to put all their power onto the machine.

| Part No. | Ųty | U.D. | U.D. X I NICKNESS X HOIE | Max RPM |
|----------|-----------------|--------|--------------------------|---------|
| DCLP51 | Tin of 10 Discs | 4 1/2" | 115 x 1.0 x 22.23 mm | 13,280 |
| DCLP52 | Tin of 10 Discs | 5" | 125 x 1.0 x 22.23 mm | 12,200 |
| | | | | |

WCD26

000

osborn



OSBORN
'Jubilee 1 mm'
High Performance Edition
Cutting Discs

Supplied in a 'lifetime-plus' vacuum sealed tin.
Extremely fast cutting with minimum effort required.
Precision cutting accurate to the millimetre. Ideal for thin sheets, steel ropes, thin-walled profiles and pipes made of steel or stainless steel. Compliant with EN12413.

| Part No. | Qty | 0.D. | O.D. x Thickness x Hole | Max RPM |
|----------|-----------------|--------|-------------------------|---------|
| DCLP70 | Tin of 10 Discs | 4 1/2" | 115 x 1.0 x 22.23 mm | 13,280 |
| DCLP71 | Tin of 10 Discs | 5" | 125 x 1.0 x 22.23 mm | 12,200 |





BIBIELLE 1.0 mm Thin Flat Metal Cutting Discs

Applications: Cutting sheet metals, pipes, box beams, sections and solid metal structures, bodyworks. Work surfaces: Standard steel, iron.

| Part No. | Pack of | 0.D. | O.D. x Thick x Hole Ø | Max RPM |
|----------|---------|--------|-----------------------|---------|
| WCD51 | 5 | 4 1/2" | 115 x 1.0 x 22.2 mm | 13,300 |
| WCD52 | 5 | 5" | 125 x 1.0 x 22.2 mm | 12.200 |





BIBIELLE 1.2 mm Thin Flat Metal Cutting Discs

Dack of O.D.

Applications: Cutting sheet metals, pipes, box beams, sections and solid metal structures, bodyworks. Work surfaces: Standard steel, iron.

| Part No. | Packui | U.D. | U.D. X THICK X HOLE B | Max RPM |
|----------|--------|--------|-----------------------|---------|
| WCD81 | 5 | 4 1/2" | 115 x 1.2 x 22.2 mm | 13,300 |
| WCD81B | 50 | 4 1/2" | 115 x 1.2 x 22.2 mm | 13,300 |
| WCD83 | 5 | 5" | 125 x 1.2 x 22.2 mm | 12,200 |

O D v Thick v Holo Ø

osborn





OSBORN '1.6 mm Inox Special' Flat Metal Cutting Discs

Compliant with EN 12413.
For normal steel and stainless steel, particularly suitable for sheet metal and thin-walled profiles. High cutting speed. Long service life, hardly any burring. The standard disc used in tank farms and in tank construction.

| Part No. | Pack of | O.D. | O.D. x Thickness x Hole Ø | Max RPM |
|----------|---------|--------|---------------------------|---------|
| DCD56 | 5 | 4 1/2" | 115 x 1.6 x 22.23 mm | 13,280 |
| DCD56B | 25 | 4 1/2" | 115 x 1.6 x 22.23 mm | 13,280 |





BIBIELLE 2.5 mm Thin Flat Metal Cutting Discs

Applications: Cutting sheet metals, pipes, box beams, sections and solid metal structures, Work surfaces: Standard steel, iron.

| Part No. | Pack of | 0.D. | O.D. x Thick x Hole Ø | Max RPM |
|----------|---------|--------|-----------------------|---------|
| WCD71 | 5 | 4" | 100 x 2.5 x 16.0 mm | 15,200 |
| WCD73 | 5 | 4 1/2" | 115 x 2.5 x 22.2 mm | 13,300 |
| WCD79 | 5 | 9" | 230 x 2.5 x 22.2 mm | 6,600 |





OSBORN 'Perfect' Flat Metal Cutting Discs

Compliant with EN 12413.

All-purpose disc. suitable for cutting all types of metal. Good service life

| The porpose dise, solidate for cotting an types of metal. Good ser vice me. | | | | |
|---|---------|--------|--|---------|
| Part No. | Pack of | 0.D. | O.D. x Thickness x Hole Ø | Max RPM |
| DCD31 | 5 | 4" | 100 x 3.0 x 16.00 mm | 15,250 |
| DCD33 | 5 | 4 1/2" | 115 x 3.0 x 22.23 mm | 13,280 |
| DCD35 | 5 | 5" | 125 x 3.0 x 22.23 mm | 12,200 |
| DCD37 | 5 | 7" | 180 x 3.0 x 22.23 mm | 8,600 |
| DCD39 | 5 | 9" | 230 x 3.0 x 22.23 mm | 6,600 |
| DCD45 | 2 | 12" | 300 x 3.5 x 20.00 mm | 5,100 |
| DCD46 | 2 | 14" | 356 x 3.0 x 25.40 mm (Chop Saw Wheel) | 4,400 |





























workshop warehouse



Workshop Warehouse 3 mm Cutting Disc - Depressed Centre

Manufactured in Europe. Compliant with EN 12413. Suitable for cutting all metals.

| Part No. | Pack of | 0.D. | O.D. x Thickness x Hole | Max RPM |
|-----------|---------|--------|-------------------------|---------|
| WCD345/25 | 25 | 4 1/2" | 115 x 3.0 x 22.23 mm | 13.200 |





BIBIELLE Metal Cutting Discs Depressed Centre

Applications: Cutting sheet metals, pipes, box beams, sections and solid metal structures, Work surfaces: Standard steel, iron.

| Part No. | Pack of | Ø | O.D. x Thick x Hole Ø | Max RPM |
|----------|---------|--------|-----------------------|---------|
| WCD61 | 5 | 4" | 100 x 3.0 x 16.0 mm | 15,200 |
| WCD61B | 50 | 4" | 100 x 3.0 x 16.0 mm | 15,200 |
| WCD63 | 5 | 4 1/2" | 115 x 3.0 x 22.2 mm | 13,300 |
| WCD63B | 50 | 4 1/2" | 115 x 3.0 x 22.2 mm | 13,300 |
| WCD65 | 5 | 5" | 125 x 3.0 x 22.2 mm | 12,200 |
| WCD67 | 5 | 7" | 180 x 3.0 x 22.2 mm | 8,500 |
| WCD69 | 5 | 9" | 230 x 3.0 x 22.2 mm | 6,600 |
| WCD69B | 25 | 9" | 230 x 3.0 x 22.2 mm | 6,600 |

DRONCO Are Rebranding To osborn

All DRONCO product labels will be rebranded under a new OSBORN design. The new designs will include clear user friendly information and pictograms whilst retaining the renowned DRONCO professional performance.







OSBORN 'Perfect' Metal Cutting Discs - Depressed Centre

Compliant with EN 12413. All-purpose disc, suitable for cutting all types of metal. Good service life.

| Part No. | Pack of | 0.D. | O.D. x Thickness x Hole Ø | Max RPM |
|----------|---------|--------|---------------------------|---------|
| DCD1 | 5 | 4" | 100 x 3.0 x 16.00 mm | 15,250 |
| DCD1B | 25 | 4" | 100 x 3.0 x 16.00 mm | 15,250 |
| DCD3 | 5 | 4 1/2" | 115 x 3.0 x 22.23 mm | 13,280 |
| DCD3B | 25 | 4 1/2" | 115 x 3.0 x 22.23 mm | 13,280 |
| DCD5 | 5 | 5" | 125 x 3.0 x 22.23 mm | 12,200 |
| DCD7 | 5 | 7" | 180 x 3.0 x 22.23 mm | 8,600 |

230 x 3.0 x 22.23 mm

230 x 3.0 x 22.23 mm

osborn

5

25

9"

9"

DCD9

DCD9B





6,600

6.600



OSBORN 'Inox Special' Cut+Grind Discs - Depressed Centre

Compliant with EN 12413. Multipurpose disc for cutting and grinding. Suitable for thin and thick walled profiles and solid materials.

| Part No. | Pack of | 0.D. | O.D. x Thickness x Hole Ø | Max RPM |
|----------|---------|--------|---------------------------|---------|
| DCG1 | 5 | 4 1/2" | 115 x 2.5 x 22.23 mm | 13,280 |
| DCG1B | 25 | 4 1/2" | 115 x 2.5 x 22.23 mm | 13,280 |



























workshop warehouse



Workshop Warehouse 6 mm Grinding Disc - Depressed Centre

Manufactured in Europe. Compliant with EN 12413. Suitable for all grinding applications on all metals.

| Part No. | Pack of | 0.D. | O.D. x Thickness x Hole | Max RPM |
|-----------|---------|--------|-------------------------|---------|
| WGD645/25 | 25 | 4 1/2" | 115 x 6.0 x 22.23 mm | 13,200 |





BIBIELLE Metal Grinding Discs - Depressed Centre

Designed for removing any metal material rapidly and efficiently. Applications: Deburring, removing welding seams, working sharp edges.

| Part No. | Pack of | 0.D. | O.D. x Thick x Hole Ø | Max RPM |
|----------|---------|--------|-----------------------|---------|
| WCD62 | 5 | 4" | 100 x 6.5 x 16.0 mm | 15,200 |
| WCD62B | 50 | 4" | 100 x 6.5 x 16.0 mm | 15,200 |
| WCD64 | 5 | 4 1/2" | 115 x 6.5 x 22.2 mm | 13,300 |
| WCD64B | 50 | 4 1/2" | 115 x 6.5 x 22.2 mm | 13,300 |
| WCD66 | 5 | 5" | 125 x 6.5 x 22.2 mm | 12,200 |
| WCD68 | 5 | 7" | 178 x 6.5 x 22.2 mm | 8,500 |
| WCD70 | 5 | 9" | 230 x 6.5 x 22.2 mm | 6,600 |
| | | | | |



Compatible with 115 mm angle grinders. Max speed: 19,000 RPM. The SafeSaw System universal cutting blade will cut through most materials, including: Wood and wood with nails, aluminium, steel and iron up to 8 mm thick. Ideal for exhausts, studding and steel panels.

| Part No. | Qty | Description | | |
|---|-------|--------------------------------|--|--|
| TL615 | 1 Set | SafeSaw System Set | | |
| TL616 | 1 | Replacement 115 mm Steel Blade | | |
| 1 x Safety Guard. 1 x Arbour Kit. 1 x Spanner. 1 x Steel Blade: 115 mm x 25.4 mm. | | | | |

DRONCO



DRONCO 'Perfect' Metal Grinding Discs - Depressed Centre

Compliant with EN 12413.

For all types of metal, primarily sheet steel, construction steel and welding seams. Hard, all-purpose disc with a good service life.

| Part No. | Pack of | 0.D. | O.D. x Thickness x Hole Ø | Max RPM |
|----------|---------|--------|---------------------------|---------|
| DGD2 | 10 | 4" | 100 x 6.0 x 16.00 mm | 15,250 |
| DGD4 | 10 | 4 1/2" | 115 x 6.0 x 22.23 mm | 13,280 |
| DGD6 | 10 | 5" | 125 x 6.0 x 22.23 mm | 12,200 |
| DGD8 | 5 | 7" | 180 x 6.0 x 22.23 mm | 8,600 |
| DGD10 | 5 | 9" | 230 x 6.0 x 22.23 mm | 6,600 |
| | | | | |





....

DRONCO 'Quality ST 7' Diamond Cutting Discs

Sintered, segmented diamond cutting disc. Compliant with EN 13236. Dry cutting. C 3 shape 7 mm segments.

Suitable for cutting all kind of construction site materials:

 Porous Concrete. · Concrete. · Brick.

• Sand-lime Stone. • Lime Stone.

· Concrete Roofing Tiles.

Sand Stone

| Juliu J | | | | | |
|----------|-----|--------|---------------------------|------------------|--|
| Part No. | Qty | 0.D. | O.D. x Thickness x Hole Ø | Segments Max RPM | |
| DDB1 | 1 | 4 1/2" | 115 x 2.0 x 22.23 mm | 9 13,280 | |
| DDB2 | 1 | 5" | 125 x 2.0 x 22.23 mm | 9 12,200 | |
| DDB3 | 1 | 7" | 180 x 2.2 x 22.23 mm | 14 8,600 | |
| DDB4 | 1 | 9" | 230 x 2.4 x 22.23 mm | 18 6,600 | |
| DDB5 | 1 | 12" | 300 x 3.2 x 20.00 mm | 18 6,400 | |
| DDB6 | 1 | 12" | 300 x 3.2 x 22.23 mm | 22 6,400 | |
| DDB7 | 1 | 14" | 350 x 3.2 x 25.40 mm | 24 5,500 | |
| | | | | | |



































BAHCO Engineers' File Set

Complete with handles. Black finish heads. Supplied with roll-up plastic wallet & tie.

| Part No. | Qty | Length | | |
|---|-------------|--------|----------|--|
| TB47808 | 5 Piece Set | 8" | (200 mm) | |
| 4 x Bastard Cut: Hand, Square, Half-round, Round. 1 x Second Cut: Hand. | | | | |





BAHCO Engineers' File Set

Complete with handles. Black finish heads. Supplied with roll-up plastic wallet & tie.

| Part No. | Qty | Length | | | |
|--|-------------|--------|----------|--|--|
| TB47810 | 5 Piece Set | 10" | (250 mm) | | |
| 4 x Bastard Cut: Hand, Square, Half-round, Round. 1 x Bastard Cut: Hand. | | | | | |



LASER Precision Needle File Set

Supplied in a storage wallet.

- Precision hardened and tempered files.
- Interchangeable soft grip handle.
- File lengths: 120 mm.

| of the terigui. | J. 120 IIII | 11. | |
|-------------------|---------------|---------------------------------|--|
| Part No. | Qty | Description | |
| TL7112 | 1 Set | 13 Piece Set | |
| 12 x Needle files | : Various typ | es. 1 x Interchangeable handle. | |




Wooden.

 Part No.
 Pack of

 TL784
 10 Pieces

 3 x For Files: 6", 10". 4 x For Files: 8".



File Set

WITHOUT handles. BS 498. Suppled in a telescopic plastic box.

| Part No. | Qty | Description | | |
|--|-------|-------------|--|--|
| TL751 | 1 Set | 8 Piece Set | | |
| 4 x Bastard Cut: Hand 10", Half-round 10", Round 10", Square 8". 4 x Serond Cut: Hand 8" Half-round 8" Round 6" Three-square 8 | | | | |





File Set - Second Cut

Complete with detachable ABS handles. BS 498. Supplied in a wallet.

| Part No. | Qty | Description |
|------------------|------------|---------------------|
| TL766 | 1 Set | 4 Piece Set |
| 2 x Hand: 8" 1 x | Half-Round | 8". 1 x Round: 8" . |



Parts Cleaning Brush

Taper cut 64 mm pure bristles. Can be used in all parts cleaning solvents.

| Part No. | Qty | Length | | |
|----------|-----|--------|-------|--|
| TNH266C | 1 | 260 mm | (10") | |



0









ALPEN Rotary Burr - Oval

Tungsten carbide. No. 6 Cut (Universal). For soft and hard metals (weld seams). Supplied in a plastic storage box.

| Part No. | Qty | Head Ø | Length | Shaft Ø | |
|----------|-----|--------|--------|---------|--|
| DB22 | 1 | 6 mm | 61 mm | 6 mm | |
| DB23 | 1 | 8 mm | 61 mm | 6 mm | |
| DB4 | 1 | 10 mm | 61 mm | 6 mm | |
| DB24 | 1 | 12 mm | 61 mm | 6 mm | |







ALPEN Rotary Burr - Arc Round Nose

Tungsten carbide. No. 6 Cut (Universal). For soft and hard metals (weld seams). Supplied in a plastic storage box.

| Part No. | Qty | Head Ø | Length | Shaft Ø | |
|----------|-----|--------|--------|---------|--|
| DB19 | 1 | 6 mm | 65 mm | 6 mm | |
| DB20 | 1 | 8 mm | 65 mm | 6 mm | |
| DB5 | 1 | 10 mm | 65 mm | 6 mm | |
| DB21 | 1 | 12 mm | 65 mm | 6 mm | |







ALPEN Rotary Burr - Arc Pointed Nose (Tree)

Tungsten carbide. No. 6 Cut (Universal). For soft and hard metals (weld seams). Supplied in a plastic storage box.

| Part No. | Qty | Head Ø | Length | Shaft Ø | |
|----------|-----|--------|--------|---------|--|
| DB16 | 1 | 6 mm | 65 mm | 6 mm | |
| DB17 | 1 | 8 mm | 65 mm | 6 mm | |
| DB3 | 1 | 10 mm | 65 mm | 6 mm | |
| DB18 | 1 | 12 mm | 65 mm | 6 mm | |







ALPEN Rotary Burr - Ball Nose

Tungsten carbide. No. 6 Cut (Universal). For soft and hard metals (weld seams). Supplied in a plastic storage box.

| Part No. | Qty | Head Ø | Length | Shaft Ø | |
|----------|-----|--------|--------|---------|--|
| DB10 | 1 | 6 mm | 65 mm | 6 mm | |
| DB11 | 1 | 8 mm | 65 mm | 6 mm | |
| DB2 | 1 | 10 mm | 65 mm | 6 mm | |
| DB12 | 1 | 12 mm | 65 mm | 6 mm | |





ALPEN Rotary Burr Set

Tungsten carbide. No. 6 Cut (Universal). For soft and hard metals (weld seams). Supplied in a plastic storage box.

| Part No. | Qty | Description | Head Ø | |
|----------------|------------------|-------------|--------|--|
| DBK3 | 1 Set | 3 Piece Set | 10 mm | |
| 1 v Cylindrics | I with front cut | | | |

x Cylindrical with front cut. 1 x Arc pointed nose.

1 x Ball nose.





ALPEN Rotary Burr - Cylindrical, Front End Cut
Tungsten carbide. No. 6 Cut (Universal).
For soft and hard metals (weld seams). Supplied in a plastic storage box.

| DB7 1 6 mm 65 mm 6 mm DB8 1 8 mm 65 mm 6 mm | Shaft Ø | Length | Head Ø | Qty | Part No. |
|---|---------|--------|--------|-----|----------|
| DB8 1 8 mm 65 mm 6 mm | 6 mm | 65 mm | 6 mm | 1 | DB7 |
| | 6 mm | 65 mm | 8 mm | 1 | DB8 |
| DB1 1 10 mm 65 mm 6 mm | 6 mm | 65 mm | 10 mm | 1 | DB1 |
| DB9 1 12 mm 65 mm 6 mm | 6 mm | 65 mm | 12 mm | 1 | DB9 |







ALPEN Rotary Burr - Conical Ball Nose

Tungsten carbide. No. 6 Cut (Universal).

For soft and hard metals (weld seams). Supplied in a plastic storage box.

| Part No. | Qty | Head Ø | Length | Shaft Ø | |
|----------|-----|--------|--------|---------|--|
| DB13 | 1 | 6 mm | 65 mm | 6 mm | |
| DB14 | 1 | 8 mm | 65 mm | 6 mm | |
| DB6 | 1 | 10 mm | 65 mm | 6 mm | |
| DB15 | 1 | 12 mm | 65 mm | 6 mm | |































- Lubricant Aerosols 500ml

A selection of our fastest moving lubricant aerosols, including the No. 1 selling Universal Maintenance Lubricant used for a multitude of lubricating and maintenance applications.

Part No. Qty

SASL Set of 6

6 x 500ml Aerosols: White Grease with PTFE, Clear Grease, Silicone Spray, Chain & Cable Lube, Copper Grease, Universal Maintenance Lubricant.





- Cleaning Aerosols 500ml

A selection of popular cleaning aerosols, plus the No. 1 selling Universal Maintenance Lubricant which can be used for a wide range of everyday cleaning applications.

No. Q

SASC Set of 6

6 x 500ml Aerosols: Brake Cleaner, Throttle Body Cleaner, Electrical Cleaner, Label & Gum Remover, Leak Detector, Universal Maintenance Lubricant.























موو







S·A·S Assorted Pack
- Valeting Aerosols 500ml

A selection of professional quality valeting aerosols, providing a clean finish for all vehicles. Plus the No.1 selling Universal Maintenance Lubricant, ideal for everyday maintenance applications.

Part No. Qty

SASV Set of 6

6 x 500ml Aerosols: Glass Cleaner, Cockpit Spray, Tyre Foam, Multi Purpose Foam Cleaner, Air Duster, Universal Maintenance Lubricant.

SAS



S·A·S Assorted Pack
- Paint Aerosols 500ml

A selection of top quality paint aerosols, providing a professional finish each and every time. Plus the No. 1 selling Universal Maintenance Lubricant, ideal for everyday maintenance applications.

Part No. Qty

SASP Set of 6

6 x 500ml Aerosols: Zinc Spray, Satin Black Paint, Silver Paint, Grey Primer, Red Oxide Primer, Universal Maintenance Lubricant.

တွ

Contents

DORMER 'A100' HSS Jobber Twist Drills - Metric

Steam tempered, 118° point angle, DIN 338.

DORMER

| Steam temp | | 18° point an | igie. Din 338. |
|---------------|---------|--------------|----------------|
| Part No. | Pack of | Ø | Length |
| DHM1 | 10 | 1 mm | 34 mm |
| DHM1.5 | 10 | 1.5 mm | 40 mm |
| DHM2 | 10 | 2 mm | 49 mm |
| DHM2.5 | 10 | 2.5 mm | 57 mm |
| DHM3 | 10 | 3 mm | 61 mm |
| DHM3.2 | 10 | 3.2 mm | 65 mm |
| DHM3.3 | 10 | 3.3 mm | 65 mm |
| DHM3.5 | 10 | 3.5 mm | 70 mm |
| DHM4 | 10 | 4 mm | 75 mm |
| DHM4.2 | 10 | 4.2 mm | 75 mm |
| DHM4.5 | 10 | 4.5 mm | 80 mm |
| DHM4.8 | 10 | 4.8 mm | 86 mm |
| DHM4.9 | 10 | 4.9 mm | 86 mm |
| DHM5 | 10 | 5 mm | 86 mm |
| DHM5.5 | 10 | 5.5 mm | 93 mm |
| DHM6 | 10 | 6 mm | 93 mm |
| DHM6.5 | 10 | 6.5 mm | 101 mm |
| DHM6.8 | 10 | 6.8 mm | 109 mm |
| DHM7 | 10 | 7 mm | 109 mm |
| DHM7.5 | 10 | 7.5 mm | 109 mm |
| DHM8 | 10 | 8 mm | 117 mm |
| DHM8.5 | 10 | 8.5 mm | 117 mm |
| DHM9 | 10 | 9 mm | 125 mm |
| DHM9.5 | 10 | 9.5 mm | 125 mm |
| DHM10 | 10 | 10 mm | 133 mm |
| DHM10.2 | 5 | 10.2 mm | 133 mm |
| DHM10.5 | 5 | 10.5 mm | 133 mm |
| DHM11 | 5 | 11 mm | 142 mm |
| DHM11.5 | 5 | 11.5 mm | 142 mm |
| DHM12 | 5 | 12 mm | 151 mm |
| DHM12.5 | 5 | 12.5 mm | 151 mm |
| DHM13 | 5 | 13 mm | 151 mm |
| | | | |

DORMER 'A100' HSS Jobber Twist Drills - Imperial

Steam tempered 118° point angle DIN 338

DORMER

| Steam tem | pered. | 118° point a | ngle. DIN 338. |
|-----------|---------|--------------|----------------|
| Part No. | Pack of | Ø | Length |
| DH116 | 10 | 1/16" | 43 mm |
| DH1964 | 10 | 19/64" | 117 mm |
| DH564 | 10 | 5/64" | 49 mm |
| DH516 | 10 | 5/16" | 117 mm |
| DH332 | 10 | 3/32" | 57 mm |
| DH2164 | 10 | 21/64" | 117 mm |
| DH764 | 10 | 7/64" | 61 mm |
| DH1132 | 10 | 11/32" | 125 mm |
| DH18 | 10 | 1/8" | 65 mm |
| DH2364 | 10 | 23/64" | 125 mm |
| DH964 | 10 | 9/64" | 70 mm |
| DH38 | 10 | 3/8" | 133 mm |
| DH532 | 10 | 5/32" | 75 mm |
| DH2564 | 10 | 25/64 | 133 mm |
| DH1164 | 10 | 11/64" | 80 mm |
| DH1332 | 5 | 13/32" | 133 mm |
| DH316 | 10 | 3/16" | 86 mm |
| DH2764 | 5 | 27/64" | 142 mm |
| DH1364 | 10 | 13/64" | 86 mm |
| DH716 | 5 | 7/16" | 142 mm |
| DH732 | 10 | 7/32" | 93 mm |
| DH2964 | 5 | 29/64" | 142 mm |
| DH1564 | 10 | 15/64" | 93 mm |
| DH1532 | 5 | 15/32" | 151 mm |
| DH14 | 10 | 1/4" | 101 mm |
| DH3164 | 5 | 31/64" | 151 mm |
| DH1764 | 10 | 17/64" | 109 mm |
| DH12 | 5 | 1/2" | 151 mm |
| DH932 | 10 | 9/32" | 109 mm |

DORMER 'A100' HSS Jobber Twist Drill Set - Metric Set No. '419'

Steam tempered. 118° point angle. DIN 338. Supplied in a plastic selector box.

DORMER

Part No. Description Qty DHK19 1 Set 19 Piece Set





DORMER

419

DORMER 'A100' HSS Jobber Twist Drill Set - Metric Set No. '204'

Steam tempered. 118° point angle. DIN 338. Supplied in a metal storage box.

Qty Description **DHK25** 1 Set **25 Piece Set**

25 x Sizes: 1.0 - 13.0 mm in 0.5 mm steps.



S-A-S Cutting Oil For all metal types.

- Improves lubrication/cooling.
- Retains viscosity at high cutting temperatures. Prevents tarnishing.
- · Extends tool life.

| Part No. | Pack of | Size |
|----------|---------|----------------|
| SAS46 | 6 | 500ml Aerosols |







Part No. Pack of **AP49 400 Pieces**

3 x Colours: Yellow, Red, Brown.







موم

DORMER





DORMER 'A002' HSS Jobber Twist Drill Set - Metric Set No. '419'

Bright finish/TiN tipped. Split point (above 2.0 mm). 118° point angle. DIN 338. Supplied in a plastic selector box.

Qty Description

DDK19 1 Set **19 Piece Set**

19 x Sizes: 1.0 - 10.0 mm in 0.5 mm steps.



DORMER 'A002' HSS Jobber Twist Drill Set - Metric Set No. '204'

Bright finish/TiN tipped. Split point (above 2.0 mm). 118° point angle. DIN 338. Supplied in a metal storage box.

Part No. Qty Description

DDK25 1 Set 25 Piece Set

25 x Sizes: 1.0 - 13.0 mm in 0.5 mm steps.

DORMER 'A002' HSS Jobber Twist Drills - Metric

DORMER

Bright finish/TiN tipped. Split point (above 2.0 mm). 118° point angle. DIN 338.


| 110 hours | 110 POLLIC GLIBIE. DIIN 220. | | | |
|---------------|------------------------------|---------|--------|--|
| Part No. | Pack of | Ø | Length | |
| DXM1 | 10 | 1 mm | 34 mm | |
| DXM1.5 | 10 | 1.5 mm | 40 mm | |
| DXM2 | 10 | 2 mm | 49 mm | |
| DXM2.5 | 10 | 2.5 mm | 57 mm | |
| DXM3 | 10 | 3 mm | 61 mm | |
| DXM3.2 | 10 | 3.2 mm | 65 mm | |
| DXM3.3 | 10 | 3.3 mm | 65 mm | |
| DXM3.5 | 10 | 3.5 mm | 70 mm | |
| DXM4 | 10 | 4 mm | 75 mm | |
| DXM4.2 | 10 | 4.2 mm | 75 mm | |
| DXM4.5 | 10 | 4.5 mm | 80 mm | |
| DXM4.8 | 10 | 4.8 mm | 86 mm | |
| DXM4.9 | 10 | 4.9 mm | 86 mm | |
| DXM5 | 10 | 5 mm | 86 mm | |
| DXM5.5 | 10 | 5.5 mm | 93 mm | |
| DXM6 | 10 | 6 mm | 93 mm | |
| DXM6.5 | 10 | 6.5 mm | 101 mm | |
| DXM6.8 | 10 | 6.8 mm | 109 mm | |
| DXM7 | 10 | 7 mm | 109 mm | |
| DXM7.5 | 10 | 7.5 mm | 109 mm | |
| DXM8 | 10 | 8 mm | 117 mm | |
| DXM8.5 | 10 | 8.5 mm | 117 mm | |
| DXM9 | 10 | 9 mm | 125 mm | |
| DXM9.5 | 10 | 9.5 mm | 125 mm | |
| DXM10 | 10 | 10 mm | 133 mm | |
| DXM10.2 | 5 | 10.2 mm | 133 mm | |
| DXM10.5 | 5 | 10.5 mm | 133 mm | |
| DXM11 | 5 | 11 mm | 142 mm | |
| DXM11.5 | 5 | 11.5 mm | 142 mm | |
| DXM12 | 5 | 12 mm | 151 mm | |
| DXM12.5 | 5 | 12.5 mm | 151 mm | |
| DXM13 | 5 | 13 mm | 151 mm | |

DORMER 'A002' HSS Jobber Twist Drills - Imperial

Bright finish/TiN tipped. Split point (above 2.0 mm). 118° point angle. DIN 338.

| Part No. | Pack of | Ø | Length |
|----------|---------|--------|--------|
| DX116 | 10 | 1/16" | 43 mm |
| DX1964 | 10 | 19/64" | 117 mm |
| DX564 | 10 | 5/64" | 49 mm |
| DX516 | 10 | 5/16" | 117 mm |
| DX332 | 10 | 3/32" | 57 mm |
| DX2164 | 10 | 21/64" | 117 mm |
| DX764 | 10 | 7/64" | 61 mm |
| DX1132 | 10 | 11/32" | 125 mm |
| DX18 | 10 | 1/8" | 65 mm |
| DX2364 | 10 | 23/64" | 125 mm |
| DX964 | 10 | 9/64" | 70 mm |
| DX38 | 10 | 3/8" | 133 mm |
| DX532 | 10 | 5/32" | 75 mm |
| DX2564 | 10 | 25/64" | 133 mm |
| DX1164 | 10 | 11/64" | 80 mm |
| DX1332 | 5 | 13/32" | 133 mm |
| DX316 | 10 | 3/16" | 86 mm |
| DX2764 | 5 | 27/64" | 142 mm |
| DX1364 | 10 | 13/64" | 86 mm |
| DX716 | 5 | 7/16" | 142 mm |
| DX732 | 10 | 7/32" | 93 mm |
| DX2964 | 5 | 29/64" | 142 mm |
| DX1564 | 10 | 15/64" | 93 mm |
| DX1532 | 5 | 15/32" | 151 mm |
| DX14 | 10 | 1/4" | 101 mm |
| DX3164 | 5 | 31/64" | 151 mm |
| DX1764 | 10 | 17/64" | 109 mm |
| DX12 | 5 | 1/2" | 151 mm |
| DX932 | 10 | 9/32" | 109 mm |





Our range of Rotary Burrs are available on Page 413



0

موم



| DIN 338. | | |
|---------------|-----|--------|
| Part No. | Qty | Ø |
| DR116 | 10 | 1/16" |
| DR564 | 10 | 5/64" |
| DR332 | 10 | 3/32" |
| DR764 | 10 | 7/64" |
| DR18 | 10 | 1/8" |
| DR18L | 50 | 1/8" |
| DR964 | 10 | 9/64" |
| DR532 | 10 | 5/32" |
| DR1164 | 10 | 11/64" |
| DR316 | 10 | 3/16" |
| DR316L | 50 | 3/16" |
| DR1364 | 10 | 13/64" |
| DR732 | 10 | 7/32" |
| DR1564 | 10 | 15/64" |
| DR14 | 10 | 1/4" |
| DR14L | 50 | 1/4" |
| DR1764 | 10 | 17/64" |
| DR932 | 10 | 9/32" |
| DR1964 | 10 | 19/64" |
| DR516 | 10 | 5/16" |
| DR2164 | 10 | 21/64" |
| DR1132 | 10 | 11/32" |
| DR2364 | 10 | 23/64" |
| DR38 | 10 | 3/8" |
| DR2564 | 10 | 25/64" |
| DR1332 | 5 | 13/32" |
| DR2764 | 5 | 27/64" |
| DR716 | 5 | 7/16" |
| DR2964 | 5 | 29/64" |
| DR1532 | 5 | 15/32" |
| DR3164 | 5 | 31/64" |
| | | |

1/2"



| DIN 338. | | |
|----------|-----|---------|
| Part No. | Qty | Ø |
| DRM1 | 10 | 1 mm |
| DRM1.5 | 10 | 1.5 mm |
| DRM2 | 10 | 2 mm |
| DRM2.5 | 10 | 2.5 mm |
| DRM3 | 10 | 3 mm |
| DRM3.2 | 10 | 3.2 mm |
| DRM3.3 | 10 | 3.3 mm |
| DRM3.5 | 10 | 3.5 mm |
| DRM4 | 10 | 4 mm |
| DRM4.5 | 10 | 4.5 mm |
| DRM4.8 | 10 | 4.8 mm |
| DRM5 | 10 | 5 mm |
| DRM5.5 | 10 | 5.5 mm |
| DRM6 | 10 | 6 mm |
| DRM6.5 | 10 | 6.5 mm |
| DRM7 | 10 | 7 mm |
| DRM7.5 | 10 | 7.5 mm |
| DRM8 | 10 | 8 mm |
| DRM8.5 | 10 | 8.5 mm |
| DRM9 | 10 | 9 mm |
| DRM9.5 | 10 | 9.5 mm |
| DRM10 | 10 | 10 mm |
| DRM10.5 | 5 | 10.5 mm |
| DRM11 | 5 | 11 mm |
| DRM11.5 | 5 | 11.5 mm |
| DRM12 | 5 | 12 mm |
| DRM12.5 | 5 | 12.5 mm |
| DRM13 | 5 | 13 mm |



ALPEN 'Sprint Master' HSS Jobber Drill Set - Metric Sizes

DIN 933. Supplied in a plastic selector.

Part No. Description DRK19 1 Set 19 Piece Set

19 x Metric Sizes: 1.0 - 10.0 mm in 0.5 mm steps.





ALPEN 'Sprint Master' HSS Jobber Drill Set - Metric Sizes

DIN 338.

Supplied in a plastic storage case. Sizes 2-3 mm are gold in colour.

Part No. Qty Description

TM13 1 Set 13 Piece Set

13 x Metric Sizes: 2-8 mm in 0.5 mm steps.

























DR12



ALPEN 'Sprint' HSS Jobber Drill Set - Metric Sizes

DIN 338. Supplied in a metal dispenser.

Part No. Qty Description

DRK25 1 Set 25 Piece Set

25 x Metric Sizes: 1.0 - 13.0 mm in 0.5 mm steps.



ALPEN Metal Drill Dispenser - Metric

Holds 25 Drills from 1 - 13 mm in 0.5 mm steps. Supplied empty.

Description

10 mm Reversible Drill

Qty

1

Part No. Qty Description

Part No.

ALT3

DRD25 1 Drill Dispenser





| Part No. | Qty | Ø |
|----------------|-----|---------|
| DGM1 | 10 | 1 mm |
| DGM1.5 | 10 | 1.5 mm |
| DGM2 | 10 | 2 mm |
| DGM2.5 | 10 | 2.5 mm |
| DGM3 | 10 | 3 mm |
| DGM3.5 | 10 | 3.5 mm |
| DGM4 | 10 | 4 mm |
| DGM4.5 | 10 | 4.5 mm |
| DGM5 | 10 | 5 mm |
| DGM5.5 | 10 | 5.5 mm |
| DGM6 | 10 | 6 mm |
| DGM6.5 | 10 | 6.5 mm |
| DGM7 | 10 | 7 mm |
| DGM7.5 | 10 | 7.5 mm |
| DGM8 | 10 | 8 mm |
| DGM8.5 | 10 | 8.5 mm |
| DGM9 | 10 | 9 mm |
| DGM9.5 | 10 | 9.5 mm |
| DGM10 | 10 | 10 mm |
| DGM10.5 | 5 | 10.5 mm |
| DGM11 | 5 | 11 mm |
| DGM11.5 | 5 | 11.5 mm |
| DGM12 | 5 | 12 mm |
| DGM12.5 | 5 | 12.5 mm |
| DGM13 | 5 | 13 mm |
| | | |



KRINO HSS Jobber Drill Set - Metric Sizes

DIN 338. Supplied in a metal dispenser. Part No. Qty Description

TLD19 1 Set 19 Piece Set

19 Metric Sizes: 1.5 - 10 mm in 0.5 mm steps.



KRINO HSS Jobber Drill Set - Metric Sizes

DIN 338. Supplied in a metal dispenser.

Part No. Qty Description

TLD25 1 Set **25 Piece Set** 25 Metric Sizes: 1.5 - 13 mm in 0.5 mm steps.



KRINO HSS Jobber Drill Set - Imperial Sizes

DIN 338. Supplied in a metal dispenser.

Part No. Qty Description

TLD29 1 Set **29 Piece Set** 29 Imperial Sizes: 1/16"-1/2" in 1/64" steps






























ALPEN HSS-Co Cobalt Jobber Drill Sets - Metric Sizes

Cross cut point. DIN 338. Supplied in a metal dispenser.

| Part No. | Qty | Description |
|-------------|------------|----------------------------|
| DCK19 | 1 Set | 19 Piece Set |
| 19 x Metric | Sizes: 1.0 | - 10.0 mm in 0.5 mm steps. |



ALPEN HSS-Co Cobalt Jobber Drill Sets - Metric Sizes

Cross cut point. DIN 338. Supplied in a metal dispenser.

| Part No. | Qty | Description |
|---------------|------------|----------------------------|
| DCK25 | 1 Set | 25 Piece Set |
| 25 x Metric : | Sizes: 1.0 | - 13.0 mm in 0.5 mm steps. |



DORMER



| MOCO. DI UNIZE INNISH. | | | | |
|------------------------|-----|--------|--------|--|
| Part No. | Qty | Ø | Length | |
| DDW1 | 1 | 6.0 mm | 66 mm | |
| DDW2 | 1 | 6.0 mm | 93 mm | |
| DDW3 | 1 | 8.0 mm | 79 mm | |
| DDW4 | 1 | 8.0 mm | 117 mm | |
| | | | | |







0

0

990

ၛ



| Part No. | Qty | Ø | Shank Ø |
|----------|-----|-------|---------|
| DRS14 | 1 | 14 mm | 9.5 mm |
| DRS15 | 1 | 15 mm | 9.5 mm |
| DRS16 | 1 | 16 mm | 9.5 mm |
| DRS18 | 1 | 18 mm | 12.5 mm |
| DRS19 | 1 | 19 mm | 12.5 mm |
| DRS20 | 1 | 20 mm | 12.5 mm |



HSS Blacksmiths' Drills 1/2" Parallel Shank. DIN WN 734.

| Part No. | Qty | Ø | |
|---------------|-----|--------|--|
| DR916 | 1 | 9/16" | |
| DR34 | 1 | 3/4" | |
| DR58 | 1 | 5/8" | |
| DR1316 | 1 | 13/16" | |
| DR1116 | 1 | 11/16" | |
| DR78 | 1 | 7/8" | |







Cross Cut Point. DIN 1897 PZ. Supplied in a

plastic storage case.

Qty Description DCK6 1 Set 6 Piece Set 6 x Metric Sizes: 2, 3, 4, 5, 6, 8 mm.





ALPEN Masonry **Drill Set**

Supplied in a plastic storage case. Part No. Description

DRK8 1 Set 8 Piece Set 8 x Sizes: 3, 4, 5, 6, 7, 8, 9, 10 mm.





ALPEN 'Profi Multicut' **Universal Drill Set**

Tungsten carbide Supplied in a plastic storage case

- · High working speed
- No bit changes
- · Extremely versatile
- All diamond-ground cutting edges, so also ideal for metals
- Precise drilling even with changing drills in various materials
- · Patented 4-stage profile for fast bore-dust removal Descriptions

DPMK5 1 Set **5 Piece Set**

5 x Sizes: 4, 5, 6, 8, 10 mm.



EXACT HSS Step Drill & Milling Cutter

Part No. Qty Size / Steps **TL569** 4 - 12 mm in 2 mm Steps



EXACT HSS Step Drills

| Part No. | Qty | Range / Steps |
|----------|-----|--------------------------|
| TL577 | 1 | 4 - 20 mm in 2 mm steps |
| TL578 | 1 | 6 - 30 mm in 2 mm steps |
| TL573 | 1 | 4 - 12 mm in 1 mm steps |
| TL571 | 1 | 12 - 20 mm in 1 mm steps |
| TL572 | 1 | 20 - 30 mm in 1 mm steps |



EXACT HSS Taper Drills (Cone Cutter)

| Part No. | Qty | Range |
|----------|-----|------------|
| TL581 | 1 | 8 - 20 mm |
| TL582 | 1 | 16 - 30 mm |



USS Countarcials

| וווסט כטטוונכו אוווגט | | | |
|-----------------------|-----|---------|--|
| Part No. | Qty | Ø | |
| TL586 | 1 | 12.4 mm | |
| TL587 | 1 | 20.5 mm | |



Our full range is on Page 234



000

 \odot





Complete with chuck keys.

| Part No. | Qty | Mount | Capacity | Кеу Туре |
|----------|-----|-------------|-----------|----------|
| DRC1 | 1 | 3/8" x 24 F | 1 - 10 mm | S2A |





Drill Chucks Complete with chuck keys.

| Part No. | Qty | Mount | Capacity | Key Type | |
|----------|-----|-------------|------------|----------|--|
| DRC2 | 1 | 1/2" x 20 F | 1.5 -13 mm | S2A | |



Keyless Drill Chucks

Suitable for rotary percussion drilling but should be used with SDS type impact action.

· Keyless convenience - Fast bit changeover, and no lost keys.

| Part No. | Qty | Mount | Capacity |
|----------|-----|-----------|-------------|
| DRC5 | 1 | 3/8" x 24 | 1.5 - 10 mm |
| DRC6 | 1 | 1/2" x 20 | 2 - 13 mm |



Replacement Chuck Keys

| Part No. | Pack of | Key Type | Suits Part No.s |
|----------|---------|----------|--------------------------|
| DKEY3 | 5 | S2A | DRC1, DRC2 |
| DKEY2 | 5 | For JAC | OBS K30 or RÖHM S8 Types |



DIN 352 (HSS Hand Taps), DIN 1814 (Adjustable Tap Wrench). Supplied in a metal dispenser.

| Part No. | Qty | Description | |
|----------|-------|-------------|--|
| TI 541 | 1 Set | 22 Piece Se | |

21 x Hand Taps: M3, M4, M5, M6, M8, M10, M12. 1 x Adjustable Tap Wrench No. 1, 1/2" for taps: M1 - M12.



| i ap ∝ vi | e sei | |
|---------------|-----------|-------------|
| Supplied in a | a tool tr | ay. |
| Part No. | Qty | Description |

1 Set 17 Piece Set TTTTD17

7 x Metric Dies: 3 x 0.5, 4 x 0.7, 5 x 0.8, 6 x 1.0, 8 x 1.25, 10 x 1.5, 12 mm x 1.75. 7 x Metric Taps: 3, 4, 5, 6, 8, 10, 12 mm. 1 x Tap Handle, capacity 3 to 12 mm. 1 x Die Handle with adjustment screw, capacity 3 to 12 mm. 1 x Screw pitch gauge.



Rethreading Tap & Die SetHSS-G Hand Taps. For metric ISO-thread DIN 13, tolerance 6H. DIN 352 (Hand Taps), DIN 1814 (Adjustable Tap Wrench), DIN 223 (Round Dies), DIN 225 (Die Stock). Supplied in a metal dispenser.

| Part No. | Qty | Description |
|----------|--------------|---|
| TL540 | 1 Set | 32 Piece Set |
| | 5 x 9 mm: M7 | MG, M8, M10, M12. 7 x Round Dies: M3, M4, M5, M6, M8, M10, M12. ' - M9. 1 x Adjustable Tap Wrench No. 1, 1/2" for taps: M1 - M12. auge: Metric. |



For defect inner and outer threads. Suitable for the repair of both right as well as left hand threads with different diameters. Length: 230 mm.

| rt No. | Qty | Thread Ty |
|--------|-----|-----------|
|--------|-----|-----------|

TL7635 1 **Metric Sizes** 8 x Pitches: 0.80, 1.00, 1.25, 1.50, 1.75, 2.00, 2.50, 3.00 mm.



8 x Pitches: 24, 20, 18, 16, 14, 12, 11, 10 Pitch Per Inch.





موم

ၛ



Tap Wrench with Ratchet

100 mm

Qty Length

Part No.

TL546 1

Tap Wrench Adjustable Type

DIN 1814.

Part No. Size for Taps **TL547** 1 No. 2 M3.5 - M12



Dies DIN 223.

Part No. Thread x Pitch **TL521** M5 x 0.80 mm 1 **TL522** 1 M6 x 1.00 mm M8 x 1.25 mm **TL523** 1 **TL524** M10 x 1.50 mm 1 **TL525** M12 x 1.75 mm

Hand Taps

HSS-G ground thread. DIN 352, DIN 13. Kit contains Taper, Second and Plug.

| Part No. | Set of | Thread x Pitch |
|----------|--------|----------------|
| TL549 | 3 | M5 x 0.80 mm |
| TL542 | 3 | M6 x 1.00 mm |
| TL543 | 3 | M8 x 1.25 mm |
| TL544 | 3 | M10 x 1.50 mm |
| TL545 | 3 | M12 x 1.75 mm |
| | | |



M5 - M12

Thread Insert System Kits

Supplied in a robust plastic storage case.

| Part No. | Qty | Size | Pitch |
|----------|-------|------|--|
| HRK105 | 1 Kit | M5 | 0.80 mm |
| HRK106 | 1 Kit | М6 | 1.00 mm |
| HRK108 | 1 Kit | M8 | 1.25 mm |
| HRK110 | 1 Kit | M10 | 1.50 mm |
| HRK112 | 1 Kit | M12 | 1.75 mm |
| | | | tion Tool. 1 x HSS-G Tap. ak-off Tool: No. 8. 20 x Inserts. |



Insert Replacement Packs - Metric

| Part No. | Pack | of Size | Pitch | |
|----------|------|---------|---------|--|
| HRP105 | 10 | M5 | 0.80 mm | |
| HRP106 | 10 | М6 | 1.00 mm | |
| HRP108 | 10 | M8 | 1.25 mm | |
| HRP110 | 10 | M10 | 1.50 mm | |
| HRP112 | 10 | M12 | 1.75 mm | |



Thread Repair Kit - Spark Plug Inserts

Supplied in a robust plastic storage case.

| Part No. | Qty | Size | Pitch | |
|----------|-------|------|--|--|
| HRK214 | 1 Kit | M14 | 1.25 mm | |
| | | | ion Tool. 1 x HSS-G Tap: n, 12.4 mm, 16.4 mm Reach. | |



Insert Replacement Packs - Spark Plug M14 x 1.25 mm

| Part No. | Pack of | Size x Pitch | Reach |
|----------|---------|---------------|-------|
| HRP208 | 10 | M14 x 1.25 mm | 1/2" |
| HRP212 | 10 | M14 x 1.25 mm | 3/4" |



Lambda Sensor Thread Repair Kit

Chrome Molybdenum. Supplied in robust storage case.

 Quick and easy repair without component disassembly. Repairs damaged Lambda Probe Threads.

| Part No. | Qty | Description | |
|----------|-------|---|--|
| TL1200 | 1 Set | 9 Piece Set | |
| | | x Insert nuts with collar. mm, M20 x 1.5 mm x 50 mm. | |
| | | | |



 \odot









TNAV12 3/4" (19 mm) TNM24K, TNM34 1 **TNAV125** 1 20 mm TNM24K, TNM34 TNAV14 1 7/8" (22 mm) TNM24K, TNM34 **TNAV155** 1 1" (25 mm) TNM24K, TNM34 1 1/8" **TNAV18** (29 mm) TNM24K, TNM34 1

TNAV19 1 13/16" (30 mm)TNM24K, TNM34 TNAV20 1 1 1/4" (32 mm) TNM45, TNM45P TNAV24 1 1/2" (38 mm) TNM45, TNM45P 1 TNAV28 1 13/4" (44 mm) TNM45, TNM45P **TNAV315** 1 50 mm TNM45, TNM45P 2" TNAV32 TNM45, TNM45P 1 (51 mm) 2 1/4" TNM45, TNM45P TNAV36 (57 mm) 1 TNAV40 1 21/2" (64 mm) TNM45P TNM45P TNAV44 1 2 3/4" (70 mm)

(76 mm)

(102 mm)

4" **MORSE Hole Saw Arbors**

Complete with pilot drill.

1 3"

1

TNAV48

TNAV64





| Part No. | Qty | Fits Hole Saw | Thread | Shank / For Chuck |
|----------|-----|---------------|--------------|------------------------|
| TNM24K | 1 | 14 - 30 mm | 1/2" (20 mm) | 1/4" Round / 1/4" & Up |



| Part No. | Qty | Fits Hole Saw | Thread | Shank / For Chuck |
|----------|-----|---------------|--------------|-------------------|
| TNM34 | 1 | 14 - 30 mm | 1/2" (20 mm) | 3/8" Hex / 3/8" |



TNM45P

TNM45P



Qty Description TNAV5M 1 Set 6 Piece Set

5 x Hole Saws: 22, 25, 29, 32, 38 mm. 1 x Arbor: 3/8" hex shank for 3/8" chuck.





Plumbers' Hole Saw Kit

Supplied in a plastic storage case. Part No. Qty Description

TNAVP2 1 Set 9 Piece Set

7 x Hole Saws: 22, 29, 35, 38, 44, 48, 50 mm. 2 x Arbors: 7/16 hex shank for 1/2" chuck.





MORSE Pilot Drills

Split point, shank ground on 3 sides

| Part No. | Qty | Ø | | For use with Arbor Part No's | | | |
|----------|-----|---------------|-------------------|------------------------------|---|--|--|
| TN200 | 1 | 1/4" x 4 1/4" | (6.5 mm x 115 mm) | TNM24K, TNM34 | _ | | |
| TN250 | 1 | 1/4" x 3" | (6.5 mm x 76 mm) | TNM45, TNM45P | _ | | |



Qty Fits Hole Saw Part No. Thread Shank / For Chuck **TNM45P** 1 32 - 152 mm 7/16" Hex / 1/2" 5/8" (18 mm)



More cutting blades can be found overleaf and this handyJab Saw handle can be found on Page 427

000

ၛၟ



Bi-metal flexible blade with 8% cobalt HSS variable tooth pitch cutting edge. • Teeth are brought into action at varying angles for faster, smoother cutting.

| Part No. | Qty | Pitch |
|----------|------------|-----------|
| TL622A | Pack of 10 | 14/18 TPI |
| TL622 | Box of 100 | 14/18 TPI |
| TL623A | Pack of 10 | 20/24 TPI |
| TL623 | Box of 100 | 20/24 TPI |
| TL624A | Pack of 10 | 26/32 TPI |
| TL624 | Box of 100 | 26/32 TPI |



MORSE Hacksaw Frame

Complete with MORSE Bi-metal HSS Blade - 20/24 TPI.

Part No. Description

Hacksaw Frame TL631 1



Flexible bi-metal high speed steel. Blade size: $300 \times 12.5 \times 0.63$ mm ($12 \times 1/2 \times 0.025$ "). Virtually unbreakable for durability and safety. Cuts through all materials including alloy and stainless steel.

| Part No. | Qty | Pitch |
|----------|------------|--------|
| TL607A | Pack of 10 | 18 TPI |
| TL607 | Box of 100 | 18 TPI |
| TL608A | Pack of 10 | 24 TPI |
| TL608 | Box of 100 | 24 TPI |
| TL609A | Pack of 10 | 32 TPI |
| TL609 | Box of 100 | 32 TPI |



ECLIPSE 'Pro-Plus' Hacksaw Frame

Strong, lightweight frame for greater comfort and control when sawing with soft-feel handle for comfort. Complete with ECLIPSE 'Plus 30' 24 TPI bi-metal blade.

Part No. Description

TL605 22T 'Pro-Plus' Hacksaw 1



BAHCO '317' Hacksaw

Alternative 90° blade mounting makes flush cutting possible. Complete with BAHCO 'Sandflex®' Bi-Metal 24 TPI Blade.

| Part No. | Qty | Description |
|----------|-----|---------------|
| TB317 | 1 | '317' Hacksaw |



BAHCO '319' Hacksaw

Steel tube core and comfortable plastic covering. Alternative 55° blade mounting for flush cutting. Complete with BAHCO 'Sandflex®' Bi-Metal 24 TPI Blade.

| Part No. | Qty | Description | |
|----------|-----|---------------|--|
| TB319 | 1 | '319' Hacksaw | |



Bi-metal flexible high speed steel. BAHCO Ref: 3906.

| Part No. | Qty | Pitch |
|----------|------------|--------|
| TB1018C | Pack of 30 | 18 TPI |
| TB1018 | Box of 100 | 18 TPI |
| TB1024C | Pack of 30 | 24 TPI |
| TB1024 | Box of 100 | 24 TPI |
| TB1032C | Pack of 30 | 32 TPI |
| TB1032 | Box of 100 | 32 TPI |
| | | |





















All Hard HSS. 350 x 25 x 1.60 mm (14" x 1" x .050").

| Part No. | Qty | Length x Width x Thickness | Pitch | |
|----------|-----|----------------------------|--------|--|
| TL633 | 10 | 350 x 25 x 1.60 mm | 10 TPI | |
| TL634 | 10 | 350 x 25 x 1.60 mm | 14 TPI | |





BAHCO 'High Speed' Power Hacksaw Blades

All hard HSS. BAHCO Ref: 3802.



Flexback Bandsaw Blades

High performance hard tooth, flexible back carbon steel bandsaw for cutting most materials including wood, plastic and non-ferrous metals.

| Part No. | Qty | Width x Thickness x Pitch | Length | Type |
|--------------|-----|---------------------------|------------|------------|
| TL590 | 1 | 1/2" x 0.25" x 14 TPI | 7' 10 1/4" | Reg Raker |
| TL591 | 1 | 1/2" x 0.25" x 14 TPI | 7' 3 1/2" | Reg Raker |
| TL592 | 1 | 1/2" x 0.25" x 24 TPI | 7' 10 1/4" | Reg Wavy |
| TL594 | 1 | 1/2" x 0.25" x 24 TPI | 7' 3 1/2" | Reg Wavy |
| TL593 | 1 | 1/2" x 0.25" x 6 TPI | 7' 3 1/2" | Skip Raker |



M42 Bi-Metal Bandsaw Blades

Ideal for general purpose cutting and contour cutting of tubing, structurals and solids, especially in fabrication applications or where the material is proven to vibration.

| Part No. | Qty | Width x Thickness x Pitch | Length |
|--------------|-----|---------------------------|------------|
| TL595 | 1 | 1/2" x 0.25" x 14 TPI | 7' 10 1/4" |
| TL596 | 1 | 1/2" x 0.25" x 10 TPI | 7' 10 1/4" |





TENG TOOLS Mini Hacksaw

Complete with 3 x 6" mini hacksaw blades.

Six position blade setting

| DIM POSICIO | on position state setting. | | | |
|-------------|----------------------------|--------------------|--|--|
| Part No. | Qty | Description | | |
| T705 | 1 | Mini Hacksaw Frame | | |



For Metal Cutting 6" x 32 TPI.

Pack of

TL638 10 x 10 **Junior Hacksaw Blades**





BAHCO '268' Junior Hacksaw

Chrome finish with glass fibre handle. Complete with 150 mm 32 TPI blade.

| Part No. | Qty | Description |
|----------|-----|----------------------|
| TR268 | 1 | '268' Junior Hacksaw |





BAHCO '268' Junior Hacksaw Blades

| Part No. | Pack of | Pitch |
|----------|---------|--------|
| TB2032 | 10 | 32 TPI |



Compatible with 115 mm angle grinders. Max speed: 19,000 RPM.
The SafeSaw System universal cutting blade will cut through most materials, including: Wood and wood with nails, aluminium, steel and iron up to 8 mm thick. Ideal for exhausts, studding and steel panels.

| Part No. | Qty | Description |
|-------------------|-----------|--|
| TL615 | 1 Set | SafeSaw System Set |
| TL616 | 1 | Replacement 115 mm Steel Blade |
| 1 x Safety Guard. | 1 x Arbou | r Kit. 1 x Spanner. 1 x Steel Blade: 115 mm x 25.4 mm. |

موما



MORSE Jab Saw

Heavy duty. Supplied complete with 6" x 6 TPI bi-metal reciprocating saw blade.

- Easily change blades Suitable for use with reciprocating saws and standard hacksaw blades
- Ideal for use in tight and confined places

Qty Description **TL625** 1 Set 2 Piece Set



MORSE Reciprocating Saw Blades
Suitable for use with Jab Saw (Part No. TL625). Universal fitting, fits all popular reciprocating saw machines 8% Cobalt edge offers more wear resistance. Matrix II cutting edge has shock resistance teeth that resist strippage.

Applications Include: Machinable metal, wood, nail-embedded wood, composites, rubber, plastic, plaster and other common building materials.

| Part No. | Qty | Length x Pitch | Applications |
|----------|-----|----------------|-------------------------|
| TL629 | 5 | 6" x 6 TPI | Wood, Wood/Nails |
| TL627 | 5 | 6" x 10 TPI | Metal, Wood, Wood/Nails |
| TL626 | 5 | 6" x 14 TPI | Metal |
| TL628 | 5 | 6" x 18 TPI | Metal |





MORSE Heavy Duty Reciprocating Saw Blade Kit

NOT suitable for use with Jab Saw (Part No. TL625).

Universal fitting, fits all popular reciprocating saw machines. 8% Cobalt edge offers more wear resistance.

Matrix II cutting edge has shock resistance teeth that resist strippage.

· Applications: Machinable metal, wood, nail-embedded wood, composites, rubber, plastic, plaster and other common building materials.

| Part No. | Ųty | Description |
|----------|-------|--|
| TL630 | 1 Kit | 11 Piece Kit |
| | | ' x 8/11 TPI Renovator Blades. 3 x 6" x 8/11 TPI Renovator Blades. |



BAHCO '244' Handsaw

Hard point with screwed plastic handle. For medium thick wood materials. For cutting along, as well as across, the grain.

| Part No. | Qty | Description |
|----------|-----|-------------|
| TB244 | 1 | 22" Handsaw |





BAHCO Jig Saw Blades - High Speed Steel

Euro Shank (Type 3802).

Fits: AEG, ATALS COPCO, BOSCH, DEWALT, HITACHI, MAKITA, METABO, MILWAUKEE and Similar Machines.
Supplied on a blister card.

| Part No. | Pack of Length x TPI | | Thickness Range | Material |
|----------|----------------------|----------------|-----------------|----------|
| TB4512 | 5 | 75 mm x 24 TPI | 1 - 3 mm | Metal |
| TB4522 | 5 | 75 mm x 14 TPI | 2.5 - 6 mm | Metal |



Jig Saw Blades - BOSCH Fitting

For AEG, BOSCH, ELU, FESTO, FLEX, HITACHI, HOLZHER, MAFELL, MAKITA and METABO.

· Applications: Soft steel, aluminium. non-ferrous metal, up to 2 mm.

| Part No. | Pack of | Type | |
|----------|---------|-------|--|
| TL645 | 5 | T118A | |



Jig Saw Blades - BOSCH Fitting

For AEG, BOSCH, ELU, FESTO, FLEX, HITACHI, HOLZHER, MAFELL, MAKITA and

· Applications: Softwood, hardwood, plastic up to 60 mm rough cut.


| Part No. | Pack of | Type |
|----------|---------|-------|
| TI 647 | _ | T111C |



Air Saw Blades

SIG. flexi soft metals up to 2 mm.

| Part No. | Pack of | Pitch |
|----------|---------|--------|
| TL654 | 5 | 14 TPI |
| TL649 | 5 | 24 TPI |
| TL655 | 5 | 32 TPI |







































HYDE 'MAXXGRIP PRO®' Stiff Scraper - Chisel-Ended

High carbon steel blade, mirror finish.

· Full tang blade construction.

Ergo-engineered soft-grip handle to reduce fatigue, absorb shock and increase comfort during extended use.

| Part No. | Qty | Blade Width | | |
|----------|-----|-------------|---------|--|
| TNY3 | 1 | 3" | (76 mm) | |





HYDE 'MAXXGRIP PRO®' Stiff Scraper

High carbon steel blade, mirror finish.

- · Full tang blade construction.
- · Ergo-engineered soft-grip handle to reduce fatigue, absorb shock and increase comfort during extended use.

| Part No. | Qty | Blade Width | |
|----------|-----|-------------|---------|
| TNY1 | 1 | 1 1/2" | (38 mm) |
| TNY2 | 1 | 2" | (51 mm) |





HYDE 'Black & Silver' Scraper - 5-in-1 Painter Tool

High carbon steel blade, mirror finish. Full tang blade construction. Nylon handle resists most paint thinners and solvents.

| Part No. | Qty Blade Width | | |
|----------|-----------------|--------|---------|
| TNY119 | 1 | 2 1/2" | (63 mm) |





HYDE 'Black & Silver' Scraper - Chisel-Ended/Putty Knife

High carbon steel blade, mirror finish. Full tang blade construction. Nylon handle resists most paint thinners and solvents.

| Part No. | Qty | Blade Width | |
|----------|-----|-------------|---------|
| TNYP114 | 1 | 1 1/4" | (32 mm) |







KS TOOLS Chisel Scraper Set

INOX stainless steel. Hammer through design.

| i di cito. | QLy | Description |
|------------|-------|-------------|
| K907.2210 | 1 Set | 4 Piece Set |

2 x 1.2 mm Scrapers: 25, 32 mm wide. 2 x 2.5 mm Chisel scrapers: 25, 32 mm wide.





Various colour vinyl grips. Supplied in a screw-top plastic jar.

Descriptions

'Razor-Mate' Scrapers **TNH52230** Jar of 30





Scrapers & Blades Supplied with 5 x single edge steel razor blades.

Part No. Description

TL671 5 Sets Scrapers with 5 Blades




Suitable for use with Part No.s TL671 and TNH52230.

Part No Box of Description **TL672** 100 **Razor Blades**



Overall Length Part No. Qty Description K907.2105 Jack Knife 193 mm









0

0

موو



- · Spring-loaded pliers for auto-opening/added torque using pliers, wire cutter/stripper
- · Individual tools can be opened with handles in closed position quick/easy access
- · Ergonomic design, handle ideal compliments each of the working tools in use
- · LED light in closed position, shine ahead of knife blade & pliers when in working use

| Part No. | Qty | Description |
|----------|-----|-------------|
| TL683 | 1 | Multi-Too |

1 x Professional quality knife, pliers, wire cutter, wire stripper, cap lifter, can opener and scissors. 4 x screwdrivers.



Standard Trapezoid Type

Supplied with 100 x All metal blades. Heavy duty.

| Part No. | Box of | Description |
|----------|--------|--------------------------------|
| TL658 | 100 | Trim Knife Blades in Dispenser |



Part No. Pack of Description

TL662 10 x 10 **Trim Knife Blades**



KS TOOLS Folding Knife

Metal construction with belt hook. Quick-locking blade mechanism. Supplied with 5 x standard 'Trapezoid' blades.

| Part No. | Qty | Description | Overall Length |
|-----------|-------|---------------------|----------------|
| K907.2174 | 1 Set | Knife with 5 Blades | 155 mm |



COAST.



COAST 'Pro Razor' Folding Knife

Stainless steel frame with nylon handle with belt clip. Supplied with 4 standard 'Trapezoid' blades, 1 fitted and 3 in handle storage.

- · Folding knife with 'Double Lock' system for added safety
- · 'E-Z change' blade replacement feature

| Part No. | Qty | Description | Overall Length |
|----------|-----|---------------|----------------|
| TL682 | 1 | Folding Knife | 188 mm |
| | | | |



| art No. | Qty | Descripti | on | |
|--------------|----------|-----------|------------|---------|
| ompiete with | Z X Stdi | lludiu | ii apezuiu | Didues. |



Trimming Knife All Metal with Top Lever Retractor

Heavy Duty Utility Knife

Uses standard 'Trapezoid' blades.

P

T710

| Part No. | Qty | Description |
|----------|-----|-------------|
| TL659 | 1 | Trim Knife |



Trimming Knife Spring-loaded Automatic Retractor

Uses standard 'Trapezoid' blades.

| Part No. | Qty | Description |
|----------|-----|--------------------|
| TL660 | 1 | Auto Retract Knife |



Trimming Knife Automatic Reloading

Complete with 10 x heavy duty Sheffield made standard 'Trapezoid' blades.

- Internal storage for 10 blades (included)
- · No tools required to change blade
- · Ouick push button blade removal · Blade retraction button

- Soft hand grip
- Part No. Qty Description **TL670 Contractors' Knife**



TENG TOOLS Utility Knife - Heavy Duty with Retractable Blade.

Complete with 2 x standard 'Trapezoid' blades.

- · Ergonomic handle with non-slip section
- Ouick opening and closing
- · 3-step blade adjustment
- · Spare blade storage inside handle

| Part No. | Qty | Description |
|----------|-----|---------------|
| T710N | 1 | Utility Knife |







Long Knife For Scraping

Stable aluminium knife with non-slip grip with trapezoid blade. For use with standard trapezoid and hook blades. Blade magazine in knife.

Part No. Length K140.2290 1 470 mm





 \odot







OLFA Trimming Knives with 'Snap-off' Blades

Heavy duty metal body.

| Part No. | Pack of | Blade Width | |
|----------|---------|-------------|--|
| TL673 | 6 | 9 mm Blade | |
| TL675 | 1 | 18 mm Blade | |
| TL677 | 1 | 25 mm Blade | |
| | | | |





OLFA Trimming Knife Blades 'Snap-off' Type

Supplied in a plastic storage box.

| Part No. | Pack of | Blade Width |
|----------|---------|-------------|
| TL678 | 20 | 25 mm |







Trimming Knives with 'Snap-off' Blades

| Part No. | Pack of | Blade Width |
|----------|---------|-------------|
| TL663 | 10 | 9 mm |
| TL665 | 10 | 18 mm |





Trimming Knife Blades 'Snap-off' Type

| Part No. | Pack of | Blade Width | |
|----------|---------|-------------|--|
| TL664 | 10 x 10 | 9 mm | |
| TL666 | 10 x 10 | 18 mm | |
| | | | |



Workshop Utility Scissors with Wire Cutters

Stainless steel blades. Ergonomic plastic handles. Supplied with belt storage pouch.

| Part No. | Qty | Length | |
|-----------|-----|--------|--------|
| K118.0060 | 1 | 140 mm | (4 1/2 |



Stainless steel, polished cutting edges.

| Black varnish | ed hand | lles. Heavy | duty. Re | e-adjustable | screw-joint. |
|---------------|---------|-------------|----------|--------------|--------------|
| Part No. | Otv | Length | | | |

| Part No. | Ųty | Length | |
|----------|-----|--------|------|
| TL676 | 1 | 200 mm | (8") |
| | | | |



Chrome-vanadium steel forged jaws. Precision steel tube handles with PVC grips. DIN ISO 9242.

| | Qty | Length | 0.1621.211.10 | Capacity |
|-------|-----|--------|---------------|----------|
| TL230 | 1 | 610 mm | (24") | 8 mm Ø |



ECLIPSE Tin Snips - Straight

Standard type.

| Part No. | Qty | Length | |
|----------|-----|--------|-------|
| TL232 | 1 | 300 mm | (12") |





BAHCO Cutting Pliers

Ergonomic handles. Black finish heads.

| Partinu. | Ųly | Lengui | |
|----------|-----|--------|----------|
| TB2101G4 | 1 | 140 mm | (5 1/2") |
| TB2101G6 | 1 | 160 mm | (6 1/4") |





TENG TOOLS 'Mega Bite' Side Cutter

High carbon steel 72° cutting edge angle Vinyl coated handles

| Part No. | Qty | Length | angic. Virryr coatea nanales. |
|----------|-----|--------|-------------------------------|
| TMR441-6 | 1 | 150 mm | (6") |





TENG TOOLS 'Mega Bite' Side Cutter - Heavy Duty

High carbon steel 72° cutting edge angle Vinyl coated handles

| Part No. | Qty | Length | |
|--------------|-----------|----------------|-------------------------------|
| De-table | 04 | Lauranth. | |
| THE CUIDOLLS | tcc1. / 2 | cotting cage a | angle. Viriyi coatea nanales. |

TMB442-8 1 200 mm



NWS Electricians'

Miniature Side Cutters

Box jointed with double leaf spring. Soft wire capacity: 1.2 mm Ø.

| Part No. | Qty | Length | |
|----------|-----|--------|----------|
| TNE3 | 1 | 115 mm | (4 1/2") |
| | | | |

000

ထွ





NWS Side Cutters

Plastic coated handles. Black finish heads. DIN ISO 5749.

| Part No. | Qty | Length | |
|----------|-----|--------|----------|
| TNP4/160 | 1 | 160 mm | (6 1/4") |
| TNP4/180 | 1 | 180 mm | (7") |





NWS Heavy Duty Side Cutters

Plastic coated handles. Black finish heads. DIN ISO 5749.

| Part No. | Qty | Length | |
|----------|-----|--------|----------|
| TNP5/150 | 1 | 150 mm | (6") |
| TNP5/180 | 1 | 180 mm | (7") |
| TNP5/200 | 1 | 200 mm | (8") |
| TNP5/240 | 1 | 240 mm | (9 1/2") |
| | | | |







NWS Side Cutter

Special tool steel, drop-forged, oil hardened, Black 'Titan' finish.

| Part No. | Qty | Length | naracrica. Black Train IIII31. |
|----------|-----|--------|--------------------------------|
| TNR4/160 | 1 | 160 mm | (4 1/4") |





NWS 'MultiCutter' 3-in-1 Wire Stripping Pliers

Special tool steel, drop-forged, oil-hardened.
Precision cutting edges, induction hardened for hard and soft wires.

- V-shaped cutting edges for stripping of wires and stranded conductors.

| • • | anie su ipp | ei iulici | 1011101 | all collillour capies froili o | מווווו כד. |
|------|-------------|-----------|---------|--------------------------------|------------|
| Dart | No | Otv | Longth | | |

| Part No. | Qty | Length | |
|----------|-----|--------|------|
| TNR6/180 | 1 | 180 mm | (7") |



NWS 'ErgoMulti' **Ergonomic Electricians' Pliers**

Tool steel, drop-forged, oil-hardened matt chromium plated heads. 'Soft-Grip' 2-component handles with soft inlay.

- · Ergonomically angled head for strain-free working.
- Optimum power transmission from improved leverage.
- · With lock and opening spring.

| Part No. | Qty | Length | |
|----------|-----|--------|------|
| TNR9/200 | 1 | 200 mm | (8") |



NWS 'Fantastico' Heavy Duty Side Cutters

Special tool steel, drop-forged, oil hardened. Black 'Titan' finish. Red vinyl coated handles. DIN ISO 5749.

· Heavy duty lever action provides a higher torque.

| Part No. | Qty | Length | | |
|----------|-----|--------|------|--|
| TI 255 | 1 | 200 mm | (8") | |



NWS 'Fantastico' **Heavy Duty Side Cutters**

Special tool steel, drop-forged, oil hardened. Black 'Titan' finish.

· Heavy duty lever action provides a higher torque.

| Part No. | Qty | Length | |
|----------|-----|--------|------|
| TNR255 | 1 | 200 mm | (8") |



NWS Cable Cutter

Special tool steel, drop-forged, oil-hardened. Titanium finish head, soft grip 2-component handles. Spring opening.

- · Adjustable screw-joint.
- For stripping and cutting copper and aluminium cable up to 25 mm Ø (70 mm⁴).

| Part No. | Qty | Length | |
|----------|-----|--------|----------|
| TNR7/210 | 1 | 210 mm | (8 1/4") |



NWS 'PowerBolt' Heavy Duty End Cutting Nippers

Cutting edges, induction hardened, for stud bolts, nails, rives and similar materials. Cutting edges additionally induction hardened.

• Precision cutting edges, induction hardened.

- · V-shaped cutting edges for stripping of wires.
- Cable stripper function: Ø 8 13 mm.

| Part No. | Qty | Length | | |
|----------|-----|--------|------|--|
| TNP6/200 | 1 | 200 mm | (8") | |































NWS 4-in-1 Electricians' VDE Pliers Special tool steel, drop-forged, oil hardened. Matt chrome plated. 'Soft-Grip' 2 component handles with soft inlay. Optimised slip guards according to IEC 60900. 1,000V

• Cuts bolts up to M3.5, strips cable 1.5/2.5 mm², crimp and bend facility.

| Part No. | Qty | Length | |
|----------|-----|--------|----------|
| TNV5/190 | 1 | 190 mm | (7 1/2") |



NWS VDE Side Cutter

'Soft-Grip' 2-component handles. Matt chromium plated heads.

| Part No. | Qty | Length | ILC 00300. 1,000V. | |
|----------|-----|--------|--------------------|--|
| TNV4/160 | 1 | 160 mm | (6 1/4") | |





NWS 'MultiCutter' 3-in-1 VDE Wire Stripping Pliers

Insulation to IEC 60900 1,000V. Matt chromium plated heads. 'Soft-Grip' 2-component handles with soft inlay.

- · Precision cutting edges, induction hardened.
- · V-shaped cutting edges for stripping of wires.
- Cable stripper function: Ø 8 13 mm.

| Part No. | Qty | Length | |
|----------|-----|--------|------|
| TNV6/180 | 1 | 180 mm | (7") |






Insulation to IEC 60900 1,000V. Tool steel, drop-forged, oil-hardened Matt chromium plated heads. 'Soft-Grip' 2-component handles with soft inlay.

- · Ergonomically angled head for strain-free working.
- Optimum power transmission from improved leverage.
- · With lock and opening spring.

| Part No. | Ųty | Length | |
|----------|-----|--------|------|
| TNV9/200 | 1 | 200 mm | (8") |
| | | | |







NWS VDE Combination Pliers

'Soft-Grip' 2-component handles. Matt chromium plated heads. Optimised slip guards according to IEC 60900. 1,000V.

· Integrated ring spanner

| Part No. | Qty | Length | |
|----------|-----|--------|------|
| TNV1/180 | 1 | 180 mm | (7") |
| TNV1/205 | 1 | 205 mm | (8") |



NWS VDE Long (Chain) Nose Pliers

'Soft-Grip' 2-component handles. Matt chromium plated heads. Optimised slip guards according to IEC 60900. 1,000V.

| Part No. | Qty | Length | |
|----------|-----|--------|------|
| TNV2/205 | 1 | 205 mm | (8") |



Part No. Description **KN782** 1 Set 3 Piece Set

1 x VDE Combination: 180 mm. 1 x VDE Chain Nose: 205 mm. 1 x VDE Side Cutter: 160 mm



NWS 'ErgoCombi' **High Leverage VDE Combination Pliers**

Insulation to IEC 60900 1,000V. Tool steel, drop-forged, oil-hardened Matt chromium plated heads. 'Soft-Grip' 2-component handles with soft inlay.

- · Ergonomically angled head for strain-free working.
- Optimum power transmission from improved leverage.
- · Can also be used as a spanner.







0

(o





ထွ

0

موم



IRWIN VISE-GRIP Locking Pliers

Straight jaws.

| Part No. | Qty | Length | Ref. |
|----------|-----|--------|--------------|
| TNA7R | 1 | 7" | (175 mm) 7R |
| TNA10R | 1 | 10" | (250 mm) 10R |

VISE-GRIP



Locking Pliers Long nose with wire cutter.

| Part No. | Qty | Length | | Ref. | |
|----------|-----|--------|----------|------|--|
| TNA4LN | 1 | 4" | (100 mm) | 4LN | |
| TNA6LN | 1 | 6" | (150 mm) | 6LN | |
| TNA9LN | 1 | 9" | (225 mm) | 9LN | |

VISE-GRIP



IRWIN VISE-GRIP Locking Pliers

Curved jaws with wire cutter

| Part No. | Qty | Length | Ref. |
|----------|-----|--------|---------------|
| TNA4WR | 1 | 4" | (100 mm) 4WR |
| TNA5WR | 1 | 5" | (125 mm) 5WR |
| TNA7WR | 1 | 7" | (175 mm) 7WR |
| TNA10WR | 1 | 10" | (250 mm) 10WR |

IRWIN. VISE-GRIP



IRWIN VISE-GRIP Locking Welding Clamp

| Part No. | Qty | Length | Ref. |
|----------|-----|--------|-------------|
| TNA9R | 1 | 9" | (225 mm) 9R |

VISE-GRIP



IRWIN VISE-GRIP Locking C-Clamps

| Part No. | Qty | Length | Ref. | |
|----------|-----|--------|--------------|--|
| TNA6R | 1 | 6" | (150 mm) 6R | |
| TNA11R | 1 | 11" | (275 mm) 11R | |





TENG TOOLS 'Power Grip' Locking Pliers - Round & Flat Grip

Wire cutter/crimper action.

| Part No. | Qty | Length | |
|----------|-----|--------|----------|
| T401-7 | 1 | 7" | (180 mm) |
| T401-10 | 1 | 10" | (250 mm) |



Supplied in a tool tray. Part No. Qty Description

TTTVG05 1 Set 5 Piece Set

3 x Combination Pliers: 4", 7", 10". 2 x Long Nose Pliers: 4", 6"



| Part No. | Qty | Jaw Capacity | |
|----------|-----|--------------|--|
| TL355 | 1 | 150 mm | |
| TL356 | 1 | 200 mm | |
| | | | |









TENG TOOLS 'Mega Bite' Combination Pliers

High leverage with pipe grip and serrated grip surfaces. High carbon steel. 72° cutting angle and titanium coated joints. Vinyl coated handles

| Part No. | Qty | Length | |
|----------|-----|--------|------|
| TMB452-8 | 1 | 200 mm | (8") |



'Mega Bite' Long Nose Pliers With serrated grip surfaces. High carbon steel.

72° cutting angle and titanium coated joints. Vinyl coated handles.

| Part No. | Qty | Length | |
|----------|-----|--------|------|
| TMB461-8 | 1 | 200 mm | (8") |



Vinyl grips. Supplied in a tool tray.

| Part No. | Qty | Description | |
|----------|-------|-------------|--|
| TTT440 | 1 Set | 4 Piece Set | |

1 x Side Cutter: 6". 1 x Combination: 7". 1 x Long Nose: 8". 1 x Water Pump: 10".



NWS 'ErgoCombi' High Leverage Combination Pliers

Insulation to IEC 60900 1,000V. Tool steel, drop-forged, oil-hardened Matt chromium plated heads. 'Soft-Grip' 2-component handles with soft inlay.

- · Ergonomically angled head for strain-free working.
- Optimum power transmission from improved leverage.
- · Can also be used as a spanner.

| Part No. | Qty | Length | |
|----------|-----|--------|------|
| TNR8/200 | 1 | 200 mm | (8") |





NWS Combination Pliers

Plastic coated handles. Black finish heads. DIN ISO 5746.

| Part No. | Qty | Length | |
|----------|----------------------------|------------|-------------------|
| TNP1/180 | 1 | 180 mm | |
| TNP1/205 | 1 | 205 mm | |
| | Part No. TNP1/180 TNP1/205 | TNP1/180 1 | TNP1/180 1 180 mm |





NWS 'CombiMax' Combination Pliers

Insulation to IEC 60900 1,000 V. Matt chromium plated heads. 'Soft-Grip' 2-component handles with soft inlay.

| Part No. | Qty | Length | |
|----------|-----|--------|------|
| TNR1/180 | 1 | 180 mm | (7") |
| TNR1/205 | 1 | 205 mm | (8") |





NWS Long (Chain) Nose Pliers - Straight

Plastic coated handles. Black finish heads. DIN ISO 5745.

| art No. | Qty | Length | |
|---------|-----|--------|--|
| NP2/170 | 1 | 170 mm | |
| NP2/205 | 1 | 205 mm | |



NWS Long (Chain) Nose Pliers- Straight

'Soft-Grip' 2-component handles. Titanium finish head.DIN ISO 5745.

| Part No. | Qty | Length |
|----------|-----|--------|
| TNR2/205 | 1 | 205 mm |



Our VDE range of pliers and cutters features on the previous pages



000

ၻ



Water Pump + Circlip Pliers



NWS 'MaxiMX' **Water Pump Pliers**

Chrome vanadium steel, drop forged and oil-hardened with red vinyl coated handles.

• Fine 'Drag & Drop' precise adjustment.

· Safety protection of fingers in every position.

| Part No. | Qty | Length | | Jaw Capacity |
|----------|-----|--------|-------|--------------|
| TQ1/250 | 1 | 250 mm | (10") | 50 mm |
| TQ1/300 | 1 | 300 mm | (12") | 75 mm |



TENG TOOLS 'Mega Bite' Groove Joint Pliers

Heavy duty model. Non-slip groove joints and polished head. Vinyl coated handles.

| Part No. | Qty | Length | | Jaw Capacity |
|----------|-----|--------|-------|--------------|
| TMB416 | 1 | 400 mm | (16") | 90 mm |



TENG TOOLS 'Mega Bite' Water Pump Pliers

Serrated jaws with pipe grip and titanium coated joints. Vinyl coated handles.

| Part No. | Qty | Length | | Jaw Capacity | |
|-----------|-----|--------|-------|--------------|--|
| TMB481-10 | 1 | 250 mm | (10") | 3-38 mm | |



· Jaws with nail/wire holder · Double-toothed laws

• Finger trap protection for safe work • Self-locking serration

| Part No. | Qty | Length | · | Jaw Capacity | |
|----------|-----|--------|-------|--------------|--|
| TNP9/300 | 1 | 300 mm | (12") | 2-55 mm | |
| TNP9/400 | 1 | 400 mm | (16") | 3-80 mm | |

2-in-1 **Circlip Pliers Set** Internal & External

2-in-1 tool converts from internal to external pliers at the touch of a button. External range: 1/4" - 2" (7 - 48 mm). Internal Range: 3/8" - 2" (10 - 48 mm).

Description Qty

TNH521C 1 Set 12 Piece Set

 $1\,x$ Pliers: 7 3/4" (197 mm). 3 x Straight Tips: .036" (0.9 mm), .047" (1.2 mm), .070" (1.8 mm). 2 x Bent 90 °Tips: .036" (0.9 mm), .047" (1.2 mm).





NWS Circlip Pliers - External Bent 90°

DIN 5254 B.

| Part No. | Qty | Length | Circlip Ø mm | Tip Ø mm | |
|----------|-----|--------|--------------|----------|--|
| TNC2/165 | 1 | 165 mm | 19 - 60 | 1,8 | |
| TNC2/200 | 1 | 200 mm | 40 - 100 | 2,3 | |



NWS Circlip Pliers - External Straight

DIN 5254 A.

| Part No. | Qty | Length | Circlip Ø mm | Tip Ø mm | |
|----------|-----|--------|--------------|----------|--|
| TNC1/135 | 1 | 135 mm | 12 - 25 | 1,3 | |
| TNC1/175 | 1 | 175 mm | 19 - 60 | 1,8 | |
| TNC1/220 | 1 | 220 mm | 40 - 100 | 2,3 | |
| TNC1/310 | 1 | 310 mm | 85 - 140 | 3,2 | |
| | | | | | |



NWS Circlip Pliers - Internal Bent 90°


DIN 5256 B

| D 0200 D. | | | | | |
|-----------|-----|--------|--------------|----------|--|
| Part No. | Qty | Length | Circlip Ø mm | Tip Ø mm | |
| TNC4/165 | 1 | 165 mm | 19 - 60 | 1,8 | |
| TNC4/200 | 1 | 200 mm | 40 - 100 | 2,3 | |



NWS Circlip Pliers - Internal Straight

DIN 5256 A.










000





KN792 1 Set 4 Piece Set

1 x External Straight: 175 mm. 1 x External Bent: 165 mm. 1 x Internal Straight 175 mm. 1 x Internal Bent: 165 mm



TTT474-7 1 Set 4 Piece Set 1 x Inner/straight: 12 to 65 mm capacity. 1 x Inner/bent: 12 to 65 mm capacity. 1 x Outer/straight: 10 to 40 mm capacity. 1 x Outer/bent: 10 to 40 mm capacity



| Part No. | Qty | Length | |
|----------|-----|--------|--------|
| TL695 | 1 | 5 m | (16ft) |
| TL698 | 1 | 10 m | (32ft) |





Digital Slide Vernier Caliper

Complete with LR44 1.55v battery. Supplied in a robust storage case.

Part No. Qty Description

TL689 Digital Vernier Caliper





TENG TOOLS Digital Vernier Caliper

Stainless steel. Supplied in a plastic storage box.
Max length of measurement: 150 mm. Jaw length 40 mm.

• Adjustable between mm and inch

• Reading 0.01 mm

- · Repeated reading ±0.01 mm
 - · Zero set in any position

Part No. Qty Description

TL455 Digital Vernier Caliper



25W, 230V. A powerful engraver with interchangeable hardened stylus complete with hard metal stylus and stylus coupling. Cable length: 1.8 m.

For engraving soft metal, copper, tin and aluminium.
 Includes interchangeable sintered

carbide stylus for glass engraving.

Engraving is as easy as writing

| - Lingli a villig io ao caoy ao villianig. | | | | | |
|--|-------|----------------------------------|--|--|--|
| Part No. | Qty | Description | | | |
| TL995 | 1 Kit | 25W Engraver | | | |
| TL996 | 1 | Replacement Pointed Engraver Tip | | | |





Steel Rulers

Flexible stainless steel.

| Part No. | Qty | Length | |
|----------|-----|--------|-----|
| TL451 | 1 | 15 cm | 6" |
| TL452 | 1 | 30 cm | 12" |
| TL453 | 1 | 60 cm | 24" |

Feeler Gauges

Combination set. 3" x 1/2" Blades. Description Part No.

| TNFG135 | 1 Set | 32 Piece Set | |
|--------------------|----------|---------------------------------------|--|
| 30 x Steel: .002 - | .035"051 | 889 mm. 6 x Brass: .006016"152406 mm. | |



































Cross Pein Hammer

'Toffee Hammer'.

| Part No. | Qty | Weight | |
|----------|-----|--------|--|
| TL713 | 1 | 1/4 lb | |



Lump Hammers

| Part No. | Qty | Weight | |
|----------|-----|----------|--|
| TL705 | 1 | 2 1/2 lb | |
| TL712 | 1 | 4 lb | |



Ball Pein Hammers

| Part No. | Qty | Weight | | |
|----------|-----|----------|-------|--|
| TL707 | 1 | 1/4 lb | 4 oz | |
| TL701 | 1 | 1/2 lb | 8 oz | |
| TL702 | 1 | 1 lb | 16 oz | |
| TL703 | 1 | 1 1/2 lb | 24 oz | |
| TL704 | 1 | 2 lb | 32 oz | |
| TL708 | 1 | 2 1/2 lb | 40 oz | |



Lump Hammer Shaft

| Part No. | Qty | Type | Length | |
|----------|-----|------|--------|--|
| TL725 | 1 | Lump | 10" | |



Ball Pein Hammer Shafts

Engineers' Hickory/Ash (material subject to change).

| Qty | Length | |
|-----|--------|--------------|
| 1 | 14" | |
| 1 | 16" | |
| | 1 | 1 14" |



| панне | Julian | weuges |
|----------|---------|--------------|
| Part No. | Pack of | Description |
| TL729 | 20 | No. 3 Wedges |



Assorted Pack of Hammer Shafts

Complete with No. 3 hammer shaft wedges.
Part No. Pack of

TL721

5 Pieces

2 x Engineers: 14" (x 2), 16" (x 2). 1 x Lump: 10" 1 x Hammer Shaft Wedges (x 5).



Sledge Hammers

| Part No. | Qty | Weight | |
|----------|-----|--------|--|
| TL706 | 1 | 7 lb | |
| TL711 | 1 | 14 lb | |



Sledge Hammer Shaft

Hickory. Tapered end.

| Part No. | Qty | Type | Length | |
|----------|-----|----------------------|--------|--|
| TL727 | 1 | Sledge, Parallel Eye | 36" | |







| Part No. | Qty | Weight | |
|----------|-----|--------|--|
| TL700 | 1 | 1 lb | |



Hammer Ball Pein Fibreglass

| TL7140 | 1 | 2 1/2 lb | |
|----------|-----|----------|--|
| TL7132 | 1 | 2 lb | |
| TL7124 | 1 | 1 1/2 lb | |
| TL7116 | 1 | 1 lb | |
| TL7108 | 1 | 1/2 lb | |
| Part No. | Qty | Weight | |



TL7170

Recoil free rubber mallet. Solid PU glass fibre composite. Substantially higher impact effect than withconventional mallets. Particularly suitable for careful driving of bearings, cases, sleeves, sealing rings, etc.

| Part No. | Qty | Head Diameter | Weight | |
|-----------|-----|---------------|--------|--|
| K140.5255 | 1 | 45 mm | 940g | |
| K140.5257 | 1 | 55 mm | 1400g | |





2 lb

Our Pry Bar range continues overleaf




Weight: 2 1/2 lb.

| | _, | | |
|----------|-----|---------------------------|---|
| Part No. | Qty | Description | |
| TL714 | 1 | Size 2 - Soft Face Hammer | _ |
| TL715 | 1 | Replacement Copper Face | |
| TL716 | 1 | Replacement Hide Face | _ |



TENG TOOLS Roll/Heel Bar

| Part No. | Qty | Length |
|----------|-----|--------|
| TPB16 | 1 | 16" |



Lengths: 12", 16", 20"

MAYHEW Pry Bar (Pinch Bar)/Line Up Punches

Regular pry bar.

Part No.

Length 24" **TN472**







MAYHEW Ladyfoot Pry Bars

Supplied in a plastic tray.

Part No. Qty Description TN60150 1 Set 3 Piece Set

Sizes: 12", 16", 21".







000

 \odot



Supplied in plastic tray.

Qty

1 Set

Part No

TN61355

3 x Sizes: 7", 12" & 18"





Flat Chisel Set

Chrome molybdenum steel. Flat shaft. For work on metal.

1 Set 4 Piece Set

KS TOOLS

Part No. Otv Description K156.0690

Sizes: 14.5 x 125 mm, 20.5 x 150 mm. 23 x 200 mm, 28.5 x 250 mm.

































MAYHEW Screwdriver Pry Bars Curved blades. Supplied in a plastic tray.

Part No. Description Qty

MAYHEW 'The Dominator' Screwdriver Pry Bars - Curved Blades

All-new capped end allows user to strike pry bar with a hammer without damaging the head.

· Hardened and tempered the entire length for maximum durability.

Two composite handle for a more comfortable and secure grip.

3 Piece Set

Description

TN61350 1 Set 3 Piece Set

Sizes: 7", 12", 18'

3 x Sizes: 12", 18", 22".



KS TOOLS Premium Pin & Punch Set

Finest chrome vanadium steel, mirror polished. DIN 6450/DIN 6458. Supplied in a robust wall mountable metal stand/holder.

Part No. Qty 1 Set 18 Piece Set K156.0180

5 x Punches: 2, 3, 4, 5, 6 mm. 6 x Pin Punches: 2, 3, 4, 5, 6, 8 mm

6 x Pin Punches, extra long: 3, 4, 5, 6, 8, 10 mm. 1 x Metal stand.



Pin Punch Set Metric

Chrome vanadium steel, mirror polished. Supplied in compact plastic holder.

Part No. Qty Description **TL4100** 1 Set 6 Piece Set

6 x Sizes: 2, 3, 4, 5, 6, 8 mm.





Supplied in a wooden storage block.

Part No. Description Qty 1 Set 5 Piece Set 5 x Sizes, Diameters: 1/4", 3/8", 1/2", 5/8", 3/4".





MAYHEW^{*}

MAYHEW Punch & Chisel Set

Supplied in a storage roll.

Part No. Qty Description TN7014K 1 Set 14 Piece Set

1 x Centre Punch: 3/8" x 5". 2 x Taper Punches: 1/8", 3/16". 5 x Pin Punches: 3/32", 1/8", 5/32", 3/16", 1/4". 1 x Line-up Punch: 1/8". 5 x Cold Chisels, Standard Length: 1/4", 3/8", 1/2", 5/8", 3/4".

MAYHEW Cold Chisel Set - Standard Sizes

Supplied in a storage roll. Part No. Description

TN7001K 1 Set 6 Piece Set

6 x Sizes: 1/4" x 5", 5/16" x 5", 3/8" x 5 1/2", 1/2" x 6", 5/8" x 6 1/2", 3/4" x 7"





MAYHEW Roll Pin (Pilot) Punch Set

Supplied in a storage roll.

Description Part No. Qty **TN106KM** 1 Set 6 Piece Set

Sizes: 3, 4, 5, 6, 7, 8 mm.





MAYHEW **Pin Punches** - Standard Sizes

Supplied in a storage roll.

Part No. Qty Description **TN4101KM** 1 Set 6 Piece Set

6 x Sizes: 3, 4, 5, 6, 7, 8 mm.

TRIDENT Long Chisel Set - Metric Sizes

Chrome-molybdenum steel, mirror polished. Supplied in storage roll.

Description Part No. **TL4102** 1 Set 4 Piece Set

4 x Sizes: 350 mm x 12, 16, 19, 22 mm.



TRIDENT Long Pin Punch Set - Metric Sizes

Chrome-molybdenum steel, mirror polished. Supplied in storage roll.

Part No. Description Qty TL4104 1 Set 6 Piece Set

6 x Sizes: 200 mm x 2, 3, 4, 5, 6, 8 mm.

















KS TOOLS 'ERGOTORQUEplus® Screwdrivers - Slotted

KS TOOLS 'ERGOTORQUEplus®

Stubby Screwdriver - Slotted

Ergonomic non-slip 2-component handle.

KS TOOLS 'ERGOTORQUEplus®' Screwdriver - POZIDRIV

Ergonomic non-slip 2-component handle.

Tip No.

PZ0

PZ1

PZ1

PZ2

PZ2

PZ2

PZ2

PZ3

PZ3

K159.1001 1

STOOLS

Tip Width

6.0 mm

DIN 5265. S2 steel hardened blade, chrome finished with burnished tips. Ergonomic non-slip 2-component handle.

DIN 5265. S2 steel hardened blade, chrome finished with burnished tips.

DIN/ISO 8764. S2 steel hardened blade, chrome finished with burnished tips.

Shaft Length

75 mm

75 mm

100 mm

100 mm

125 mm

150 mm

200 mm

150 mm

200 mm

Shaft Length

38 mm

Hex Drive

M10

M10

M10

M10

M10

M10

_

| Part No. | Qty | Tip Width | Shaft Length | Hex Drive |
|-----------|-----|-----------|--------------|-----------|
| K159.1002 | 1 | 3.0 mm | 75 mm | - |
| K159.1003 | 1 | 4.0 mm | 75 mm | - |
| K159.1004 | 1 | 4.0 mm | 100 mm | - |
| K159.1005 | 1 | 5.5 mm | 100 mm | - |
| K159.1006 | 1 | 5.5 mm | 125 mm | - |
| K159.1007 | 1 | 5.5 mm | 150 mm | - |
| K159.1008 | 1 | 6.5 mm | 125 mm | - |
| K159.1009 | 1 | 6.5 mm | 150 mm | M10 |
| K159.1010 | 1 | 8.0 mm | 150 mm | M10 |
| K159.1011 | 1 | 8.0 mm | 200 mm | M10 |
| K159.1012 | 1 | 10.0 mm | 200 mm | M10 |
| K159.1013 | 1 | 10.0 mm | 250 mm | M10 |
| | | | | |



KS TOOLS 'ERGOTORQUEplus®' Screwdriver - PHILIPS

DIN/ISO 8164. S2 steel hardened blade, chrome finished with burnished tips. Ergonomic non-slip 2-component handle.

| Part No. | Qty | Tip No. | Shaft Length | Hex Drive |
|-----------|-----|---------|--------------|-----------|
| K159.1027 | 1 | PH0 | 75 mm | - |
| K159.1020 | 1 | PH1 | 75 mm | - |
| K159.1029 | 1 | PH1 | 100 mm | - |
| K159.1021 | 1 | PH2 | 100 mm | M10 |
| K159.1022 | 1 | PH2 | 125 mm | M10 |
| K159.1023 | 1 | PH2 | 150 mm | M10 |
| K159.1028 | 1 | PH2 | 200 mm | M10 |
| K159.1024 | 1 | PH3 | 150 mm | M10 |
| K159.1025 | 1 | PH3 | 200 mm | M10 |
| | | | | |



























Part No.

K159.1047 1

K159.1040 1

K159.1049 1

K159.1041 1

K159.1042 1

K159.1043 1

K159.1048 1

K159.1044 1

K159.1045 1



DIN/ISO 8764. S2 steel hardened blade, chrome finished with burnished tips. Ergonomic non-slip 2-component handle.

| Part No. | Qty | Tip No. | Shaft Length |
|-----------|-----|---------|--------------|
| K159.1046 | 1 | PZ2 | 38 mm |



KS TOOLS 'ERGOTORQUEplus®' Stubby Screwdriver - PHILIPS®

DIN/ISO 8164. S2 steel hardened blade, chrome finished with burnished tips. Ergonomic non-slip 2-component handle.

| Part No. | Qty | Tip No. | Shaft Length | Hex Drive | |
|-----------|-----|---------|--------------|-----------|--|
| K159 1026 | 1 | DH2 | 38 mm | M10 | |







KS TOOLS 'ERGOTORQUEplus® Screwdriver & Bit Set

Extra hexagonal drive at the blade shaft to increase power requirement on selected sizes

DIN 5264, DIN 5265, DIN/ISO 8764.

Ergonomic non-slip 2 component handle. Supplied in a robust plastic storage case.

K159.0100 39 Piece Set 1 Set

7 x Slotted screwdrivers: 3 x 75 mm, 4 x 100 mm, 5.5 x 100 mm, stubby 6 x 38 mm, 6.5 x 125 mm, 8 x 150 mm, 10 x 200 mm.

Part No.

5 x PHILLIPS screwdrivers: PHO x 75 mm, PH1 x 100 mm, PH2 x 125 mm, stubby PH2 x 38 mm, PH3 x 150 mm. 4 x POZIDRIV" screwdrivers: PZO x 75 mm, PZ1 x 100 mm, PZ2 x 125 mm, PZ3 x 150 mm.

1 x Bit screwdriver, magnetic, 1/4": 100 mm. 1 x Bit drive, magnetic, 1/4": 60 mm. 21 x Bits, 1/4", 25 mm: 7 x Hexagonal: 2, 2.5, 3, 4, 5, 6, 8 mm. 7 x TORX': T10, T15, T20, T25, T27, T30, T40.

Description

7 x Tamper Proof TORX*: TP10, TP15, TP20, TP25, TP27, TP30, TP40.













DIN 5264, DIN 5265, DIN/ISO 8764. S2 steel hardened blade, chrome finished with burnished tips. Ergonomic non-slip 2-component handle.

| Part No. | Qty | Tip No. | Shaft Length | Hex Drive | |
|-----------|-----|---------|--------------|-----------|--|
| K159.1050 | 1 | TP8 | 100 mm | - | |
| K159.1051 | 1 | TP9 | 100 mm | - | |
| K159.1052 | 1 | TP10 | 100 mm | - | |
| K159.1053 | 1 | TP15 | 100 mm | M10 | |
| K159.1054 | 1 | TP20 | 100 mm | M10 | |
| K159.1055 | 1 | TP25 | 100 mm | M10 | |
| K159.1056 | 1 | TP27 | 100 mm | M10 | |
| K159.1057 | 1 | TP30 | 100 mm | M10 | |
| K159.1058 | 1 | TP40 | 100 mm | M10 | |
| | | | | | |



KS TOOLS 'ERGOTORQUEplus®' Tamper Proof TORX® Screwdriver Set

DIN 5264, DIN 5265, DIN/ISO 8764. Ergonomic non-slip 2 component handle. Supplied in a display box.

Description Part No.

K159.0040 1 Set 6 Piece Set

6 x Tamper Proof TORX® screwdrivers: TP10, TP15, TP20, TP25, TP30, TP40 x 100 mm.



STOOLS





KS TOOLS 'ERGOTORQUEplus®' Screwdriver - TORX

DIN 5264, DIN 5265, DIN/ISO 8764. S2 steel hardened blade, chrome finished with burnished tips. Ergonomic non-slip 2-component handle.

| Part No. | Qty | Tip No. | Shaft Length | Hex Drive |
|-----------|-----|---------|--------------|-----------|
| K159.1030 | 1 | T8 | 100 mm | - |
| K159.1031 | 1 | Т9 | 100 mm | - |
| K159.1032 | 1 | T10 | 100 mm | - |
| K159.1033 | 1 | T15 | 100 mm | M10 |
| K159.1034 | 1 | T20 | 100 mm | M10 |
| K159.1035 | 1 | T25 | 100 mm | M10 |
| K159.1036 | 1 | T27 | 100 mm | M10 |
| K159.1037 | 1 | T30 | 100 mm | M10 |
| K159.1038 | 1 | T40 | 100 mm | M10 |



KS TOOLS 'ERGOTORQUEplus®' TORX® Screwdriver Set

DIN 5264, DIN 5265, DIN/ISO 8764, Ergonomic non-slip 2 component handle. Supplied in a display box.

Description Part No.







KS TOOLS 'ERGOTORQUEmax®' Impact Screwdriver Set

Impact head with 1/4" female hex drive. DIN 5264, DIN 5265, DIN/ISO 8764. Ergonomic non-slip 2 Component handle. Supplied in a display box

 Includes 45 teeth 1/4" T-Grip ratchet, 3 positions: Left/Fixed/Right

· Through connection from impact head to shaft.

Description Part No. Qty

K151.1100 1 Set **7 Piece Set**

4 x Slotted screwdrivers: 3.5, 4.5, 5.5, 7 mm. 2 x PHILLIPS" screwdrivers: PH1, PH2. 1 x T-Grip ratchet, 1/4".



KS TOOLS 'ERGOTORQUEplus®' Slotted & POZIDRIV® Screwdriver Set

Extra hexagonal drive at the blade shaft to increase power requirement on selected sizes.
DIN 5264, DIN 5265, DIN/ISO 8764. Ergonomic non-slip 2 component handle. Supplied in a display box.

Part No. Description

K159.0020 1 Set **6 Piece Set**

4 x Slotted screwdrivers: 3 x 75 mm, 4 x 100 mm, 5.5 x 125 mm, 6.5 x 150 mm. 2 x POZIDRIV" screwdrivers: PZ 1 x 75 mm, PZ 2 x 100 mm.









 \odot









NWS VDE Screwdriver - Slotted

DIN 7437 / 7348. Insulation to IEC 60900 1,000V. Black finish alloy hardened special steel blade. 2-component handle with hanging hole.

| Part No. | Qty | Tip Width x Height | Shaft Length . |
|----------|-----|--------------------|----------------|
| TNS120 | 1 | 3.5 x 0.6 mm | 100 mm |
| TNS130 | 1 | 4.0 x 0.8 mm | 100 mm |
| TNS140 | 1 | 5.5 x 1.0 mm | 125 mm |
| TNS150 | 1 | 6.5 x 1.2 mm | 150 mm |





NWS VDE Screwdriver - PH

DIN 7437 / 7348. Insulation to IEC 60900 1,000 V. Black finish alloy hardened special steel blade. 2-component handle with hanging hole.

| Part No. | Qty | Tip No. | Shaft Length |
|----------|-----|---------|--------------|
| TNS200 | 1 | PH0 | 60 mm |
| TNS210 | 1 | PH1 | 80 mm |
| TNS220 | 1 | PH2 | 100 mm |





NWS VDE Screwdriver - PZ

DIN 7437 / 7348. Insulation to IEC 60900 1,000 V. Black finish allov hardened special steel blade. 2-component handle with hanging hole.

| Part No. | Qty | Tip No. | Shaft Length | |
|----------|-----|---------|--------------|--|
| TNS300 | 1 | PZ0 | 60 mm | |
| TNS310 | 1 | PZ1 | 80 mm | |
| TNS320 | 1 | PZ2 | 100 mm | |
| 113320 | 1 | PLL | 100 111111 | |





BONDHUS

6 Piece VDE Screwdriver Set Rated for use to 1.000V, tested at 10.000V.

Chrome-vanadium-molybdenum blades for hardness and high torque applications.

- Comfort grip
- VDE Approved

| Part No. | Qty | Description | | | | |
|--|-------|-------------|--|--|--|--|
| TL1008 | 1 Set | 6 Piece Set | | | | |
| SI 75 x 2 5 mm SI 100 x 3 5 mm SI 125 x 4 5 mm | | | | | | |

PZ No. 1 x 80 mm. PZ No. 2 x 100 mm. Volt Tester 60 x 3 mm.



NWS VDE Screwdriver Set Slotted & PH

DIN 7437 / 7348. Insulation to IEC 60900 1,000 V. Black finish alloy hardened special steel blade. 2-component handle with hanging hole.

| art No. | Qty | Description |
|---------|-------|-------------|
| NS500 | 1 Set | 5 Piece Set |

4 x Slotted (width x shaft length): 2.5 x 75, 4.0 x 100, 5.5 x 125 mm. 1 x PH Head (PH No.x shaft length): PH1 x 80 mm. 1 x Voltage Tester, GS tested for 120-250V AC: 65 mm blade length.





NWS VDE Screwdriver Set - Slotted & PH

DIN 7437 / 7348. Insulation to IEC 60900 1.000 V. Black finish alloy hardened special steel blade. 2-component handle with hanging hole. Description

Part No. Qty

TNS700 1 Set 7 Piece Set

4 x Slotted (width x shaft length): 2.5 x 75, 4.0 x 100, 5.5 x 125, 6.5 mm. 2 x PH Head (PH No.x shaft length): PH0 x 60 mm, PH1 x 80 mm. 1 x Voltage Tester, GS tested for 120-250V AC: 65 mm blade length



SPEAR & JACKSON Pocket Screwdrivers

Complete with pocket clip. Part No. Pack of Tip Width **TL151**

Shaft Length 3 mm 50 mm





BONDHUS 3 Piece VDE Screwdriver Set

Rated for use to 1,000V, tested at 10,000V. Chrome-vanadium-molybdenum blades for hardness and high torque applications.

- · Comfort grip
- VDE Approved

| Part No. | Qty | Description | | | |
|--|-------|-------------|--|--|--|
| TL1009 | 1 Set | 3 Piece Set | | | |
| SL 75 x 2.5 mm, SL 100 x 4.0 mm, PZ No. 1 x 80 mm. | | | | | |





0

موو





TENG TOOLS 'Mega Drive' Screwdrivers - Slotted

DIN 5264.

| Part No. | Qty | Tip Width | Shaft Length |
|---------------|-----|-----------|--------------------|
| TMD920 | 1 | 3.0 mm | 75 mm |
| TMD921 | 1 | 3.0 mm | 100 mm |
| TMD922 | 1 | 5.5 mm | 75 mm |
| TMD923 | 1 | 5.5 mm | 150 mm |
| TMD928 | 1 | 6.5 mm | 38 mm Stubby Type |
| TMD933 | 1 | 6.5 mm | 150 mm |
| TMD691 | 1 | 6.5 mm | 400 mm Long Series |
| TMD934 | 1 | 8.0 mm | 150 mm |





TENG TOOLS 'Mega Drive' Screwdrivers - PZ

| Ł |
|---|

| Part No. | Qty | Tip Size | Shaft Length | |
|---------------|-----|----------|--------------|--|
| TMD960 | 1 | PZ0 | 75 mm | |
| TMD961 | 1 | PZ1 | 75 mm | |
| TMD972 | 1 | PZ2 | 100 mm | |
| TMD973 | 1 | PZ3 | 150 mm | |





TENG TOOLS 'Mega Drive' Screwdrivers - PH DIN 5260.



| Part No. | Qty | Tip Size | Shaft Length | |
|----------|-----|----------|--------------------|--|
| TMD940 | 1 | PH0 | 75 mm | |
| TMD941 | 1 | PH1 | 75 mm | |
| TMD948 | 1 | PH2 | 38 mm Stubby Type | |
| TMD952 | 1 | PH2 | 100 mm | |
| TMD692 | 1 | PH2 | 400 mm Long Series | |
| TMD953 | 1 | PH3 | 150 mm | |



TENG TOOLS 'Mega Drive' Screwdriver Set Supplied in a tool tray.



Part No. Description Qty **TTT917N** 1 Set 7 Piece Set

3 x Slotted: 3 x 75 mm, 5 x 75 mm, 6 x 100 mm. 3 x PH: PHO x 75 mm, PH1 x 75 mm, PH2 x 100 mm. 1 x PZ: PZ2 x 100 mm




TENG TOOLS 'Mega Drive' Screwdriver Set



Supplied in a plastic storage case. Description Part No. Qty **TMD912N** 1 Set 12 Piece Set

6 x Slotted: 2.5 x 75 mm, 3.5 x 100 mm, 4.0 x 150 mm, 5.5 x 150 mm, 6.5 x 150 mm, 10 x 200 mm. 4 x PH: PHO x 75 mm, PH1 x 75 mm, PH2 x 100 mm, PH2 x 200 mm. 2 x PZ: PZ1 x 75 mm, PZ2 x 100 mm.





4 x Slotted: 1.4, 2, 2.5, 3 mm. 3 x PHILLIPS": PH00 x 2, PH0 x 2.4, PH1 x 3 mm Shaft Ø 7 x TORX": T6, T7, T8, T9, T10, T15, T20.



TENG TOOLS 'Mega Drive' TX/TPX Screwdriver Set

Supplied in a tool tray.

Part No. Qty Description

TTT917TXN 1 Set 7 Piece Set 2 x TX, 75 mm: TX8, TX9. 5 x TPX, 100 mm: TPX10, TPX15, TPX20, TPX25, TPX30.







ၛ

0

موه







KS TOOLS 'TORSIONpower' 1/4" Dr. - Slotted

High quality S2 steel, bright nickel plated. Length: 25 mm. DIN 3126 / ISO 1173.

| Part No. Pack of Size | Colour |
|--------------------------------|--------|
| K918.3306 5 3 mm | Orange |
| K918.3311 5 4 mm | Orange |
| K918.3316 5 5 mm | Orange |
| K918.3321 5 6 mm | Orange |



KS TOOLS 'TORSIONpower' 1/4" Dr. - POZIDRIV®

High quality S2 steel, bright nickel plated. Length: 25 mm. DIN 3126 / ISO 1173.

| Part No. | Pack of | Size | Colour |
|-----------|---------|------|--------|
| K918.3206 | 5 | PZ1 | Blue |
| K918.3211 | 5 | PZ2 | Blue |
| K918.3216 | 5 | PZ3 | Blue |



KS TOOLS 'TORSIONpower' 1/4" Dr. - PHILLIPS®

High quality S2 steel, bright nickel plated. Length: 25 mm. DIN 3126 / ISO 1173.

| Part No. | Pack of | Size | Colour | |
|-----------|---------|------|--------|--|
| K918.3106 | 5 | PH1 | Red | |
| K918.3111 | 5 | PH2 | Red | |
| K918.3116 | 5 | PH3 | Red | |



KS TOOLS 'TORSIONpower' 1/4" Dr. - Hexagonal

High quality S2 steel, bright nickel plated. Length: 25 mm, DIN 3126 / ISO 1173

| Lengui. 23 III | . אווט | 3120 / 130 117 3 | ۶. | Table 1 |
|----------------|---------|------------------|----|-------------|
| Part No. | Pack of | Size | | Colour |
| K918.3406 | 5 | 3 mm | | Dark Yellow |
| K918.3411 | 5 | 4 mm | | Dark Yellow |
| K918.3416 | 5 | 5 mm | | Dark Yellow |
| K918.3421 | 5 | 6 mm | | Dark Yellow |



KS TOOLS 'TORSIONpower' 1/4" Dr. - Tamper Proof TORX®

High quality S2 steel, bright nickel plated. Length: 25 mm. DIN 3126 / ISO 1173.

| Part No. | Pack of | Size | Colour |
|-----------|---------|------|--------|
| K918.3606 | 5 | TP10 | Violet |
| K918.3611 | 5 | TP15 | Violet |
| K918.3616 | 5 | TP20 | Violet |
| K918.3621 | 5 | TP25 | Violet |
| K918.3626 | 5 | TP27 | Violet |
| K918.3631 | 5 | TP30 | Violet |
| K918.3636 | 5 | TP40 | Violet |



KŞ TOOLS 'TORSIONpower' 1/4" Dr. - TORX®

High quality S2 steel, bright nickel plated. Length: 25 mm. DIN 3126 / ISO 1173.

| Ec. 180 | |
|-------------------------------|--------------|
| Part No. Pack of Size | Colour |
| K918.3506 5 T10 | Light Yellow |
| K918.3511 5 T15 | Light Yellow |
| K918.3516 5 T20 | Light Yellow |
| K918.3521 5 T25 | Light Yellow |
| K918.3526 5 T27 | Light Yellow |
| K918.3531 5 T30 | Light Yellow |
| K918.3536 5 T40 | Light Yellow |





KS TOOLS 'TORSIONpower' 1/4" Bit Set

High quality S2 steel, bright nickel plated. Bits manufactured to DIN3126 / ISO 1173. Supplied in durable storage case with belt clip.

Part No. Description

K918.3010 1 Set **32 Piece Set**

1 x Auto slimlock bit holder, 1/4" 65 mm. 1 x 1/4" bit reversing ratchet set (2 pieces), 30 x Bits 1/4" 25 mm: 4 x Slotted: 3, 4, 5, 6 mm. 4 x PHILLIPS'; PH 1, PH 2 (x 2), PH 3, 4 x POZIDRIV": PZ1, PZ 2 (x 2), PZ 3.

4 x Hexagonal: 3, 4, 5, 6 mm. 7 x TORX*: T10, T15, T20, T25, T27, T30, T40. 7 x Tamper Proof TORX*: TP10, TP15, TP20, TP25, TP27, TP30, TP40.





KS TOOLS 'Auto-Slimlock'

1/4" Dr. Automatic Magnetic Bit Holder Finest chrome vanadium steel. Length: 65 mm.

· Extremely slim profile allowing access to very small diameter

| holes (11.5 mm) | | | |
|-----------------|-----|----------------------|--|
| Part No. | Qty | Description | |
| K514.1113 | 1 | Automatic Bit Holder | |





























KS TOOLS 1/4" Dr. Security Bit Set High quality S2 steel, nickel plated. Supplied in a robust plastic storage case.

Part No. Description

K911.2027 1 Set **99 Piece Set**

1 x Bit holder, 1/4" magnetic: 60 mm. 1 x Socket adaptor: 1/4" square x 1/4" hex drive. 1 x Bit adaptor socket 1/4". 79 x Bits 1/4", 25 mm: 9 x Slotted: 3, 4, 4,5, 5, 5, 6, 6, 5, 7, 8 mm. 5 x PHILLIPS': PHO, PH1, PH2 (x 2), PH3. 5 x POZIDRIV': PZO, PZ1, PZ2 (x 2), PZ3. 9 x Hexagonal: 1,5, 2, 2,5, 3, 4, 5, 5, 5, 6, 8 mm. 12 x Hexagonal: 2, 2,5, 3, 4, 5, 6 mm, 5/64", 3/32", 7/64", 1/8", 9/64", 5/32".

9 x TORX; 18, 110, 115, 120, 125, 127, 130, 140, 145. 9 x Tamper Proof TORX; 1P8, 1P10, 1P15, 1P20, 1P25, 1P27, 1P30, 1P35, 1P40. 3 x Spline (XZN'): M5, M6, M8, 3 x Dual Wedge: 1, 2, 3, 4 x Tri-Wing; 1, 2, 3, 4, 4 x Spanner; 4, 6, 8, 10. 3 x Torque; 6, 8, 10 mm, 4 x Square: 0, 1, 2, 3, 17 x Bit 1,4", 75 mm; 3 x Hexagonal; 4, 5, 6 mm.

3 x Tamper Proof TORX: TP15, TP20, TP30. 4 x Tri-Wing: 1, 2, 3, 4. 4 x Spanner: 4, 6, 8, 10. 3 x Torque: 6, 8, 10 mm.



TTM029 1 Set 29 Piece Set

1 x Bits ratchet, 1/4" with 8 mm ring spanner. 1 x Bit holder, 1/4" magnetic 50 mm. 27 x Bits 1/4", 25 mm: 3 x Flat: 0.6 x 4.5 mm, 0.8 x 5.5 mm, 1.2 x 6.5 mm. 3 x PH: PH1, PH2, PH3. 3 x PZ-PZ1, PZ2, PZ3. 6 x TX: TX10, TX15, TX20, TX25, TX30, TX40. 3 x TPX: TPX20, TPX25, TPX30. 3 x ROB: No. 1, 2, 3. 3 x Hex: 4, 5, 6 mm. 2 x Grabber: No. 2 . 1 x Square Adaptor: 1/4"



TRIDENT 1/4" Dr. Hex **Security Bit Set**

Chromium-vanadium steel bits. Supplied in robust storage case. Dimensions: 195 x 135 x 37 mm.

| Part No. | Qty | Description |
|----------|-----|-------------|
| | | |

TL1100 1 Set 100 Piece Set

1 x Bit Holder, 1/4" magnetic: 60 mm. 1 x Bit Adaptor Socket, 1/4", 1 x Cup Hook Y-Adaptor: 1/4" Hex. 2 x Socket Adaptors, 1/4" Sq. x 1/4" Hex Dr. 25 mm, 50 mm. 95 x 1/4" Bits, 25 mm: 9 x Tamper Proof TX: TP8, TP10, TP15, TP20, TP25, TP27, TP30, TP35, TP40. 9 x TX: T8, T10, T15, T20, T25, T27, T30, T35, T40. 3 x Clutch: 1, 2, 3, 3 x Torq: 1, 2, 3. 3 x Spline: M5, M6, M8, 4 x Tri-Wing 1, 2, 3, 4 4 x Square: 0, 1, 2, 3, 4 x Spanner 4, 6, 8, 10. 9 x Flat: 3, 4, 4.5, 5, 5, 6, 6.5, 7, 8 mm. 8 x PR: Pt0, Pt1, Pt2, (x 5), Pt3. 8 x P2: P20, P21, P22 (x 5), P23. 10 x Hex, Imperial: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4". 6 x Tamper Proof Hex, Imperial: 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 9/64", 5/32", 9 x Hex, Metric: 1.5, 2, 2.5, 3, 4, 5, 5, 5, 6, 8 mm. 6 x Tamper Proof Hex, Metric: 2, 2.5, 3, 4, 5, 6 mm.



Complete with magnetic bit holder Supplied in a robust rubber organiser.

Description **TL474** 33 Piece Set 1 Set

1 x Bit holder, 1/4" magnetic: 60 mm. 32 x Bits 1/4", 25 mm: 5 x Slotted: 3, 4, 5, 6, 7 mm. 9 x Phillips: PH0, PH1 (x 2), PH2 (x 3), PH2 (x 3), 7 x Pozidriv: PZ1 (x 2), PZ2 (x 3), PZ3 (x 2). 6 x Hex: 2, 2.5, 3, 4, 5, 6 mm. 6 x Star (TX): T10, T15, T20, T25, T30, T40.



LASER 1/4" Dr. **Hex Security Bits Set**

Complete with magnetic bit holder. Supplied in a robust rubber organiser.

| Part No. | Qty | Description |
|----------|-----|-------------|
| | | |

1 Set 49 Piece Set

1 x Bit holder, 1/4" magnetic: 60 mm. 48 x Bits 1/4", 25 mm: 3 x Torq; 6, 8, 10 mm. 4 x Spanner Bits: 4, 6, 8, 10 mm. 4 x Tri-Wing: 1, 2, 3, 4 mm. 6 x Tamper Proof Hex: 2, 2.5, 3, 4, 5, 6 mm. 6 x Hex: 5/32", 9/64", 1/8", 7/64", 3/32", 5/64". 7 x Pozidriv: 1 (x 2), 2 (x 3), 3 (x 2). 9 x Phillips: 0, 1 (x 3), 2 (x 3), 3 (x 2).

9 x Tamper Proof Star (TPX): T8H, T10H, T15H, T20H, T25H, T27H, T30H, T35H, T40H.



KS TOOLS 10 mm Dr. **Hex Bit Socket Adaptor**

Finest chrome vanadium steel. Complete with retaining clip.

Part No. Qty **Drive Size**

1/2" Drive K911.4312





Finest chrome vanadium steel. Length: 75 mm.

| Part No. | Qty | Size | |
|-----------|-----|------|--|
| K975.2020 | 1 | T20 | |
| K975.2025 | 1 | T25 | |
| K975.2027 | 1 | T27 | |
| K975.2030 | 1 | T30 | |
| K975.2040 | 1 | T40 | |
| K975.2045 | 1 | T45 | |
| K975.2050 | 1 | T50 | |
| K975.2055 | 1 | T55 | |
| K975.2060 | 1 | T60 | |
| | | | |



50000000

30000000







































BONDHUS Balldriver Hex T-Handle - Metric

Protanium® High Torque Steel with ProGuard dry finish for superior corrosion protection. Cushioned curved ergonomic form-fitting solid steel handle.

| Part No. | Qty | Size | Length |
|----------|-----|-------|--------|
| TL13160 | 1 | 4 mm | 220 mm |
| TL13164 | 1 | 5 mm | 246 mm |
| TL13168 | 1 | 6 mm | 266 mm |
| TL13172 | 1 | 8 mm | 285 mm |
| TL13176 | 1 | 10 mm | 307 mm |

BONDHUS

BONDHUS









Supplied in durable storage pouch.

| Part No. | Qty | Description |
|----------|-------|-------------|
| TL349 | 1 Set | 8 Piece Set |
| | | |

3 x Hex Sizes: 2, 2.5, 3. 5 x Balldriver Sizes: 4, 5, 6, 8, 10 mm.







Protanium® High Torque Steel with ProGuard dry finish for superior corrosion protection. Cushioned curved ergonomic form-fitting solid steel handle.

| Part No. | Qty | Size | Length |
|----------|-----|--------|--------|
| TL13252 | 1 | 2 mm | 150 mm |
| TL13352 | 1 | 2 mm | 100 mm |
| TL13254 | 1 | 2.5 mm | 172 mm |
| TL13354 | 1 | 2.5 mm | 110 mm |
| TL13256 | 1 | 3 mm | 196 mm |
| TL13356 | 1 | 3 mm | 120 mm |
| TL13360 | 1 | 4 mm | 136 mm |
| TL13364 | 1 | 5 mm | 150 mm |
| TL13368 | 1 | 6 mm | 173 mm |
| TL13372 | 1 | 8 mm | 202 mm |
| TL13376 | 1 | 10 mm | 232 mm |
| | | | |










| Supplied in | durable s | torage pouch. |
|-------------|-----------|---------------|
| Part No. | Qty | Description |
| TL350 | 1 Set | 8 Piece Set |
| | | |









BONDHUS Balldriver Hex T-Handle - Imperial

Protanium® High Torque Steel with ProGuard dry finish for superior corrosion protection. Cushioned curved ergonomic form-fitting solid steel handle.

| Part No. | Qty | Size | Length |
|----------|-----|-------|--------|
| TL13109 | 1 | 5/32" | 231 mm |
| TL13110 | 1 | 3/16" | 250 mm |
| TL13111 | 1 | 7/32" | 262 mm |
| TL13112 | 1 | 1/4" | 275 mm |
| TL13113 | 1 | 5/16" | 289 mm |
| TL13114 | 1 | 3/8" | 300 mm |







BONDHUS Balldriver T-Handle Set - Imperial

Supplied in durable storage pouch.

| art No. | Qty | Description |
|--------------------|-------------|--------------------|
| L352 | 1 Set | 6 Piece Set |
| x Sizes: 5/32", 3/ | 16", 7/32", | 1/4", 5/16", 3/8". |







BONDHUS TORX® T-Handle Protanium® High Torque Steel with ProGuard dry finish for superior corrosion protection. Cushioned curved ergonomic form-fitting solid steel handle.

T40

| Part No. | Qty | Size | Length |
|----------|-----|------|--------|
| TL33009 | 1 | Т9 | 155 mm |
| TL33010 | 1 | T10 | 161 mm |
| TL33015 | 1 | T15 | 168 mm |
| TL33020 | 1 | T20 | 174 mm |
| TL33025 | 1 | T25 | 180 mm |
| TL33027 | 1 | T27 | 187 mm |
| TL33030 | 1 | T30 | 193 mm |

199 mm



TL33040



BONDHUS Star T-Handles - TX Set

Supplied with plastic wall mountable stand.

| Part No. | Qty | Description | |
|--------------------|----------------|--------------------|--|
| TL348 | 1 Set | 8 Piece Set | |
| 8 x Sizes: T9. T10 |), T15, T20, T | 25, T27, T30, T40. | |





موم

જ





TENG TOOLS T-Handle Hex Drivers Set

Ball point head on long hex keys. Supplied in a tool tray.

Part No. Qty Description

TTTHEX7 1 Set **7 Piece Set**

3 x Hex, 100 mm: 2.5, 3, 4 mm. 3 x Hex, 150 mm: 5, 6, 7 mm. 1 x Hex, 190 mm: 8 mm



TENG TOOLS T-Handle TX/TPX Drivers Set

Supplied in a tool tray.

Part No. Qty Description

1 Set 7 Piece Set

3 x TX, 100 mm: TX/TPX10, TX/TPX15, TX/TPX20. 3 x TX, 150 mm: TX/TPX25, TX/TPX27, TX/TPX30. 1 x TX, 190 mm: TX/TPX40



Insert wrench just once and simply pivot around obstacles, long handles for extra reach. Supplied in a canvas roll pouch.

Part No. Qty Description

Part No. Qty Description

TL357 1 Set 6 Piece Set

6 x Hex Sizes: 3, 4, 5, 6, 8, 10 mm



TL358 1 Set **8 Piece Set** 8 x Hex Sizes: 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/18", 3/8"



BONDHUS 'TORX PRO' Pivot Head Wrenches

Insert wrench just once and simply pivot around obstacles, long handles for extra reach. Supplied in a canvas roll pouch.

Part No. Qty Description

TL359 1 Set 6 Piece Set

6 x TORX Sizes: T25, T27, T30, T40, T45, T50

















BONDHUS Hex Driver Fold Up Set - Metric

Qty TNB12595 1 Set 6 Piece Set

6 x Sizes: 3, 4, 5, 6, 8, 10 mm.





BONDHUS 'GorillaGrip®' Hex Driver Fold Up Set - Metric

TNB12592 1 Set 7 Piece Set

7 x Sizes: 1.5, 2, 2.5, 3, 4, 5, 6 mm.



BONDHUS





90° stop converts the tool into a non-stop, time saving, speed wrench



'Turn & Flip' feature eliminates constant removal and repositioning in screw head when working against obstructions.









BONDHUS 'GorillaGrip®' TORX® Driver Fold Up Set

Description

TNB12632 1 Set 8 Piece Set

8 x Sizes: T6, T7, T8, T9, T10, T15, T20, T25.







Description TNB12634 1 Set 8 Piece Set 8 x Sizes: T9, T10, T15, T20, T25, T27, T30, T40.









BONDHUS Ball Hex Driver Set - Imperial

Qty Description **TL346** 1 Set 13 Piece Set

13 x Hex Sizes: .050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8".







BONDHUS Stubby Ball Hex Key Wrench Set - Imperial

Part No. Qty Description **TL354** 1 Set 13 Piece Set

13 x Hex Sizes: .050, 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8".







BONDHUS Ball Hex Driver Set - Metric

TL345 1 Set 9 Piece Set Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm.







BONDHUS Stubby Ball Hex Key Wrench Set - Metric

Part No. Description **TL353** 1 Set 9 Piece Set 9 x Hex Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm.









BONDHUS BALLSTAR® Driver Set - TORX® Set

Part No. Description Qty **TL347** 1 Set 8 Piece Set 8 x TORX° Sizes: T9, T10, T15, T20, T25, T27, T30, T40.



ထွ







TENG TOOLS Ball Point Hex Key Wrench Set - Metric

Black finish. Supplied in a folding holder.

Description Qty T1479MMA 1 Set 9 Piece Set

9 x Sizes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 7.0, 10.0 mm.











BONDHUS Colour Coded Ball End Hex Key Wrenches - Metric Set

Description Part No. TNB69499 1 Set 9 Piece Set

9 x Hex Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm.





BONDHUS Colour Coded Ball End Hex Key Wrenches - Extra Long Metric Set

Part No. Description TNB69699 1 Set 9 Piece Set

9 x Hex Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm.



TENG TOOLS Ball Point Hex Key Wrench Set - Imperial

Black finish. Supplied in a folding holder. Description Part No. Qty

T1479AF 1 Set 9 Piece Set

9 x Sizes: 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8".





TENG TOOLS TX Key Wrench Set

Black finish. Supplied in a folding holder.

Description T1479TX 1 Set 9 Piece Set

9 x TX Keys: TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40.

















KS TOOLS 3-in-1 Hex Key Wrench Set, Ball Ended

Chrome plated, matt finish. DIN/ISO 2936. In patented plastic holder.

Qty Description

K151.2100 1 Set **8 Piece Set**

8 x Sizes: 2, 2.5, 3, 4, 5, 6, 8, 10 mm.



KS TOOLS 3-in-1 Hex Key Wrench Set, Extra Long Ball Ended

Chrome plated, matt finish. DIN/ISO 2936. In patented plastic holder.

Part No. Description **K151.2180** 1 Set **8 Piece Set**

8 x Sizes: 2, 2.5, 3, 4, 5, 6, 8, 10 mm.



0 000

 \odot



Combination Spanners

TENG TOOLS Combination Spanners Set Polished heads, satin finish.12 Point.

Polished heads, satin finish, 12 Point, 15° offset ring ends.

| i onsilea nee | aus, suci | in thinish. 12 t onle. 15 offsetting chas. |
|---------------|-----------|--|
| Part No. | Qty | Size |
| T600507 | 1 | 7 mm |
| T600508 | 1 | 8 mm |
| T600510 | 1 | 10 mm |
| T600513 | 1 | 13 mm |
| T600515 | 1 | 15 mm |
| T600517 | 1 | 17 mm |
| T600519 | 1 | 19 mm |
| T600521 | 1 | 21 mm |
| T600522 | 1 | 22 mm |
| T600524 | 1 | 24 mm |
| T600527 | 1 | 27 mm |
| T600530 | 1 | 30 mm |
| T600536 | 1 | 36 mm |



KS TOOLS 'CHROMEplus®' Mirror Polished Combination Spanner Set

KS TOOLS'

Chrome plated, mirror polished. DIN 3338, ISO 3318, ISO 7738. Head offset 15°, jaw offset 15°. Supplied in a heavy duty storage pouch roll.

| Partinu. | Ųly | Description |
|----------------------|--------------|--------------------------------|
| K518.0643 | 1 Set | 13 Piece Set |
| 13 x Sizes: 6, 7, 8, | 9, 10, 11, 1 | 12, 13, 14, 15, 17, 19, 22 mm. |



KS TOOLS 'CHROMEplus®' Extra Long Double Ring Spanner Set Chrome plated, mirror polished, straight slim line head.



Extra narrow shape spanner head.

- · Designed for high torque tightening and loosening.
- · Ideal for loosening very tight fittings in awkward areas where the use of a ratchet is not possible: e.g. on axles, ball joints, suspensions, steering components, propeller shaft couplings, etc.
- No need to lengthen normal spanners which can lead to injury.

Part No. Qty Description **K518.0800** 1 Set 6 Piece Set

6 x Sizes: 10 x 11, 12 x 14, 13 x 15, 16 x 18, 17 x 19, 22 x 24 mm.



TENG TOOLS 'Rigger Jigger'

| Part No. | Qty | Size |
|----------|-----|---------------|
| T601013 | 1 | 10 mm x 13 mm |





0

TENG TOOLS Combination Spanners Set

Polished heads, satin finish. 12 Point. 15° offset ring ends. Supplied in a TTX tool tray.

Part No. Description TTTX2032 1 Set 7 Piece Set 7 x Sizes: 20, 21, 22, 24, 27, 30, 32 mm



Gripper Wrench Organizer

For use in toolboxes or on the wall. Folding space saver handle.

| Part No. | Qty | Holds Up To |
|----------|-----|-------------|
| TL8050 | 1 | 12 Spanners |



موو



3/8"





KS TOOLS Combination Spanner Set

KS TOOLS

Chrome vanadium steel, satin finish, polished heads.

DIN 3113 Form A/ISO 3318/ISO 7738. Head offset 15°, jaw offset 15°.
FlankTraction profile (12 point). Supplied in a heavy duty storage pouch roll.

Part No. Description 0tv

K517.0043 1 Set **21 Piece Set**

12 Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

21 x Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm.



KS TOOLS Extra Long Combination Spanner Set

Chrome vanadium steel, polished heads. DIN 3113 Form A/ISO 3318/ISO 7738. Head offset 15°, jaw offset 15°. FlankTraction profile (12 point). Supplied in a display box.



Description K519.0660 1 Set 11 Piece Set 10 x Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm



KS TOOLS 3/8" Drive 6 Point Crow Foot Wrench Set

Chrome plated, matt finish. Supplied on a socket rail.

Description Part No. Qty

K913.3800 1 Set **10 Piece Set** 10 x Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm.



Supplied on a socket rail.

Part No. Description **TK6400** 1 Set 8 Piece Set

8 x Sizes: 10, 11, 13, 14, 15, 17, 19, 22 mm



BAHCO Adjustable Wrench

Phosphated finish. 40% wider opening than standard 8" (200 mm) wrench with convenient length handle.

| Part No. Qty | | Length | Max Jaw Capacity | |
|--------------|---|--------|------------------|-------|
| TB9031 | 1 | 8 1/2" | 218mm | 38 mm |

BAHCO



BAHCO Adjustable Wrenches

Phosphate finish. DIN 3117.

| Part No. | Qty | Length | Max Jaw Opening | |
|----------|-----|--------|-----------------|--|
| TB8070 | 1 | 155 mm | 20 mm | |
| TB8071 | 1 | 205 mm | 27 mm | |
| TB8072 | 1 | 255 mm | 30 mm | |
| TB8073 | 1 | 305 mm | 34 mm | |
| TB8074 | 1 | 380 mm | 44 mm | |
| TB8075 | 1 | 455 mm | 53 mm | |
| TB8075 | 1 | 455 mm | 53 mm | |





TENG TOOLS Adjustable Wrenches

Phosphate finish.

| Part No. | Qty | Length | | |
|----------|-----|--------|----------|--|
| T4002 | 1 | 6" | (150 mm) | |
| T4003 | 1 | 8" | (200 mm) | |
| T4004 | 1 | 10" | (250 mm) | |
| T4005 | 1 | 12" | (300 mm) | |
| T4006 | 1 | 15" | (375 mm) | |
| T4007 | 1 | 18" | (450 mm) | |
| | | | | |



































K503.4646 1 Set 6 Piece Set

6 x Sizes: 8, 10, 12, 13, 17, 19 mm.



Otv **K503.4666** 1 Set 16 Piece Set

12 x Reversible Spanners: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm.

4 x GEARplus" Adaptors: 1 x for Bits: 1/4". 3 x for Sockets: 1/4", 3/8", 1/2".

Part No.





Polished heads, satin finish. 12 Point. 15° offset ring ends. Flip reverse switch.

| Part No. | Qty | Size |
|----------|-----|-------|
| T600508R | 1 | 8 mm |
| T600510R | 1 | 10 mm |
| T600513R | 1 | 13 mm |
| T600515R | 1 | 15 mm |
| T600517R | 1 | 17 mm |
| T600519R | 1 | 19 mm |
| T600522R | 1 | 22 mm |
| T600524R | 1 | 24 mm |



TENG TOOLS Reversible Ratcheting Combination Spanners Set

Polished heads, satin finish. 12 Point. 15° offset ring ends. Supplied in a tool tray.

TTT6508R 1 Set 8 Piece Set

8 x Sizes: 8, 10, 11, 12, 13, 14, 17, 19 mm




KS TOOLS 'DUO GEARPlus®' Reversible Ratchet Ring/Open-End Combi Spanners with Open Jaw Ratchet Function

Based on DIN 3113/ISO 3318. Chrome vanadium fine satin finish. Jaw offset by 15°. 72 teeth ratcheting action.

· Innovative open-end jaw ratchet mechanism

Flank Traction profile



| - Hullit Huch | on pron | | | GERMANY |
|---------------|---------|-------|--------|---------|
| Part No. | Qty | Size | Length | |
| K503.5908 | 1 | 8 mm | 140 mm | |
| K503.5909 | 1 | 9 mm | 150 mm | |
| K503.5910 | 1 | 10 mm | 159 mm | |
| K503.5911 | 1 | 11 mm | 166 mm | |
| K503.5912 | 1 | 12 mm | 172 mm | |
| K503.5913 | 1 | 13 mm | 178 mm | |
| K503.5914 | 1 | 14 mm | 191 mm | |
| K503.5915 | 1 | 15 mm | 200 mm | |
| K503.5916 | 1 | 16 mm | 208 mm | |
| K503.5917 | 1 | 17 mm | 225 mm | |
| K503.5918 | 1 | 18 mm | 236 mm | |
| K503.5919 | 1 | 19 mm | 248 mm | |



KS TOOLS 'DUO GEARplus®'

Reversible Ratchet Ring/Open-End Combi Spanners with Open Jaw Ratchet Function Set

Description K503.5905 1 Set 5 Piece Set

5 x Sizes: 8, 10, 13, 17, 19 mm.



0

موو

ၛ

454

12 x Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm.

1/4" 3/8" 1/2"





KS TOOLS 'SlimPOWER' Reversible Ratchets





3/8" 1/2"



Chrome plated and mirror polished. DIN 3122 / ISO 3315. Square drive adaptor to DIN 3120 / ISO 1174 with ball lock. Ergonomic non-slip 2 component handle. 72 teeth, 5° angle ratchet mechanism. Extremely slim line head. Quick release system.

| Part No. | Qty | Drive Size | Weight | Max Torque | |
|-----------|-----|------------|--------|------------|--|
| K920.1490 | 1 | 1/4" Drive | 80g | 102 Nm | |
| K920.3890 | 1 | 3/8" Drive | 180g | 102 Nm | |
| K920.1290 | 1 | 1/2" Drive | 356g | 710 Nm | |





KS TOOLS 'CHROMEplus®' Reversible Ratchets

Chrome plated, mirror polished. DIN 3122, ISO 3315. 45 teeth, 8° angle ratchet mechanism. Quick release system. Ergonomic non-slip 2 component handle.

| Part No. | Qty | Drive Size |
|-----------|-----|------------|
| K918.1400 | 1 | 1/4" Drive |
| K918.3800 | 1 | 3/8" Drive |
| K918.1200 | 1 | 1/2" Drive |



Part No. **Drive Size** Otv 3/8" Drive **TL3890** 1

| KS TOOLS | |
|----------|--|
| GERMANY | |
| | |
| | |

KS TOOLS 'CHROMEplus®' Flex Head Ratchet

Chrome plated, mirror polished. DIN 3122, ISO 3315.72 teeth, 5° angle ratchet mechanism. Quick release system. American style handle

| Part No. | Qty | Drive Size | | |
|-----------|-----|------------|--|--|
| VQ19 2007 | 1 | 3 /9" ח | | |

3/8" Drive **K918.3997** 1



SIGNET Professional Reversible Ratchet

| Chrome | vanadium | head. Quick-rele | ase mechanism. |
|----------|----------|------------------|----------------|
| Part No. | Qty | Drive Size | Length |
| | | | |

TL4050 3/4" Drive 510 mm

| KS TOOLS | 100 |
|----------|-----|
| GERMANY | - |

KS TOOLS 'CHROMEplus®' Telescopic Reversible Ratchet

Chrome plated, mirror polished. DIN 3122, ISO 3315. 36 teeth, 10° angle ratchet mechanism.Quick release system. Ergonomic non-slip 2 component handle. Extension Range: 380 to 500 mm.

| Part No. | Qty | Drive Size |
|-----------|-----|------------|
| K918.1270 | 1 | 1/2" Drive |





TENG TOOLS 'FRP' Ratchets

Steel reinforced fibre ratchet with fixed drive.

- · 45 teeth provides 8° increment.
- Quick release and flip reverse system.
- · Lighter and more comfortable than normal ratchets, yet just as strong.

| Part No. | Qty | Drive Size |
|----------|-----|------------|
| T1400FRP | 1 | 1/4" Drive |
| T3800FRP | 1 | 3/8" Drive |
| T1200FRP | 1 | 1/2" Drive |



- · Quick release and twist reverse system · Rubber handle
- · An uncomplicated mechanism provides higher torque capacity and longer service life

| Part No. | Qty | Drive Size |
|-----------|-----|------------|
| T1400-72N | 1 | 1/4" Drive |
| T3800-72N | 1 | 3/8" Drive |
| T1200-72N | 1 | 1/2" Drive |



SIGNET Ratchets

45 Teeth.









3/8" 1/2"



 \odot











KS TOOLS 'CHROMEplus®' Power Bars

| Extra long hand | | | | 3/8" | 1/2" | 3/4" | 1" |
|-----------------|-----|-----------------|---------|------|------|------|----|
| Part No. | Qty | Drive Size | Length | | | | |
| K918.3826 | 1 | 3/8" Drive | 400 mm | | | | |
| K918.3826-1 | 1 | 3/8" Spare Head | | | | | |
| K918.1292 | 1 | 1/2" Drive | 600 mm | | | | |
| K918.1292-1 | 1 | 1/2" Spare Head | | | | | |
| K918.1801 | 1 | 3/4" Drive | 1030 mm | | | | |
| K918.1802 | 1 | 1" Drive | 1050 mm | | | | |



| Part No. | Qty | Drive Size | Length | |
|----------|-----|-----------------|----------|-------|
| TL9190 | 1 | 3/8" Drive | 375 mm | (15") |
| TL9190H | 1 | 3/8" Spare Head | | |
| TL9290 | 1 | 1/2" Drive | 600 mm | (24") |
| TL9290H | 1 | 1/2" Spare Head | | |
| TL4060 | 1 | 3/4" Drive | 1,000 mm | (39") |
| TL4060H | 1 | 3/4" Spare Head | | |



TENG TOOLS 1/2" Drive Flex Handle

| 1/2" Drive Flex Handle | | | | | |
|------------------------|-----|-------------|--------|-------|--|
| Part No. | Qty | Description | Length | | |
| T1201 | 1 | Flex Handle | 450 mm | (17") | |
| | | | | | |





KS TOOLS 1/4" Drive 'LOKPLUS' Extension Set

Knurled, chrome plated, mirror polished. DIN 3123, ISO 3316.

- The LOKPLUS system holds the socket tight to the extension, minimising the risk of loosing the socket on removal from the nut or bolt.
- . The slim line locking mechanism allows for no increase of the overall dimensions.

| rt No. | Qty | Description |
|----------|-------|-------------|
| 919.0143 | 1 Set | 3 Piece Set |

3 x Lengths: 100, 150, 250 mm





KS TOOLS 3/8" Drive 'LOKPLUS' Extension Set

Knurled, chrome plated, mirror polished. DIN 3123, ISO 3316.

- The LOKPLUS system holds the socket tight to the extension, minimising the risk of loosing the socket on removal from the nut or bolt.
- The slim line locking mechanism allows for no increase of the overall dimensions.

 Part No.
 Qty
 Description

 K919.0383
 1 Set
 3 Piece Set

 3 x Lengths: 75, 150, 150 mm.
 3 Piece Set





,

1/4"

3/8"

KS TOOLS 1/2" Drive 'LOKPLUS' Extension Set

Knurled, chrome plated, mirror polished. DIN 3123, ISO 3316.

- The LOKPLUS system holds the socket tight to the extension, minimising the risk of loosing the socket on removal from the nut or bolt.
- The slim line locking mechanism allows for no increase of the overall dimensions.

| Part No. | Qty | Description |
|---------------------|-----------|-------------|
| K919.0123 | 1 Set | 3 Piece Set |
| 3 x Lengths: 75, 12 | 5, 250 mn | |




LASER Power Drive Extensions

Allows cordless power drivers to drive sockets and socket bits.









موو

ဇ္





1/4"

TENG TOOLS 1/4" Drive Extensions

Chrome vanadium steel. Satin finish.

| Part No. | Qty | Length | |
|----------|-----|--------|--------|
| TM140020 | 1 | 2" | 50 mm |
| TM140021 | 1 | 4" | 100 mm |
| TM140022 | 1 | 6" | 150 mm |





TENG TOOLS 3/8" Drive Extensions

Chrome vanadium steel. Satin finish.

| Part No. | Qty | Length | |
|----------|-----|--------|--------|
| TM380020 | 1 | 3" | 75 mm |
| TM380021 | 1 | 6" | 150 mm |
| TM380022 | 1 | 10" | 254 mm |





TENG TOOLS 1/2" Drive Extensions

Chrome vanadium steel. Satin finish.

| Part No. | Qty | Length | | |
|----------|-----|--------|---------|---|
| TM120020 | 1 | 2 1/2" | 63.5 mm | _ |
| TM120021 | 1 | 5" | 125 mm | _ |
| TM120022 | 1 | 10" | 254 mm | _ |



KS TOOLS 'CHROMEplus®' Universal Joints

Chrome plated, mirror polished.DIN 3123, ISO 3316.

| K918.1450 1 1/4 " Drive K918.1250 1 1/2 " Drive | Part No. | Qty | Size | |
|---|-----------|-----|------------|--|
| K918.1250 1 1/2" Drive | K918.1450 | 1 | 1/4" Drive | |
| | K918.1250 | 1 | 1/2" Drive | |





TENG TOOLS Universal Joints

| Part No. | Qty | Drive | Length |
|----------|-----|------------|--------|
| TM140030 | 1 | 1/4" Drive | 33 mm |
| TM380030 | 1 | 3/8" Drive | 50 mm |
| TM120030 | 1 | 1/2" Drive | 69 mm |



KS TOOLS 'CHROMEplus®' Sliding T-Bar Adaptors

Chrome plated, mirror polished.

| 1/0404440 | - | 2/01114 |
|---------------|-------|---------|
| Part No. | Qty | Size |
| DIN 3123, ISC | 3316. | |

| K918.1449 | 1 | 3/8" M: 1/4" F |
|------------------|---|----------------|
| K918.3807 | 1 | 1/2" F: 3/8" M |
| | | |





TENG TOOLS Drive Adaptors

With hole for turning using an extension bar.

| Part No. | Qty | Size |
|----------|-----|-----------------|
| TM140036 | 1 | 1/4" F : 3/8" M |
| TM380036 | 1 | 3/8" F : 1/2" M |
| TM120036 | 1 | 1/2" F : 3/8" M |





TENG TOOLS 1/4", 3/8" & 1/2" Drive Socket Accessories Set

Supplied in a TTX tool tray. Part No. Description

| TTTXEXT13 | 1 Set | 13 Piece Se |
|-----------|-------|-------------|
|-----------|-------|-------------|

 $2\times1/4^{\prime\prime}$ Extensions: 6', 12''. 1 x 1/4" Universal Joint. 1 x 3/8" Wobble Extension 3''. 1 x 3/8" Extension 20''. 1 x 3/8" Universal Joint. 1 x 3/8" F- 1/4" M. 1 x 1/2" Wobble Extension: 3''. 1 x 1/2" Extension: 20''. 1 x 1/2" Universal Joint. 1 x T-Handle Grip. 2 x Mini Screwdrivers, Hex: 2.0, 2.5 mm.

























TENG TOOLS 1/4" Drive Socket Set

Supplied in a plastic storage box with rubber feet to prevent sliding.

Part No. Description TT1424 1 Set 23 Piece Set

1 x FRP Ratchet. 1 x Hanging Hook. 1 x Universal Joint. 1 x Extension: 3". 1 x Coupler Adaptor. 11 x Regular Sockets, 6 point: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm. 8 x Hex Bits 1/4", 25 mm: 2 x Slotted: 4, 5.5 mm 2 x PH: PH1, PH2. 2 x TX: TX15, TX20. 2 x Hex: 5, 6 mm.





TENG TOOLS 1/4" Drive Socket Set

Supplied in a plastic storage box with rubber feet to prevent sliding.

Description

TT1436 1 Set 36 Piece Set

1 x FRP Ratchet. 1 x Universal Joint. 2 x Extensions: 2", 4". 1 x Coupler Adaptor. 1 x T-Bar Adaptor: 3/8" F - 1/4" M. 3 x Hex Keys: . 1.5, 2, 2.5 mm. 10 x Regular Sockets, 6 point: 4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13 mm. 6 x Deep Sockets, 6 point: 6, 7, 8, 10, 12, 13 mm. 11 x Hex Bits 1/4", 25 mm: 2 x Slotted: 4, 5.5 mm.

2 x PH: PH1, PH2. 2 x PZ: PZ1, PZ2. 3 x TX: TX10, TX15, TX20. 2 x Hex: 5, 6 mm.

STOOLS



Chrome plated, mirror polished. Precision manufactured to DIN/ISO standards. Supplied in a robust plastic storage case.

K918.0646 1 Set 46 Piece Set

13 x Sockets 1/4". 4, 4, 5, 5, 5, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm. 21 x Bit sockets 1/4". 3 x Slotted: 4, 5.5, 7 mm. 3 x PHILLIPS". PH1, PH2, PH3, 2 x POZIDRIV": PZ1, PZ2, 6 x Hexagonal: 3, 4, 5, 6, 7, 8 mm. 7 x TORX": T10, T15, T20, T25, T27, T30, T40. 3 x Extensions 1/4", knurled, with hexagonal drive: 50, 100, 150 mm.

1 x Spinner handle 1/4" drive. 1 x Universal joint 1/4". 1 x Sliding T-bar 1/4". 4 x Hex key wrenches: 1,1.5, 2, 2.5 mm. 1 x Socket adaptor 1/4" square with 1/4" hexagonal drive. 1 x Reversible ratchet 1/4".

1/4"

1/4"

1/4"



TENG TOOLS 3/8" Drive Socket Set

Supplied in a plastic storage box with rubber feet to prevent sliding.

Part No. Description **TT3834** 1 Set 24 Piece Set

1 x FRP Ratchet. 1 x Hanging Hook. 1 x Extension Bar: 3". 1 x Coupler Adaptor. 9 x Regular Sockets, 6 point: 8, 10, 11, 12, 13, 14, 15, 17, 19 mm. 11 x Hex Bits 1/4", 25 mm: 2 x Slotted: 4, 5.5 mm. 2 x PH: PH1, PH2. 2 x PZ: PZ1, PZ2. 3 x TX: TX10, TX15, TX20. 2 x Hex: 5, 6 mm.



Supplied in a plastic storage box with rubber feet to prevent sliding. Part No. Description

Qty 39 Piece Set **TT3839** 1 Set

1 x FRP Ratchet. 1 x Universal Joint. 1 x Wobble Extension: 3". 1 x Extension: 6". 1 x Coupler Adaptor. 1 x T-Bar Adaptor: 1/2" F - 3/8" M.

14 x Regular Sockets, 6 point: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm. 6 x Deep Sockets, 6 point: 8, 10, 12, 13, 17, 19 mm. 2 x Spark Plug Sockets: 16, 21 mm

11 x Hex Bits 1/4", 25 mm: 2 x Slotted: 4, 5.5 mm. 2 x PH: PH1, PH2. 2 x PZ: PZ1, PZ2. 3 x TX: TX10, TX15, TX20. 2 x Hex: 5, 6 mm.



Chrome plated, mirror polished. Precision manufactured to DIN/ISO standards. Supplied in a robust plastic storage case.

Qty **K918.0627** 1 Set **27 Piece Set**

13 x Sockets 3/8": 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm. 10 x Deep Sockets 3/8": 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm. 2 x Wobble extension 3/8", knurled: 75, 150 mm. 1 x Universal joint 3/8". 1 x Reversible ratchet 3/8".

Description



 \odot

(0)

موو

ၛၟ



Chrome plated, mirror polished.
Precision manufactured to DIN/ISO standards. Supplied in a robust plastic storage case.

Description K918.0661 1 Set 61 Piece Set

18 x Sockets 3/8": 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm.
10 x Sockets 3/8", deep: 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm. 2 x Spark plug sockets 3/8": 16, 21 mm.
26 x Bit sockets 3/8": 3 x Slotted: 5.5, 7, 8 mm. 3 x PHILLIPS': PH1, PH2, PH3. 3 x POZIDRIV': PZ1, PZ2, PH3. 7 x Hexagonal: 3, 4, 5, 6, 7, 8, 10 mm. 10 x TORX*: T10, T15, T20, T25, T27, T30, T40, T45, T50, T55.

1 x Wobble extension 3/8", knurled: 75 mm. 1 x Wobble extension 3/8", knurled: 250 mm

1 x Sliding T-bar adaptor for extension 3/8", adaptor function. 1 x Universal joint 3/8". 1 x Reversible ratchet 3/8".









3/8" 1/2"

3/8"

KS TOOLS 'TRIPLEplus®' 19 mm Drive (3/8" & 1/2") 'Go-Through' Socket Set

Chrome plated, mirror polished. Precision manufactured to DIN/ISO standards. Supplied in a robust plastic storage case.

'TRIPLEPIUS® Profile, the perfect torque transfer, works on hexagonal, 12 point, E-TORX®, nuts and bolts as well as many imperial sizes.



Description Qty

K916.4050 1 Set **17 Piece Set**

13 x TRIPLEplus" (Go-Through' sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm. 1 x Go-through socket extension with 19 mm drive: 75 mm. 1 x Socket adaptor 19 mm x 3/8". 1 x Socket adaptor 19 mm x 1/2". 1 x Go-through reversible ratchet, with 19 mm drive.



KS TOOLS 'CHROMEplus®' 1/2" Drive Socket Set

Chrome plated, mirror polished, Precision manufactured to DIN/ISO standards. Supplied in a robust plastic storage case.

Part No. Qty Description

K918.0635 1 Set 35 Piece Set 18 x Sockets 1/2": 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32, 34 mm. 10 x Sockets 1/2", deep: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm. 2 x Spark plug sockets 1/2": 16, 21 mm. 2 x Extension 1/2", knurled: 125, 250 mm. 1 x Universal joint 1/2". 1 x Sliding T-bar adaptor 1/2". 1 x Reversible ratchet 1/2"



1/2" Drive Socket Set

Supplied in a plastic storage box with rubber feet to prevent sliding.

Part No. Description

1 Set 21 Piece Set

1 x FRP Ratchet. 1 x Universal Joint. 2 x Extensions: 2 1/2", 6". 1 x T-Bar Adaptor: 3/8" F - 1/2" M. 16 x Regular Sockets, 12 point: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm.





















1/2"













KS TOOLS 3/8" Drive Hex Bit Socket Set

Chrome plated, matt finish. Length: 50 mm. Supplied on a socket rail.

Part No. Qty Description

K911.3945 1 Set **7 Piece Set**

7 x Sizes: 4, 5, 6, 7, 8, 10, 12 mm



TENG TOOLS 3/8" Drive Hex Bit Socket Set

| Supplied on | | rail. | 3/8" |
|---------------------|---------------|-------------|------|
| Part No. | Qty | Description | |
| TM3812 | 1 Set | 9 Piece Set | |
| 9 x Sizes: 3, 4, 5, | 5.5, 6, 7, 8, | 10, 12 mm | |





TENG TOOLS 1/2" Drive Hex Bit Socket Set

| | Supplied on a socket rail. | | | | | | |
|--------------|---|-------|-------------|--|--|--|--|
| Part No. Qty | | Qty | Description | | | | |
| | TM1212 | 1 Set | 9 Piece Set | | | | |
| | 9 x Sizes: 5, 6, 7, 8, 9, 10, 12, 14, 17 mm | | | | | | |





KS TOOLS 3/8" DriveTORX® Bit Socket Set

| Part No. | Qty | Description | |
|---------------------|-------------|-----------------------------|--|
| K911.3935 | 1 Set | 10 Piece Set | |
| 10 x Sizes: T10, T1 | 5, T20, T27 | 7, T30, T40, T45, T50, T55. | |





TENG TOOLS 1/2" Drive TX Bit Socket Set

| Supplied on a | | rail. | 1/2" | | | | | |
|---------------------|---|-------------|------|--|--|--|--|--|
| Part No. | Qty | Description | | | | | | |
| TM1213TX | 1 Set | 9 Piece Set | | | | | | |
| 9 x Sizes: TX20, TX | 9 x Sizes: TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60 | | | | | | | |



3/8"



TENG TOOLS 1/4" & 3/8" Drive TX-E Bit Socket Set

| Supplied on | | rail. | 1/4" | 3/8" | | | |
|--------------------|---|--------------|------|------|--|--|--|
| Part No. | Qty | Description | | | | | |
| TM3814 | 1 Set | 10 Piece Set | | | | | |
| 5 x 1/4" Drive: E4 | 5 x 1/4" Drive: E4, E5, E6, E7, E8. 5 x 3/8" Drive: E10, E12, E14, E16, E18 | | | | | | |




TENG TOOLS 1/4" Drive Regular Socket Set - 6 Point

| Supplied on a socket rail. | | | | | | |
|---|-------|--------------|--|--|--|--|
| Part No. | Qty | Description | | | | |
| TM1412 | 1 Set | 12 Piece Set | | | | |
| 12 x Regular Sockets, 6 point: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm. | | | | | | |



| TENG TOOLS 3/8" Drive Regular Socket Set - 6 Point Supplied on a socket rail. | | | | | | |
|--|--------------|--|--|--|--|--|
| Part No. | Qty | Description | | | | |
| TM3816 | 1 Set | 16 Piece Set | | | | |
| 4.C D | and Constant | 7 0 0 40 44 42 42 44 45 46 47 40 40 20 24 22 | | | | |





TENG TOOLS 1/2" Drive Regular Socket Set - 12 Point

| Supplied on a socket rail. | | | | |
|----------------------------|-------------------|---|--|--|
| Part No. | Qty | Description | | |
| TM1215 | MM 1 Set | 15 Piece Set | | |
| 15 x Sizes: 10 |), 12, 13, 14, 15 | , 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm | | |



موم

အ

O



KS TOOLS 'CHROMEplus®' 1/4" Drive Deep Socket Set

Chrome plated, mirror polished. DIN 3124, ISO 2725. Supplied on a socket rail. 1/4

Part No. Qty Description

K918.0610 1 Set 10 Piece Set

10 x Sizes: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm.



TENG TOOLS 1/4" Drive Deep Socket Set - 6 Point

 Supplied on a socket rail.

 Part No.
 Qty
 Description

 TM1407
 1 Set
 9 Piece Set

9 x Deep Sockets 6-pt: 4, 5, 6, 7, 8, 9, 10, 12, 13 mm





KS TOOLS 'CHROMEplus®' 3/8" Drive Deep Socket Set

Chrome plated, mirror polished. DIN 3124, ISO 2725.

Supplied on a socket rail.

Part No. Oty Description

 Part No.
 Qty
 Description

 K918.0611
 1 Set
 11 Piece Set

 11 x Sizes: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm.





TENG TOOLS 3/8" Drive Deep Socket Set - 6 Point

Supplied on a socket rail.

 Part No.
 Qty
 Description

 TM3807
 1 Set
 7 Piece Set

 7 x Deep Sockets 6-pt: 10, 12, 13, 14, 15, 17, 19 mm





TENG TOOLS 3/8" Drive Spark Plug Sockets - 6 Point

| Spark risponences or once | | | | | |
|---------------------------|-----|-------|--|--|--|
| Part No. | Qty | Size | | | |
| TM380040 | 1 | 16 mm | | | |
| TM380046 | 1 | 21 mm | | | |





KS TOOLS 'CHROMEplus®' 1/2" Drive Deep Socket Set

Chrome plated, mirror polished. DIN 3124, ISO 2725. Supplied on a socket rail.

Part No. Qty Description **K918.0612** 1 Set 10 Piece Set

10 x Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm.



1/4"

3/8"



TENG TOOLS 1/2" Drive Deep Socket Set - 6 Point

Supplied on a socket rail.

Part No. Qty Description
TM1208-6 1 Set 8 Piece Set

8 x Sizes: 13, 14, 15, 16, 17, 18, 19, 24 mm



Temperature Sender Socket Set

Chrome plated. Allows access to difficult pipe connectors and wired sensor units (NOT Lambda). Ideal for the loosening of ABS pipes, master cylinder pipes, diesel injection pipes & wired sensors (coolant sensors, etc).

A great time saving tool when access is difficult.

Part No. Qty Description **TL3860** 1 Set **6 Piece Set**

6 x Sizes: 10, 11, 12, 14, 17, 19 mm.



Socket Rails

Supplied complete with 16 spring steel socket clips. (Sockets NOT included). PartNo. Qty Drive Length

| o spring steer societ chps. (Societs incloded). | | | | | | |
|---|-------|-------|--------|--|--|--|
| art No. | Qty | Drive | Length | | | |
| TL8012 | 1 Set | 1/2" | 410 mm | | | |
| TL8014 | 1 Set | 1/4" | 410 mm | | | |
| TL8038 | 1 Set | 3/8" | 410 mm | | | |



1/2"

























1/4" 3/8"















KS TOOLS 3/8" Drive Hex Bit Sockets

8 mm



K911.3868 1

K911.3889 1

TM140511

TM140512

TM140513





KS TOOLS 3/8" Drive TORX® Bit Sockets

3/8" Chrome plated, matt finish. Length: 50 mm. Qty Size **K911.3887** 1 T10 **K911.3869** 1 **T15 K911.3870** 1 T20 **K911.3871** 1 **T25 K911.3872** 1 **T27 K911.3873** 1 T30 **K911.3874** 1 T40 **K911.3885** 1 **T45 T50 K911.3884** 1 **K911.3888** 1 **T55**



T60

| Regular Sockets - 6 Point | | | | |
|---------------------------|-----|--------|--|--|
| Part No. | Qty | Size | | |
| TM140504 | 1 | 4 mm | | |
| TM140505 | 1 | 5 mm | | |
| TM1405055 | 1 | 5.5 mm | | |
| TM140506 | 1 | 6 mm | | |
| TM140507 | 1 | 7 mm | | |
| TM140508 | 1 | 8 mm | | |
| TM140509 | 1 | 9 mm | | |
| TM140510 | 1 | 10 mm | | |

11 mm

12 mm

13 mm







3/8"

KS TOOLS 'CHROMEplus®' 3/8" Drive Regular Sockets

Chrome plated, mirror polished. DIN 3124, ISO 2725.

| Part No. | Qty | Size |
|-----------|-----|-------|
| K918.3937 | 1 | 7 mm |
| K918.3808 | 1 | 8 mm |
| K918.3809 | 1 | 9 mm |
| K918.3810 | 1 | 10 mm |
| K918.3811 | 1 | 11 mm |
| K918.3812 | 1 | 12 mm |
| K918.3813 | 1 | 13 mm |
| K918.3814 | 1 | 14 mm |
| K918.3815 | 1 | 15 mm |
| K918.3816 | 1 | 16 mm |
| K918.3817 | 1 | 17 mm |
| K918.3818 | 1 | 18 mm |
| K918.3819 | 1 | 19 mm |
| | | |





TENG TOOLS 3/8" Drive Regular Sockets - 6 Point

3/8" Part No. Qty Size TM380507 7 mm TM380508 8 mm TM380509 9 mm TM380510 10 mm TM380511 11 mm TM380512 12 mm TM380513 13 mm TM380514 14 mm TM380515 15 mm TM380516 16 mm TM380517 17 mm TM380518 18 mm TM380519 19 mm TM380520 20 mm TM380521 21 mm TM380522 22 mm

KS TOOLS





1/2"

KS TOOLS 'CHROMEplus®' 1/2" Drive Regular Sockets

Chrome plated, mirror polished. DIN 3124, ISO 2725.

| Part No. | | Qty | Size |
|----------|-------------|-----|-------|
| K918.1 | L210 | 1 | 10 mm |
| K918.1 | l211 | 1 | 11 mm |
| K918.1 | 1212 | 1 | 12 mm |
| K918.1 | 1213 | 1 | 13 mm |
| K918.1 | L214 | 1 | 14 mm |
| K918.1 | 1215 | 1 | 15 mm |
| K918.1 | 1216 | 1 | 16 mm |
| K918.1 | L217 | 1 | 17 mm |
| K918.1 | L218 | 1 | 18 mm |
| K918.1 | 1219 | 1 | 19 mm |
| K918.1 | 1220 | 1 | 20 mm |
| K918.1 | 1221 | 1 | 21 mm |
| K918.1 | 1222 | 1 | 22 mm |
| K918.1 | 1224 | 1 | 24 mm |
| K918.1 | 1227 | 1 | 27 mm |
| K918.1 | 1232 | 1 | 32 mm |
| K918.1 | L234 | 1 | 34 mm |
| K918.1 | 1236 | 1 | 36 mm |
| | | | |



TM120532

TENG TOOLS 1/2" Drive 1/2" Regular Sockets - 12 Point Part No. Qty Size TM120508 8 mm TM120509 9 mm TM120510 1 10 mm TM120511 11 mm TM120512 12 mm TM120513 13 mm TM120514 14 mm TM120515 15 mm TM120516 16 mm TM120517 17 mm 1 TM120518 18 mm TM120519 19 mm TM120520 20 mm TM120521 21 mm TM120522 22 mm TM120523 23 mm TM120524 1 24 mm TM120525 25 mm TM120526 26 mm TM120527 27 mm TM120528 28 mm TM120529 29 mm TM120530 30 mm

32 mm

1



موو

0







KS TOOLS 'CHROMEplus®' 3/8" Drive Deep Sockets

Qty Size

1

1

1/4"

Part No.

K918.3828

K918.3829

K918.3830

K918.3831

K918.3834 **K918.3835** 1

K918.3838

K918.3839

K918.3832 1

K918.3833 1

K918.3836 1 K918.3837

Chrome plated, mirror polished. DIN 3124, ISO 2725.

8 mm

9 mm

10 mm

11 mm

12 mm

13 mm 14 mm

15 mm 16 mm

17mm

18 mm 19 mm



KS TOOLS 'CHROMEplus®' 1/4" Drive Deep Sockets

STOOLS

Chrome plated, mirror polished. DIN 3124, ISO 2725.

| | 4-7 | |
|------------|-----|--------|
| K918.1424 | 1 | 4 mm |
| K918.1425 | 1 | 5 mm |
| K918.14255 | 1 | 5.5 mm |
| K918.1426 | 1 | 6 mm |
| K918.1427 | 1 | 7 mm |
| K918.1428 | 1 | 8 mm |
| K918.1429 | 1 | 9 mm |
| K918.1430 | 1 | 10 mm |
| K918.1431 | 1 | 11 mm |
| K918.1432 | 1 | 12 mm |
| K918.1433 | 1 | 13 mm |
| | | |

KS TOOLS 'CHROMEplus®' 1/2" Drive Deep Sockets

3/8"

Chrome plated, mirror polished, DIN 3124, ISO 2725.

| Part No. | Qty | Size |
|-----------|-----|-------|
| K918.1240 | 1 | 10 mm |
| K918.1241 | 1 | 11 mm |
| K918.1242 | 1 | 12 mm |
| K918.1243 | 1 | 13 mm |
| K918.1244 | 1 | 14 mm |
| K918.1245 | 1 | 15 mm |
| K918.1246 | 1 | 16 mm |
| K918.1247 | 1 | 17 mm |
| K918.1248 | 1 | 18 mm |
| K918.1249 | 1 | 19 mm |
| K918.1260 | 1 | 20 mm |
| K918.1258 | 1 | 21 mm |
| K918.1252 | 1 | 22 mm |
| K918.1254 | 1 | 24 mm |
| K918.1257 | 1 | 27 mm |

TM140613 1



13 mm



| TENG TOOLS | 27 |
|-----------------------------------|-----|
| 3/8" Drive Deep Sockets - 6 Point | 3/8 |

| 3/8 DLINE | ; DE | ep sockets - 6 Point 🏻 🍱 |
|-----------|------|--------------------------|
| Part No. | Qty | Size |
| TM380607 | 1 | 7 mm |
| TM380608 | 1 | 8 mm |
| TM380609 | 1 | 9 mm |
| TM380610 | 1 | 10 mm |
| TM380611 | 1 | 11 mm |
| TM380612 | 1 | 12 mm |
| TM380613 | 1 | 13 mm |
| TM380614 | 1 | 14 mm |
| TM380615 | 1 | 15 mm |
| TM380616 | 1 | 16 mm |
| TM380617 | 1 | 17 mm |
| TM380618 | 1 | 18 mm |
| TM380619 | 1 | 19 mm |
| TM380620 | 1 | 20 mm |
| TM380621 | 1 | 21 mm |
| TM380622 | 1 | 22 mm |
| | | |



TENG TOOLS 1/2" Drive Deep Sockets - 12 Point

| _, | | |
|----------|-----|-------|
| Part No. | Qty | Size |
| TM120610 | 1 | 10 mm |
| TM120611 | 1 | 11 mm |
| TM120612 | 1 | 12 mm |
| TM120613 | 1 | 13 mm |
| TM120614 | 1 | 14 mm |
| TM120615 | 1 | 15 mm |
| TM120616 | 1 | 16 mm |
| TM120617 | 1 | 17 mm |
| TM120618 | 1 | 18 mm |
| TM120619 | 1 | 19 mm |
| TM120620 | 1 | 20 mm |
| TM120621 | 1 | 21 mm |
| TM120622 | 1 | 22 mm |
| TM120624 | 1 | 24 mm |
| TM120627 | 1 | 27 mm |
| TM120630 | 1 | 30 mm |
| TM120632 | 1 | 32 mm |
| TM120636 | 1 | 36 mm |

































KS TOOLS 1/2" Drive Regular Impact Sockets

Chrome molybdenum steel, phosphate finish. DIN 3129. ISO 2725.

| DIN 3129, ISO | 2/25 | . 72 |
|---------------|------|-------|
| Part No. | Qty | Size |
| K515.1008 | 1 | 8 mm |
| K515.1009 | 1 | 9 mm |
| K515.1010 | 1 | 10 mm |
| K515.1011 | 1 | 11 mm |
| K515.1012 | 1 | 12 mm |
| K515.1013 | 1 | 13 mm |
| K515.1014 | 1 | 14 mm |
| K515.1015 | 1 | 15 mm |
| K515.1016 | 1 | 16 mm |
| K515.1017 | 1 | 17 mm |
| K515.1018 | 1 | 18 mm |
| K515.1019 | 1 | 19 mm |
| K515.1020 | 1 | 20 mm |
| K515.1021 | 1 | 21 mm |
| K515.1022 | 1 | 22 mm |
| K515.1023 | 1 | 23 mm |
| K515.1024 | 1 | 24 mm |
| K515.1025 | 1 | 25 mm |
| K515.1026 | 1 | 26 mm |
| K515.1027 | 1 | 27 mm |
| K515.1028 | 1 | 28 mm |
| K515.1029 | 1 | 29 mm |
| K515.1030 | 1 | 30 mm |
| K515.1031 | 1 | 31 mm |

32 mm





TENG TOOLS 1/2" Drive Regular Impact Sockets 1/2"

| Part No. | Qty | Size |
|----------|-----|-------|
| T920510 | 1 | 10 mm |
| T920511 | 1 | 11 mm |
| T920512 | 1 | 12 mm |
| T920513 | 1 | 13 mm |
| T920514 | 1 | 14 mm |
| T920515 | 1 | 15 mm |
| T920516 | 1 | 16 mm |
| T920517 | 1 | 17 mm |
| T920518 | 1 | 18 mm |
| T920519 | 1 | 19 mm |
| T920521 | 1 | 21 mm |
| T920522 | 1 | 22 mm |
| T920524 | 1 | 24 mm |
| | | |





KS TOOLS 1/2" Drive Deep Impact Sockets

| Chrome molyt | odeni | um steel, phosphate finish. | 1/2 |
|--------------|-------|-----------------------------|-----|
| Part No. | Qty | Size | |
| K515.1108 | 1 | 8 mm | |
| K515.1109 | 1 | 9 mm | |
| K515.1110 | 1 | 10 mm | |
| K515.1111 | 1 | 11 mm | |
| K515.1112 | 1 | 12 mm | |
| K515.1113 | 1 | 13 mm | |
| K515.1114 | 1 | 14 mm | |
| K515.1115 | 1 | 15 mm | |
| K515.1116 | 1 | 16 mm | |
| K515.1117 | 1 | 17 mm | |
| K515.1118 | 1 | 18 mm | |
| K515.1119 | 1 | 19 mm | |
| K515.1120 | 1 | 20 mm | |
| K515.1121 | 1 | 21 mm | |
| K515.1122 | 1 | 22 mm | |
| K515.1123 | 1 | 23 mm | |
| K515.1124 | 1 | 24 mm | |
| K515.1125 | 1 | 25 mm | |
| K515.1126 | 1 | 26 mm | |
| K515.1127 | 1 | 27 mm | |
| K515.1128 | 1 | 28 mm | |
| K515.1129 | 1 | 29 mm | |
| K515.1130 | 1 | 30 mm | |
| K515.1131 | 1 | 31 mm | |
| K515.1132 | 1 | 32 mm | |
| | | | |



K515.1032 1





Chrome molybdenum steel, colour plated polished finish. Supplied in a robust plastic storage case.

- · Plastic sleeve for protection when working with alloy rims.
- · Colour coding allows a quick selection of socket sizes.

· The plastic sleeve can be removed if necessary.

Description Part No. Qty **K515.1005** 1 Set 3 Piece Set 3 x Sizes: 17 mm (Blue), 19 mm (Yellow), 21 mm (Red).









Part No. Qty Description **K515.1070** 1 Set 3 Piece Set 3 x Sizes: 17 mm (Blue), 19 mm (Lime), 21 mm (Red).



TOOLS



Chrome molybdenum steel, phosphate finish. Supplied in a robust plastic storage case.

- · Plastic sleeve for protection when working with alloy rims.
- · Colour coding allows a quick selection of socket sizes.
- Particularly robust, slim line design, 85 mm long.
- · Also suitable for dorne nuts with chrome finish.



990

ဇ္

1/2"





TENG TOOLS 1/2" Drive Deep Impact Sockets

| Qty | Size |
|-----|---|
| 1 | 10 mm |
| 1 | 11 mm |
| 1 | 12 mm |
| 1 | 13 mm |
| 1 | 14 mm |
| 1 | 15 mm |
| 1 | 16 mm |
| 1 | 17 mm |
| 1 | 18 mm |
| 1 | 19 mm |
| 1 | 21 mm |
| 1 | 22 mm |
| 1 | 24 mm |
| 1 | 27 mm |
| 1 | 28 mm |
| 1 | 29 mm |
| 1 | 30 mm |
| 1 | 32 mm |
| 1 | 35 mm |
| 1 | 36 mm |
| | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |





KS TOOLS 1" Drive 'Slim Line' Impact Sockets Special steel, hardened.

| Slim line/medium version. Length: 76 mm. | | | | | | | |
|--|------|-------|--|--|--|--|--|
| Part No. | Size | | | | | | |
| K515.2124 | 1 | 24 mm | | | | | |
| K515.2127 | 1 | 27 mm | | | | | |
| K515.2130 | 1 | 30 mm | | | | | |
| K515.2133 | 1 | 33 mm | | | | | |





TENG TOOLS 3/4" Drive Deep Impact Sockets

| Part No. | Qty | Size |
|----------|-----|-------|
| T940622 | 1 | 22 mm |
| T940624 | 1 | 24 mm |
| T940627 | 1 | 27 mm |
| T940630 | 1 | 30 mm |
| T940632 | 1 | 32 mm |
| T940633 | 1 | 33 mm |
| T940636 | 1 | 36 mm |
| | | |



1/2"



TENG TOOLS 1" Drive Deep Impact Sockets

| Part No. | | Size | |
|----------|---|-------|--|
| T910630R | 1 | 30 mm | |
| T910632R | 1 | 32 mm | |
| T910633R | 1 | 33 mm | |

1"



TENG TOOLS Impact Drive Reducers - Ball Bearing Type

Regular 6 point. Part No. Qty Size T980035 3/8" F: 1/4" M 1





TENG TOOLS 1/2" Drive Impact Universal Joint - Hole/Pin Type

| Part No. | Qty | Description |
|----------|-----|-----------------|
| T920030 | 1 | Universal Joint |
| , | | |



TENG TOOLS 1/2" Drive Impact Extensions - Hole/Pin Type

| - Hole/Pii | 1/2" | | |
|------------|------|--------|--|
| Part No. | Qty | Length | |
| T920020 | 1 | 3" | |
| T920021 | 1 | 5" | |
| T920023 | 1 | 10" | |



| Regular 6 point. | | | | | | | | |
|------------------|-----|-----------------|--|--|--|--|--|--|
| Part No. | Qty | Size | | | | | | |
| T980036 | 1 | 3/8" F: 1/2" M | | | | | | |
| T920037 | 1 | 1/2" F : 3/4" M | | | | | | |
| T940085 | 1 | 3/4" F: 1" M | | | | | | |



TENG TOOLS Impact Drive Reducers - Hole/Pin Type

| Regular 6 point. | | | | | | | | |
|------------------|-----|----------------|--|--|--|--|--|--|
| Part No. | Qty | Size | | | | | | |
| T920036 | 1 | 1/2" F: 3/8" M | | | | | | |
| T940037 | 1 | 3/4" F: 1/2" M | | | | | | |
| T910086 | 1 | 1"F:3/4"M | | | | | | |































Description

K515.1050 1 Set 9 Piece Set 9 x Sizes: E10, E11, E12, E14, E16, E18, E20, E22, E24.

KS TOOLS 1/2" Drive TORX® Impact Bit Socket Set

K911.0901 1 Set 8 Piece Set 8 x Sizes: T30, T40, T45, T50, T55, T60, T70, T80.

Chrome molybdenum steel, phosphate finish. Supplied in a robust plastic storage case.

TOOLS')









Part No.

IENGIOOLS

Supplied on a socket rail.

Part No.

T9126

















TENG TOOLS 1/2" Drive Regular Impact Socket Set Supplied on a socket rail.

TENG TOOLS 1/2" Drive Deep Impact Socket Set

Description

1 Set 10 Piece Set

10 x Sizes: 10, 11, 12, 13, 14, 17, 19, 21, 22, 24 mm.

Part No. Description

T9121 1 Set 10 Piece Set 10 x Sizes: 10, 11, 12, 13, 14, 17, 19, 21, 22, 24 mm. TOOLS



KS TOOLS 1/2" Drive **Impact Driver Set**

5/16" Drive impact bits. Includes 1/2" drive impact bit 5/16" hex adaptor and retaining ring. Supplied in a robust plastic storage case.

- · Suitable for loosening tight screws
- The use of hammer on the screwdriver prevents the bit slipping from the screw head
- The blow of the hammer also results in a 1/4 right or left turn of the screw

(Parable Mechanism) Part No. Qty Description

K515.1003 1 Set **11 Piece Set**

 $1\,x$ Hand Impact Driver, 1/2". $1\,x$ Impact Bit Adaptor with retaining ring: 1/2" x 5/16". $9\,x$ Impact Bits 5/16", $36\,mm$: 6 x Slotted: 5, 6, 8, 10, 12, 14 mm. 3 x PHILLIPS': PH1, PH2, PH3.



LASER 3/8" Drive Impact Driver Set

Can also be to use as 1/2" Drive Handle. Supplied in a metal case.

1 Set 7 Piece Set

Part No. Qty Description

1 x Hand Impact Driver, 3/8". 1 x Impact Bit Adaptor: 3/8" x 5/16". Impact Bits 5/16", 8 mm: 2 x Slotted: 8, 10 mm. 3 x PH: PH2, PH3, PH4



TL480



TENG TOOLS 1/2" Drive Impact Driver Set

Heavy duty with reversible action. Supplied in a plastic storage case.

Description Part No. 0tv

1 Set 15 Piece Set **TID515**

1 x Hand Impact Driver, 1/2" with reversible action, 1 x Impact Bit Adaptor: 1/2" x 5/16" 1 x Drive Adaptor 5/16" Hex: 3/8" Drive. 12 x Impact Bits 5/16", 36 mm: 4 x Slotted: 6, 8, 10, 12 mm. 4 x PH: PH1, PH2, PH3, PH4. 4 x Hex: 4, 5, 6, 8 mm.



1/2"

1/2"



TENG TOOLS 5/16" Dr. Impact Driver Bits Set

Suitable for use with Part No. TID515.

Part No. Description Qty TID515BIT 1 Set 13 Piece Set

1 x Drive Adaptor 5/16" Hex: 3/8" Drive. 12 x Impact Bits 5/16", 36 mm. 4 x Slotted: 6, 8, 10, 12 mm. 4 x PH: PH1, PH2, PH3, PH4. 4 x Hex: 4, 5, 6, 8 mm.





တွ




































Square drive 'Ball Lock' mushroom key included. Supplied with calibration certificate guaranteeing accuracy to $\pm 3\%$ according to DIN EN ISO 6789.

| Part No. | Qty | Nm | lbf-ft | Scale | Length | Head Ø | Head H. | Weight | Drive Hole | Key Drive |
|-----------|-----|----------|----------|-------|--------|--------|---------|--------|------------|-----------|
| K516.1412 | 1 | 5 - 25 | 0.8 - 18 | 0.10 | 289 mm | 35 mm | 18 mm | 460g | 3/8" | 1/4" |
| K516.1422 | 1 | 10 - 50 | 4 - 37 | 0.25 | 350 mm | 45 mm | 23 mm | 610g | 1/2" | 3/8" |
| K516.1432 | 1 | 20 - 100 | 8 - 75 | 0.50 | 412 mm | 45 mm | 23 mm | 910g | 1/2" | 1/2" |
| K516.1442 | 1 | 40 - 200 | 15 - 150 | 1.00 | 500 mm | 45 mm | 23 mm | 1300g | 1/2" | 1/2" |
| K516.1482 | 1 | 80 - 420 | 60 - 310 | 1.00 | 678 mm | 45 mm | 23 mm | 2100g | 1/2" | 1/2" |







KS TOOLS Torque Wrench Mushroom Keys

Drive size adaptors
 Polished ratchet head has a very robust mechanism with left and right function which can be changed easily by reversing the mushroom key head drive.

| Part No. | Qty | Drive Size | Suits Part No.'s | Colour |
|-----------|-----|-------------|---|--------|
| K516.1403 | 1 | 3/8" x 1/4" | K516.1412 | Black |
| K516.1413 | 1 | 3/8" | K516.1412 | Black |
| K516.1423 | 1 | 1/2" x 3/8" | K516.1432. K516.1442. K516.1482 & K516.1942 | Black |



KS TOOLS Torque Wrench 'Ball Lock' Mushroom Key

Drive size adaptor to DIN 3120/ISO 1174. • Ball lock with push-button quick release function

Qty Drive Size K516.1432, K516.1442, K516.1482 & K516.1942 Red **K516.1448** 1 1/2"





1/4" 3/8" 1/2"

| Part No. | rt No. Qty Drive Size | | Suits Part No. | | |
|-----------|-----------------------|-------------|---|--|--|
| K516.1404 | 1 | 3/8" x 1/4" | K516.1412 | | |
| K516.1414 | 1 | 3/8" | K516.1412 | | |
| K516.1424 | 1 | 1/2" x 3/8" | K516.1432, K516.1442, K516.1482 & K516.1942 | | |
| K516 1444 | 1 | 1/2" | K516 1432 K516 1442 K516 1482 & K516 1942 | | |

3/8" 1/2"



KS TOOLS 'TRUCKplus' 1" Drive Impact Torque Multiplier, Ratio 1:64 Robust tool for loosening and tightening of fast bolts. Planet gearing ensures an increase torque ratio of 1:64.

· The compact and easy to store torque multiplier is essential for all HGV's, agricultural machinery and building equipment.

Input Torque: 62.5 Nm Max.

· Output Torque: 4000 Nm Max.

· Weight: 8.5 Kg.

Description Part No. Qty

K516.1150 1 Set **5 Piece Set**

1 x Impact torque convertor, 1": 3 Pieces. 2 x Impact Sockets, 1" Dr.: 30, 32 mm.

TOOLS"

DIN 3122.

- · For both tightening and final checking of torque.
- · Angular gauge for after tightening.
- · Graduated in Nm and lbs/ft.
- · Lockable setting.
- · Degree scale for after tightening of cylinder heads. • Accuracy ±4%.
- · Reversible with lever (right hand action for torque checking only). · Satin finish with rubber handle.
- Comes with factory calibration certificate

| connes miantac | | indiación cerentece. | | |
|----------------|-----|------------------------------|--------|-------|
| Part No. | Qty | Range | Length | Drive |
| T3892AG-E1 | 1 | 5 - 25 Nm (4 - 18 ft.lb) | 277 mm | 3/8" |
| T3892AG-E3 | 1 | 20 - 110 Nm (15 - 75 ft.lb) | 368 mm | 3/8" |
| T1292AG-EP | 1 | 40 - 200 Nm (30 - 150 ft.lb) | 465 mm | 1/2" |
| T1292AG-E4 | 1 | 70 - 350 Nm (50 - 250 ft.lb) | 632 mm | 1/2" |



KS TOOLS Mechanics **Anti-Vibration Gel Gloves**

Absorbs and dissipates repeated impacts and shocks.

· Designed for handling power tools, industrial

| tools and ar | ny tools | with repetitive vibration |
|--------------|----------|---------------------------|
| Part No. | Qty | Size |
| K310.0250 | 1 Pair | L |
| | | |

K310.0255 1 Pair XL K310.0260 1 Pair XXL



· Plastic sleeve for protection when working with alloy rims.

 Colour coding allows a quick selection of socket sizes. Description

· The plastic sleeve can be removed if necessary.

Part No. K515.1005 1 Set 3 Piece Set 3 x Sizes: 17 mm (Blue), 19 mm (Yellow), 21 mm (Red).

Qty

KS TOOLS **Mechanics Grip Gloves**

Designed for maximum comfort when used in cold, wet and dirty environments.

- · Palm covered with rubber nodules for maximum grip.
- Hard wearing 'Dry Suit' material technology for maximum protection.

| art No. | Pack of | Size |
|-----------|---------|------|
| (310.0350 | 1 Pair | L |
| (310.0355 | 1 Pair | XL |
| (310.0360 | 1 Pair | XXL |



phosphate finish.

Supplied in a robust plastic storage case.

- · Plastic sleeve for protection when working with alloy rims
- · Colour coding allows a quick selection of socket sizes
- · Also suitable for dorne nuts with chrome finish

Part No. Qty Description K515.1070 1 Set 3 Piece Set 3 x Sizes: 17 mm (Blue), 19 mm (Lime), 21 mm (Red).



















Tyre Bath

For identifying the location of punctures or bead leaks in car tyres or inner tubes
 Please allow 5-7 days delivery on this product.

| Part No. | Qty | Description |
|----------|-----|-------------|
| TY1101* | 1 | Tyre Bath |



with Health & Safety Executive legislation

* Please allow 5-7 days delivery on this product.

| Part No. | Ųty | Description | Dimensions |
|----------|-----|--------------------|-----------------|
| TY1100* | 1 | Static Safety Cage | 36" x 36" x 24" |



Wheel Chock - Commercial

Dimensions (L x H x W): 210 x 230 x 160 mm.

| Part No. | Qty | Description | |
|----------|-----|-------------|--|
| TY174 | 1 | Wheel Chock | |
| | | | |



- · Low entry height
- Lift and turn lowering system prevents unintentional lowering
 Additional foot pedal pumping
- feature provides fast saddle raising to the load
- · Pressure relief valve prevents overloading
- · Safety lowering control valve for safe lowering even under load
- * Please allow 5-7 days delivery on this product.

| Part No. | Qty | Llifting Capacity | Lifting Height | Chassis Length |
|----------|-----|-------------------|----------------|----------------|
| TY1020* | 1 | 2 Tonnes | 500 mm | 720 mm |

OMPAC











990



selson

SELSON Air Jack Bellows - 2 Bag Type Complete with extensions.

Working pressure: 100 psi.

- Fast and friendly
- Designed for stability
- Overload safety valve
- · Only one airline required

Part No. Lifting Capacity Qty Lifting Height Min Height TY1000 1 2.5 Tonnes 130 mm 340 mm





OMEGA Extra Low Bottle Jack - Hydraulic

Weight: 9.4 kg.

| Part No. | Qty | Capacity | Max Height | Min Height |
|----------|-----|-----------|------------|------------|
| TY1005 | 1 | 20 Tonnes | 285 mm | 165 mm |

OMEGAL/FT



OMEGA Bottle Jack - Air/Hydraulic

Weight: 39 lbs.

| Part No. | Qty | Capacity | Max Height | Min Height | |
|----------|-----|-----------|------------|------------|--|
| TY1002 | 1 | 20 Tonnes | 18 1/4" | 9 1/2" | |

OMEGA<u>LIFI</u>

OMEGA Bottle Jack Hydraulic

Weight: 12.5 kg. Fabricated from hard-cast steel with heat-treated critical stress areas.

- · Hydraulic system is protected from internal damage by a patented by-pass mechanism

 Machined and polished
- cylinders with die-cut threads provide non-abrasive leak-free, durable performance

| Part No. | Qty | Capacity | Max Height | Min Height | |
|----------|-----|-----------|------------|------------|--|
| TY1006 | 1 | 20 Tonnes | 475 mm | 242 mm | |
| | | | | | |







467 mm

242 mm

TY1004

1

30 Ton



 \odot









2" - 7" (51 - 178 mm) capacity with three 4" medium stones. Operated by any standard power tool.

Part No. Description Qty

TNH325 Cylinder Hone De-Glazer



HORIZON Disc Brake/Small Engine Cylinder Hone Set

Adjustable with 3 x 2" stones. For cylinders 1 1/4" - 3 1/2" (32 - 89 mm).

Part No. Description

TNH320 1 Set Disc Brake Cylinder Hone Set



HORIZON Hone Stone Replacements

| Part No. | Qty | Length | Grit | Suits Part No. |
|----------|----------|--------|-------------------|----------------|
| TNH324 | Set of 3 | 3" | 220 Grit (Medium) | TNH325 |
| TNH326-1 | Set of 3 | 4" | 400 Grit (Fine) | TNH325 |
| TNH326 | Set of 3 | 4" | 220 Grit (Medium) | TNH325 |
| TNH326-3 | Set of 3 | 4" | 100 Grit (Coarse) | TNH325 |



HORIZON Brake Cylinder Hone Set

Adjustable with 3 x 1 1/8" stones. For cylinders 3/4" - 2 1/2" (19 - 64 mm)

Part No. Description **TNH310** 1 Set Brake Cylinder Hone Set



HORIZON Hone Stone Replacements

| Part No. | Qty | Length | Grit | Suits Part No.s |
|----------|----------|--------|-------------------|-----------------|
| TNH311 | Set of 3 | 1 1/8" | 220 Grit (Medium) | TNH310, TNH330 |



Adjustable with 2 x 1 1/8" stones. For most brake cylinders 1/2" - 2 1/2" (13 - 64 mm).

Part No. **TNH315** 1 Set Brake Cylinder Hone Set



HORIZON Hone Stone Replacements

| | | | P | |
|----------|----------|--------|-------------------|-----------------|
| Part No. | Qty | Length | Grit | Suits Part No.s |
| TNH316 | Set of 2 | 1 1/8" | 220 Grit (Medium) | TNH315, TNH330 |



HORIZON Hone Stone Replacements

| Part No. | Qty | Length | Grit | Suits Part No.s |
|----------|----------|--------|-------------------|-----------------|
| TNH321 | Set of 3 | 2" | 220 Grit (Medium) | TNH320, TNH330 |



HORIZON Four-In-One **Hones Kit**

Part No. Description 14 Piece Kit **TNH330**

Brake Cylinder Hone for small cars: (5/8" - 2 1/4", 16 - 57 mm). Small collar. 2-leg assembly. $2 \times 118"$ stones. Brake Cylinder Hone: (3/4" - 2 1/2", 19 - 64 mm). Medium collar. Medium 3-leg assembly. $3 \times 118"$ stones. Disc Brake Cylinder Hone: (1 1/4" - 3 1/2", 32 - 89 mm). Large collar. Large 3-leg assembly. $3 \times 3/4"$ stones. Small Engine Cylinder Hone: (1 1/4" - 3 1/2", 32 - 89 mm). Large collar. Large 3-leg assembly. $3 \times 2"$ stones



HORIZON Hone Stone Replacements

| Part No. | Qty | Length | Grit | Suits Part No.s |
|----------|----------|--------|-------------------|-----------------|
| TNH316 | Set of 2 | 1 1/8" | 220 Grit (Medium) | TNH315, TNH330 |
| TNH311 | Set of 3 | 1 1/8" | 220 Grit (Medium) | TNH310, TNH330 |
| TNH321 | Set of 3 | 2" | 220 Grit (Medium) | TNH320, TNH330 |









TENG TOOLS 2-In1 Puller Set

Three-legged combination

puller with an extra yoke for switching to two legged pulling. Supplied in a tool tray.

Reversible legs for internal and external grip.

Description **TTT804** 1 Set 6 Piece Set Combination twin/triple 6" leg puller with 4" capacity.



KS TOOLS Mechanical 2 and 3 Leg Puller

Convertible 2 and 3 leg puller sizes 4" to 85 mm. The puller legs can be used internally or externally.

K700.1120 1 Set 4" to 85 mm

3 Forged puller legs with precisely ground pulling lugs. Forged yoke for 2 or 3 legs. Thrust bolt, fine thread 3/8" x 24 turns, Ø 13 mm, length 120 mm





KS TOOLS Mechanical 2 and 3 Leg Puller

Convertible 2 and 3 leg puller sizes 6" to 145 mm. The puller legs can be used internally or externally.

Part No. Qty Size

K700.1130 1 Set **6" to 145 mm**

3 Forged puller legs with precisely ground pulling lugs. Forged yoke for 2 or 3 legs. Thrust bolt, fine thread 3/8" x 1.25, Ø 16 mm, length 175 mm.



One Man **Pressure Bleeder Kit**

Ideal for brake fluids works from air pressure via the car tyre valve.

| raitinu. | Ųŧy | capacity |
|----------|-------|----------|
| TL7225 | 1 Kit | 400ml |
| | | |



Removes fluid from overfilled cooling systems or expansion bottles.

• Metric and imperial measures.

• Polycarbonate tube with aluminium cap and handle.

| Part No. | Qty | Capacity | |
|----------|-----|----------|--|
| TL7400 | 1 | 1 Litre | |



Use to compress the coil spring to replace shock absorber, spring sets, repair bent strut or strut tube and repair damaged spindle. Includes safety hooks and instructions.

| Part No. | Qty | Description |
|----------|-------|-------------------|
| TNH900 | 1 Set | Spring Compressor |











































Description Qty

K122.1290 1 Set **15 Piece Set**

3 x Clamping jaws sets: 4.75, 5.00, 6.00 mm. 3 x Flange pins SAE: 4.75 + 5.00 mm - 0P1, 6.00 mm - 0P1, 4.75 + 5.00 mm + 6.00 - 0P2. 2 x Flange pins DIN: 4.75 + 5.00 mm, 6.00 mm. 1 x Locking screw: M12 x 1.25. 1 x Base body.

1 x Hydraulic spindle with toggle: 2 pieces. 1 x Grab handle. 1 x 3-in-1 mini bender.

1 x Internal deburrer

1 x Mini pipe cutter.



Metric **Double Flaring Tool Set**

Automotive 45°. Supplied in a robust plastic storage case.

 For double flaring soft steel tubing, and single flaring soft copper, aluminium and brass tubing. Part No.

1 Set **Double Flaring Tool Set**

1 x Compressor yoke. 5 x Double flare adaptors: 4.75, 5, 6, 8, 10 mm. 1 x Die holding bar.



KS TOOLS Universal Brake Pipe Flaring Tool Kit

Suitable for universal use in automotive and repair shops, i.e. brake and hydraulics. For production to DIN and SAE flaring.

For steel, aluminium and bronze pipes with diameter: 4.75 mm, 3/16", 1/4", 5/16", 3/8".

- · Easy to use chuck, cam lever and mandrel revolving head.
- · Automatic mandrel return.
- · Leaves no damage on the coated pipe.
- Fast and practical work due to the straight flaring motion, (not rotating), this movement prevents the pipe form splitting.

Part No. 0tv Description

K122.1230 1 **Pipe Flaring Tool Kit**

1 x Basic unit. 4 x Flaring inserts: Flaring inserts 4,75 mm (3/16"). Flaring inserts 6.350 mm (1/4"). Flaring inserts 7.934 mm (5/16"). Flaring inserts 9.525 mm (3/8"). Tip: To achieve optimal results it is recommended to use a pipe cutter and brake pipe bending tool





KS TOOLS 3-in-1 Mini Pipe Bender

For pipes Ø: 1/8" (3 mm), 3/16" (4,75 mm), 1/4" (6 mm). Suitable for bronze, brass, aluminium and soft steel pipe. For 3 dimensions without change to the bend segment, bend radius and bend form. Bends to a 90° angle. Length: 140 mm.

K120.1050 1 Mini Pipe Bender



For 3/16", 1/4", 5/16" and 3/8" dia copper and steel tubing.

Part No. Qty **TNH765 Tubing Bending Pliers** 1





























Brake Pipe Flaring Tool Sets

Flaring tool, punches and die blocks. Supplied in a heavy duty plastic storage case.

Part No. Set For

5 Metric & Imperial Sizes **TL965** 3/16", 1/4", 5/16", 3/8" (SAE 45°). 4.75 mm (DIN)

Part No. Set For

TL965M 1 Set **5 Metric Sizes**

4.75 mm, 6 mm, 8 mm, 10 mm, 12 mm (SAE 45°)

Part No. Qty Set For

TL962 2 Metric & Imperial Sizes 1 Set

3/16" (SAE 45°), 4.75 mm (DIN).

Part No. Qty

TL962F 1 Set 2 Imperial Sizes

3/16", 1/4" (SAE 45°)

Die Blocks





| Part No. | Qty | Size | Туре | |
|----------|--------|---------|---------|--|
| TL976 | 1 Pair | 3/16" | SAE 45° | |
| TL977 | 1 Pair | 1/4" | SAE 45° | |
| TL978 | 1 Pair | 5/16" | SAE 45° | |
| TL979 | 1 Pair | 3/8" | SAE 45° | |
| TL980 | 1 Pair | 1/2" | SAE 45° | |
| TL981 | 1 Pair | 4.75 mm | DIN | |
| TL986 | 1 Pair | 4.75 mm | SAE 45° | |
| TL982 | 1 Pair | 6 mm | SAE 45° | |
| TL983 | 1 Pair | 8 mm | SAE 45° | |
| TL984 | 1 Pair | 10 mm | SAE 45° | |
| TL985 | 1 Pair | 12 mm | SAE 45° | |
| | | | | |



Punches

| Part No. | ŲLY | 31263 | | туре | |
|----------|-----|---------|---------|---------|--|
| TL971 | 1 | 3/16" | 4.75 mm | SAE 45° | |
| TL972 | 1 | 1/4" | 6 mm | SAE 45° | |
| TL973 | 1 | 5/16" | 8 mm | SAE 45° | |
| TL974 | 1 | 3/8" | 10 mm | SAE 45° | |
| TL975 | 1 | 1/2" | 12 mm | SAE 45° | |
| TL970 | 1 | 4.75 mm | | DIN | |
| | | | | | |





KS TOOLS Brake Piston Wind Back Kit

Complete range of adaptor plates and spindles. Includes left and right turning spindles. Supplied in a robust plastic storage case.

Part No. Description

K150.2035 1 Set 18 Piece Set

0 - ĠM.

Adaptor No. - Make and model: - CITROËN XM, Xantia, etc.

- · ALFA ROMEO, AUDI, AUSTIN, BMW, FORD, HONDA, JAGUAR, MERCEDES-BENZ, MITSUBISHI, NISSAN, ROVER, TOYOTA, VW. ALFA ROMEO, 164 2.0., FORD, MAZDA, SAAB 9000, SUBARU.
- Adaptor with 3/8" female square.
- NISSAN Primera, VW Golf IV.
- AUDI 80, 90, V8+100, HONDA Prelude, FORD Sierra ABS + Scorpio from 85, NISSAN, Silvia, 1.8 Turbo, ROVER 8000, SAAB 9000, SUBARU L+ Z, VW Golf, Passat.
- 8 GM. GM.
- VAUXHALL Astra. RENAULT.
- FORD.
- SAAB, HONDA.
- CITROËN.
- NISSAN Maxima.



KS TOOLS **Brake Piston Return Tool Set**

Supplied in a heavy duty plastic storage case.

· The latest comprehensive selection including various adaptor plates & accessories

Qty Description

K150.1970 1 Set **41 Piece Set**

30 x Adaptors plates. 2 x Pressure spindle, left and right operation.

2 x Brake block pin punches, with and without pilot pins. 2 x Hexagonal recessed Allen key with handle, SW6 + 7 mm. 4 x Counter hold supporting plates (2 x open and 2 x closed) 1 x Grease dispenser.



KS TOOLS Flexi-Head Brake Bleeding Flare Nut Spanner Set Chrome plated, mirror polished.

Flexible 230° angle head.

- Strong heads for high demand.
- · Particularly suitable for air conditioning systems, brake hoses, power steering systems.
- The 230° flexible joint makes it possible to work round obstacles.

14, 17, 19 mm

Sizes **K518.0370** Set of 3









































HORIZON Screw & Stud Extractor Set

For removing broken studs, set screws, pipe and fittings. Drill hole in screw, place extractor in hole and turn anti-clock wise. Supplied in a plastic wallet.

TNH650

Description 1 Set 5 Piece Set

for Screw Sizes: 1/4" & 5/16", 1/2" & 9/16", 3/8", 5/8", 7/16".



K152.1100 1 Set 4 Piece Set

4 x Sizes: 6, 8, 10, 12 mm.



K150.1305 1 Set **25 Piece Set**

5 x HSS Drills, Ø: 3.2. 4.8. 6.4. 8.0. 8.7 mm. 10 x Bushes, Ø: 4.0, 4.8 (x 3), 6.0, 7.1 (x 3), 9.2, 9.5 mm. 5 x Extractor pins, Ø: 3.2, 4.8, 6.4, 8.0, 8.7 mm. 5 x Extractor nuts, Ø: 10, 11, 13, 14, 17 mm.



- with damaged threads or rounded heads
- · Extra flat and compact design
- · Special left handed thread, 6 conical reducing cutting edges
- · Drive with either socket, ring or open-ended spanners

Qty Description

K913.3880 1 Set **10 Piece Set**

10 x Sizes: 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm.



For use with an impact wrench. Supplied in a robust plastic storage case. The aggressive groove design bites

titled aggressive grouve design office itself firmly around the screw or nut, so that between the twist socket and nut head a powerful connection is achieved. The more power on the drive, results in more effective biting of the twist socket profile on the screw or nut head.

· Includes impact bar for removal of extracted nut or bolt from the impact socket.

Description

K913.1290 1 Set **4 Piece Set**

3 x Special Twist sockets 1/2": Ø 17, 19, 21 mm. 1 x Impact bar.

موو









Locking Wheel Nut Remover Kit

Simple-to-use kit is capable of removing virtually all locknuts on the market to date, with no damage to the wheel due to the protective steel shroud. Supplied in robust storage case.

 The tool does not rely on strength to work effectively, making it an ideal solution for anybody looking to remove locknuts without the key. Description

TL1000 1 Kit 11 Piece Set **TL1000C** Replacement Blade C

Kit contents: 1 x Impact driver, 1 x L.N.R. body, 1 x Blade A, 1 x Blade B, 1 x Blade C, 1 x Centre punch, 1 x Hand protection ring, 1 x Instruction manual



Part No.

MAYHEW 'Dominator' HD Hook & Pick Set

Each tool length is up to 250 mm. Supplied in a clamshell.

- · Used for a wide variety of applications, such as automotive and electrical work in confined spaces, scribing lines, o-ring and cotter pin removal, and to break radiator connections.
- · Made of larger shank steel for heavy-duty applications.
- · Black oxide finish for additional rust protection.

Description Qty TN60000 1 Set 4 Piece Set

4 x Types: Scratch Awl, 90° Hook, Curved Hook, Complex Hook



MAYHEW 'Dominator' Mini Hook & Pick Set

Each tool length is up to 165 mm. Supplied in a clamshell.

· Used for pulling clips, rings, wires, gaskets, washers and other small parts

· The blade extends throughout the handle and is fully heat treated

Part No. Qty Description 1 Set 4 Piece Set

4 x Types: Scratch Awl, Curved Hook, 90° Hook, Complex Hook



EL C



KS TOOLS Hook & Pick Set

Each tool length is up to 140 mm. Ideal for removing and fitting O-rings, cotter pins, seals and bushes.

Description Part No. Qty **K550.1045** 1 Set 4 Piece Set

1 x Hook and pickup, straight. 1 x Hook and pick up, S-form. 1 x Hook and pick up, 90°. 1 x Hook and pick up, round.



BAHCO Trim Clip Tool

Blade made of high performance alloy steel. Hardness: 40-46 HRC. Shaft Length Overall Length Part No. Qty

TL125 175 mm 245 mm





KS TOOLS Plastic Wedge Set

Useful assortment of different wedges and clip removal tools.

- · Useful assortment of different wedges and clip removal tools.
- Ideal for removal of paneling, trims and window trims, at the same time, reducing paint work damage: e.g. plastic trims, internal door paneling, plugs, protective caps, actuation knobs etc.

Description Qty

K911.8120 1 Set **5 Piece Set**

1 x Standard clip remover. 1 x Trim wedge, narrow model. 1 x Dual clip remover.

1 x Bumper trim wedge, wide model. 1 x Clip remover.



LASER Headlight Adjustment Kit

S2 steel blades. Suits many vehicle models. Screwdriver heads: T25, 7 mm Hex, 6 mm Hex.

· Handle can be used as standard screwdriver or as a T-handle for extra leverage and easier access.

Description **TL7403** 1 Set 4 Piece Set







 \odot

000

9







KS TOOLS **Master Radio** Installation & **Removal Set**

Tool set for safe and damage free removal of radios from car dashboards/consoles. Supplied in a robust plastic storage case.

Part No.

Description Qty

K500.1380 1 Set **52 Piece Set**

For following manufactures and radio types: BECKER from 2002 (new). BECKER, PORSCHE, MERCEDES BENZ. BLAUPUNKT from 2002 (new). BLAUPUNKT, GRUNDIG, VW, AUDI, FORD. BMW. BMW, VAUXHALL - Inbus. CLARION (old), CLARION (new). DEAD OWN, INDIVIDUAL VIV. BOJ. 100.5 WIN. DIOL SON. BOLD WAS A STATE OF THE BANK KENWOOD IT O 1998, II 1998 - 2001, III from 2002, KENWOOD MASK, MERCEES BENZ & BMW. PANASONIC, PANASONIC 2006. PIONEER & JVC. SONY I to 2001, SONY II from 2002, I DIC 2005. SKODA from 2002 (new), VAUXHALL double bearing bit, VW, VW, AUDI, BECKER, MERCEDES BENZ,







Supplied in a robust plastic storage case.

- 3/8" square drive or outer hexagon diameter 21 mm
- · Special socket shape construction ideal for tight places
- Where necessary filters or filter caps can be tightened exactly according to manufacturers torque settings Description

Qty

K150.9310 1 Set 16 Piece Set

Suitable for: AUDI, BMW, FIAT, GM, LANCIA, MERCEDES BENZ, NISSAN, OPEL, PORSCHE, RENAULT, SAAB, VOLVO, VW and other makes. Also suitable for VOLVO Plastic oil filter.

and other makes, and soldable to victor raise on inter.

14 x Oil filter sockets: Diameter 66 mm (6 grooves), 76 mm (8 grooves), 76 mm (12 sided),
76 mm (14 sided), 86 mm (15 sided), 86 mm (18 sided), 92 mm (10 sided), 93 mm (15 sided),
93 mm (45 grooves), 96 mm (18 grooves), 106 mm (15 sided), 108 mm (15 sided),
108 mm (18 grooves), 74/76 mm (15 sided).

1 x Oil filter wrench, adjustable 65 - 138 mm.

1 x Adaptor 1/2" F to 3/8" M.



Qty Range Drive

TNH276 1 23/8" - 33/4" (61 - 95 mm) 3/8" Drive or 3/4" Hex



3/8"

3/8"

Oil Filter Wrenches - Spider Type

Part No. Qty Range 2 3/8" - 4 3/4" **TNH277** 1 (61 - 121 mm) 3/8" Drive



Oil Filter Wrench - Heavy Duty Cordura Strap

For high torque requirements. Strap length: 630 mm (2 ft).

Range Part No. Qty Drive **TNH278** Up to 9" Ø (228 mm) 3/8" or 1/2" Drive





| Swiverrype | | | |
|------------|-----|------------------------|--------------------|
| Part No. | Qty | Range | |
| TNH259 1 | 1 | 2 3/8" - 2 7/8" | (60 - 73 mm) |
| | 1 | Suitable for 2 1/2" MA | ZDA/TOYOTA Filters |
| TNH253 | 1 | 2 7/8" - 3 1/4" | (73 - 83 mm) |
| TNH251 | 1 | 3 7/16" - 3 3/4" | (87 - 95 mm) |
| TNH255 | 1 | 4" - 4 3/8" | (102 - 111 mm) |





























Exhaust & **Tailpipe Cutter**

With cutting wheels on each roller for smooth tracking. Effective in hard-to-reach areas.

Part No. Otv Capacity

(3/4" - 3 1/4") **TNH770** 19 - 76 mm Ø

LASER Wiper Arm **Puller Set**

Suits numerous vehicles.

- · Supplied with 2 sets of legs.
- · Maximum reach: 50 mm. · Width: 60 mm.

Part No. Description

TL7402 1 Set 3 Piece Set



Thread Repair Files

For defect inner and outer threads. Suitable for the repair of both right as well as left hand threads with different diameters. Length: 230 mm.

| Part No. | Ųty | | inread type | | | | |
|--------------------|-------|-------|-------------|-------|-------|-------|----------|
| TL7635 | 1 | | М | etri | ic Si | zes | |
| 8 x Pitches: 0.80, | 1.00, | 1.25, | 1.50, | 1.75, | 2.00, | 2.50, | 3.00 mm. |



8 x Pitches: 24, 20, 18, 16, 14, 12, 11, 10 Pitch Per Inch.





Part No.

STOOLS

KS TOOLS Puller For Battery Clamps and Windscreen Wiper Arms

Self centre puller for small components, especially for automotive applications.

- Fine adjustable extraction using the knurled wheel.
- Take up: 0 50 mm.
- · Spindle with fine thread & T-bar, adjustable depth: 0 - 20 mm.
- Freely swiveling end piece for careful contact to the component.
- · Total length: 100 mm.

Description

Battery Clamp Puller





KS TOOLS Windscreen Wiper Puller Type 1

Removes most windscreen wipers. Hand screw drive. Jaw width: 16 mm. Working height: 28 mm.

Part No.

Windscreen Wiper Puller **K700.1193** 1







Windscreen Washer Jet **Cleaning & Alignment Tools**

Double ended practical tool for cleaning washer jets at one end and hardened tip to adjust the jet at the other. Length: 95 mm. Complete with pocket clip.

Part No. Description Qty K550.1022 1 Washer Jet Tool





KS TOOLS 2-in-1 Telescopic Magnetic Pickup Tool and Needle

Extension Range: 150 - 675 mm.

· Designed for the retrieval of small pieces with the magnetic end.

· Protection cap for the needle. which can also be used for cleaning water jet holes.

| Part No. | Ųty | Description |
|-----------|-----|------------------------|
| K550.1001 | 1 | Pickup Tool and Needle |







 \odot











KS TOOLS Long Knife For Scraping

Stable aluminium knife with non-slip grip with trapezoid blade.

For use with standard trapezoid and hook blades. Blade magazine in knife.

Part No. Qty Length

K140.2290 1 470 mm





KS TOOLS Pull Knife and 25 mm Blade

Length: 130 mm.

- · Robust pull knife with flexible pull handle for better handling.
- PVC covered body, cable, and handle to prevent scratches to paint work.

· Quick change blade system without the use of a tool.

Description Part No. **K140.2248** 1 **Pull Knife**





KS TOOLS Wire Feeder/Starter Tool

Slotted tool end for attaching on the cutting wire. Starter tool for inserting cutting wire.

- Enables powerful piercing of the windscreen sealing and then after threading and pulling the cutting wire to enable removal of the windscreen sealing.
- · The spring steel blade is pushed from inside, through the resin bond.

Part No. Length

K140.2206 1 340 mm



KS TOOLS **Suction Holder Set**

Plastic coated steel wire with 2 PVC suction cups.

STOOLS

- Holds side windows during removal of the windscreen winder to prevent slipping.
- Also keeps freshly bonded windows from moving.

Description

K140.1060 1 Set 2 Piece Set

























 \odot











K140.1015 1

Part No.

KS TOOLS **Single Handed**

Suction Lifter

70 mm Ø Suction Lifter

mirrors and for use in sanitary installations.

Description

KS TOOLS Windscreen Cutting Wire

Stainless steel. Length: 22.5m. Operates like a saw

Highly flexible and tough wire, especially suitable for use in difficult places when cutting bonding adhesive strip.

Part No. Description

K140.2214 1 Square Stainless Steel Wire



KS TOOLS Windscreen Cutting Wire

Made from 3 brass plated steel wires, twisted to form one wire. Length: 22.5m. Operates like a saw.

Highly flexible and tough wire, especially suitable for use in difficult places when cutting bonding adhesive strip.

Part No. Description

K140.2211 1 Braided 0.8 mm Wire





Windscreen Cutting Wire Handles

Aluminium construction with black PVC handle for increased comfort and a safe and reliable grip when pulling the cutting wire.

| Part No. | Qty | Description |
|----------|--------|--------------|
| TL132 | 1 Pair | Wire Handles |



MAYHEW Multi-Telescopic Set with Magnifier Glass

Supplied in a compact storage case.

Description Part No. Qty


1 Set 5 Piece Set TN17720

5 Pieces: 1 x Magnifier with Coupler. 1 x SS Antenna with Coupler 1 x Mirror with Coupler. 1 x 14lb Magnet with Coupler. 1 x 3lb Magnet with Coupler.



Magnetic Pick Up Tools

| Part No. | Qty | Colour |
|----------|-----|--------|
| TL1310 | 1 | Green |
| TL1320 | 1 | Orange |



1 x Flexible mechanical finger: 540 mm (21") reach. 1 x Magnetic pickup tool: 580 mm (23").



Inspection Mirror - Oval Shape


Telescopic handle with pocket clip and magnet. Adjustable mirror angle.

| Part No. | Qty | Mirror Size | | Telescopic Range |
|----------|-----|-------------|-----------|------------------|
| TNB2TM | 1 | 25 x 50 mm | (1" x 2") | 140 - 527 mm |



KS TOOLS Telescopic Pickup Tool

Made from V2A, energy protection cap increases the magnetic power by approx 35% and prevents lateral contact. Extension Range: 178 - 860 mm



K550.1002 1 Up to 5.0 kg



TOOLS'

STOOLS

TENGIOOLS

TOOLS'

KS TOOLS Telescopic Pickup Tool with Rotating Head

Made from V2A, energy protection cap increases the magnetic power by approximately 35% and prevents lateral contact. Extension Range: 178 - 860 mm.

Part No. Magnetic Capacity

K550.1003 1 Up to 5.0 kg



TENG TOOLS Telescopic Magnetic Pickup Tool

Max extension 550 mm with very powerful magnet. Can be used for retrieving nuts and bolts, etc.

Part No. Qty Description **TSD501** Pick-Up Tool



Magnetic Pickup Tool

Telescopic with pocket clip. Picks up to 1 kg (2.2 lb). Magnetic Capacity Part No. 0tv

TN9425 1 kg (2.2 lb)



KS TOOLS 2-in-1 Telescopic Magnetic Pickup Tool and Needle

Extension Range: 150 - 675 mm.

· Designed for the retrieval of small pieces with the magnetic end.

Protection cap for the needle, which can also be used for cleaning water jet holes.

K550.1001 1 **Pickup Tool and Needle**

































ARCTIC

ARCTIC HAYES **Digital Multimeter** with Temperature Probe

Complies with EN61010-1 insulation. Class 2, double insulation Measure and test DC voltage, AC and DC current. Supplied with K-type temperature probe with adapter and a 9V battery.

- Overload category: CATIII 600v

TL200







Suitable for 6V, 12V and 24V vehicles. Multi-function automotive tester, designed specifically to find electrical automotive faults. Features a voltage check, with a traffic light result indicator, giving an instant and easy-to-read assessment of the battery charge levels. Assesses circuit voltages. Uses 3 x AA Batteries (NOT included). Supplied in robust storage case.

- · Rapid current testing up to 80A without removing fuses
- · Current adapter for in-line current testing
- Normal and Smart 12/24V alternator test for checking vehicle charging system
- 12/24V starter test checks battery during engine cranking
- · Frequency and duty cycle settings aid testing of sensors
- · Continuity and resistance modes for locating wiring faults

| Part No. | Qty | Dimensions | Voltage DC | Output DC |
|----------|-----|-------------------|------------|-----------|
| ERMM500 | 1 | 262 x 350 x 95 mm | 0-50V | 0-80A |



KS TOOLS 6-400V AC/DC Universal Voltage Tester

Rotating field and phase display, fully insulated. DIN 0680 For professional, multi step testing of voltage and polarity. LED Display. Power consumption: 140 mA. Allowable switch on time: 30 seconds.

Part No. Description 0tv


AC/DC Voltage Tester **K550.1501** 1

Frequency range: 0 - 100 Hz. Protection class: IP40. AC -> Voltage range 6 - 50 - 120 - 230 - 400V DC -> Voltage range 6 - 50 - 120 - 230 - 400V=











NEW

NEW

Part No. Description **TL9370 Circuit Tester**



KS TOOLS 150-250V Voltage Tester

Fully insulated. DIN 0680. Transparent handle. Nickel plated blade, slotted: 3.0 mm.

| Part No. | Qty | Description |
|-----------|-----|---------------|
| K911.2188 | 1 | Voltage Teste |





Refractometer - Optical Tester for Antifreeze and Battery Acid

For quick precise testing the antifreeze content in coolant, windscreen liquid as well as battery acid. High quality aluminium version. Supplied in a robust case. 5 scales for:

- Cooling water Propylene: 0° to -50°C.
- Cooling water Ethylene: Temperature consistency (measuring range 0° to -50° C).
- Screen washer water: Antifreeze (measuring range 0° to -40°C)
- · Adjustable calibration feature.
- With ATC Automatic Temperature Compensation which enables use at ambient temperature of under 10°C (Bi-metalic measurement correction).

| Part No. | Qty | Description |
|-----------|-----|---------------|
| K550.1290 | 1 | Refractometer |



Ethylene Glycol Anti-Freeze Tester - Disc Type

Accurate at all temperatures. Tests coolant hot or cold. Protection scale printed in °F and °C. Sixth disc shows overprotection and loss of cooling efficiency. NOT suitable for use with propylene glycol.


| Part No. | Qty | Description |
|----------|-----|------------------------------------|
| TL106 | 1 | Ethylene Glycol Anti-Freeze Tester |



000

 \odot



















All-brass body with hardened steel clasp. Standard shackle. Supplied with 3 keys.

| Part No. | Pack of | Body Width |
|----------|---------|-------------------|
| PAD30 | 1 | 32 mm |
| PAD38 | 2 | 38 mm |
| PAD50 | 2 | 50 mm |
| PAD63 | 2 | 63 mm |



IFAM Padlocks - Brass

Extruded brass body. Hardened carbon-nitride, chrome plated steel shackle. Pick proof. Supplied with 2 keys.

| Part No. | Qty | Body Width |
|----------|-----|------------|
| PAD230 | 1 | 30 mm |
| PAD240 | 1 | 40 mm |
| PAD250 | 1 | 50 mm |
| PAD260 | 1 | 60 mm |





Keyed-Alike Padlocks - Brass

All-brass body with hardened steel clasp. Standard shackle.

- Each padlock is supplied with 3 keys that will open other padlocks of the same Part No./size.
- · Ideal when used to secure gates or tool boxes.

| Part No. | Pack of | Body Width |
|----------|---------|------------|
| PAD130 | 1 | 32 mm |
| PAD138 | 6 | 38 mm |
| PAD150 | 6 | 50 mm |
| PAD163 | 1 | 63 mm |



Extruded brass body. Hardened carbon-nitride, chrome plated steel shackle. Pick proof. Supplied with 2 keys.

- Each padlock is supplied with 2 keys that will open other padlocks of the same Part No./size.
- Ideal when used to secure gates or tool boxes.

| Part No. | Qty | Body Width |
|----------|-----|------------|
| PAD230K | 1 | 30 mm |
| PAD240K | 1 | 40 mm |
| PAD250K | 1 | 50 mm |
| PAD260K | 1 | 60 mm |
| | | |







Padlocks - Brass, Long Shackle

All-brass body with hardened steel clasp. Long shackle.

| Supplied | l with : | 3 keys. | | |
|----------|----------|---------|----------------|--|
| Part No. | Pack o | of Size | Shackle Height | |
| PAD4 | 2 | 38 mm | 67.5 mm | |
| PAD5 | 2 | 50 mm | 73.5 mm | |



Extruded brass body. Hardened carbon-nitride, chrome plated steel shackle. Pick proof.

| Part No. | Qty | Body Width | |
|----------|-----|------------|--|
| PAD240LS | 1 | 40 mm | |
| PAD250LS | 1 | 50 mm | |





IFAM Padlocks - Stainless Steel

Chrome plated extruded brass body. Stainless steel shackle. Spring and pins, double locking mechanism. Treated against rust. Supplied with 2 keys.

| Part No. | Qty | Body Width |
|----------|-----|------------|
| PAD330 | 1 | 30 mm |
| PAD340 | 1 | 40 mm |
| PAD350 | 1 | 50 mm |
| | | |



ممم

0



Galvanised steel body with brass cylinder, hardened steel clasp. Standard shackle Supplied with 3 keys

| Part No. | Pack of | Size |
|----------|---------|-------|
| PAD1 | 2 | 38 mm |
| PAD2 | 2 | 50 mm |
| PAD3 | 2 | 63 mm |



















Spiral Cable Lock

Supplied with 2 keys.

Part No. Qty Length **PAD21** 1.5 m



Part No.

PAD350C



IFAM Padlock - Combination

Brass body, hardened carbon-nitrade and chrome plated. Double locking system, combination low with master reset key.

| Part No. | Qty | Body Width | |
|----------|-----|------------|--|
| PAD15 | 1 | 50 mm | |







Nickel plated, hardened body and pins. Hacksaw and bolt cutter resistant, virtually impregnable. Complete with 2 keys.

| Part No. | Qty | Description |
|----------|-----|-------------|
| PAD110 | 1 | Chain Lock |
| | | |

PAD110S 1 Set Chain Lock & 1 m Security Chain



Hardened Security Chain Square link with blue thermo wrapped sheath.

Hacksaw and bolt cutter resistant.

| Part No. | Qty | Size | |
|----------|-----|-------------|--|
| DAD23 | 1 | 10 mm v 1 m | |





| Part No. | Qty | Length |
|----------|-----|--------|
| PAD22 | 1 | 2 m |



موم





IFAM Circular Discus Padlock- Stainless Steel

Bolt-cutter proof, Can be used with U-shaped hasp set (PAD9), Outdoor use. Supplied with 2 keys.

| Part No. | Qty | Body Width |
|----------|-----|------------|
| PAD195 | 1 | 70 mm |







| PAD95 | 1 | 5-Pin Model | 70 mm | |
|------------|------------|-----------------|-------------------|--|
| Part No. | Qty | Description | Diameter | |
| U-shaped h | iasp set (| Part No. PAD9). | The second second | |



Close Shackle Padlock - 6 Lever

Double plated, Hardened shackle.

| Part No. | Qty | Body Width |
|----------|-----|------------|
| PAD16 | 1 | 63 mm |







IFAM Shutter Padlock - Brass Solid Brass body, Carbon-nitride hardened. Chrome plated Steel shackle, ball bearing lock.

Automatic locking system, Supplied with 2 keys

| 7 to connacte | 00 | , sterri, sopp |
|---------------|-----|----------------|
| Part No. | Qty | Body Width |
| PAD14 | 1 | 70 mm |





All-brass body with hardened steel clasp. Standard shackle. Supplied with 3 keys.

5-Lever Padlock

Part No.

PAD6

High security closed shackle with 2 keys.

Description

5-Lever Padlock

Qty

1

| Part No. | Qty | Body Width | Shackle |
|----------|-----|------------|---------|
| PAD17 | 1 | 70 mm | Steel |







Solid steel alloy. Rust resitant. Shackle protector ring. Lever and torsion resistant. 4 mm key hole escutcheon. Supplied with 3 dimple keys.

| Insurance rated to CEN5 - EN12 | | |
|--|-----|-------------------|
| Part No. | Qty | Body Width |
| DAD25 | 1 | 50 mm |





Heavy Duty Safety Hasp & Staple

| Part No. Q | ., | JIZC |
|----------------|----|-------------|
| PAD12 1 | | 190 x 55 mm |



Armoured Padlock - Brass Chrome plated. Supplied with 2 keys.

| art No. | Qty | Body Width |
|---------|-----|------------|
| PAD170 | 1 | 80 mm |



Medium Duty Safety Hasp & Staple

| 1 1/0 v /0 mana |
|---------------------|
| PAD26 1 140 x 40 mm |

ممم

9



Vertical Locking Bar

| raitinu. | ŲLY | SIZE |
|----------|-----|--------------|
| PAD13 | 1 | 150 x 110 mm |



Hasp & Staple

Heavy galvanised with brass pin.

| Part No. | Qty | Length |
|----------|-----|--------|
| PAD7 | 1 | 200 mm |



U-Shaped Hasp Set

Complete with fastenings. For use with Part No. PAD95 Space-Lock (NOT included)

| PAD9 | 1 | U-Shaped Hasp Set |
|---------------|---------|-----------------------------------|
| Part No. | Qty | Description |
| TOT OSC WIGHT | artito. | 171833 Space Lock (1101 meloaca). |



| Part No. | Pack of | |
|--|-----------|--|
| AP40 | 48 Pieces | |
| 8 x Colours: Black, Light Blue, Dark Blue, Green, Pink, Purple, Red, Yellow. | | |



Security Pull Seals - Red

Polypropylene plastic seals uniquely numbered in sequential order (i.e. D 013001 - D 0141000). Tie locking length: 160 mm. Flag Dimensions (W \times L): 19 \times 36 mm.

| Part No. | Qty | Description | |
|----------|-------------|-------------------------|--|
| PAD2 | OR Box of 1 | 000 Security Pull Seals | |



Tool Clips

Zinc plated steel. Closed type.

| Part No. | Pack of | Size | | |
|----------|---------|------------|--------|--|
| TL430 | 100 | 10 - 12 mm | 3/8" | |
| TL431 | 100 | 13 - 14 mm | 1/2" | |
| TL432 | 100 | 16 - 19 mm | 5/8" | |
| TL433 | 100 | 25 - 27 mm | 1" | |
| TL434 | 100 | 32 - 34 mm | 1 1/4" | |



Assorted Pack of Tool Clips

Closed type.

Part No.

TL8050

Socket Rails

| Part No. | Pack of |
|--------------------|------------------------------------|
| AP53 | 50 Pieces |
| 5 x Sizes: 10 - 12 | 13 - 14 16 - 19 25 - 27 32 - 34 mm |

Gripper Wrench OrganizerFor use in toolboxes or on the wall.
Folding space saver handle.

Qty

Holds Up To

Supplied complete with 16 spring steel socket clips. (Sockets NOT included).

12 Spanners














































TENG TOOLS Magnetic Bits Tray

Stainless steel with plastic enclosed magnet which does not damage vehicle paint work. Can be secured on its side as well as upside down,

| Part No. | Qty | Description |
|----------|-----|-------------|
| T580 | 1 | Bits Trav |





TENG TOOLS Magnetic Bits Tray - Deep

Large stainless steel tray with two rubber protected magnets to avoid damage to vehicle paint work. Depth gives extra space to store parts and bulkier items, even upside-down.

| Part No. | Qty | Description | |
|----------|-----|----------------|--|
| T580A | 1 | Deep Bits Tray | |



TENG TOOLS Magnetic Tool Rail

Dimensions: 457 x 52 x 17 mm. Weight: 0.6 kg.

6 individual magnets each with a capacity of 450 grams combined in a rail especially designed for fixing to TENG TOOLS roller cabinets.

· Suitable for wall mounting or other tool boxes.

· Ideal for hanging up tools while working.

| Part No. | Qty | Description |
|----------|-----|-------------|
| TTC-MAG | 1 | Tool Rail |
| | | |



TENG TOOLS Non-Slip Tool Mat

Use as a drawer liner in all TENG TOOLS storage boxes and cabinets or on any flat or curved surface as a tool mat. Can be cut to any size. **IENGIOOLS**

| Part No. | Qty | Size |
|----------|-----|-------------------|
| TTC-MAT | 1 | 450 mm x 2 m Roll |





TENG TOOLS Tool Tray

Add-on tool tray with 7 separate compartments.

Dimensions: 265 x 142 x 50 mm. Weight: 0.29 kg. Supplied in a tool tray.

| TTT01 1 Empty Tool Tra | зу |
|------------------------|----|



TOOLS



KS TOOLS 'Smart Bag' Universal Tool Case

Dimensions: D 425 xW 240 x H 280 mm. Weight: 2.37 kg. Supplied empty.

- · Made from strong polyester material.
- External pockets, separate compartment for storage of small components in the bottom of the case, ideal for assorted boxes.
- · Includes padded carry strap.

| Part No. | Qty | Description |
|-----------|-----|-----------------------|
| K850.0300 | 1 | 'Smart Bag' Tool Case |



· Made from robust plastic

TENGTOOLS

Part No Description

K850.0505 1 **Plastic Tool Box**



KS TOOLS Tool Case Trolley with Telescopic Handle Dimensions L x B x H:

500 x 280 x 400 mm. Weight: 2.2 kg. Load Max: 30 kg.

- 8 different size outer pockets, with hook and loop fastening.
- · Sturdy zipper.
- 15 inner pockets, different sizes.
- for stand alone safety.





 \odot

معما

BARTON Attached Lidded Euro Containers

Can be stacked when the lid is closed, or nested to save space when the containers are not in use and the lid is open.

- · Label/card holder included
- Temperature resistant from -20°C to 40°C
- * Please allow 5-7 days delivery on this product

| Part No. | Qty | Colour | External (L x W x H) | Capacity |
|----------|-----|--------|----------------------|-----------|
| SB85B* | 2 | Blue | 600 x 400 x 310 mm | 56 Litres |
| SB85G* | 2 | Green | 600 x 400 x 310 mm | 56 Litres |
| SB85R* | 2 | Red | 600 x 400 x 310 mm | 56 Litres |
| SB85Y* | 2 | Yellow | 600 x 400 x 310 mm | 56 Litres |
| SB86B * | 2 | Blue | 600 x 400 x 365 mm | 65 Litres |
| SB86G* | 2 | Green | 600 x 400 x 365 mm | 65 Litres |
| SB86R* | 2 | Red | 600 x 400 x 365 mm | 65 Litres |
| SB86Y* | 2 | Yellow | 600 x 400 x 365 mm | 65 Litres |
| SB87B* | 2 | Blue | 600 x 400 x 400 mm | 77 Litres |
| SB87G* | 2 | Green | 600 x 400 x 400 mm | 77 Litres |
| SB87R* | 2 | Red | 600 x 400 x 400 mm | 77 Litres |
| SB87Y* | 2 | Yellow | 600 x 400 x 400 mm | 77 Litres |
| | | | | |



Constructed from 20 gauge mild steel with welded seams.
High visibility polyester powder coated in yellow with
Highly Flammable warning labels. Fitted with a two point lockable handle.
Reinforced doors prevent distortion. Adjustable shelf at 25 mm pitches.

• Designed to provide safe storage of flammable liquids,

- chemicals, paints and other hazardous substances · NOT fire or explosion proof but are designed to reduce risk to a minimum
- Please allow 7-10 days delivery on this product

| Part No. | Qty | Dimensions (H x W x D) | Complete with |
|----------|-----|------------------------|---------------|
| SB50 * | 1 | 915 x 457 x 457 mm | 1 Shelf |
| SB51* | 1 | 915 x 915 x 457 mm | 1 Shelf |
| SB52* | 1 | 1829 x 915 x 457 mm | 3 Shelves |

BARTON Multi-Functional **Containers**

Manufactured from polypropylene. Robust multi-functional sorting storage bins complete with removable hinged lids. Dimensions (H x W x D): 345 x 400 x 635 mm.

- Stackable/nestable (maximum total stack height is 4)
- Maximum total stack load: 45 Kg
- * Please allow 5-7 days delivery on this product

| Part No. | Qty | Lid Colour | Capacity |
|---------------|-----|---------------|-----------|
| SB70 * | 4 | Mixed Colours | 50 Litres |
| SB70B* | 4 | Blue | 50 Litres |
| SB70R* | 4 | Red | 50 Litres |
| SB70G* | 4 | Green | 50 Litres |
| SB70Y* | 4 | Yellow | 50 Litres |



Shelving System c/w Space Bin Containers

Boltless heavy duty hand loaded shelving system. Galvanised frames beams with chipboard shelves complete with 50 Ltr capacity polypropylene container bins. Overall Dimensions (H x W x D): 1800 x 1200 x 450 mm. Max load per shelf:265 Kg.

- · Ideal storage solution for larger products or multiple storage or bulk items
- · Large open fronted bins for easy access
- · Space bin containers are both stackable and nestable when not in use
- * Please allow 5-7 days delivery on this product

| Part No. | Qty | Description |
|----------|-------|---------------------------------------|
| SB62* | 1 Kit | Wide Shelving System c/w 8 Space Bins |
| SB60 * | 1 | Wide Shelving System (Without Bins) |







 \odot

موم

ၻ

BARTON

BARTON Storage Bins - TC2

Dimensions (D xW x H): 165 x 100 x 75 mm (6 1/2" x 4" x 3"). Sturdy polyethylene bins with label holders. Compatible with most standard shelving systems.

| Part No. | Qty | Colour |
|----------|-----|--------|
| SB21BU | 20 | Blue |
| SB21RE | 20 | Red |



BARTON Storage Bins - TC3

Dimensions (D x W x H): 240 x 150 x 132 mm (9.5" x 6" x 5"). Sturdy polyethylene bins with label holders. Compatible with most standard shelving systems.

| Part No. | Qty | Colour |
|----------|-----|--------|
| SB22BU | 10 | Blue |
| SB22RE | 10 | Red |



| Part No. | Qty | Colour |
|----------|-----|--------|
| SB23BU | 10 | Blue |
| SB23RE | 10 | Red |

BARTON




BARTON Mobile Single Sided Storage System

Units are finished epoxy powder coated blue with silver/grey base. Trolleys are supplied as standard with 100 mm diameter wheels/castors (2 fixed/2 swivel) non-marking rubber tyred and enable a safe load to be manoeuvred with ease. Supplied with 40 x TC2 Red & 40 x TC2 Blue storage bins.

- Individual Bin Sizes: 165 x 100 x 75mm
- · All containers are supplied with I.D labels
- Please allow 5-7 days delivery on this product

Overall Dimensions (W x D x H) **SB95*** 1 Kit **1160 x 1000 x 530 mm**





BARTON Wall Mountable **Louvred Panel**

BEST

Precision formed heavy gauge steel with silver/grey epoxy powder coated finish. (Storage bins shown are NOT included). Wall fixings NOT included.

Unique double indented louvre provides extra strength.



BARTON

Wire Hangers (Spigots)
Manufactured from 3.6 mm wires.
Single wire type c/w a rubber end cap for safety.
Compatible with most standard louvred systems.
Suits: SB35, SB4, SB5, SB13, SB14, SB15. (Tools shown are NOT included)

| Part No. | Qty | Type | Length |
|----------|-----|-------------|--------|
| SB30 | 10 | Single Wire | 152 mm |
| SB31 | 10 | Single Wire | 203 mm |
| SB32 | 10 | Double Wire | 152 mm |
| SB33 | 10 | Double Wire | 203 mm |
| | | | |



BARTON Hanging Rods

| For tubing | s, ran-beits, | , exnaust ciam | ps etc. |
|------------|---------------|----------------|---------|
| Part No. | Pack of | Length | |
| SB34 | 2 | 300 mm | (12") |





معما





SSI SCHAEFER Louvred Panels

Manufactured from 15 gauge steel with silver/grey finish. (Boxes shown NOT included)

| Part No. | Qty | Size (W x H) | |
|----------|-----|---------------|---------------------|
| SB4 | 1 | 475 x 630 mm | (18 3/4" x 24 3/4") |
| SB15 | 1 | 475 x 946 mm | (18 3/4" x 37") |
| SB5 | 1 | 475 x 1854 mm | (18 3/4" x 73") |
| SB13 | 1 | 610 x 630 mm | (24" x 24 3/4") |
| SB14 | 1 | 610 x 1245 mm | (24" x 49") |



Standard Shelving System c/w Storage Bins

Boltless heavy duty hand loaded shelving system. Galvanised frames beams with chipboard shelves. Overall Dimensions (H x W x D): $1800 \times 900 \times 450 \text{ mm}$ Max load per shelf: 265 Kg.

· Fully adjustable shelving.

* Please allow 5-7 days delivery on this product.

| Part No. | Qty | Description |
|----------|-------|-------------------------------------|
| SB63BU* | 1 Kit | Shelving Unit c/w 40 x SB23BU Bins |
| SB63RE* | 1 Kit | Shelving Unit c/w 40 x SB23RE Bins |
| SB61* | 1 | Shelving System Only (without Bins) |

55ISCHAEFER

SSI SCHAEFER Storage Bins - LF211

Dimensions (D x W x H): 160 x 95 x 75 mm (6 1/4" x 3 3/4" x 3"). Sturdy polyethylene bins with label holders. Compatible with most louvre systems.

| Part No. | Ųly | COIOUT |
|----------|-----|----------|
| SB1BU | 10 | Blue |
| SB1RE | 10 | Red |
| SB1DIV | 10 | Dividers |

SSI SCHAEFER Storage Bins - LF221

Dimensions (D x W x H): 230 x 140 x 130 mm (9" x 5 1/2" x 5"). Sturdy polyethylene bins with label holders. Compatible with most louvre systems.

| Part No. | Qty | Colour | | | |
|----------|-----|----------|--|--|--|
| SB2BU | 10 | Blue | | | |
| SB2RE | 10 | Red | | | |
| SB2DIV | 10 | Dividers | | | |

SSI SCHAEFER Storage Bins - LF321

Dimensions (D x W x H): 350 x 200 x 145 mm (13 3/4" x 7 3/4" x 5 3/4"). Sturdy polyethylene bins with label holders. Compatible with most louvre systems.

| *************************************** | The rest in order of companion that most root responsi | | | | |
|---|--|----------|--|--|--|
| Part No. | Qty | Colour | | | |
| SB3BU | 6 | Blue | | | |
| SB3RE | 6 | Red | | | |
| SB3DIV | 10 | Dividers | | | |

SSI SCHAEFER Storage Bins - LF341 (14/7-3ZD)

External Dimensions (D x W x H): 350 x 470 x 145 mm (13 3/4" x 17 3/4" x 5 3/4").

Sturdy polyethylene bins with label holders. Compatible with most louvre systems.

| Part No. | Pack of | Colour |
|----------|---------|----------|
| SB7BU | 10 | Blue |
| SB7RE | 10 | Red |
| SB7DIV | 10 | Dividers |

SSI SCHAEFER Storage Bins - LF532

Dimensions (D x W x H): 500 x 300 x 200 mm (19 3/4" x 11 3/4" x 7 3/4"). Sturdy polyethylene bins with label holders. This bin size does NOT fit louvered panels for safety reasons.

| Part No. | Pack of | Colour |
|----------|---------|----------|
| SB8BU | 10 | Blue |
| SB8RE | 10 | Red |
| SB8DIV | 10 | Dividers |

BEST

Looking for Bin Layout Ideas? Overleaf are SSI SCHAEFER Louvred Panel + Storage Bin example layout ideas





























































SSI SCHAEFER Example Bin Layouts

Louvred Panels and Storage Bin illustrations are for guidance purposes only

Clarke



CLARKE
Mobile Double
Sided Storage System
Steel rack is mounted on
4 heavy duty castors (2 lockable).
Supplied with 94 removable storage bins.

Part No.

SB94

Overall Dimensions (W x D x H) 940 x 500 x 1.245 mm 1 Kit









8

O

ممم



AB 'Max Box'


Large size transparent polypropylene compartment box. Dimensions (W x H x D): 333 x 58 x 228 mm (13 1/8" x 2 5/16" x 9").

- · High strength, oil-resistant transparent polypropylene.
- Reinforced hinges and two snap latches give secure closure and prevent parts moving between compartments.
- Can be stacked or stored in Carrying Case (Part No. SB101).
- · Available in 6 configurations.



Part No. **Qty Compartments**

SB112 1 12 Fixed



Compartments **SB116** 16 Fixed



Part No. **Qty Compartments SB118** 18 Fixed




AB 'Max Box' Carrying Case

Made from cold rolled steel. finished in grey baked enamel.

- Holds up to 5 boxes (NOT included).
- Keyhole slots enable case to be wall-mounted.
- · Bolt holes enable cases to be stacked.


Part No. Qty Description **SB101 Carrying Case** 1



Part No. Qty Compartments SB124 1 24 Fixed



Part No. 0tv Compartments **SB106** 1 6 Fixed



Compartments Part No.

24 Adjustable **SB100** c/w 20 Dividers



AB 'Max Box' Carrying Case Locking Hinge

Holds boxes in place whilst being transported. Can be locked with a padlock (NOT included). (Boxes NOT included).

Part No. Qty Description


SB102 1 **Locking Hinge**



Standard size transparent polypropylene box. Complete with 8 dividers. Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 13/4" x 5 3/8").

- · Hinged lid overlaps on all sides of the box tray.
- 2 x Snap latches for secure closing.
- 8 x Removable dividers provide up to
 10 compartments in various configurations.
 Boxes can be stacked or stored in a
 Storage Rack (Part No. ABR).

Qty Description **ABM** 1 **AB Flip Box**



Storage Rack for AB 'Flip Box'

PVC coated wire. Dimensions (H \times W x D): 460 x 300 x 210 mm. (Boxes shown NOT included).

- Holds up to 10 boxes for fast and easy retrieval.
- · Can be free-standing or wall mounted.

Qty Description Part No. **ABR Storage Rack**





BEST

































BARTON Steel Kick Step

Steel Kick Step is a premium GS approved quality mobile step which provides easy step up access preventing excessive stretching.

- Mounted on retractable spring mounted castors Kick Step can easily be moved into position without bending or lifting and when stepped on Kick Step locks into position allowing safe access.
- Sturdy steel construction with anti-slip rubber treads and base surround provides a solid platform from which to work.

| Part No. | Qty | Dimensions (H x W x D) | Colour | Safe Working Load |
|----------|-----|------------------------|--------|-------------------|
| SB142 | 1 | 400 x 260 x 430 mm | Blue | 150 Kg |



Aluminium Sack Truck A truck designed to transport small goods/parcels in almost any environment.

• Folds completely flat when not in use

- Telescopic handle

Qty

· Folding footplate

Part No.

· Fitted with rubber cushion wheels Open (H x W x D)

1105 x 400 x 410 mm 740 x 400 x 180 mm 90 Kg **SB141** 1

Folded (H x W x D)



BARTON Step Ladders - 3 Tread

Folding step ladders with a platform height of 710 mm.

- · Foldable for easier storage
- · Distance between Treads: 230mm
- · Fitted with a rubber comfort handle
- · Non slip treads
- · Powder coated silver/grey
- Safe Working load: 150kg Part No. Qty Open (H x W x D)

SB143 1 1065 x 490 x 665 mm 1220 x 140 x 490 mm

Folded (H x W x D)





Capacity

Extended (H x W x D) 810 x 470 x 730 mm

Folded Height Capacity 230 mm

150 Kg











| Widde II OI | II LDI L PI | astic willer carried to | ny recycleu. | |
|-------------|-------------|-------------------------|--------------|--|
| Part No. | Qty | Size | Gauge | |
| BAG1 | 1000 | 2 1/4" x 4" | 250g | |
| BAG2 | 1000 | 4" x 6" | 250g | |
| BAG8 | 1000 | 12" x 18" | 250g | |
| BAG3 | 1000 | 4" x 6" | 500g | |
| BAG4 | 1000 | 5" x 7" | 500g | |
| BAG5 | 1000 | 6" x 8" | 500g | |
| BAG6 | 1000 | 7" x 9" | 500g | |
| BAG7 | 1000 | 8" x 12" | 500g | |
| BAG9 | 500 | 16" x 24" | 500g | |
| BAG10 | 500 | 12" x 16" | 750g | |
| | | | | |



Layflat Tubing

| Part No. | Qty | Width x Length | Gauge | |
|----------|--------|----------------|-------|--|
| BAG13 | 1 Roll | 3" x 150m | 500g | |
| BAG23 | 1 Roll | 4" x 160m | 500g | |
| BAG11 | 1 Roll | 4" x 120m | 750g | |
| BAG12 | 1 Roll | 4" x 100m | 1000g | |
| BAG21 | 1 Roll | 6" x 150m | 500g | |
| BAG22 | 1 Roll | 10" x 150m | 500g | |
| BAG24 | 1 Roll | 16" x 155m | 500g | |
| | | | | |

Crossweave TapeClear polypropylene tapereinforced with crossweave glass fibre, coated with a synthetic rubber resin adhesive.

- High tensile strength for heavy duty bundling and packaging
- · Recommended for packing of pallets and for high level reinforcements

| Part No. | Ųty | Colour | wiath x Length |
|----------|--------|--------|----------------|
| TAPE52 | 1 Roll | Clear | 50 mm x 50 m |



Wide Carton Sealing Tape


Clear polypropylene. Suitable for use with dispenser Part No. TAPE10.

Low Noise

| Part No. | Box of | Colour | Width x Length | |
|----------|----------|--------|----------------|--|
| TAPE11 | 24 Rolls | Clear | 72 mm x 132 m | |



| Part No. | Qty | Description |
|----------|-----|----------------|
| TAPE10 | 1 | 75 mm Tape Gun |





'Everyday' ESSENTIALS

The 'Everyday' ESSENTIALS range consists of 120 popular products for you to choose from

The 'Everyday' ESSENTIALS stand unit, available separately, allowing you to mix and match your own display with products to suit your market

Full top up pack range is available from page 500

The Workshop Warehouse



All of the ESSENTIALS are supplied in boxes of 5 Packs. Each peg on the stand holds exactly 5 packs so you can top up your products quick and easy!

Trim Clip ESSENTIALS

The Trim Clip ESSENTIALS Counter Display comes with a header card featuring actual size trim Clip images. The header card makes it quck and easy to choose the right trim clips and also aids in replenishing stock, doubling up as a planogram for the stand too

Top up packs are available on pages 498 and 499



Trim Clip ESSENTIALS

The Trim Clip ESSENTIALS range of top up packs are listed on pages 498 and 499













'Everyday' ESSENTIALS Stand Stand dimensions (W, x H): 70 x, 175 cm. Free-standing or wall mountable stand. Complete with header card. (Supplied WITHOUT stock).

• 48 individual pegs hold over 240 ESSENTIALS packs (5 per peg)

Part No.

YSTAND1 **Empty Stand Only** 1































Fir-Tree Fixings

Trim Clip ESSENTIALS



Black. Suits CITROËN/ CHRYSLER/FORD/GM/ PEUGEOT.

| 1 20 | GLO1. |
|----------|-------|
| Part No. | Qty |
| YFIX500 | 5 x 8 |



Black. Suits PEUGEOT. Part No. Qty YFIX501 5 x 8



YFIX502

5 x 8

| Bla | ick. |
|----------|-------|
| Part No. | Qty |
| YFIX504 | 5 x 8 |



Push Rivets





| Universal. | |
|------------|-------|
| Part No. | Qty |
| YFIX510 | 5 x 8 |



HONDA/MITSUBISHI/ TOYOTA.

| Part No. | Qty |
|----------|-------|
| YFIX512 | 5 x 8 |



Part No. Qty **YFIX511** 5 x 8



Black. Suits BMW. Part No. Qty YFIX513 5 x 8



| Black. Suits GM. | |
|------------------|-------|
| Part No. | Qty |
| YFIX514 | 5 x 8 |



Black. Suits BMW. Part No. Qty YFIX506 5 x 8

Drive Rivets

YFIX503

Black. Suits BMW/ CHRYSLER/FORD/GM.

Qty

5 x 8



Black. Suits AUDI/BMW/ CITROËN/PEUGEOT/ RENAULT/VW. Part No. Qty

5 x 8

YFIX515



Black. Suits AUDI/BMW/ DAEWOO/FORD/GM/ MERCEDES/VOLVO/BMW. Part No. Qty **YFIX517** 5 x 8



Black. Suits VOLVO. Part No. Qty **YFIX516** 5 x 8





Black Suits MAZDA/ NISSAN. Part No. Qty **YFIX507** 5 x 8





Black. Suits CITROËN/ FIAT/PEUGEOT/ RENAULT. Part No. Qty

5 x 8

YFIX508





Black. Suits HONDA/ TOYOTA. Part No. Qty **YFIX509** 5 x 8



O

990

ၛ

Actual Size Images







Black. Suits FORD GM/ HONDA/MAZDA.

YFIX522 5 x 8



Black. Suits FORD.

YFIX518 5x8

Qty



Black. Suits FORD/ HYUNDAI/KIA/MAZDA.

Part No. Qty

YFIX520 5 x 8





Natural. Suits TOYOTA. Part No. Qty **YFIX525** 5 x 8



Black. Suits HONDA/ LAND ROVER/ MAZDA/ MINI/NISSAN/

SSANGYONG/TOYOTA.

YFIX521 5 x 8

Qty

Part No.

Black.Suits HONDA.

YFIX519 5x8

Qty



Black. Suits LEXUS/TOYOTA. Part No. Qty **YFIX526** 5 x 8







Natural. Suits GM. Part No. Qty **YFIX527** 5 x 8





PEUGEOT. Part No. Qty



Natural. Suits GM/ HONDA/MAZDA/ MITSUBISHI/ SUBARU/SUZUKI/ TOYOTA.

Qty **YFIX531** 5 x 8





White. Suits HYUNDAI/ SUZUKI/TOYOTA. Qty

Part No. **YFIX530** 5 x 8 Grey. Suits GM/ NISSAN/RENAULT. Part No. Qty



White. Suits BMW/ FORD.

YFIX528 5 x 8

Qty

Part No.





Natural. Universal Part No. Qty **YFIX524** 5 x 8











White. Suits PEUGEOT. Part No. **YFIX532** 5 x 8





White/Black Surround. Suits CITROËN/FIAT/ PEUGEOT. Part No.

YFIX534 5 x 8





White/Black Washer. Suits HYUNDAI/KIA. Part No. **YFIX535** 5 x 8































Red Insulated Push-on Females







| Part No. | Qty |
|----------|--------|
| YET9 | 5 x 25 |
| Width | 6.3 mm |

| Red Push-on Males | | |
|-------------------|--------|--|
| Part No. | Qty | |
| YET36 | 5 x 25 | |
| Width | 6.3 mm | |

Red Bullets Part No. Qty **YET15** 5 x 25 Ø 4.0 mm

Red Receptacle Sockets Part No. Qty **YET18** 5 x 25 Ø 4.0 mm










| Red | Butt | Connectors |
|--------|------|------------|
| and Ma | | Otre |

| Part No. | Qty |
|----------|--------|
| YET33 | 5 x 25 |
| O.D. | 3.3 mm |
| O.D. | 3.3 mm |



Red Rings Part No. Qty **YET25** 5 x 10 Ø 6.4 mm















Blue Push-on Females

| i Ciliaics | |
|------------|--------|
| Part No. | Qty |
| YET7 | 5 x 25 |
| Width | 6.3 mm |
| | |



| PUSIT-UII FEIIIAIES | |
|---------------------|--------|
| Part No. | Qty |
| YET10 | 5 x 25 |
| Size | 6.3 mm |



6.3 mm

Blue Bullets Part No. Qty **YET16** 5 x 25 Ø 5.0 mm



| Sockets | |
|----------|--------|
| Part No. | Qty |
| YET19 | 5 x 25 |
| Ø | 5.0 mm |



Ø





Blue Receptacle

| Sockets | |
|----------|--------|
| Part No. | Qty |
| YET19 | 5 x 25 |
| Ø | 5.0 mm |



| Connectors | | |
|------------|--------|--|
| Part No. | Qty | |
| YET34 | 5 x 25 | |
| O.D. | 4.0 mm | |



| Blue Rings | |
|------------|--------|
| Part No. | Qty |
| YET23 | 5 x 10 |
| Size | 5.3 mm |

Blue Rings

| Part No. | Qty |
|----------|--------|
| YET26 | 5 x 10 |
| Size | 6.4 mm |



Blue Rings

Qty

5 x 10 8.4 mm

Part No.

Size

YET29



Yellow Rings

| Part No. | Qty |
|--------------|--------|
| YET27 | 5 x 10 |
| Ø | 6.4 mm |



Vallow Dings

| reliuw Kiligs | |
|---------------|--------|
| Part No. | Qty |
| YET30 | 5 x 10 |
| Ø | 8.4 mm |



Part No.

Ø

YET91

Red Heat Shrink Butt Connectors

Qty

5 x 5

3.7 mm



Part No.

Ø

YET92



Blue Heat Shrink

Butt Connectors

Qty

5 x 5

5.0 mm

ESSENTIALS







Yellow Heat Shrink

| Butt Connectors | |
|-----------------|--------|
| Part No. | Qty |
| YET93 | 5 x 5 |
| Ø | 6.5 mm |



Copper Tube

| (Cable Lugs) | |
|------------------------|-------|
| Part No. | Qty |
| YET72 | 5 x 2 |
| Ø x Hole 25 mm² x 8 mm | |



Copper Tube Terminals (Cable Lugs) Part No. Qty

Ø x Hole 35 mm² x 8 mm

5 x 2

YET73



Copper Tube Terminals (Cable Lugs)

| (Capie rogs) | |
|-------------------------|-------|
| Part No. | Qty |
| YET74 | 5 x 2 |
| Ø x Hole 35 mm² x 10 mm | |



000









Standard **Blade Fuses** Part No. 0tv

YEFX10 5 x 10 Amperage 10 A



0tv

Part No. YEFX15 5 x 10 Amperage 15 A



Standard **Blade Fuses**

Part No. 0tv YEFX20 5 x 10 Amperage 20 A



Amperages 10, 15, 20 A



ESSENTIAL



Mini Blade Fuses Part No. Qty

YEFX110 5 x 10 Amperage 10 A



Mini Blade Fuses

Part No. Qty **YEFX115** 5 x 10 Amperage 15 A



Mini Blade Fuses Part No. Qty

YEFX120 5 x 10 Amperage 20 A



Mixed Mini Blade Fuses Part No. Qty

YEFXM2 5 x 6 Amperages 10, 15, 20 A



Standard Blade Fuse Holders

Part No. YEFH150 5 x 1 Amperage 20 A



Mini Blade Fuse Holders

Part No. Qty YEFH140 5 x 1 Amperage 20 A



Domestic Mains Fuses

Part No. YEFD13 5 x 5 Amperage 13 A



Mixed Domestic Mains Fuses

Part No. Qty **YEFDM1** 5 x 5 Amperages 3, 5, 13 A



Snap-Lock Connectors

Part No. Qty YESL52 5 x 5 Colour Blue



PVC Insulation Tape

Part No. Qty YEPT1 5 x 1 Colour **Black**



Lithium Coin Batteries

Part No. Qty **YBAT25** 5 x 2 Size CR2025



Lithium Coin Batteries

Part No. Qty **YBAT32** 5 x 2 Size CR2032



Rubber Lined P-Clips

Part No. Qty **YEAC106** 5 x 2 Size 6 mm



Rubber Lined P-Clips

Part No. Qty **YEAC108** 5 x 2 Size 8 mm



Rubber Lined P-Clips

Part No. Qty **YEAC110** 5 x 2 Size 10 mm



P-Clips Part No. Qty

YEAC406 5 x 10 For Cable Ø 6.0 mm



Silver/Grey Cable Part No. Qty

YECTG57 5 x 25 L x W 370 x 4.8 mm



Qty

L x W 100 x 2.5 mm

5 x 50

Part No.

YECT81

Black Cable Ties





Black Cable Ties

Qty Part No. **YECT83** 5 x 50 L x W 300 x 4.8 mm



Black Cable Ties

Part No. Qty **YECT84** 5 x 25 L x W 370 x 7.6 mm



Black Cable Ties

Part No. Qty **YECT87** 5 x 25 L x W 390 x 4.8 mm



9

 \odot









Metric Steel Nuts

| Part No. | Qty |
|----------|--------|
| YHSN22 | 5 x 20 |
| Size | M6 |



Metric Steel Nuts

| Part No. | Qty | |
|----------|--------|--|
| YHSN24 | 5 x 20 | |
| Size | M8 | |



Metric Steel Nuts

| Part No. Qty | |
|--------------|--------|
| YHSN25 | 5 x 10 |
| Size | M10 |



Metric Serrated Flange Nuts

| Part No. | Qty |
|----------|--------|
| YHSN56 | 5 x 20 |
| Size | M6 |



Metric Serrated Flange Nuts

| Part No. | Qty |
|----------|--------|
| YHSN58 | 5 x 20 |
| Size | M8 |



Metric Serrated

| Flalige NULS | | |
|--------------|--------|--|
| Part No. | Qty | |
| YHSN60 | 5 x 10 | |
| Size | M10 | |



Metric Nylon Lock Nuts

| Part No. | Qty | |
|----------|--------|--|
| YHNN21 | 5 x 20 | |
| Size | М6 | |



Metric Nylon Lock

| | 003 | |
|----------|--------|--|
| Part No. | Qty | |
| YHNN22 | 5 x 20 | |
| Size | M8 | |



Metric Nylon Lock

| Part No. | Qty |
|----------|--------|
| YHNN23 | 5 x 10 |
| Size | M10 |



'Form A' Flat Washers

| Part No. | Qty |
|-------------|---------|
| YHFW13 | 5 x 20 |
| I.D. x O.D. | M6 x 12 |



'Form A' Flat Washers

Part No. Qty **YHFW14** 5 x 20 I.D. x O.D. M8 x 17



'Form A' Flat

| vvasi iei s | |
|---------------|----------|
| Part No. | Qty |
| YHFW15 | 5 x 10 |
| I.D. x O.D. I | M10 x 21 |



Repair Washers

| Part No. | Qty |
|-------------|-----------|
| YHRW2 | 5 x 20 |
| I.D. x O.D. | 1/4" x 1" |



Repair Washers

| Part No. | Qty |
|-------------|------------|
| YHRW3 | 5 x 20 |
| I.D. x O.D. | 5/16" x 1" |



Repair Washers

| Part No. | Qty |
|-----------|---------------|
| YHRW15 | 5 x 20 |
| ID v OD 3 | 3/8" y 1 1/4" |



Metric Set Screws Part No. Qty

YHSS44 5 x 20 Size x Length M6 x 25



Metric Set Screws

| Part No. | Qty |
|---------------|---------|
| YHSS46 | 5 x 10 |
| Size x Length | M6 x 50 |



Metric Set Screws

| i ui tito. | QLY |
|---------------|---------|
| YHSS50 | 5 x 10 |
| Size x Length | M8 x 25 |



Metric Set Screws

| WICH IC SCL SCI CWS | |
|---------------------|------------------|
| Part No. | Qty |
| YHSS52 | 5 x 10 |
| Size x Lengt | h M8 x 50 |



Metric Set Screws

| Part No. | Qty |
|---------------|------------|
| YHSS53 | 5 x 10 |
| Size x Lengtl | h M10 x 25 |



Metric Set Screws

| MICH IC SCL SCI CWS | |
|---------------------|-------------------|
| Part No. | Qty |
| YHSS55 | 5 x 5 |
| Size x Lengt | h M10 x 50 |

0

موم

ၛ



Large Flange **Multi-grip Rivets**

| | 4-7 |
|------------|-------------|
| YPR107 | 5 x 10 |
| Ø x Length | 4.8 x 19 mm |



| Diacit itivets | | Diacit itiv | |
|----------------|------------|-------------|-------|
| Part No. | Qty | Part No. | Qty |
| YPRB11 | 5 x 20 | YPRB21 | 5 x 1 |
| Ø x Length | 3.2 x 8 mm | Ø x Length | 3.2 x |





Sheet Metal Screws with Captive Washer

| Part No. | Qty |
|----------|--------|
| YAS23 | 5 x 10 |
| | |

Gauge x Length 10 x 3/4"



Sheet Metal Screws with Captive

| wasiiei | | |
|----------------|-----------|--|
| Part No. | Qty | |
| YAS33 | 5 x 10 | |
| Gauge x Length | 12 x 3/4" | |



Sheet Metal Screws with Captive Washer

| Part No. | Ųly | |
|------------|--------------|----|
| YAS4 | 5 x 10 | |
| Gauge x Le | ngth 14 x 3/ | 4" |







Self-Tapping Screws Flanged Head Pozi Black

Part No. YHTK6/4 5 x 50

Gauge x Length 6 x 1/2"



Self-Tapping Screws Flanged Head Pozi Black

Part No. Qty YHTK8/6 5 x 50

Gauge x Length 8 x 3/4"



Self-Tapping Screws Flanged Head Pozi Black

YHTK10/4 5 x 50 Gauge x Length 10 x 1/2"



Self-Tapping Screws Flanged Head Pozi Black

Part No. YHTK10/6 5 x 50 Gauge x Length 10 x 3/4"





Part No. Qty YHUC3 5 x 10 Screw Ø No. 10 (4.8 mm)

Part No.

Colours

YNPM1





U-Nuts

Qty

No. 14 (6.3 mm)

Part No.

Screw Ø

Mixed No. Plate Fasteners

Mixed Security No. Plate Fasteners

Qty

5 x 8

White, Yellow, Black, Blue

White, Yellow, Black, Blue

ØxS

Qty

5 x 8

YHUC5







































| Part No. | Qty |
|----------|--------|
| YNP19 | 5 x 20 |
| Colour | Blue |



No. Plate Fasteners

| Part No. | Qty |
|----------|--------|
| YNP3 | 5 x 20 |
| Colour | White |

Security No. Plate

Fasteners

Trim Buttons -

Fir-Tree

Qty

5 x 10

16 x 15 mm

Qty

5 x 20

White

BEST

Part No.

YNP33

Colour

Part No.

ØхН

YFIX20







| Part No. | Qty |
|----------|--------|
| YNP4 | 5 x 20 |
| Colour | Yellow |



No. Plate Fasteners



YNP6

Colour

| ai tito. | ŲLY |
|----------|--------|
| /NP4 | 5 x 20 |
| Colour | Yellow |
| | |



Security No. Plate

| i asterici s | | |
|--------------|--------|--|
| Part No. | Qty | |
| YNP34 | 5 x 20 | |
| Colour | Vellow | |

Trim Buttons - Fir-

Qty

5 x 10

Part No.

YFIX29

Ø x H 18 x 28 mm



Qty

5 x 20

Black

Security No. Plate

| rasteriers | | |
|------------|--------|--|
| Part No. | Qty | |
| YNP35 | 5 x 20 | |
| Colour | Black | |



| Part No. | Qty |
|----------|-----------|
| YFIX21 | 5 x 10 |
| ØхН | 24 x 18 m |



ØxS

Trim Buttons - Fir-

| Part No. | Qty |
|----------|------------|
| YFIX21 | 5 x 10 |
| ØxH | 24 x 18 mm |



16 x 13 mm

Part No.

Colours

YNPM2

Drive Rivets Part No. Qty YFIX39 5 x 5



Screw-Type Rivets Part No. Qty YFIX31 5 x 5

15 x 13 mm







Split Pins - Imperial Part No. Qty

YHSP8 5 x 10 O.D. x Length 5/32" x 2"

Split Pins - Imperial Part No. Qty YHSP9 5 x 10 O.D. x Length 3/16" x 2"



Linch Pins with O-Ring

| Part No. | Qty |
|----------|---------------|
| YLP1 | 5 x 2 |
| Pin Size | 1/4" x 1 3/4" |

Brake Pad Pin Retainers

| Part No. | Qty |
|----------|--------|
| YBR6 | 5 x 10 |
| Size | Small |



Brake Pad Pin

| retaille 3 | | |
|------------|--------|--|
| Part No. | Qty | |
| YBR7 | 5 x 10 | |
| Size | Large | |



JCS 'Hi-Grip' Hose Clips

| | 4-3 |
|---------|------------|
| YJCSM00 | 5 x 3 |
| Range | 11 - 16 mm |



JCS 'Hi-Grip' Hose Clips Part No. Qty YJCS0 5 x 3 Range 14 - 22 mm



JCS 'Hi-Grip' Hose Clips Qty





Mini Hose Clips

| Part No. | Qty |
|----------|------------|
| YHCA11 | 5 x 5 |
| Ø Range | 10 - 12 mm |



Mini Hose Clips

| Part No. | Qty |
|----------|------------|
| YHCA12 | 5 x 5 |
| Ø Range | 11 - 13 mm |



Mini Hose Clips

| Part No. | Qty |
|----------|------------|
| YHCA13 | 5 x 5 |
| Ø Range | 12 - 14 mm |



Short Metric Male Brake Nuts

| Part No. | Qty |
|-----------|---------------|
| YBN11 | 5 x 4 |
| Ø x Pitch | M10 x 1.00 mm |



Full Thread Metric Male Brake Nuts Part No. Qty

| YBN13 | 5 x 4 |
|--------------|---------------|
| Ø x Pitch | M10 x 1.00 mm |



Short Metric Female Brake Nuts

| D. 0116 11065 | | |
|---------------|---------------|--|
| Part No. | Qty | |
| YBN46 | 5 x 4 | |
| Ø x Pitch | M10 x 1.00 mm | |



Tyre Valve Caps Plastic

| Part No. | Qty |
|----------|---------|
| YTY120 | 5 x 10 |
| Туре | Plastic |



Standard Trim Knife Blades

| Part No. | Qty |
|-------------|--------------|
| YTL662 | 5 x 10 |
| Description | Knife Blades |





موم

જુ

0



Cutting + Drilling 'Everyday' ESSENTIALS

| Imperial | | |
|----------|-------|--|
| Part No. | Qty | |
| YDR18 | 5 x 2 | |
| Ø | 1/8" | |



| Imperial | |
|---------------|-------|
| Part No. | Qty |
| YDR316 | 5 x 1 |
| Ø | 3/16" |

ALPEN 'Sprint' HSS Jobber Twist Drills - Metric

| IV | Cuic |
|----------|--------|
| Part No. | Qty |
| YDRM3.3 | 5 x 2 |
| Ø | 3.3 mm |



| - Metric | | |
|----------|--------|--|
| Part No. | Qty | |
| YDRM4 | 5 x 2 | |
| Ø | 4.0 mm | |



| - Metric | | |
|----------|--------|--|
| Part No. | Qty | |
| YDRM5 | 5 x 2 | |
| Ø | 5.0 mm | |



| - Metric | | |
|----------|--------|--|
| Part No. | Qty | |
| YDRM6 | 5 x 1 | |
| Ø | 6.0 mm | |

| 1 | |
|--|----------------------|
| 1/4" Drive Ratchet + Socket Sets | 458 |
| 1/4" Drive Sockets 458, 460 | 0-463 |
| 1/2" Drive Impact Sockets 464-466 1/2" Drive Ratchet & Socket Sets | 459 |
| 1/2" Drive Sockets 459, 461-466 | 5, 469 465 |
| 1" Drive Impact Sockets 110V Cable Reel | 405 65 |
| 110V Plugs & Couplers | 65 |
| 150% Performance Autobulbs 1K Epoxy Primer (Aerosol) | 90- <u>93</u> 313 |
| 7 | |
| 240V Plugs & Couplers | 66 |
| 2K Polyurethane Repair Adhesives | 329 |
| 3 | |
| 3/8" Drive Impact Sockets 3/8" Drive Ratchet + Socket Sets 458 | 466 |
| 3/8" Drive Sockets 458 | 3, 459 3-463 |
| 3/4" Drive Impact Sockets | 465 |
| 3M | |
| | |
| 3M Masking Tapes 3M Scotchloks | 320 35 |
| 3-Pin Plugs & Couplers | 65 |
| 3-Pin Plugs (Mains) | 64 |
| 4 | |
| 400V Plugs & Couplers | 66 |
| | |
| (1) | |
| 4-Jaw Hydraulic Connectors | 302 |
| 4-Pin Plugs & Couplers | 66 |
| 5 | |
| 5-Pin Plugs & Couplers | 66 |
| 7 | |
| 7-Pin Trailer Sockets & Plugs | 262 |
| Α | |
| AB 'Flip Box' (Empty) 26 | 5, 493 |

| 0 | - |
|----------------------------------|----------|
| 4-Jaw Hydraulic Connectors | 302 |
| 4-Pin Plugs & Couplers 5 | 66 |
| 5-Pin Plugs & Couplers | 66 |
| 7-Pin Trailer Sockets & Plugs | 262 |
| AB 'Flip Box' (Empty) | 26, 493 |
| AB 'Max Box' (Empty) | 26, 493 |
| Abrasive Discs | 404-411 |
| Abrasive Pads | 399 |
| | 360, 361 |
| Absorbent Pads | 360, 361 |
| Absorbent Rolls | 360, 361 |
| Absorbent Socks | 360, 361 |
| AC/DC Voltage Tester | 482 |
| Accelerator & Clutch Springs 21, | 149, 258 |
| ACCURA Digital Inflator | 231 |
| 1 | |



| Acme Screws 14. 1 | 145-147. | 503 |
|-------------------|----------|-----|
|-------------------|----------|-----|

| Julieral MAR | KER PEN |
|---------------------------|----------|
| | - |
| Acrylic Paint Marker Pens | 315, 398 |

| Activator (Super Glue) | 325 |
|------------------------|---------|
| ACURA Trim Clips | 191-192 |
| | |



| _ | |
|-------------------------------------|-------|
| AdBlue Delivery Hose | 289 |
| AdBlue Nozzle | 289 |
| AdBlue Solution | 298 |
| AdBlue Solution Barrel Pumps 300 | , 356 |
| 'Add A Circuit' | 47 |
| Additives | 288 |
| Adhesion Promoter (Primer) | 312 |
| Adhesive Dressings (Plasters) | 362 |
| Adhesive Lined Heat Shrink Terminal | S |
| 23, 32 | , 500 |
| Adhesive Lined Heat Shrink Tubing | 38 |
| Adhesive Pads 141 | , 321 |
| Adhesive Spray | 325 |
| Adhesive Tapes | |

| Auticative tupes | |
|----------------------------|-----------------|
| 39, 320-323, | 360, 361, 495 |
| Adhesive Wheel Weights | 247 |
| Adhesives Kit | 325 |
| Adjustable Wrenches | 453 |
| ADVANCE Tapes | 39, 321, 323 |
| Advance/Retard Tubing | 215 |
| Aerosol Assortment Packs | |
| 304, 299 | , 310, 315, 318 |
| After Work Conditioner Cro | |

| After-Work Conditioner Cream | 318, 343 |
|---------------------------------|----------|
| Air Brake Hose | 21! |
| Air Compressor Unit (Profession | al) 229 |
| Air Compressors | 234-23 |
| Air Con/Refrigerant UV Dye | 299 |
| Air Conditioning O-Rings Kit | 11, 13! |
| Air Conditioning Sanitiser | 29 |
| Air Duster (Aerosol) | 29: |
| Air Freshener (Odour Eliminator | 295, 290 |
| Air Fresheners | 290 |
| Air Gun (Paint Drying) | 228 |
| Air Gun Vacuum/Blower Kit | 229 |
| Air Hose | 21 |
| Air Line Assemblies | 217 |
| Air Line Coil | 217 |
| Air Line Connectors | 220-224 |
| Air Line Couplings & Adaptors | 220-224 |
| Air Line Fittings | 220-224 |
| Air Line Gauges | 232-233 |
| Air Line Hose | 217 |
| Air Line Tubing | 21 |
| Air Operated Grease Gun | 220 |
| Air Regulator/Gauge | 228 |
| Air Saw Blades | 42 |
| Air Side Oiler | 224 |
| | |



| Air Tool Oil | 22 |
|--------------------|--------|
| Air Tool Whip Hose | 22 |
| Air Tools | 226-22 |

| Air Water Trap | 224 |
|---------------------------------|---------------|
| 'Airflow' Couplings | 220 |
| Alarm Remote Batteries | 112, 501 |
| ALFA ROMEO Trim Clips | 190 |
| Alkaline Batteries | 108, 109, 111 |
| 'All Plastics' Super Glue Kit (| |
| All Purpose Cleaner | 300 |
| 'Allen' Keys (Hex Keys) | 414-451 |
| ALLIGATOR Valve Caps | 243 |
| Alloy Wheel Impact Sockets | 469 |
| | |

drill better.

| 413, 418-421, 504 |
|-------------------|
| 418, 504 |
| 419 |
| 357, 358 |
| 312 |
| 321 |
| 327 |
| 10, 133, 137 |
| |



| Amber Beacons | 78-79, 280-28 |
|----------------------|---------------|
| Amber Lightbars | 28: |
| Amber Warning Lights | 27 |

ambersil

| AMBERSIL 308, 31 | 2, 315, 398 |
|-------------------------------|-------------|
| AMBERSIL Marker Pens | 315, 398 |
| Angle Iron | 150 |
| Anti Corrosion Graphene Prime | r 313 |
| Antibacterial Hand Soap | 339 |
| Anti-Corrosion Tape | 321 |
| Anti-Freeze Testers | 482 |
| Anti-Glare Visor | 355 |
| Antiluce Fasteners | 271 |
| Anti-Scuff Paste | 304 |
| Anti-Seize Compound | 304, 305 |
| Anti-Seize Copper | 304, 305 |
| Anti-Slip Hazard Tape | 322 |
| Anti-Spatter Spray | 393 |
| Anti-Vibration Gel Gloves | 374, 469 |
| Antiviral Disinfectant | 347 |
| ARALDITE Rapid | 328 |
| | |

ARCTIC HAYES

| ARCTIC HAYES | 328, 398 |
|-------------------------|------------|
| Assortment Box Rack | 26, 493 |
| ATOF Blade Fuse Holders | 47 |
| ATOF Blade Fuses | 24, 25, 46 |
| AUDI Trim Clips | 185-187 |
| Auto Bulb Kits | 102 |
| Auto Bulbs | 82-103 |



| Auto Bulbs (NEOLUX) | 82-85 |
|---------------------|-------|
| | |

| Auto Bulbs (Performance Upgrade) | 90-93 |
|------------------------------------|--------|
| Auto Bulbs (RING) | 32-103 |
| Auto Cable | 61-63 |
| Auto Fuses 24-25, 46-5 | |
| | 32-103 |
| Auto Silicone Sealant | 334 |
| | 88-89 |
| | 86-89 |
| AUTOLAMPS Autobulbs | 88-89 |
| Automatic Wire Strippers | 58 |
| Automotive Oils & Fuels UV Dye | 299 |
| Automotive Tester (Multi-Function) | 482 |
| AUTOSOL Metal Polish | 299 |
| | |

POP°**⋈** Avdel°

| AVDEL Rivets | 15, 151, 153 |
|--------------------------------------|--------------|
| Axle Stands | 248, 470 |
| В | |
| Backing Pads | 404, 405 |
| Backing Panels (Storage Bins) | 490, 491 |
| Bactericide Spray | 347 |
| Badge Tape (Transparent) | 320 |
| Bags (Packing Polythene) | 495 |
| Bags (Vacuum) | 351, 353 |
| Bags of Rags | 348 |

BAHCO

| BAHCO 412, 425-428, 430, | 434, 453, 480 |
|------------------------------|-----------------|
| BAHCO Blades (Powersaw) | 426 |
| BAHCO File Sets | 412 |
| BAHCO Hacksaw Blades | 425, 426 |
| BAHCO Hacksaw Frames | 425, 426 |
| BAHCO Handsaw | 427 |
| BAHCO Jigsaw Blades | 427 |
| BAHCO Junior Hacksaw | 426 |
| BAHCO Knife | 428 |
| Ball Joint Covers | 21, 251 |
| Ball Joint Dust Covers - Rub | ber 25 1 |
| Ball Pein Hammers | 438, 439 |
| Ball Point Hex Keys | 414-451 |
| Banding System (Hose Clip) | 205 |
| Bar (Metal) | 150 |
| Barrel Olives | 19, 206 |
| Barrel Pumps | 300, 303, 356 |
| Barrel Taps | 355 |
| Barrier Creams | 318 |
| Barrier Tape | 336 |
| BARS Radiator Stop Leak | 288 |
| Batteries | 108-112, 501 |
| | |



| Batteries (Alkaline) 10 | 8, 109, 111 |
|----------------------------------|-------------|
| Batteries (Button Cells + Coins) | 112, 50 |
| Batteries (DURACELL) | 108, 111 |
| Batteries (Lantern) | 117 |
| Batteries (Rechargeable) | 110-111 |
| Battery Analyser | 106 |
| Battery Chargers | 105 |
| Battery Clamp Puller | 479 |
| Battery Isolator Switches | 45 |
| Battery Retaining Brackets | 4: |
| | |









| Battery Terminal Cleaning Tool | 41 |
|--------------------------------|------------|
| Battery Terminal Covers | 40 |
| Battery Terminal Protector | 41 |
| Battery Terminals | 40 |
| Battery/Starter Cable | 63 |
| | , 280-281 |
| BEAD BAZOOKA (Bead Sealer) | 245 |
| Bead Beakers (Tools) | 244-245 |
| Bead Breaker (Hydraulic) | 245 |
| Bead Lubricant (Tyre Soap) | 243 |
| | |
| Bead Paste | 241 |
| Bead Sealer | 241 |
| Bead Sealer (Bead Bazooka) | 245 |
| | , 341, 342 |
| Beam Blades (Wiper) | 268 |
| Bearing Fit Universal Retainer | 327 |
| Bench Grinding Wheels | 399 |
| | |
| 1 9 1 11 | |



| BIBIELLE Abrasives | |
|---------------------------|--------------|
| 403, 405, | 406, 408-411 |
| BIBIELLE Cutting Discs | 408-410 |
| BIBIFI I F Grinding Discs | 411 |



| BIG WIPES Industrial Wipes | 344 |
|-------------------------------|------------|
| Bin Bags | 348 |
| Bins (Rubbish) | 348 |
| Bins, Storage | 488-493 |
| Bit Holders | 446, 447 |
| Bits (Hex) | 446, 447 |
| Bits Sets | 446, 447 |
| Bits Tray | 488 |
| Black Paint | 314 |
| 'Black Pearl' Nitrile Gloves | 374 |
| Blacksmiths' Drills | 421 |
| Blade Fuse Extractor & Tester | 47 |
| Blade Fuse Holders | 47-49, 501 |



| Blade Fuses 24 | -25, 46-49, 501 |
|----------------------------|-----------------|
| Blade Fuses (LED) | 25, 46 |
| Blade Fuses (LITTELFUSE) | 24, 25, 46-51 |
| Blades (Hacksaw) | 425, 426 |
| Blades (Jig Saw) | 427 |
| Blades (Trimming Knives) | 428-430, 504 |
| Blades (Wiper) | 268-269 |
| Blanking Grommets | 24, 37 |
| Bleed Screws | 256-257 |
| Blind Rivets | 151-153 |
| Blister Packs (Essentials) | 496-504 |



| Blow Guns | 225-228 |
|-------------------------------|---------|
| Blow Pistol | 225 |
| Blower/Vacuum Kit | 229 |
| Blue Hose Connectors | 205 |
| Blue Hylomar 'Universal Blue' | 332 |
| Blue Instant Gasket | 333 |

| Blue Nitrile Gloves | 374 |
|---|---------------------------------|
| Blue Paper | 347 |
| BMW Clips | 187-188 |
| Boards (Maker) | 275 |
| Bobbins (Exhaust) | 267 |
| Body Clips | 15, 161-200 |
| Body Fixings | |
| Dody 1 1/11/100 | |
| 15, 161-200, 496, | 498-499, 504 |
| 15, 161-200, 496, | 124, 146-147 |
| 15, 161-200, 496, | |
| 15, 161-200, 496, 4 Body Screws Body Trim Rivets | 124, 146-147 |
| 15, 161-200, 496, a Body Screws Body Trim Rivets Bodywarmers Bolt Cutters | 124, 146-147 151, 184 |
| 15, 161-200, 496, and Screws Body Trim Rivets Bodywarmers | 124, 146-147 151, 184 384 |



| Bolts (High Tensile) | 117 |
|----------------------|--------------|
| Bonded Seals | 11, 135, 137 |



| BONDHUS | 414-451 |
|---|---------------|
| Bonding Adhesives 324- | 325, 328 |
| Bonnet Buffers | 181 |
| Bonnet Cables | 270 |
| Booster Cables (Jump Leads) | 106 |
| Boot Lace Terminal Pliers | 59 |
| Boots (Safety) | 386-387 |
| Bottle Jacks | 249, 471 |
| Bowden Cable | 270 |
| Boxed Hose Clips | 204 |
| Boxer Heater Spares | 397 |
| Boxes ('AB' Storage) | 26, 493 |
| BRADEX Easy Start | 308 |
| Brake & Air Line Thread Sealants | 335 |
| Brake & Clutch Fluid | 289 |
| Brake Bleed Screws | 256-257 |
| Brake Bleeding Flare Nut Spanner | 's 475 |
| Brake Caliper Piston Tool | 475 |



| Brake Cleaner | 300 |
|----------------------|------------------|
| Brake Cylinder Hones | 472 |
| Brake Fluid Tester | 482 |
| Brake Hardware | 20, 252-257, 504 |



| Brake Nuts | 20, 252-255, 504 |
|--------------------------|------------------|
| Brake Pad Pin Retainers | 257, 50 |
| Brake Pad Springs | 25 |
| Brake Pad Washers | 25 |
| Brake Pipe | 21 |
| Brake Pipe Flaring Tools | 440-47 |
| Brake Piston Wind Back | Kit 47: |
| Brake Servo Hose | 21 |
| Brake Shoe Hold-Down I | (it 20, 25) |
| Brake Tools | 473-47 |
| | |

| Brake Tubing | 216, 255 |
|-----------------------------|-----------------|
| Brake Tubing Connectors | 20, 254-255 |
| Brakes | 244-257 |
| Brass Claw Fittings | 213 |
| Brass Drifts | 440 |
| Brass Hose Connectors | 205, 213 |
| Brass Nuts | 129 |
| Brass Tube Couplings | 213 |
| Brazing Flux | 393 |
| Brazing Rods | 391 |
| Breakaway Cable | 274 |
| Breaker Hose Sets | 216, 284 |
| Breaker Hose Tails | 216, 284 |
| Breaker Pig Tails | 216, 284 |
| BRENNENSTUHL Electric Engra | aver 437 |
| Bright Alu Zinc Galv Spray | 312 |
| Broom Handles | 349, 350 |
| | |



| Broom Heads | 349 |
|-----------------------------|--------------|
| Brushes (Cleaning) | 349 |
| Brushes (Conical) | 400 |
| Brushes (Cup) | 400 |
| Brushes (Mounting) | 400 |
| Brushes (Nail) | 347 |
| Brushes (Paint) | 317 |
| Brushes (Parts Cleaning) | 401, 481 |
| Brushes (Tyre Mounting) | 241 |
| Brushes (Vacuum) | 351-354 |
| Brushes (Wash) | 296 |
| Brushes (Wheel) | 400 |
| Brushes (Wire) | 400-401 |
| Buckets | 354 |
| Buffer Kit | 407 |
| Buffing Stone | 241 |
| Bulb Kits (Auto) | 101, 102 |
| Bulb Stands | 102, 103 |
| 'Bulbex' Rivets | 151 |
| Bulbs (Auto) | 82-103 |
| Bulbs (AUTOLAMPS) | 88-89 |
| Bulbs (Domestic Type) | 81 |
| Bulbs (EUROLEC) | 86-89 |
| Bulbs (Halogen Linear) | 80 |
| Bulbs (Hand Lamp) | 80-81 |
| Bulbs (Heater) | 81 |
| Bulbs (Metal-Halide) | 80, 279 |
| Bulbs (NEOLUX) | 82-85 |
| Bulbs (Panel) | 101 |
| Bulbs (RING AUTOMOTIVE) | 81, 82-103 |
| Bullets & Connectors | 28-32 |
| Bump Caps | 377 |
| Bumper & Trim Shine (Cockpi | t Shine) |
| 2 | 91, 292, 294 |



| Butane Gas Chargers | 395 |
|-----------------------|----------------|
| Butane Gas Regulators | 397 |
| Butt Connectors | 23, 28-33, 500 |
| Button Cell Batteries | 112, 501 |



| Cable (Auto) | 61-63 |
|---------------------------------|-----------|
| Cable (Bonnet) | 270 |
| Cable (Bowden) | 270 |
| Cable (Breakaway) | 274 |
| Cable (Diesel Stop) | 270 |
| Cable (Mains) | 63 |
| Cable Accessories 24, 5 | 2-53, 501 |
| Cable Clips 5 | 2-53, 183 |
| Cable Cutters 60, | 430-432 |
| Cable Glands | 53 |
| Cable Lock (Security) | 485 |
| Cable Lube (Chain & Cable Lube) | 309 |
| Cable Plugs (Welding) | 393 |
| Cable Rack | 64 |
| Cable Reels | 64 |
| Cable Sleeving | 53 |
| Cable Tie Bases | 52 |
| Cable Tie Cradle Mounts | 24, 52 |
| Cable Tie Tool | 58 |
| | |



| Cable Ties | 54-57, 501 |
|--|-------------------|
| Cable Ties (Coloured) | 56 |
| Cables (Booster) | 106 |
| Cables (Whip Check) | 284 |
| Cage Nuts | 151 |
| Calipers | 437 |
| Cambus (LED Resistor Kit) | 98 |
| Capacitors | 42 |
| Caps (Tyre Valve) | 243, 504 |
| Car Chargers (Battery) | 105 |
| Car Interior Protection Set | 298 |
| Car Seat Covers (Disposable) | 298 |
| Car Seat Protector | 298 |
| Car Transporter Ratchet Straps | |
| <u> Carb Cleaner (Throttle Body Cl</u> | eaner) 301 |
| Carbide Mill Cutters | 242 |
| Carbon Monoxide Alarms | 363 |
| Carpet Shampoo | 294 |
| Carrying Case (Storage Boxes) | 26, 493 |
| Carton Sealing Tapes | 322, 495 |
| | |



| Cartridge Guns | 329, 333, 334, 336 |
|------------------------|--------------------|
| Cassette Cable Reel | 64 |
| Cassette Hose Reel | 216 |
| Castors (Vacuum) | 353 |
| Caulking Guns | 329, 333, 334, 336 |
| Caution Wet Floor Sign | 350, 361 |
| C-Clamps | 434 |
| CE-LIT Radiator Cemen | t 288 |
| Cement (Tyre Repair) | 239 |
| Ceramic Anti-Seize Con | npound 305 |
| Ceramic Flap Discs | 406 |
| Ceramic Lamp Holder | 81 |
| | |

O

موم

-%







| Clidili & Cable Lube | 303 |
|----------------------------|----------|
| Chain Locks | 485, 486 |
| Chain Nose Pliers | 434, 435 |
| Chains (Security) | 485 |
| Chamois Leather | 297 |
| Channel Blocks | 346 |
| Chargers (Vehicle Battery) | 105 |
| Charts - Trim Clips | 161, 200 |
| Chassis Cable Ties | 57 |
| Chassis Clips | 52 |
| | |

Checkpoint

| CHECKPOINT Indicators | 246 |
|--|--|
| Cheeseburger Tail Lamp | 276 |
| Chemical Metal | 331 |
| Chemical Sprayers | 357-358 |
| CHEMICO Grinding Paste | 258, 288 |
| Chimney Nuts | 14, 149 |
| Chipping Hammer | 392 |
| Chisels | 440-441 |
| Christmas Tree Fixings 15, 163 | -164, 498 |
| CHRYSLER Trim Clips | 188-189 |
| Chuck Keys | 422 |
| Chucks (Drill) | 422 |
| Circlip Pliers | 436 |
| Circlips | 17, 156 |
| Circuit Breakers (Blade Fuses) | 46 |
| | |
| Circuit Breakers (RCD) | 66-67 |
| Circuit Breakers (RCD) Circuit Breakers (Transformer) | 66-67 65 |
| | 66-67 |
| Circuit Breakers (Transformer) Circuit Testers CITROËN Trim Clips | 66-67 65 |
| Circuit Breakers (Transformer) Circuit Testers CITROËN Trim Clips Clamps | 66-67 65 482 |
| Circuit Breakers (Transformer) Circuit Testers CITROËN Trim Clips | 66-67 65 482 189 |
| Circuit Breakers (Transformer) Circuit Testers CITROËN Trim Clips Clamps Clamps (Exhaust) Claw Fittings (Hose) | 66-67 65 482 189 434 |
| Circuit Breakers (Transformer) Circuit Testers CITROËN Trim Clips Clamps Clamps (Exhaust) | 66-67 65 482 189 434 266 |
| Circuit Breakers (Transformer) Circuit Testers CITROËN Trim Clips Clamps Clamps (Exhaust) Claw Fittings (Hose) | 66-67 65 482 189 434 266 213 439 300, 346 |
| Circuit Breakers (Transformer) Circuit Testers CITROËN Trim Clips Clamps Clamps (Exhaust) Claw Fittings (Hose) Claw Hammer Cleaner (All Purpose) Cleaning (Aerosols) | 66-67 65 482 189 434 266 213 439 |
| Circuit Breakers (Transformer) Circuit Testers CITROËN Trim Clips Clamps Clamps (Exhaust) Claw Fittings (Hose) Claw Hammer Cleaner (All Purpose) Cleaning (Aerosols) Cleaning Cloths | 66-67 65 482 189 434 266 213 439 300, 346 |
| Circuit Breakers (Transformer) Circuit Testers CITROËN Trim Clips Clamps Clamps (Exhaust) Claw Fittings (Hose) Claw Hammer Cleaner (All Purpose) Cleaning (Aerosols) | 66-67 65 482 189 434 266 213 439 300, 346 300-301 |



| Clear Grease | 309 |
|---|---------|
| Clear Instant Gasket | 333 |
| Clear Repair Tape | 321 |
| CLEARALEX Screen Wash | 289 |
| Clevis Pins | 17, 157 |
| 'Clic' & 'Clic R' Type Hose Clip Pliers | 206 |
| Clips (Crocodile) | 33 |
| Clips (Jump Leads) | 106 |
| Cloths (Cleaning) 3 | 47-348 |

| Clutch Springs | 258 |
|----------------------------------|---------------|
| CO Alarm | 363 |
| CO Detectors | 363 |
| Coach Bolts | 118 |
| Coated Abrasives | 402-405 |
| Cobalt Drills | 420 |
| Cockpit Shine | 291, 292, 294 |
| Cockpit Spray | 291, 292, 294 |
| Coin Batteries | 112, 501 |
| Cold Chisels | 441 |
| Cold Galvanise (Aerosol) | 312 |
| Cold Weather Tape | 321 |
| Cold Weld | 328-329 |
| 'Cold-Chek' Testers | 482 |
| Coloured Cable Ties | 56 |
| Combi Nuts | 138 |
| Combi Plug Patches | 239 |
| Combination Lock (Padlock |) 485 |
| Combination Pliers | 434, 435 |
| Combination Spanners | 452-454 |
| Comfort Masks | 346 |
| Commercial Auto Cable | 61, 62 |
| Commercial Products | 271-278 |
| | |

OMPAC

| COMPAC Hydraulic Trolley Jack | 248, 470 |
|-----------------------------------|----------------|
| Compounding Pads | 407 |
| Compression Springs | 18, 159 |
| Compressor Hose Assembly | |
| | 3-219, 284 |
| Concentrated Screen Wash | 269, 289 |
| Concreter Remover | 286, 306 |
| Conditioning Creams | 338, 343 |
| Conduit Tubing | 53 |
| Conical Brushes | 400 |
| Connector Blocks (Wire) | 35 |
| Connectors (Multiple) | 34-35 |
| Connectors (Supaseal) | 24, 36-37 |
| Contact Adhesive | 328 |
| Contact Cleaner (Electrical Clean | er) 301 |
| Containers (Storage) | 489 |
| Convoluted Cable Sleeving | 53 |
| Coolant System UV Dye | 299 |
| | |



| Copper Grease | 304, 305 |
|------------------------------|-------------|
| Copper Sealing Washers 10 | 0, 132-136 |
| Copper Tube Butt Connectors | 23, 33 |
| Copper Tube Crimping Tool | 58 |
| Copper Tube Terminals 2 | 23, 33, 500 |
| Copper Tubing | 218, 255 |
| Copper Washers 9, 10 | 0, 132-136 |
| Cordless LED Hand Lamps | 73-76 |
| Core Plugs | 21, 259 |
| Corrosion Assessment Hammer | 271 |
| Cotton & Chrome Gloves | 376 |
| Countersinks | 421 |
| Couplers (& Plugs) | 65-66 |
| Couplers (Mains/Transformer) | 65-66 |
| | |



| Couplings (Air Line) | 220-223 |
|----------------------|---------|
| | |

| Couplings (Hydraulic) | 282 |
|---------------------------|----------|
| Couplings (Tube) | 210-213 |
| CRETEBEATER Concrete Remo | ver |
| | 286, 306 |
| CRI95+ LED Hand Lamps | 74 |
| | |

| Crimping Pliers | 58 |
|-----------------------------|---------|
| Crocodile Clips | 33 |
| Cross Pein Hammer | 438 |
| Crossweave Tape | 322 |
| Crow Foot Wrenches/Spanners | 453 |
| Cup Brushes | 400 |
| Cut-off Wheels | 408 |
| Cutters | 430-432 |
| Cutters + Snips | 430-432 |



| Cutting Discs | 408-410 |
|------------------------|----------|
| Cutting Nozzles | 393 |
| Cutting Oil Spray | 309, 416 |
| Cutting Paste (Polish) | 293 |
| Cutting Pliers | 430-432 |
| CV Boot Clamp Pliers | 203, 208 |



| CV Boot Metal Clamps | 203 |
|-----------------------------|---------|
| CV Boot Tools | 250 |
| CV Boots | 250 |
| CV Joint Grease | 304 |
| Cyanoacrylates (Super Glue) | 324-325 |
| Cylinder Hone De-Glazer | 472 |
| Cylinder Keys/Spanner | 392 |
| D | |


| Damp Start Spray | 308 |
|-------------------------------------|-----|
| Darlek (Kick Step) | 494 |
| Dash Cams | 68 |
| Dashboard Renovator (Cockpit Shine) | 294 |
| DATSUN Trim Clips | 195 |
| Dead Blow Hammer | 439 |
| | |



| DED Hand Care | 242 242 |
|----------------|---------|
| DEB Hand Care | 342-343 |
| Decking Screws | 142 |
| | |

| Deco | sol |) | |
|------|-----|---|----|
| | | | |
| | | | 28 |

| DECOSOL | 289, 290 |
|---------------------|--------------------|
| Deep Impact Sockets | 464-466 |
| Deep Sockets | |
| | |
| 458, 459, 461, 4 | 63, 464-466 |
| | 63, 464-466 346 |



| | , 200, 201 |
|---|--|
| Dinse Type Welding Plugs/Socke | ts 393 |
| Dipping Tape Tool | 285 |
| Discs (Cutting) | 408-410 |
| Discs (Grinding) | 411 |
| Discs (Sanding) | 404-405 |
| Disinfectant | 346, 347 |
| Dispenser (Paper Towels) | 347 |
| Dispenser Guns (Tape) | 322, 495 |
| Dispenser Units (Hand Cleanser) | |
| | |
| 339, 341 | 342, 343 |
| | , 342, 343 348 |
| 339, 341 Dispenser Units (Paper Rolls) Disposable Dust Masks | |
| Dispenser Units (Paper Rolls) | 348 |
| Dispenser Units (Paper Rolls) Disposable Dust Masks | 348 346 |
| Dispenser Units (Paper Rolls) Disposable Dust Masks Disposable Gloves Disposable Overalls | 348 346 374 |
| Dispenser Units (Paper Rolls) Disposable Dust Masks Disposable Gloves | 348 346 374 385 |
| Dispenser Units (Paper Rolls) Disposable Dust Masks Disposable Gloves Disposable Overalls DODGE Trim Clips | 348 346 374 385 188-189 |
| Dispenser Units (Paper Rolls) Disposable Dust Masks Disposable Gloves Disposable Overalls DODGE Trim Clips Domestic Mains | 348 346 374 385 188-189 64, 501 |

78, 79, 280, 281

DORMER

| DORMER Drills 4 | 16 | -417, | 420 |
|--------------------------------------|-----|-------|-----|
| Double Ring Spanners | | | 452 |
| 'Double-Bubble' Epoxy (LOCTI' | TE) | | 328 |
| Double-Sided Adhesive Pads | | 141, | 320 |
| Dowty Type Washers | 9, | 135, | 137 |
| Drain Pans | | | 354 |
| Dressings (Adhesive Plasters) | | | 362 |
| | | | |




| DREUMEX Hand Gel | 339 |
|------------------|---------|
| Drifts (Brass) | 440 |
| Drill Boxes | 416-421 |
| Drill Chuck Keys | 422 |
| Drill Chucks | 422 |
| Drill Dispensers | 416-421 |





 \odot





DURACELL

| DURACELL Batteries | 108, 111 |
|--------------------------------|----------|
| 'Duragun' CV Boot Fitting Tool | 250 |
| Dust Covers (Ball Joints) | 21, 251 |
| Dust Masks | 346 |
| Dust Pan (Metal) | 327 |
| Dustbin & Lid | 348 |
| Dustbin Liners | 348 |
| DUSTITE Indicators | 246 |
| Dustpan & Brush (Plastic) | 349 |
| Dye Injector (UV) | 299 |
| Dyes (UV) | 299 |
| DYNOMEC Wheel Nut Removal Kit | 246 |
| E | |
| Ear Defenders | 383 |
| Ear Muffs | 383 |
| Ear Plugs | 382-383 |
| Earthing Clamp | 392 |



'Easy Start'

308

| ECLIPSE | 425, 426, 430 |
|----------------------------------|---------------|
| ECLIPSE Bolt Cutters | 430 |
| ECLIPSE Hacksaw Blades | 425, 426 |
| ECLIPSE Hacksaw Frames | 425 |
| ECLIPSE Powersaw Blades | 426 |
| ECLIPSE Tin Snips | 430 |
| ECLIPSE-SPIRALUX Riveters | 144-145 |



| Electrical Cleaner Electrical Terminals 22-23, 28-33 | 301 |
|--|--------------|
| Electricians Miniature Side Cutters | , 500 |
| 59 | 9.430 |
| Electricians' Screwdrivers | 444 |
| Electrode (Gas Heater) | 397 |
| Electrode Holder | 392 |
| Electrodes (Welding) | 391 |
| ELWIS | 74 |
| Emergency Exit Signs/Stickers | 367 |

| Emergency Tyre Repair (Aeroso | l) |
|-------------------------------|----------|
| | 235, 242 |
| Emery Rolls | 402 |
| Emery Sheets | 402 |
| Emery Tapes | 402 |
| Empty Boxes + Storage | 26 |
| End Brush | 400 |
| End Cutting Nippers | 431 |
| Endless Round Lifting Slings | 273 |
| Engine Flush | 288 |
| Engine Products | 258-265 |
| Engineers' File Set | 412 |
| Engineers' Hickory Shafts | 438 |
| Engraver (Electric) | 437 |
| EP Lithium Grease | 304, 305 |



| Epoxies | 327-301 |
|-------------------|---------|
| Epoxy Primer | 313 |
| Epoxy Putty Stick | 327 |
| Epoxy Weld | 328-329 |
| E-Retainers | 17, 157 |
| | |

ESSENTIALS

| ESSENTIALS | 496-504 |
|---------------------------|---------|
| ESSENTIALS Stands | 496 |
| Etch Primer | 313 |
| E-TORX Compatible Socket | 466 |
| Euro Containers | 489 |
| EUROLEC Autobulbs | 86-89 |
| European Marker Boards | 275 |
| Evacuation/Dispenser Pump | 473 |
| | |

EVEREADY

| EVEREADY Lantern Batteries | 112 |
|---------------------------------|--------|
| EVO-STIK Impact Adhesive | 328 |
| EXACT Cone Cutters/Taper Drills | 421 |
| Exhaust & Tailpipe Cutter | 479 |
| Exhaust Assembly Pastes | 336 |
| Exhaust Clamps | 266 |
| Exhaust Cutter | 479 |
| Exhaust Manifold Studs & Nuts | |
| 20, 11 | 9, 267 |

| Exhaust Manifold Studs & Nuts | | |
|--------------------------------|-------|-----|
| 20, | 119, | 267 |
| Exhaust Mountings | | 267 |
| Exhaust Products 266 | -267, | 336 |
| Exhaust Repair Putty | | 336 |
| Exhaust Sealants | | 336 |
| Exit Signs/Stickers | | 367 |
| Expanding Foam | | 334 |
| Expansion Springs | 18, | 159 |
| Extension Cable Reels | | 64 |
| Extension Caps (Tyre Valve) | | 243 |
| Extension Lead (Mains) | | 64 |
| Extension Lead (Trailer Board) | | 274 |
| Extensions (Impact) | | 465 |
| Extensions (Socket) | 456, | 457 |
| Extinguishers (Fire) | | 363 |
| Extra High Temp Gasket | | 333 |
| Extra High Temp Instant Gasket | | 333 |
| Extreme Maintenance Lubricant | 307, | 308 |
| Eyewash Station | | 363 |
| | | |
| | | |

378-379, 390

Face Protection

| Face Shield (Welders) | 390 |
|---------------------------------|--------|
| Face Shields/Visors | 344 |
| Fall Arrester Harness | 388 |
| Farmers 'Silage' Tape | 323 |
| Fast Drying Solvent (Aerosol) | 301 |
| Fasteners (Antiluce) | 271 |
| Fasteners (Nuts c/w Set Screws) | 2, 115 |
| Feeler Gauges | 437 |
| Female TORX Impact Socket | 466 |
| Ferrules (Steel Wire) | 270 |
| | |



| FFP Masks | 380-381 |
|-----------------------------|----------------|
| FIAT Trim Clips | 190 |
| Fibre Washers | 9, 133, 137 |
| Fibreglass (MOTIP) | 331 |
| Fibreglass Putty (MOTIP) | 331 |
| File Handles | 412 |
| File Sets | 412 |
| Files | 412 |
| Files (Engineers) | 412 |
| Files (Needle) | 412 |
| Filler Spreader (Plastic) | 329 |
| Filter Wrenches | 478 |
| Filters (Vacuum) | 351, 353 |
| Fine Line Masking Tape | 320 |
| Fine Oil (Aerosol) | 309 |
| Finishing Pads | 399 |
| Finishing Putty (MOTIP) | 331 |
| Fire Exit Signs/Stickers | 367 |
| Fire Extinguishers | 363 |
| Fire Safety Signs/Stickers | 366-367 |
| Firegum (HOLTS) | 336 |
| First Aid Kits | 362-363 |
| Fir-Tree Fixings 15 | , 163-164, 498 |
| Fittings (Trailer Hardware) | 27 1 |
| Fix Regrooving Blades | 245 |
| Fixings (Self-Drilling) | 145 |
| Flame Device (Gas Heater) | 397 |
| Flame Torches | 395, 398 |
| | 128, 129, 502 |
| Flanged Set Screws | 116 |
| | |



| Flap Discs | 406 |
|-----------------------------|----------|
| Flap Wheels | 403 |
| Flare Nut Crowfoot Spanners | 453 |
| Flare Nut Spanners (Brake) | 475 |
| Flaring Tools | 440-475 |
| Flat Bar | 150 |
| Flat Chisels | 440, 441 |
| Flat Clips (Push-on Fixes) | 14, 150 |
| Flat Metal Cutting Discs | 408-410 |
| | |



| Flat Washers | 8, 130-131, 502 |
|-----------------|-----------------|
| Flatbed Trolley | 489 |
| Flex Handle | 456 |

| Flex Head Ratchet | 45 |
|-------------------------------|------------------|
| Flexible LED Hand Lamps | 74, 7 |
| Flexible Rubber Hoses | 302, 303 |
| Flick Switches | 43-4 |
| Flint Lighters | 393 |
| Flip-Up Goggles | 390 |
| Floor Mats (Absorbent) | 360, 36 3 |
| Floor Mats (Paper) | 298 |
| Floor Paints | 31! |
| Floor Squeegees | 350 |
| Floorboards Screws | 142 |
| Fluorescent Tube | 8 |
| Flux (Brazing) | 39: |
| Flux (Soldering) | 394 |
| Foam Cleaner | 29 |
| Foam Sprayers 286, 294, 306, | 295, 35 |
| Foam Tapes | 320, 32 |
| Foaming Hand Sanitiser | 34: |
| Foaming Hand Soap | 339, 342 |
| Foil Tape | 32 |
| Folding Knife | 428 |
| Folding Paper Towels | 34 |
| Food Safe Cable Ties | 5 |
| Food Safe Lube | 309 |
| Foot Protection | 386-38 |
| Foot Pump | 234 |
| FORD Trim Clips | 190-19 |
| Four-Jaw Hydraulic Connectors | 302 |
| Freeze Release Spray | 308 |
| Friction Bushes | 17 |
| 'FRP' Ratchets | 45 |
| | |



| FUCHS Lubricants | 226, 284, 304, 306 |
|------------------------|--------------------|
| FUCHS Plant/Hydraulion | Oils 284, 306 |
| Fuel Cans | 355 |
| Fuel Filters | 258 |
| Fuel Hose | 216 |
| Fuel Injection Hose | 216 |
| Fuel Injector Cleaner | 288 |
| Fuel Pipe Pliers Set | 209, 210 |
| Full Face Masks | 382 |
| Fully Insulated Termin | als |
| | 22-23, 28-32, 500 |
| - 1 | |



| Fuse Holders | 47-49, 47, 501 |
|---------------|-------------------|
| Fuses | 24-25, 46-51, 501 |
| Fuses (ATOF) | 24, 25, 46-49 |
| Fuses (Blade) | 24-25, 46-49, 501 |
| Fuses (Glass) | 25, 51 |
| Fuses (JCASE) | 50 |
| | |



| Fuses (Mains) | 47, 64 |
|--------------------|------------------|
| Fuses (MAXI Blade) | 49 |
| Fuses (MEGA) | 51 |
| Fuses (MICRO) | 48 |
| Fuses (MINI Blade) | 24-25, 48-49, 50 |
| Fuses (PAL Auto) | 50 |
| Fuses (Radio) | 51 |
| Fuses (Torpedo) | 25, 51 |
| | |

موم

အ



| Gaffer Tapes | 321 |
|------------------------|---------|
| Galvanise Spray | 315 |
| Gap Filling Super Glue | 324 |
| Gas Accessoires (LPG) | 396-397 |
| Gas Bottle Spanner | 396 |
| Gas Chargers | 395 |
| Gas Cutting Nozzles | 393 |
| | |



| Gas Cylinders | 398 |
|------------------------|----------|
| Gas Heater Spares | 396-397 |
| Gas Hose | 397 |
| Gas PTFE Tape | 335 |
| Gas Soldering Kit | 395 |
| Gas Torches | 395, 398 |
| Gas Welding Rods | 391 |
| Gas Welding Sundries | 390-393 |
| Gasket Compounds | 332-334 |
| Gasket Paper | 258 |
| Gasket Sealants | 332-334 |
| Gasket Stripper | 301 |
| Gauntlets | 377, 390 |
| G-Clamps (PYTHON) | 434 |
| Gear Lube | 309 |
| <u>Gel Adhesive</u> | 324, 325 |
| Gel Gloves | 374, 469 |
| Gel Knee Pads | 385 |
| General Signs/Stickers | 370 |
| GEOCEL Auto Silicone | 334 |
| Glands (Cable) | 53 |
| | |



| Glass Cleaners 290, 2 | 91, 292, 294 |
|--------------------------|--------------|
| Glass Cleaning Cloths | 297 |
| Glass Fuse Holders | 51 |
| Glass Fuses | 25, 51 |
| Glasses (Safety) | 378-379 |
| Gloss Black Paint | 313 |
| Gloss Paint | 315 |
| Gloves | 374 |
| Gloves (Heat Tolerant) | 376 |
| Gloves (Latex) | 374 |
| Gloves (Nitrile) | 374 |
| Glue (Impact Adhesive) | 328 |
| Glue (Spray) | 325 |
| Glue (Super) | 324-325 |
| Glue Gun | 328 |
| Glue Sticks | 328 |
| GM Trim Clips (Vauxhall) | 198-199 |



GP Batteries

| GP BATTERIES | 109-112 |
|---|-------------------|
| Graffiti Remover (Label & Gum F | |
| diditional (Education Cont.) | 301 |
| GRANVILLE Brake & Clutch Fluid | 289 |
| GRANVILLE Instant Gasket | 332 |
| GRANVILLE Rust Cure | 311 |
| GRANVILLE Rust Repair | 311 |
| Graphene Primer | 313 |
| Graphited Lubricant | 309 |
| Graphited Penetrating Oil | 309 |
| Grease 304-305 | , 309-310 |
| Grease Guns | 227, 303 |
| Grease Nipples | 21, 302 |
| Grease Pump Unit | 303 |
| Grey Primer | 314 |
| GRIME-EEZ Multi Wipes | 344 |
| GRIMEX Hand Cleaning Wipes | 345 |
| Grinding Discs | 411 |
| Grinding Goggles | 344 |
| Grinding Paste | 258, 288 |
| Grinding Sticks | 258, 288 |
| Grinding Wheels | 399 |
| Grip Gloves | 374-376 |
| GRIPPAZ Gloves | 374 |
| | , 375, 376 |
| Grommets (Trim Fixings) | 175 |
| Grommets (Wiring & Blanking) | 24, 37 |
| Groove Joint Pliers | 436 |
| Ground Flute Drills | 419 |
| Grub Screws | 4 |
| Gum Remover | 301 |
| Gun (CV Boot) | 250 |
| Gun Gum (HOLTS) | 336 228 |
| Guns (Spray) Guns (Tape) | 323, 495 |
| uuiis (idpe) | 3 2 3, 435 |
| Н | |
| H07 Mains Cable | 61 |
| Hacksaw Blades | 425, 426 |
| | -, - |



| Hacksaw Frames | 425, 426 |
|-------------------------|---------------|
| Half Mask | 381-382 |
| Half Nuts | 128 |
| Halogen Auto Bulbs | |
| 82-83, 86-8 | 7, 90-93, 102 |
| Halogen Bulbs (EUROLEC) | 86-87 |
| Halogen Bulbs (Linear) | 80 |
| Halogen Bulbs (NEOLUX) | 82-83 |
| Halogen Bulbs (RING) | 90-93, 102 |
| Hammer Shafts | 438 |
| Hammers | 438-439 |
| Hand Brushes | 349 |
| Hand Care | 340-344 |
| Hand Cleaner Towels | 344, 347 |
| Hand Cleaning Wipes | 344-345 |
| Hand Cleansers | 340-343 |
| Hand Gel | 339-343 |
| Hand Lamp Bulbs | 80, 81 |



| Hand Lamps | 73-70 |
|-------------------------|----------|
| Hand Pump | 30: |
| Hand Pump (Oil Suction) | 350 |
| Hand Rasp (Tyre) | 240 |
| Hand Sanitiser | 338, 343 |
| Hand Taps | 42: |
| Hand Towels (Paper) | 347 |
| | |



| Hand Wipes | 344-345 |
|-------------------------------------|----------|
| Handsaw | 427 |
| Handy Wipes | 344-345 |
| Hanging Rods | 490 |
| Hard Hats | 377 |
| Hasp & Staple | 486-487 |
| Hasps | 486-487 |
| Hazard Warning Adhesive Tapes | |
| | 360, 361 |
| Hazard Warning Barrier Tape | 336 |
| Hazard Warning Signs/Stickers | 368-371 |
| Hazardous Substance Cabinets | 489 |
| Head Torches | 70-71 |
| Headlight Adjuster Kit | 477 |
| | |



| Headlight Auto Bulbs | 82-83, 92-94 |
|----------------------|--------------|
| Headlights (Torches) | 70-71 |
| Hearing Protection | 382-383 |
| Heat Mat | 398 |



| Heat Shrink Butt | | 23, 32, 500 |
|------------------------|---------------|-------------|
| Heat Shrink Term | ninals | 23, 32, 500 |
| Heat Shrink Tubii | ng | 23, 38 |
| Heat Tolerant Glo | oves | 376 |
| Heater Bulbs (Inf | ra-Red) | 81 |
| Heater Hose | | 216 |
| Heater Spares (G | as) | 396-397 |
| Heater Switches | | 397 |
| Heavy Duty Crim | | 58 |
| 'HelaCon' Mini W | ire Connector | s 3! |
| Helicoil Type Kits | | 124 |
| | | |

HellermannTyton

| HELLERMANN TYTON | 35, 57 |
|------------------------|----------|
| Helmets (Safety) | 377 |
| HENRY Type Vacuum Kits | 351 |
| Hex Bit Socket Adaptor | 446, 447 |

| Hex Bit Sockets | 458, 459, 460 |
|---------------------------------|----------------|
| Hex Drivers | 414-451 |
| Hex Key Wrenches | 414-451 |
| Hex Keys | 414-451 |
| Hex T-Handles | 414-449 |
| HEXPRO Pivot Head Wrenct | nes 449 |
| Hi Vis Vests | 384 |
| HID Gas Discharge Bulbs | 83, 87, 94 |
| Hide Rigger Gloves | 376 |
| High Build Etch Primer | 313 |
| High Strength Epoxy | 327 |
| High Strength Retainer | 327 |
| High Strength Threadlocker | 326 |
| High Temp Aluminium Anti- | Seize 305 |
| High Temp Instant Gaskets | 332, 333, 334 |
| High Temp Silicone Sealant | 333, 334 |
| High Tensile Bolts | 117 |
| High Visibility Air Hose | 219 |
| HILCO Welding Electrodes | 391 |
| Hi-Vis Parka | 384 |
| Hole Plugs | 181, 183 |
| | |



| Hole Saws | 424 |
|-----------|-----|
| | |



| HOLTS | 308, 336 |
|---------------------------------|----------|
| HONDA Trim Clips | 191-192 |
| lone Kits | 472 |
| Hone Stone Replacements | 472 |
| Hone Stones | 472 |
| lones + Pullers | 472-473 |
| Hook & Loop Tapes | 321 |
| Hook & Pick Tools | 477 |
| Hooks & Chains (Roller Shutter) | |
| HORIZON 472, 473, 440 | |
| Hose (Air Line) | 218-219 |
| lose (Auto) | 216-217 |
| lose (Breaker) | 284 |
| lose (Compressor) | 217, 284 |
| Hose (Hydraulic) | 217, 284 |
| Hose (Pressure Washer) | 218 |
| lose (Vacuum Cleaner) | 351-354 |
| lose + Tubing | 204-219 |
| lose + Tubing Tools | 208-209 |
| lose Clamp | 209 |
| lose Clamp Pliers | 209 |
| lose Clip Drivers | 208 |
| Hose Clip Tools | 208 |




| Hose Clips | 19, 202-206, 504 |
|-------------------------|-------------------|
| Hose Clips (JCS) | 202-203, 504 |
| Hose Clips (JUBILEE) | 204-205 |
| Hose Clips (Mini) | 19, 203, 206, 504 |
| Hose Clips (NORMA) | 206 |
| Hose Clips (TERRY) | 205 |
| Hose Clips Dispensers | 202-205 |
| Hose Connectors | 205 |
| Hose Connectors (Air Li | ne) 219 |
| Hose Connectors (Brass | 205 |











| Instant Gasket Silicon | e Sealant 333 |
|------------------------|-------------------|
| 'Instant Valay' | 291 |
| Insulated Terminals | 22-23, 28-32, 500 |
| | |

377

421

408 228

428

245

282

282-283

217, 284

284, 306

284-285

295

217, 282-284

218, 354

416-421



| Insulation Tapes | 39, 323, 501 |
|-----------------------------|---------------|
| Integral Adaptor/Tailpieces | |
| | 220, 221, 223 |
| Interior Protection Set | 298 |
| Interior Strip Lights (LED) | 80, 279 |
| Inverters (Power) | 104 |
| Iron Pipe Fittings | 214-215 |
| IRWIN VISE-GRIP Pliers | 434 |
| ISOL8 Organic Absorbent | 336 |
| Isolator Switches (Battery) | 45 |
| ISUZU Trim Clips | 193 |
| IVECO Trim Clips | 190 |
| J | |
| Jab Saw | 427 |
| Jack Knife | 428 |



384

218-233

346-350

248, 249, 470, 471

202-203, 208, 504

Jackets (Safety Clothing)

JAMEC PEM Air Products

Jacks (Hydraulic)

Janitorial Products

JCS

| I D Industra Wold | 220 |
|-----------------------|-----|
| J-B Industro Weld | 328 |
| J-B Kwik | 328 |
| J-B WELD | 328 |
| JCASE Cartridge Fuses | 50 |
| | |



| JC3 202-21 | UJ, 2UO, JU4 |
|-------------------------------------|--------------|
| JEEP Trim Clips | 188-189 |
| JENOLITE Rust Convertor | 311 |
| JENOLITE Rust Remover | 311 |
| | |
| Jerry Cans | 355 |
| Jewellers Style Screwdrivers | 445 |
| JEYES FLUID | 346 |
| | |



| IG 'Speedfit' | 18, 209, 209-211 |
|--------------------------|------------------|
| IG 'SuperThread' Fitting | s 20 5 |
| ligsaw Blades | 427 |
| I-Nuts | 14, 148 |
| lobber Drills (ALPEN) | 418-421 |
| lobber Drills (DORMER) | 416-417 |
| lobber Twist Drills | 416-421 |
| IOHNSTONE'S Paint | 315 |
| loints (Universal) | 457 |
| Jubilee' Cutting Discs | 409 |
| IUBILEE Hose Clips | 204-205 |
| | |

| Jugs (Measuring) | 358-359 |
|--|---------|
| Jump Lead Clips | 106 |
| Jump Leads | 106 |
| Jump-Starters | 106 |
| Junior Hacksaw Blades | 426 |
| Junior Hacksaws | 426 |
| K | |
| Karabiner | 388 |
| KÄRCHER Type Vacuum Kit | 354 |
| Kentucky Mop & Bucket | 350 |
| Kevlar Gloves | 375 |
| Key Steel | 18, 160 |
| Keyless Drill Chucks | 422 |
| Keyring Indicators | 487 |
| Keys (Woodruff) | 18, 160 |
| KIA Trim Clips | 192-193 |
| Kick Step | 494 |
| KN95 Face Masks | 365 |
| Knee Pads | 385 |
| Knife (Jack) | 428 |
| Knife (Pocket) | 428 |
| Contract of the Contract of th | |



| Knife Blades 428 | 430, 504 |
|--------------------------------------|----------|
| Knives | 428-430 |
| Knives (Stanley Type) | 429 |
| Knives (Trimming) | 428-430 |
| Knives + Blades | 428-430 |
| KOLOR KUT Water Finding Paste | 285 |
| KRINO Drill Sets | 419 |
| | |



| KS TOOLS 41, 58, 394, 395, 4 407, 428-430, 439, 440-443, 4 | 145-447, |
|---|----------------------|
| 451-466, 468-469, 473-4 KS TOOLS 'ERGOTOROUE' | 481, 482 208. 468 |
| KS TOOLS 'GEARplus' | 454 |
| KS TOOLS 'TRIPLEPIUS' | 459 |
| KS TOOLS 'TRUCKplus' | 469 |
| L | |
| Label & Gum Remover | 301 |
| Ladders (Step) | 494 |
| Ladyfoot Pry Bars | 439 |
| Lamp Holders (Heater) | 81 |
| Lamps (Hand) | 73-76 |
| Lamps (Work) | 77, 278 |
| LANCIA Trim Clips | 190 |
| LAND ROVER Trim Clips | 193 |
| Lane Marking Tapes | 322 |
| Lantern Batteries | 112 |
| Lanyard (Safety Harness) | 388 |



| LASER TOOLS 401, 456, 466, 473, 477 Latex Coated Grip Gloves Latex Gloves Layflat Tubing (Polythene) Lazy Tong Riveter Lead Connectors | 375 374 495 154-155 65 |
|--|------------------------------------|
| Lead Connectors Leads (Jump) | 106 |
| Leak Detector | 299 |

| 'Leak Fix' (TEROSON) | 331 |
|-----------------------------------|------------------|
| Leak Off Bungs | 216 |
| Leak Stopper | 288 |
| Leak UV Dves | 299 |
| | 294 |
| <u>Leather Cleaner</u> | |
| | , 280-281 |
| LED Auto Bulbs 9 | <u>0,</u> 95-101 |
| LED Bar (Amber Beacon) | 79, 281 |
| LED Blade Fuses | 25, 46 |
| LED Domestic Light Bulbs | 81 |
| LED Headlight | 70-71 |
| LED Illuminated Lights (Indicator | |
| | |
| LED Illuminated Switches | 43, 44 |
| LED Inspection Lamps | 73-76 |
| LED Light Bulbs (Domestic Type) | 81 |
| LED Lights | 70-76 |
| LED Resistor Kit (Cambus) | 98 |
| | 280, 281 |
| | |
| | , 276-277 |
| LED Torches | 72-73 |
| | , 276-277 |
| LED Work Lamps | 77, 278 |
| LED Worklights | 76 |
| | |

LEDLENSER

| LEDLENSER | 70-72, 76 |
|------------------------------|-----------|
| LEDLENSER Hand Lamps | 76 |
| LEDLENSER Head Torches | 70-71 |
| LEDLENSER Torches | 72 |
| Leg Pullers | 473 |
| Lemon Channel Blocks | 346 |
| Lenses (Welders Face Shield) | 390 |
| Lever (Tyre Mounting) | 244 |
| Lever Action Hand Pump | 303 |
| Lever Bolt Cutters | 430 |
| LEXUS Trim Clips | 197 |
| Lift Spray Cleaner | 347 |
| Lifting Slings | 273 |
| Light Bulbs (Domestic Type) | 81 |
| Lightbars (Amber) | 281 |
| Lighters (Flame Torches) | 395, 398 |
| Lighters (Flint) | 393 |
| | |



| Linch Pins | 157 |
|---------------------------|---------------|
| Line Markers | 315 |
| Liquid Buffer | 241 |
| Liquid Handling Products | 354-359 |
| LISTER Vehicle Wash Brush | 296 |
| Lithium Batteries | 111, 112, 501 |
| Lithium Cells (Coins) | 112, 501 |
| Lithium Grease | 304, 305 |

Littelfuse

| LITTELFUSE | 24, 25, 46-51 |
|----------------------------|----------------|
| LITTLE TREE Air Fresheners | 296 |
| Lock & Seal | 326 |
| Lock Lubes | 307-308 |
| Lock Nuts (Nylon) | 7, 127, 502 |
| Lock Washers | 8, 132 |
| Locking C-Clamps (VISE-GRI | P) 434 |
| Locking Extensions | 457 |
| Locking Hinge | 26, 493 |
| Locking Nuts (Plastic) 15 | , 174-175, 499 |

0

موما

જ

| Locking Nuts (Steel) | 7, 127, | 502 |
|--------------------------------------|---------|-----|
| Locking Pliers (VISE-GRIP) | | 434 |
| Locking Welding Clamps (VISE- | GRIP) | 434 |
| Locking Wheel Nut Remover Ki | t 246, | 477 |
| Locking Wire | | 270 |
| | | |

LOCTITE.

| LOCALITE Due de cata | 244 220 |
|----------------------------|------------------|
| LOCTITE Products | 311, 328 |
| Long Arm Riveter | 154-155 |
| Long Knife For Scraping | 429, 479 |
| Loom Tape | 38-39 |
| 'Loop' Tape (Hook & Loop) | 321 |
| Lotion Soap | 339, 340, 342 |
| Louvered Panels | 490, 491 |
| Low Profile J-CASE Fuses | 50 |
| Low Profile MINI Blade Fus | es 25, 48 |
| LPG Accessories | 396-397 |
| Lubes (Aerosol) | 307-310 |
| Lubricants + Maintenance | 307-308 |
| Lug Nuts (Chimney Nuts) | 14, 149 |
| Lump Hammers | 438 |
| Editip Hamiliers | 730 |
| M | |
| M.O.T. Signs | 373 |
| Machine Screws | 5, 123-124 |
| Macpherson Strut Coil | J, 12J-124 |
| | 473 |
| Spring Compressor | |
| MAGIC TREE Air Fresheners | 296 |
| Magnetic Bit Holders | 446, 447 |
| Magnetic Bits Trays | 488 |
| Magnetic LED Hand Lamps | 73-76 |
| Magnetic LED Work Lamps | 77, 278 |
| Magnetic Pick-Up Tools | 481 |
| Magnetic Protective Wing (| Cover 298 |
| Magnetic Tool Rail | 488 |
| Magnetic Trailer Lights | 274, 276 |
| Mains Cable | 63 |
| Mains Fuses | 47, 64, 501 |
| Mains Plugs | 64 |
| Mains Rubber Plugs | 64 |
| Mains/Transformer Plugs 8 | |
| | |
| | 65-66 |



| Maintenance & Lubricant Sprays Malleable Pipe Fittings | 307-308 214-215 |
|---|--------------------|
| Mandrel Kits | 125 |
| Manifold (Gas) | 396 |
| | 119, 267 |
| MARKAL 'B Paintstik' Markers | 239 |
| Marker Boards | 275 |
| | 315, 398 |
| Markers (Yellow) | 239 |
| Marque Badge Tape (Transparent | 320 |



| Masking Tapes | 32 |
|---------------|---------|
| Masks (Dust) | 380-38 |
| Masks (Face) | 350, 36 |

| Masks (Full Face) | 382 |
|----------------------------------|------------|
| Masonry Drills | 421 |
| 'Master Cobalt' Hole Saws | 424 |
| Matt Black Paint | 314 |
| MAXI Blade Fuses 2 | 24, 25, 49 |
| MAXI Fuse Holders | 49 |
| 'Maxiboot' Universal CV Boot Kit | 250 |
| | |



| • | |
|----------------------------------|----------|
| MAYHEW | 439-441 |
| MAZDA Trim Clips | 193 |
| MCB Circuit Breakers | 66-67 |
| Measuring Jugs | 358-359 |
| Measuring Kit (TENG TOOLS) | 437 |
| Measuring Tapes | 437 |
| Measuring Tools | 437 |
| Mechanical Leg Puller | 473 |
| Mechanics Anti-Vibration Gel Glo | ves |
| | 374, 469 |
| Mechanics Grip Gloves | 374, 469 |
| 'Medsan' Sanitising Cream | 338 |
| MEGA Bottle Jacks | 249, 471 |
| MEGA Fuses | 51 |
| Memory Card | 68 |
| MERCEDES-BENZ Trim Clips | 193-195 |
| Message Signs/Stickers | 371 |
| Metal Cable Ties | 56 |
| Metal Content Cable Ties | 57 |
| Metal Cutting Discs | 408-410 |
| Metal Grinding Discs | 411 |
| Metal Polish (AUTOSOL) | 299 |
| Metal Putty | 327 |
| Metal Staples | 155 |
| Metal Stays | 349 |
| Metal-Halide Bulbs | 80, 279 |
| Micro Fibre Towels | 297 |
| Micro SD Memory Card | 68 |
| Micro Soldering Kit | 395 |
| MICRO2 Fuses | 25, 48 |
| MICRO3 Fuses | 48 |
| Micro-fine Gloves | 375 |
| Micrometer (Measuring Set) | 437 |
| Mig Torch Spares | 392 |
| Mig Welding Sundries | 392-393 |



| Mig Wire | 392 |
|-------------------------|-------------------|
| Mill Cutter Tools | 242 |
| Milling Cutters | 242 |
| Mini Air Tools | 226 |
| MINI Blade Fuse Holders | 48-49, 501 |
| MINI Blade Fuses | 24, 25, 48-49 |
| Mini Hacksaw Frame | 426 |
| Mini Hose Clips | 19, 203, 206, 504 |
| Mini Pipe/Tube Cutter | 209 |
| Mini Screwdrivers | 444, 445 |
| MINI Trim Clips (BMW) | 187-188 |
| | 24-25, 48-49, 501 |
| MITSUBISHI Trim Clips | 195 |
| 'Mk4' Air Line Gauge | 231 |
| MO2 Lithium Grease | 304 |
| | |

MOLDEX

| MOLDEX PPE Range | 346-383 |
|-----------------------|---------|
| Moly Anti-Scuff Paste | 304 |

| Monobolts | 153 |
|-------------|-----|
| Mop Buckets | 350 |
| Mop Heads | 350 |

WORSE THE M. K. MORSE COMPANY

| MORSE | 424, 425, 427 |
|----------------------|---------------|
| MORSE Hacksaw Blades | 425 |
| MORSE Hacksaw Frame | 425 |
| MORSE Hole Saws | 424 |
| MOT Corrosion Hammer | 271 |
| NOT Plate Holders | 270 |
| | |

| MOTIP Repair Adhesives | 330-331 |
|--|------------|
| Moulding Clips | 179-180 |
| Mounting Paste Brushes | 241 |
| Mounting Rings (Exhaust) | 267 |
| Mouting Lever | 244 |
| MP3 Lithium Grease | 304, 305 |
| MS-Polymer Sealants | 335 |
| Mule Skinner | 400 |
| Multi Gaskets | 332 |
| Multi Shine | 291 |
| Multifunction Tail Lamps 27 | |
| Multigrip Rivets 15, 15 | 2-153, 503 |
| Multimeter | 482 |
| Multiple Connectors | 34-35 |
| Multi-Purpose Clear Fine Oil | 307-308 |
| Multi-Purpose EP Grease | 304, 305 |
| Multi-Purpose Maintenance Lu | bricants |
| | 307-308 |
| Multi-Purpose Oil (Aerosol) | 307-308 |
| Multipurpose Screws | 143 |
| Multi-Use Screws | 13, 143 |
| Multi-Wipes | 344-345 |
| Mutton Cloths | 297, 348 |
| | =57,510 |
| N | 207,010 |
| Nail Brushes | 347 |
| Nail Brushes Narrow Band Hose Clips | |
| | 347 |

NEOLUX'

| NEOLUX Auto Bulbs | 82-85 |
|-------------------|-------|
| Neutral Detergent | 346 |
| NGK Spark Plugs | 285 |



| NILCO Air Fresheners | 296 |
|-----------------------|---------|
| 'Nilglass' | 290 |
| NiMH Batteries | 110-111 |
| NiMH Battery Charger | 110-111 |
| Nippers (NWS) | 430-432 |
| NISSAN Trim Clips | 195 |
| Nitrile Coated Gloves | 375 |
| | |



Nitto

| NITTO Tapes | 39, 323 |
|------------------------|------------------|
| No Smoking Signs/Stick | kers 364-365 |
| No. Plate Fasteners | 13, 140-141, 503 |
| Non-Slip Tool Mat | 488 |



NORGREN 'Fleetfit' Tube Couplings 206

NORMA

| NORMA Hose Clips | 206 |
|----------------------------|----------|
| NORMACLAMP 'Torro' Clips | 206 |
| Nose Bush & Mandrel Kits | 125 |
| Nozzle Cleaners (Welding) | 392, 393 |
| Nozzles (Cutting) | 393 |
| Number Plate Adhesive Pads | 141, 321 |
| | |



Number Plate Fasteners 13, 140-141, 503 Number Plate Lamp 277



| Nut Lock | 326 |
|--------------------------------|-----|
| Nut Spinners/Hose Clip Drivers | 208 |
| Nutlock | 326 |



| Nuts | 6-7, 126-128, 502 |
|------------------------|-------------------|
| Nuts (Brake) | 20, 252-255, 504 |
| Nuts (Combi) | 128 |
| Nuts (Exhaust Manifold |) 119, 267 |
| Nuts (Locking) | 7, 127, 502 |
| Nuts (Nylon Lock) | 7, 127, 502 |
| Nuts (Steel) | 6, 126, 502 |



| NWS | 208, 430-432, | 435-436. | 444 |
|------------|---------------|----------|-----|
| Nylon Hose | Connectors | | 205 |



| Nylon Lock Nuts | 7, 127, 502 |
|------------------|-------------|
| Nylon Seat Cover | 298 |
| Nylon Tubing | 217 |
| | |

| O-Clip Crimping Tools | 206, 208 |
|-----------------------------|----------|
| O-Clip Installation Pincers | 206, 208 |



အ



| O-Clips | 19, 206 |
|-------------------|----------|
| Odour Eliminator | 295, 296 |
| Odour Eliminators | 295, 296 |

CETIKER

| OETIKER | 206, 208 |
|------------------------------|---------------|
| Oil Absorbent Pads | 360, 361 |
| Oil Cans | 356 |
| Oil Containers | 355 |
| Oil Drain Pans | 354 |
| Oil Filter Wrenches | 478 |
| Oil Pan Repair Kit | 259 |
| Oil Suction Guns | 303 |
| Oil Suction Pump | 356 |
| Oil/Fluid Drain Pans | 354 |
| Oils (Hydraulic Lubricating) | |
| | 284, 285, 306 |
| Oils (Plant) | 284, 285, 306 |

OLFA ®

| OLFA Trim Knives & Blades | 430 |
|---------------------------|----------|
| Olives (Barrel & Stepped) | 19, 206 |
| OMEGA Bottle Jacks | 249, 471 |
| Omega Clips | 182 |
| OPEL Trim Clips | 198-199 |
| Open Gear Lube | 309 |
| Orange Nitrile Gloves | 374 |
| Orbital Sander | 226, 227 |
| Organic Absorbent | 336 |
| | |



| 0-Rings | 11, 138 |
|----------------------------------|---------|
| O-Rings Kit for Air Conditioning | 128 |
| O-Rings Service Kits | 11, 138 |
| O-Rings Splicing Kit | 11, 138 |
| | • |

osborn

| OSBORN Abrasives | 406-411 |
|----------------------|----------|
| Outdoor Disinfectant | 346 |
| Overspecs (Safety) | 379 |
| P | |
| Packing Materials | 322, 495 |
| Packing Tapes | 495 |



| Padlocks | 484-486 |
|-------------------------|----------|
| Padlocks + Security | 484-487 |
| Pads (Spill) | 360, 361 |
| Pails (Buckets) | 354 |
| Paint & Gasket Stripper | 301 |
| Paint (Aerosols) | 312-315 |
| Paint (Floor) | 315 |

| Paint (Gloss) | 315 |
|------------------------|------------------|
| Paint (Marker Pens) | 315, 398 |
| Paint Brushes | 317 |
| Paint Drying Gun | 228 |
| Paint Guard (Hydrophol | oic) 29 5 |
| Paint Kits (Roller) | 316 |
| Paint Rollers | 316 |
| Paint Trays | 316 |
| Paint Trays Spares | 316 |
| Paints + Primers | 312-315 |
| Paintstik' Markers | 239 |
| PAL Auto Fuses | 50 |
| Palm Blow Gun | 228 |
| Panel Bulb Kits | 101 |
| Panel Bulbs | 101 |
| Panel Clips | 15, 176-179, 499 |
| Panels (Wall Louvred) | 490, 491 |
| Paper Floor Mats | 298 |
| | |
| | |



| Paper Rolls | | 34 |
|--------------------------------|-------|-----|
| Paper Towels | | 347 |
| Paper Wipes | | 347 |
| Parka | | 384 |
| Parking Permit/License Holders | | 269 |
| Parts Cleaning Brush | 401, | 48 |
| Patch Stitcher | | 239 |
| Patches (Tyre Repair) | 238, | 239 |
| PCL 219 | -234, | 419 |
| PCL Air Tools | 226- | 227 |
| | | |



| P-Clips | 24, 52, 50 |
|------------------------------|------------------------|
| Pen (Paint Marker) | 312-313, 398 |
| Pen Lights (LED) | 72 |
| Pencils (Markers) | 239 |
| Penetrating Oil (Graphited L | .ubricant) 30 9 |
| Perforated Strip | 266 |
| Petrol Engine Treatment | 288 |
| PEUGEOT Trim Clips | 189 |
| Pick Tools | 47 |
| Pickup Tools (Magnetic) | 48: |
| Piezo Ignitor (Gas Heater) | 397 |
| Pilot Drills (MORSE) | 424 |
| Pilot Punches | 44: |
| Pin Punches | 440, 441 |
| Pink Lotion Soap | 339 |
| Pins (Door Hinge) | 159 |
| Pins + Clips (Hardware) | 156-159 |
| Pipe Benders | 440 |
| Pipe Connectors (Windscree | en Washer) |
| | 217 269 |

| | 217, 20 |
|----------------------|-------------|
| Pipe Cutters | 20 |
| Pipe Fittings | 214-21 |
| Pipe Flaring Tools | 440-47 |
| Pipe Joiners | 20: |
| Pipe Repair Kit | 19, 20 |
| Pipe Sealants | 33 |
| Pipe/Cable Clips | 182-18 |
| Pipe/Rod Clips | 182-183, 20 |
| Pipe/Tube Cutters | 20 |
| Piston Wind Back Kit | 47: |
| Pivot Head Wrenches | 44 |
| Plasters (Adhesive) | 36 |
| | |

| Plastic Hose Connectors | 205 |
|---------------------------|--------------|
| Plastic Nail Brushes | 347 |
| PLASTIC PADDING (TEROSON) | 331 |
| Plastic Rivets | 184 |
| Plastic Storage Boxes | 488-493 |
| Plastic Sump Plugs | 259 |
| Plastic Tape | 39, 323, 501 |
| Plastic Tool Box | 488 |
| Plastic Wall Plugs | 144, 416 |
| Plastic Wedge Set | 172, 477 |
| Plastics Super Glue Kit | 324 |
| | |



| Pliers | 434-436 |
|--------------------------------|----------|
| Pliers (Circlip) | 436 |
| Pliers (Combination) | 434-435 |
| Pliers (Cutting) | 430-432 |
| Pliers (O-Clip) | 206, 208 |
| Plug Patches | 239 |
| Plug-In Bases (Relay) | 41 |
| Plugs & Couplers | 65-66 |
| Plugs & Sockets (Trailer) | 274 |
| Plugs (Domestic Mains) | 64 |
| Plugs (Spark) | 285 |
| Pneumatic Air Tools | 226-227 |
| Pneumatic Brake Bleeders | 473 |
| Pneumatic Compact Impact Wren | nch 226 |
| Pneumatic CV Boot Gun | 250 |
| Pneumatic Die Grinder | 226, 227 |
| Pneumatic Impact Wrench | 227 |
| Pneumatic Orbital Sander | 226, 227 |
| Pneumatic Ratchet | 226, 227 |
| Pneumatic Reversible Drill | 227, 419 |
| Pocket Knives | 428-429 |
| Pocket LED Hand Lamps | 73, 76 |
| Pocket Screwdrivers | 444, 445 |
| Pocket Torch | 72 |
| Pocket Type In-Line Head | 233 |
| Pole - DIN (for Amber Beacons) | |
| | 280, 281 |
| Polish (Vehicle) | 293 |
| Polishing Cloths | 297, 348 |
| Poliching Discs | 407 |

| Polish (Vehicle) | 29: |
|------------------------------|----------|
| Polishing Cloths | 297, 348 |
| Polishing Discs | 40 |
| Polishing Flap Discs | 406, 40 |
| Polishing Kit | 40 |
| Polishing Wheels | 40 |
| Poly Coated Wire | 270 |
| Polycloth Duct Sealing Tapes | 32 |
| Polyester Putty (MOTIP) | 330-33 |
| Polythene Bags (Packing) | 49 |
| Polythene Sacks | 348 |
| Polythene Woven Tarp | 27 |



| Polyurethane Repair Adhesives (2K) | 329 |
|------------------------------------|-----|
| Polyurethane Sealant | 335 |

POP°**※** Avdel°

| POP AVDEL Rivets | 15, 151, 153 |
|--------------------------|--------------|
| Portable Welding Machine | 398 |
| Posters - Trim Clip | 161, 200 |

| Power Bars | 456 |
|------------------------------|---------|
| 'Power Bond' MS-Polymers | 335 |
| Power Drive Extensions | 456 |
| Power Hacksaw Blades | 426 |
| Power Inverters | 104 |
| 'Power Mix' | |
| Polyurethane Repair Adhesive | 329 |
| Power Packs (Jump Start) | 106-107 |
| Powersaw Blades | 426 |
| PPE Signs/Stickers | 372 |
| Precision Screwdriver Set | 445 |

PRESSOL

| PRESSOL Funnels | 359 |
|---------------------------|----------|
| PRESSOL Grease Gun | 303 |
| PRESSOL Sprayers | 357 |
| Pressure Gauges | 233 |
| Pressure Sprayers | 357 |
| Pressure Washer Hose | 218 |
| Pre-Work Protective Cream | |
| (Barrier Cream) | 338, 343 |
| Primer Adhesion Promoter | 312 |
| Primers (Aerosols) | 304-315 |
| | |



| PROCELL Batteries | 108 |
|---------------------------------|----------|
| Production Papers | 402 |
| Prohibitory Signs/Stickers | 365 |
| Propane Gas Accessories | 396-397 |
| Propane Gas Regulators | 396 |
| Protective Cream (Barrier Crean | n) |
| | 338, 343 |
| PROVIDUS+ | 394, 398 |
| Pry Bars | 439-440 |
| PSA (Citroen/Peugeot) Trim Clip | 189 |
| | |



| Charle or | |
|--------------------------|----------------|
| PTFE Tape | 335 |
| PTFE Thread Sealing Tape | 335 |
| PU Coated Gloves | 375 |
| Pull Knife (Windscreen) | 480 |
| Puller (Battery Clamps/ | |
| Windscreen Wiper Arms) | 479 |
| Pullers | 473 |
| Pump (Foot) | 234 |
| Pump (Lever Action) | 303 |
| Pump (Oil Suction) | 356 |
| Pump Action Sprayers | 357 |
| Pumps (Syphon) | 300, 356 |
| Punch & Chisel Set | 440 |
| Punches | 440-441 |
| Punches (Flaring Tool) | 475 |
| Puncture Repair Kit | 239 |
| Push Button Switch | 44 |
| Push Rivets | 165-167, 498 |
| Push/Pull Switches | 45 |
| Push-Fit Tube Couplings | 18-19, 210-213 |
| Push-on Fixes | 14, 150 |
| Putty (Repair) | 330-331 |
| PVC Coated Wire | 270 |
| PVC Gauntlets | 376 |
| PVC Gloves | 376 |
| PVC Insulation Tapes | 39, 323, 501 |

0

ممم

-89

| PVC Tape | 39, 323, 501 |
|------------------------------|--------------|
| PVC Tubing | 217 |
| PX24 Industrial Lubricant (A | lerosol) 308 |
| PYTHON File Handles | 412 |
| 0 | |
| Q-BOND Adhesive System | 329 |
| Quick Change Abrasives | 404, 405 |
| Quick Connector Fittings | 215 |
| Quick Metal Liquid | 327 |
| | |
| | |



| Quick Metal Putty | 327 |
|----------------------------------|---------|
| Quick-fit Couplings | 210-213 |
| R | |
| Rack ('AB' Storage Box) | 26, 493 |
| RAD Repair Patches | 238 |
| Radiator Cement | 288 |
| Radiator Hose Clamp Pliers | 209 |
| Radiator Leak Stopper | 288 |
| Radiator Sealants | 288 |
| Radio Installation & Removal Set | 478 |
| | |



| Rags-In-A-Bag | 348 |
|--------------------------|----------|
| Rain Suit | 385 |
| Rapid Epoxy | 327 |
| Rasp & File Set | 412 |
| Ratchet (Pneumatic) | 226, 227 |
| Ratchet + Socket Sets | 457 |
| Ratchet Accessories | 456-457 |
| Ratchet Crimping Pliers | 58 |
| Ratchet Pipe/Tube Cutter | 209 |
| Ratchet Screwdriver Set | 443 |
| Ratchet Straps | 272 |
| Ratcheting Spanners | 454 |
| Ratchets | 455 |
| | |



| Razor Blades | 428 |
|----------------------------------|----------|
| 'Razor-Mate' Scrapers | 428 |
| RCD Circuit Breakers | 66-67 |
| RCD Safety Adaptor | 64 |
| | 158, 271 |
| | 158, 504 |
| Rear View Mirror Bonder (LOCTIT | |
| | 110-111 |
| Reciprocating Saw Blades | 427 |
| 'ReCvko+' Rechargeable Batteries | 110 |
| 'Red Extra' Welding Electrodes | 391 |
| | 339, 341 |
| Red Oxide Primer | 314 |
| | 304, 305 |
| Reflective Tape | 322 |
| Reflectors | 275 |
| Refractometer | 482 |
| Refrigerant UV Dve | 299 |
| Refuge Bins | 348 |
| Refuse Sacks/Liners | 348 |
| Regroover (Tyre) | 245 |

| Regrooving Blades | 245 |
|-------------------------------|----------|
| Regular Impact Sockets | 464, 465 |
| Regular Sockets | 458-463 |
| Regulator (Air) | 228 |
| Regulator Tails | 396 |
| Regulators (Gas) | 396 |
| Relay Plug Blocks | 41 |
| Relays | 41 |
| Releasable Chassis Cable Ties | 57 |
| | |



| REMA TIP TOP Tyre Pro | ducts |
|------------------------|--------------------|
| 238-241, 2 | 242, 245, 248, 470 |
| Remote Batteries | 112, 501 |
| Removal Tools | 476-479 |
| RENAULT Trim Clips | 196 |
| RENOLIT Greases | 304 |
| Repair Adhesives | 329-331 |
| Repair Adhesives (2K P | olyurethane) 329 |
| Repair Patches (Tyre) | 238, 239 |
| Repair Tape (Clear) | 321 |
| | |



| Repair Washers | 9, 129, 502 |
|------------------------------|-------------|
| Resin (Repair) | 330-331 |
| Respiratory Protection | 380-382 |
| Retainers (Adhesives) | 326-327 |
| Rethreading Tap & Dies | 422-423 |
| Reusable Ear Plugs | 382-383 |
| Reversible Drill (Pneumatic) | 227, 419 |



| Reversible Ratchets | 455 |
|---------------------------|-----|
| Reversible Wrenches | 454 |
| RICHTER Dipping Tape | 285 |
| Rigger Boots | 386 |
| Rigger Gloves | 376 |
| 'Rigger Jigger' (Spanner) | 452 |



| DINC Auto Dulha | 02 102 |
|-------------------------------|----------------|
| RING Auto Bulbs | 82-103 |
| RING AUTOMOTIVE | |
| 68, 73, 74, 76, 77, 79, 80, 8 | 1, 82-107, 278 |
| RING Chargers & Inverters | 104-105, 107 |
| Ring Spanners | 452-454 |
| RING Tyre Repair (Aerosol) | 235, 242 |
| Ringing Gel Hand Cleaners | 339 |
| Rivet Guns | 154-155 |
| Rivet Washers | 151, 132 |
| Riveters | 154-155 |
| 4 | |
| | 100 |
| | |

| Rivets | 15. 151-153. 50 |
|--------------------|-----------------|
| Rivets (Aluminium) | 15, 151-153, 50 |
| Rivets (Blind) | 151-15 |
| Rivets (Bulbex) | 15 |
| Rivets (Drive) | 15, 168-169, 49 |
| Rivets (Multigrip) | 15, 152-153, 50 |

| Rivets (Plastic) | 184 |
|-------------------------------|---------------------|
| Rivets (POP AVDEL) | 15, 151, 153 |
| Rivets (Push) | 15, 165-167, 498 |
| Rivets (Screw-Type) | 170-172 |
| Rivets (Trim Clips) 15, | 151, 184, 498-499 |
| Rivets + Riveters 15 | , 151-155, 184, 503 |
| ROCK OIL Hydraulic Oil | <u>285, 3</u> 06 |
| Rocker Switches | 42-43 |
| Roll Pin Punches | 441 |
| Roll/Heel Bars | 439 |
| Roller Shutter Hooks & | Chains 271 |
| Rollers (Paint) | 316 |
| Roofing Bolts & Nuts | 118 |
| Rope Hooks | 271 |
| Ropes (Polypropylene) | 272 |
| Rotary Burrs | 413 |
| Rotating Beacons | 78-79, 280-281 |
| Round Bar | 160 |
| | |
| | |

ROZALEX

| ROZALEX Hand Care Products | 338, 340 |
|----------------------------|----------|
| 'Rozsan' Sanitising Gel | 338 |



| RTV Silicone Sealants | 333 |
|-----------------------|----------|
| Rubber Care | 250, 310 |
| Rubber Eraser Pad | 400 |
| Rubber Gloves | 377 |
| Rubber Grease | 304, 305 |
| Rubber Lined P-Clips | 52, 501 |
| Rubber Marker Lamp | 277 |
| Rubber Squeegees | 350 |
| Rubbish Bins | 348 |
| Rulers (Steel) | 437 |
| Rust Convertor | 311 |
| Rust Cure | 311 |
| Rust Remedy | 311 |
| Rust Remover | 311 |
| Rust Repair | 311 |
| Rust Treatment | 311 |
| | |

SAS

| S-A-S Range | 41, 250, |
|-----------------|--------------------------|
| 269, | 288-295, 299, 300-301, |
| 304-315, 325-3 | 327, 332, 333, 335, 336, |
| 338, 340-341, 3 | 344, 346, 393, 395, 416 |



S-A-S Universal Maintenance Lubricant 307

| Sack Trucks | 494 |
|--------------------------------|----------|
| SafeSaw System | 426 |
| Safety Adaptor (Domestic Mains | 64 |
| Safety At Height | 388 |
| Safety Boots | 386 |
| Safety Clothing | 384-385 |
| Safety Couplings (Air Line) | 221, 223 |
| Safety Cut Out Switch (Heater) | 42, 80 |
| Safety Glasses | 378-379 |
| Safety Goggles | 378-379 |
| Safety Harness | 388 |
| Safety Helmets (Hard Hats) | 377 |
| Safety Shoes | 386-387 |
| | |



| afety Signs/Stickers | 364-373 |
|--------------------------------|-----------|
| afety Spectacles | 378-379 |
| afety Valves (Air Line) | 223 |
| Sandflex' Hacksaw Blades | 425 |
| anding Blocks | 403 |
| anding Discs | 404-405 |
| anitiser Cream | 338 |
| anitiser Gel | 338 |
| anitising Wipes | 346 |
| AS Universal Maintenance Lubr | icant 307 |
| atin Black Paint | 314 |
| aw Blades | 425-427 |
| aws | 424-427 |
| aws (Hole) | 424 |
| C JOHNSON Hand Care | 342-343 |
| cissors | 430 |
| Scotch Auto' Masking Tape (3M) | 320 |
| cotchlok Connectors (3M) | 35 |
| craper (Ice) | 290 |
| craper (Tyre Inner Liner) | 244 |
| craper Tool | 428 |
| crapers | 428 |
| creen Wash | 269, 289 |
| crew & Stud Extractors | 476 |
| crewdriver Bits | 446, 447 |
| crewdriver Pry Bars | 440 |
| crewdriver Sets | 442-445 |
| | |



| Screwdrivers | 442-445 |
|--------------|---------|



| Screwed Adaptors | 220, 221, 223, | 224 |
|--------------------------|-----------------|-----|
| Screwed Rod | | 119 |
| Screws (Self-Drilling S | crews) | 145 |
| Screws (Self-Tapping) | 12-13, 142-147, | 503 |
| Screws (Sheet Metal) | 14, 145-147, | 503 |
| Screw-Type Rivets | 15, 170-172, | 499 |
| SCRUBS-IN-A-BUCKET | Hand Wipes | 344 |
| Sealants | 332- | 335 |
| Sealants (MS-Polymer | r) | 335 |
| Sealants (Polyurethar | | 334 |
| Sealants (Silicone) | | 333 |
| 'Sealastic' Tyre Repair | | 240 |
| 'Sealfix' String (Tyre R | | 240 |









| Self-Tapping Screws | 12-13, 142-147, 503 |
|------------------------|---------------------|
| SELSON Air Jack Bellov | NS 249, 471 |
| Serrated Flange Nuts | 128 |
| Service (Automotive) | 298-299 |



| Set Screws 2 | 2-3, 114-116, 502 |
|---------------------------------|-------------------|
| Set Screws (Flanged) | 116 |
| Shades (Protection Glass | es) 378-379 |
| Shears | 430 |
| Shears (Cable) | 59, 431 |



| Sheet Metal Screws | 14, 140-141, 503 |
|--------------------|------------------|
| Sheet Metal Screws | (Body Screws) |

| Silect Metal Scients (Dody Sc | I CVV J/ |
|-------------------------------|----------|
| | 145-147 |
| Shelving Systems | 489, 491 |
| Shim Washers | 8, 132 |
| Shock Freeze Spray | 308 |
| Shoes (Safety) | 386-387 |
| Shovel (Extending) | 290 |
| Shrouds (Welding Torch) | 392 |
| Shunt Release Switch | 66 |
| Shunt Trip Switch | 66 |
| Side Cutters | 430-432 |
| Side Marker Lamp | 277 |
| Side Moulding Clips | 179-180 |
| | |

sif

| SIF Welding Products | 391, 393 |
|-----------------------------------|----------|
| 'Sifbronze No. 1' Brazing Rods | 391 |
| 'Sifredicote' Brazing Rods | 391 |
| 'Sifsteel No. 11' Welding Rods | 391 |
| Signograph (Electric Engraver) | 437 |
| Signs (Safety) | 364-373 |
| Silage Tape (Farmers) | 323 |
| Silencer Repair Paste | 336 |
| Silicone Copper (LOCTITE) | 332 |
| Silicone Free Multi-Shine | 291 |
| Silicone Grease | 304, 310 |
| Silicone Hose | 216 |
| Silicone Rubber Tape | 38 |
| Silicone Sealant (High Temp) | 333, 334 |
| Silicone Sealant (Instant Gasket) | 333 |
| Silicone Sealant (RTV) | 333 |

Silicone Sealants 332-334



| Silicone Spray | 310 |
|--|-----------|
| 'Silkair' Airline Oil (FUCHS) | 227 |
| Silver Paint | 314 |
| SIROFLEX Expanding Foam | 334 |
| <u>ŞIT 'SPID' Brushes</u> | 401 |
| ŠKODA Trim Clips | 185-187 |
| Sledge Hammers | 438 |
| SLEEPSAFE Smoke and CO Alarm: | |
| Sleeve Anchors | 118 |
| Slide Vernier Caliper | 437 |
| Slide-on Connectors | 302 |
| Sliding T-Bar Adaptors | 457 |
| Slimline LED Hand Lamp | 73, 76 |
| Slings (Lifting) | 273 |
| Slotted Screwdrivers | 442-445 |
| 'SmartCharge' Battery Chargers | 105 |
| Smoke Alarm | 363 |
| Snap-Lock Connectors | 35, 501 |
| Snow Foam | 292, 295 |
| Snow Shovel | 290 |
| Soap (Lotion) | 339 |
| Soap Dispenser Units 339, 341, | 342, 343 |
| Socket Accessories | 456-457 |
| | , 120-122 |
| Socket Rail Sets | 460 |
| Socket Screws 4, | 120-122 |
| Socket Sets 1/4" Drive 458, | 460, 461 |
| Socket Sets 3/8" Drive | 458-461 |
| Socket Sets 1/2" Drive | 459, 461 |
| Sockets | 458-466 |
| Sockets & Plugs | 65-66 |
| Sockets & Plugs (Trailer) | 274 |
| Sockets (1/4" Drive) 458, | 460-463 |
| Sockets (1/2" Drive) 459, 461- | |
| Sockets (3/8" Drive) | 458-463 |
| Sockets (3/4" Drive) Sockets (1" Drive) | 465 |
| Sockets (1" Drive) | 465 |
| Sockets (Impact) | 464-466 |
| Sockets (Trailing) | 274 |
| Socks (Absorbent) | 360, 361 |
| Soft Face Hammer | 439 |
| | |



| Solder | 394 |
|--------------------------------|----------------|
| Solder Wire | 394 |
| | |
| Soldering | 394-39 |
| Soldering Flux | 394 |
| Soldering Gun | 395 |
| Soldering Iron | 394 |
| Soldering Kit | 39: |
| Soldering Wire Holding Plie | rs 39 4 |
| Solderless Nipples | 271 |
| Solvent Cleaner (Aerosol) | 301 |
| Solvent Sprayer | 300, 357-358 |
| Spacelock | 486 |
| Spanner (Gas Bottle) | 390 |
| Spanner Organizer | 452 |
| Spanner/Cylinder Keys | 392 |
| april 1 page 1 to the 1 to get | |



| Spanners | 452-454 |
|------------------------------|------------|
| park Plug (Heater Spare) | 397 |
| park Plug Sockets | 461 |
| Spark Plug Thread Repair Kit | 423 |
| park Plugs | 285 |
| peaker Cable | 63 |
| SPEAR & JACKSON Screwdriver | 444 |
| Special Blue Cement | 239 |
| pectacles (Safety) | 378-379 |
| Speed Fasteners 14 | 1, 148-149 |
| | 3, 210-212 |
| SPID Brushes | 401 |
| Spill Kits | 360, 361 |
| pillage Products | 360-361 |
| piral Binding | 53 |
| plash Proof Fuse Holders | 47-49 |
| | |



| Split Pins | 16, 158-159, 504 |
|------------------------|------------------|
| Split Point Jobber Twi | st Drills 420 |
| Sponges | 297 |



| Spot Weld Drills | 420 |
|---------------------------|-----|
| Spray Adhesive | 325 |
| Spray Applicators (S.A.S) | 307 |
| Spray Guns | 228 |
| Sprayer (Duck Oil) | 308 |



| Sprayers | 300, 357-358 |
|-------------------------------|--------------|
| Spreader (Plastic Filler) | 331 |
| Spring Compressor | 473 |
| Spring Fasteners | 150 |
| Spring Pipe Clip Pliers | 208 |
| Spring Roll Pins | 16, 159 |
| Spring Washers | 9, 131 |
| Springs | 159 |
| Springs (Accelerator & Clutch |) |
| | 24 450 250 |

21, 159, 258 Springs (Expansion/Compression) 18, 159 Squeegees (Floor) 350

55 SCHAEFER

| SSI SCHAEFER Storage Bins | 491-492 |
|-----------------------------------|---------|
| Stainless Steel Flat Washers | 131 |
| Stainless Steel Hose Clips | 203 |
| Stainless Steel Nuts | 127 |
| Stainless Steel Nylon Lock Nuts | 127 |
| Stainless Steel Self-Tapping Scre | NS |
| • | 12, 142 |
| Stainless Steel Set Screws | 2, 115 |

9, 131

Stainless Steel Spring Washers

| Standard Crimping Diors | 58 |
|--|-----------------|
| Standard Crimping Pliers Stands - Axle | |
| Stands - ESSENTIALS | 248, 470 496 |
| | 429 |
| 'Stanley' Type Knife Blades | |
| Staple Gun / Staples | 155 |
| Staple Tacker | 155 |
| Staples Starter Cable | 155 |
| Starter Cable | 63 |
| Steel Banding | 205 |
| Steel Cable Ties | <u>56</u> |
| Steel Jerry Cans | 355 |
| Steel Nuts | 6, 126, 502 |
| Steel Rulers | 437 |
| Steel Stick | 327 |
| Steel Stock | 160 |
| Steel Wire (Poly Coated) | 270 |
| Steel Wool | 399 |
| Steering Wheel Covers | 298 |
| Step Drills | 421 |
| Step Ladders | 494 |
| Stepped Olives | 19, 206 |
| Stereo Speaker Cable | 63 |
| Stickers (Safety) | 364-372 |
| Stitcher Tool (Tyre Patches) | 239 |
| Stockinette Gloves | 376 |
| Stop-Flo Valves | 223 |
| Stopper Grommets | 175 |
| Storage Bin Trolley | 490, 492 |
| | , |



| 488-493 | Storage Bins |
|------------|-------------------------------|
| 5, 488-493 | Storage Boxes 26 |
| 489 | Storage Containers + Cabinets |
| 26, 493 | Storage Rack for 'AB' Boxes |



| STP Additives | 288 |
|---------------------------------|------------|
| Straps (Ratchet) | 272 |
| Striking Tools | 438-441 |
| Strip Lights (LED) | 80, 279 |
| Strip-It Discs | 405 |
| Structural Bonding Adhesives | 327-329 |
| Stub Drills | 421 |
| Stud 'N Bearing | 326 |
| Stud Extractors | 476 |
| Stud Lock | 326 |
| Stud Welding Pins | 393 |
| Studding | 119 |
| Studlock | 326 |
| Studs & Nuts (Exhaust Manifold) | |
| | . 119. 267 |

| | 20, 113, 207 |
|--------------------|--------------|
| SUBARU Trim Clips | 196 |
| Suction Holder Set | 480 |
| Suction Lifter | 480 |
| | |



| Sump Plug Washers | |
|----------------------|------------------|
| 10, 20, | 136-137, 264-265 |
| Sump Plugs | 259-263 |
| Sump Plugs (Plastic) | 259 |
| Sun Glaccoc | 378 379 |



| Supaseal Connectors | 24, 36-37 |
|---------------------|-----------|
| Super Action Spray | 307 |
| Super Epoxy | 327 |



| Super Glue | 324-325 |
|----------------------------|----------|
| Super Glue (Gap Filling) | 324 |
| Super Glue Gel | 324, 325 |
| Super Steel | 327 |
| 'SuperThread' Fittings | 205 |
| Surface Conditioning Discs | 405 |
| Surface Degreaser | 346 |
| Surge Protector | 64 |
| Surgical Type Face Masks | 365 |
| SUZUKI Trim Clips | 196 |

Swarfega

| SWARFEGA 'Duck Oil' | 308 |
|---|---|
| SWARFEGA Hand Care | 339, 343 |
| SWARFEGA Hand Cleanser (Buc | |
| SWARE EGAT Haria cicansci (Boc | 339, 343 |
| SWARFEGA 'Heavy' Hand Clean | |
| SWARFLUA Heavy Hand Clean | |
| Coving Dia | 339, 343 |
| Swing Bin | 348 |
| Switches (Battery Isolator) | 45 |
| Switches (Heater & Vacuum On | /Off) |
| | 42, 353 |
| Switches (Heater Safety Cut Ou | t) 42 |
| Switches (Toggle) | 43-45 |
| Switches (Transformer Trip) | 65 |
| Swiv Seal Clips | 150 |
| Swivel Head Riveters | 155 |
| | |
| Syphon Pumps | 300, 356 |
| | |
| T | |
| Ţ | |
| Tack Rags | 316 |
| Tack Rags Tacker (Metal Staple) | 316 155 |
| Tacker (Metal Staple) | 155 |
| Tacker (Metal Staple) Tail Lamps 27 | 155 4, 276-277 |
| Tacker (Metal Staple) Tail Lamps 27 Tailpieces 22 | 155 4, 276-277 1, 223, 224 |
| Tacker (Metal Staple) Tail Lamps 27 Tailpieces 22 Talcum Powder (Tyre) | 155 4, 276-277 1, 223, 224 240 |
| Tacker (Metal Staple) Tail Lamps 27 Tailpieces 22 | 155 4, 276-277 1, 223, 224 240 hes |
| Tacker (Metal Staple) Tail Lamps 27 Tailpieces 22 Talcum Powder (Tyre) Tamper Proof TORX Key Wrence | 155 4, 276-277 1, 223, 224 240 hes 449-451 |
| Tacker (Metal Staple) Tail Lamps 27 Tailpieces 22 Talcum Powder (Tyre) Tamper Proof TORX Key Wrenc | 155 4, 276-277 1, 223, 224 240 hes 449-451 443, 445 |
| Tacker (Metal Staple) Tail Lamps 27 Tailpieces 22 Talcum Powder (Tyre) Tamper Proof TORX Key Wrenc Tamper Proof TX Screwdrivers Tap & Die Set | 155 4, 276-277 1, 223, 224 240 hes 449-451 443, 445 422 |
| Tacker (Metal Staple) Tail Lamps 27 Tailpieces 22 Talcum Powder (Tyre) Tamper Proof TORX Key Wrence Tamper Proof TX Screwdrivers Tap & Die Set Tap Wrench | 155 4, 276-277 1, 223, 224 240 hes 449-451 443, 445 422 423 |
| Tacker (Metal Staple) Tail Lamps 27 Tailpieces 22 Talcum Powder (Tyre) Tamper Proof TORX Key Wrenc Tamper Proof TX Screwdrivers Tap & Die Set Tap Wrench Tape (Anti-Corrosion) | 155 4, 276-277 1, 223, 224 240 hes 449-451 443, 445 422 423 321 |
| Tacker (Metal Staple) Tail Lamps 27 Tailpieces 22 Talcum Powder (Tyre) Tamper Proof TORX Key Wrenc Tamper Proof TX Screwdrivers Tap & Die Set Tap Wrench Tape (Anti-Corrosion) Tape (Farmers 'Silage') | 155 4, 276-277 1, 223, 224 240 hes 449-451 443, 445 422 423 |
| Tacker (Metal Staple) Tail Lamps 27 Tailpieces 22 Talcum Powder (Tyre) Tamper Proof TORX Key Wrenc Tamper Proof TX Screwdrivers Tap & Die Set Tap Wrench Tape (Anti-Corrosion) | 155 4, 276-277 1, 223, 224 240 hes 449-451 443, 445 422 423 321 |
| Tacker (Metal Staple) Tail Lamps 27 Tailpieces 22 Talcum Powder (Tyre) Tamper Proof TORX Key Wrence Tamper Proof TX Screwdrivers Tap & Die Set Tap Wrench Tape (Anti-Corrosion) Tape (Farmers 'Silage') Tape (PTFE) | 155 4, 276-277 1, 223, 224 240 hes 449-451 443, 445 422 423 321 323 335 |
| Tacker (Metal Staple) Tail Lamps 27 Tailpieces 22 Talcum Powder (Tyre) Tamper Proof TORX Key Wrenc Tamper Proof TX Screwdrivers Tap & Die Set Tap Wrench Tape (Anti-Corrosion) Tape (Farmers 'Silage') | 155 4, 276-277 1, 223, 224 240 hes 449-451 443, 445 422 423 321 321 323 335 |



| Tape Guns | 322, 495 |
|---------------|----------|
| Tape dulis | 322, 433 |
| Tape Measures | 437 |
| Tape Measones | 43/ |

| Tapes (Adhesive) | |
|---------------------------------|-----|
| 39, 320-323, 360, 361, 495, | 501 |
| Tapes (Insulation) 38-39, 323, | 501 |
| Tapes (Measuring) | 437 |
| Tapes (Packing) 322, | 495 |
| Tapping Screws 12-13, 142-147, | 503 |
| Taps (Drum/Barrel) | 355 |
| Taps (Hand) | 423 |
| Taps + Dies | 423 |
| Tar & Gum Remover | 301 |
| Tarp | 272 |
| T-Bar Adaptors | 457 |
| Telescopic Blow Pistol | 225 |
| Telescopic Magnetic Pickup Tool | 481 |
| Telescopic Pickup Tools | 481 |
| Telescopic Reversible Ratchet | 455 |
| TEMPLER'S Soldering Flux | 394 |
| • | |

421

Taper Drills

| TENG TOOLS 209, 298, 422, 426, 4 430, 431, 434-437, 439, 440, 445, 4 449, 451-457, 458-342, 469, 473, 4 | 47, |
|---|-----|
| Tensioning Tool (Cable Tie) | 58 |
| Terminal Block (Ceramic) | 35 |
| Terminal Blocks | 35 |
| Terminal Covers | 31 |
| Terminals 22-23, 28-33, 5 | 500 |
| Terminals (Copper Tube) | 33 |



| Terminals (Insulated) | 22-23, 28-32, 500 |
|-------------------------|-------------------|
| Terminals (Non-Insulate | ed) 23, 31, 33 |
| Terminals (Supaseal) | 24, 36-37 |
| TEROSON | 331 |



Tester (Automotive Multi-Function)

205

487 482

482 482

TERRY 'Powergrip'

Tester (Multimeter)

Testers (Anti-Freeze)

TERRY Tool Clips

| Testers (Brake Fluid) | 482 |
|-----------------------------------|---------------|
| Testers (Electrical) | 482 |
| Testers + Electrical Tools | 482 |
| TFR Sprayer | 357 |
| T-Handled Hex Drivers | 414-449 |
| T-Handled TX/TPX Drivers | 449-451 |
| 'The Dominator' Screwdrive | r Pry Bars |
| | 440 |
| Thermocouples | 397 |
| Thermostat (Gas Heater) | 397 |
| Thin (Half) Nuts | 128 |
| THOR Hammers | 438 |
| Thread Insert Kits | 124, 125, 422 |
| Thread Inserts | 124-125, 422 |
| Thread Lock | 326 |
| Thread Repair Files | 422, 479 |
| Thread Repair Kit 124 | -125, 422-423 |
| Thread Sealants | 335 |
| Thread Sealing Tape (PTFE) | 335 |
| Threaded Bar | 119 |
| Thomas dead to a sub Taral 1884 a | 425 |

Threaded Insert Tool Kits



| Threaded Inserts | 7, 124-125 |
|--------------------------------------|-----------------|
| Threadlockers + Retainers | 326-327 |
| Fies (Cable) | 54-57, 501 |
| Tin Snips | 430 |
| Tip Over Switch | 42, 80 |
| <u> Toggle Switches</u> | 43-45 |
| <u>Foilet Rolls</u> | 347 |
| <u>Fool Box (Plastic)</u> | 488 |
| Tool Case | 488 |
| Tool Case Trolley | 488 |
| Fool Clips | 488 |
| Fool Mat | 488 |
| Tool Rail | 487 |
| Tool Storage Tool Tray | 487-488 488 |
| Forch Spares (Welding) | 392 |
| Torches | 72-73 |
| Torpedo Fuses | 24, 51 |
| Forque Impact Sockets | 469 |
| Forque Tools | 468-469 |
| Forque Wrenches | 468-469 |
| | 68. 459. 460 |
| FORX E-Profile Impact Sockets | |
| FORX Impact Bit Sockets | 466 |
| TORX Key Wrenches | 449-451 |
| Touch Up Brushes | 317 |
| Tow Pin Assemblies | 271 |
| Towels (Folding Paper) | 347 |
| Towels (Valet Drying) | 297 |
| TOYOTA Trim Clips | 197 |
| Frack Rod End Covers | 20, 251 |
| Traffic Film Remover (TFR) | 295 |
| Traffic Signs/Stickers | 365 |
| Trailer Board Extension Lead | 274 |
| <u>Frailer Boards</u> | 274, 276 |
| | 74, 276-277 |
| Trailer Sockets & Plugs | 274 |
| Frailing Sockets (Mains) | 64 |
| Trailing Sockets (Trailer) | 274 |
| Trainers (Safety Shoes) | 387 |
| Fransformer Plugs & Sockets | 65-66 |
| Fransformer Trip Switches | 65 |
| Fransporter Ratchet Strap | 272 |
| Friend Depth Gauges | 233 |
| Triangular Reflector | 275 |
| Trigger Spray Applicators (S.A. | .S) 307 |
| Trim Buttons 15, 10 Trim Clip Charts | 62-163, 498 |
| Trim Clip Tools | 161, 200 |
| Trim Clip Workshop Kit | 172, 477 172 |
| Trim Clips | 1/2 |
| 15, 161-200, 496, 49 | 18-199 5N/ |
| Trim Knife Blades | 429-430 |
| Frim Knives | 423 430 |

| 15, 161-200, 49 | 6, 498-499, 504 |
|----------------------------|-----------------|
| Trim Knife Blades | 429-430 |
| Trim Knives | 428-430 |
| Trim Masking Tape | 320 |
| Trip Switches (Transforme | r) 65 |
| Triple Flint Lighter | 393 |
| Triple Flints | 393 |
| Trolley Jacks | 248, 470 |
| Trolleys + Steps | 494 |
| Trousers (Safety Clothing) | 385 |
| Tube Bending Pliers | 440 |
| Tube Coupling Locking/Re | lease Tools |
| , 0 4 6 | 210, 211, 212 |
| Tube Couplings | 18-19, 210-213 |
| _ 1 | , |

Tube Cutters

Tube Fittings

125

| Tube Patches | 238 |
|----------------------------|------------------|
| Tube Terminals | 23, 33, 500 |
| Tubeless Valves | 243 |
| Tubing (Copper) | 255 |
| Tubing (Nylon) | 217 |
| Tubing (Rubber) 215 | 5, 216, 217, 219 |
| Tubing Bending Pliers | 440 |
| Tubing Connectors | 205 |
| Twin Cable | 62, 63 |
| Twin Thread Screws | 143 |
| Twist Drills | 416-421 |
| Twist Sockets | 476 |
| TX Bit Sockets | 458, 459, 460 |
| TX Keys | 449-451 |
| TX Screwdrivers | 443, 445 |
| TX-E Bit Sockets | 466 |
| Tyre And Mounting Lever | 244 |
| Tyre Bath | 248, 470 |
| Tyre Cage | 248, 470 |
| Tyre Dressing | 291, 292, 294 |
| Tyre Fill (Syringe) | 242 |
| Tyre Filler (Tank) | 245 |
| Tyre Foam | 291 |
| Tyre Foot Pump | 234 |
| Tyre Gauges | 233 |
| Tyre Hand Rasp | 240 |
| Tyre Inflators (Compressor | |
| Tyre Inflators (Gauages) | 229-232 |
| Tyre Lever | 244 |
| Tyre Liner Scraper | 244 |
| Tyre Pressure Gauges | 233 |
| Tyre Reamers | 242 |
| Tyre Regroover | 245 |
| Tyre Repair (Aerosol) | 235, 242 |
| Tyre Repair Products | 238-249 |
| Tyre Sealant | 241 |
| Tyre Soap | 241 |
| | |



Tyre Static Safety Cage

U-Nuts

209

18-19, 205

Upgrade Auto Bulbs

Upholstery Cleaner USB Battery Charger

| Tyre Valves | 242-243 |
|----------------------------------|-----------|
| Tyre Valve Caps | 243, 504 |
| Tyre Valve Connectors | 232 |
| Tyre Valve Core Screwdrivers | 244 |
| Tyre Valve Cores | 242 |
| Tyre Valve Extension Holders | 244 |
| Tyre Valve Extensions | 243 |
| Tyre Valve Mounting Tool | 244 |
| Tyre Valve Tool | 233 |
| Ú | |
| ULTRAGRIME Hand Wipes | 345 |
| UMETA Grease Nipples | 302 |
| Undercoating Gun | 228 |
| Universal Blue Gasket Compound | 332 |
| Universal Brake Pipe Flaring Too | |
| | 440-475 |
| Universal CV Boot Kit | 250 |
| Universal Joint (Impact) | 465 |
| Universal Joints | 457 |
| Universal Maintenance Lubrican | t (S.A.S) |
| | 307 |
| Universal Markers | 239 |
| Universal Yellow Markers | 239 |
| DI M. A. | 44 440 |









248, 470
















14, 148 90-93

279, 294







| VDE Cutting Pliers | 59-60, 432 |
|-----------------------------------|-------------|
| VDE Pliers | 432 |
| VDE Screwdrivers | 444 |
| Vehicle Interior Protection Set | 298 |
| Vehicle Interior Strip Lights (LI | ED) 80, 279 |
| Vehicle Jump-Starters | 107 |
| Vehicle Marque Trim Clips | 185-199 |
| Vehicle Shampoo | 292, 295 |
| Vehicle Wash Brushes | 296 |
| Vernier Calipers | 437 |
| 'Vertex' Couplings | 220 |
| Vests (Hi Vis) | 384 |
| Vinyl/Nitrile Hybrid Gloves | 374 |



| VIP Adhesives/Sealants | 312, 329, 335 |
|---------------------------|---------------|
| VIP AUTIESTVES/ Sediatits | 312, 323, 333 |
| VIP MS-Polymer Sealants | 335 |
| VIF MISTOLYTHEL SCALATICS | 222 |




| VIP Polyurethane Repair Adhesives | 329 |
|-----------------------------------|-----|
| VIP 'Power Mix' | 329 |
| VIP Primers | 312 |

IRWIN. VISE-GRIP

| V | ISF-GRIP | Locking Pliers | 434 |
|---|----------|----------------|-----|
| | | | |

VISION

| VISION LED Hand Lamps | 74, 76 |
|------------------------|----------|
| Visors | 344, 390 |
| Voltage Testers | 482 |
| VOLVO Trim Clips | 199 |
| VTG6A MOT Plate Holder | 270 |
| Vulcanising Fluid | 239 |
| VW Trim Clips | 185-187 |





368-371

Warning Signs/Stickers

| WARRIOR | 272-273 |
|---------------------------|-----------------|
| Wash Brushes | 296 |
| Wash Leather | 297 |
| Wash Mits | 297 |
| Washer Jet Tool | 479 |
| Washer Pump | 269 |
| Washer Tubing | 269 |
| Washers (Aluminium) | 10, 133, 137 |
| Washers (Copper Sealing) | |
| Washers (Copper) | 9, 10, 132-136 |
| Washers (Diesel Injector) | 10, 20, 135 |
| Washers (Dowty Type) | 9, 135, 137 |
| Washers (Fibre) | 9, 133, 137 |
| Washers (Flat) | 8, 130-131, 502 |
| Washers (Lock) | 8, 132 |
| Washers (Repair) | 9, 129, 502 |
| Washers (Rivet) | 151, 132 |
| Washers (Sealing) | 10, 134-138 |
| Washers (Shim) | 8 |
| Washers (Spring) | 9, 131 |
| Washers (Sump Plug) | , |
| | 36-137, 264-265 |
| | , , |

| 10, 20, 1. | 36-137, 264-265 |
|----------------------|-----------------|
| Washers + Seals | 8-11, 129-138 |
| Waste Bins | 348 |
| Water Finding Paste | 285 |
| Water Finding Strips | 285 |
| Water Pump Pliers | 436 |
| Watering Can | 354 |
| Waterless Wash & Wax | 295 |
| Wax & Wash | 292, 295 |
| Wax Sprav | 295 |



| WD-40 | 307 |
|-----------------------|---------|
| Weld Anti-Spatter | 393 |
| Welders' Face Shields | 390 |
| Welding + Accessories | 390-393 |
| Welding Clamp Pliers | 434 |
| Welding Curtain | 391 |
| Welding Electrodes | 391 |
| | |



| Welding Goggles | 344, 390 |
|-------------------------|----------|
| Welding Machine | 398 |
| Welding Mat | 398 |
| Welding Nozzle Cleaners | 392 |
| Welding Nozzles | 392 |
| Welding Pins (Stud) | 393 |
| Welding Protection | 390 |
| | |



| Welding Rods | 391 |
|----------------------------|----------------|
| Welding Sundries | 390-393 |
| Wet & Dry Papers | 402 |
| Wet Floor Sign | 350, 361 |
| Wet Wipes | 344-345, 346 |
| Wheel Balancing Weight Pli | ers 247 |
| Wheel Brushes (Wire) | 400 |
| Wheel Chock | 248, 470 |
| Wheel Cleaner (Alloy) | 292, 294 |
| Wheel Impact Sockets | 469 |
| Wheel Nut Indicators | 246 |
| Wheel Nut Remover Kit | 246, 477 |
| Wheel Nut Sockets | 469 |
| Wheel Tools | 470-472 |
| Wheel Weight Pliers | 247 |
| Wheel Weight Removal Too | 247 |
| | |
| | |



| Wheel Weights | 247 |
|----------------------|---------|
| Wheels (Grinding) | 399 |
| Wheels + Tyres | 238-251 |
| Whip Check Cables | 284 |
| Whin Hose (Air Line) | 226 |



| White Grease with PTFE | 309 |
|--------------------------------|---------|
| White Primer | 313 |
| White Rags-In-A-Bag | 348 |
| White Spirit | 317 |
| Wind Back Tool (Brakes) | 475 |
| Windproof Flame Torches | 395 |
| Windscreen Cutting Wire | 480 |
| Windscreen Cutting Wire Handle | s 480 |
| Windscreen Products | 268-269 |
| Windscreen Sealer (VIP) | 335 |
| Windscreen Tools | 479-480 |



| Windscreen Wash | 269, 289 |
|--------------------------------|----------|
| Windscreen Washer Accessories | 217, 269 |
| Windscreen Washer Jet Tool | 479 |
| Windscreen Washer Pump | 269 |
| Windscreen Wiper Arm Pullers | 479 |
| Wing Cover (Magnetic) | 298 |
| Wing Nuts | 128 |
| Wiper Arm Pullers | 479 |
| Wiper Blade Refills | 269 |
| Wiper Blades | 268-269 |
| Wipes (General Purpose Materia | al) 348 |
| | |

| Vipes (Paper) | 347 |
|--------------------|-----|
| Vipes (Sanitising) | 346 |
| Vire (Locking) | 270 |



| Wire Brushes | 400-401 |
|--|---------|
| Wire Connectors | 35 |
| Wire Feeder/Starter Tool | 480 |
| Wire Handles | 480 |
| Wire Rope Grips | 271 |
| Wire Strippers | 59-60 |
| Wire Wheels | 400 |
| Wire Wool | 399 |
| Wiring Grommets | 24, 37 |
| Wiring Tools | 59-60 |
| Wooden Nail Brushes | 347 |
| Woodruff Keys | 18, 160 |
| Woodscrews (Multi-purpose Scre | ws) 143 |
| Work Gloves | 375-376 |
| Work Lamps | 77, 278 |
| Work Lights | 76 |
| Wrench Organizer (for Spanners) | 452 |
| | |



453

Wrenches (Adjustable)

| wrenches (Aujustable) | 433 |
|--------------------------------|----------------|
| Wrenches (Oil Filter) | 478 |
| | 52-454 |
| X | |
| Xenon Performance Halogen Auto | Bulbs 90-93 |
| 'Xenon150' Auto Bulbs | 90-93 |
| Υ | |
| Yellow Marker Pens (Crayons) | 239 |
| Z | |
| ZAPLON Hand Cleaners | 340 |
| SAS | |
| 7inc Spray | 312 |





| 'Zippy' Type Scrapers | 428 |
|------------------------|-----|
| Zirconium Flap Discs | 407 |
| 'Zorange' Hand Cleaner | 340 |
| Z-Swivel Connector | 224 |

| Α | | AB100/10 | 138 | AB147N | | AC8 | 270 | AL53 | 224 | ALY8 | 218 |
|--------------------|-------------------------|----------------------|-----------------------|-----------------|--------------------|------------------|------------|----------------|-----------------|------------------|----------------------|
| AB3 | 5. 123 | AB100/11 | 138 138 | AB149 AB151 | 10, 133 15, 164 | AC10 AC11 | 272 270 | AL54 AL55 | 224 224 | ALY10 ALY12 | 218 218 |
| AB3 AB4N | 5, 123 | AB100/12 AB100/13 | 138 | AB151 AB152 | 15, 164, 171 | AC11 | 270 | AL55 AL56 | 224 | ALY12 ALY28 | 210 |
| AB5N | 3, 116 | AB100/14 | 138 | AB153 | 15, 171 | AC14 | 272 | AL57 | 224 | AMB100 | 301 |
| AB6N | 6, 126 | AB100/15 | 138 | AB154 | 2, 115 | AC15 | 272 | AL58 | 224 | AMB110 | 308 |
| AB7N AB8N | 3, 116 6, 126 | AB100/16 AB100/17 | 138 138 | AB155 AB156N | 6, 126 7, 127 | AC101 AC103 | 271 271 | AL59 AL60 | 224 226 | AMB111 AMB120 | 308 312 |
| AB9N | 2, 114 | AB100/17 | 138 | AB157 | 8. 131 | AC103 | 271 | AL61 | 232 | AMB121 | 312 |
| AB10N | 6, 126 | AB100/19 | 138 | AB158 | 9, 131 | AC131 | 274 | AL63 | 219 | AMB130 | 315, 398 |
| AB11N | 3, 114 | AB100/20 | 138 | AB159 AB160 | 21 | AC250 | 270 | AL65 | 219 | AMB131 | 315, 398 |
| AB12N AB13N | 6, 126 7, 127 | AB100/21 AB100/22 | 138 138 | AB160 AB161 | 22, 28 22, 29 | AC251 AC3120 | 270 273 | AL67 AL70 | 224 232 | AMB132 AMB133 | 315, 398 315, 398 |
| AB14N | 7, 127 | AB100/23 | 138 | AB162 | 22, 30 | AC3130 | 273 | AL71 | 233 | AP5 | 52 |
| AB15N | 7, 127 | AB100/24 | 138 | AB163N | | AC3220 | 273 | AL72 | 226 | AP8 | 119 |
| AB16 AB17 | 4 | AB100/25 AB100/26 | 138 138 | AB164 AB165N | 25, 46 25, 48 | AC3240 AC3320 | 273 273 | AL73 AL76 | 226 219 | AP9 AP11 | 271 258 |
| AB18 | 4 | AB100/27 | 138 | AB166 | 14, 148 | AC3330 | 273 | AL78 | 225 | AP13 | 160 |
| AB20N | 8, 122 | AB100/28 | 138 | AB167N | | AC3340 | 273 | AL79 | 233 | AP14 | 160 |
| AB21N AB22N | 9, 131 9, 129 | AB100/29 AB100/30 | 138 138 | AB168N AB172 | 13, 144 15, 171 | AC4110 AC4115 | 273 273 | AL80 AL81 | 234 231 | AP15 AP16 | 160 317 |
| AB22N AB23 | 10, 134 | AB100/30 AB101 | 11, 138 | AB172 AB173 | 17, 156 | AC4113 AC4120 | 273 | AL82 | 231 | AP10 AP19 | 317 |
| AB24N | 10, 132 | AB101/1 | 138 | AB174 | 17, 156 | AC4205 | 273 | AL83 | 231 | AP24 | 160 |
| AB25N | 9, 133 | AB101/4 | 138 | AB175N | | AC4210 | 273 | AL84 | 231 | AP26 | 160 |
| AB27N AB28N | 8, 132 8, 132 | AB101/5 AB101/6 | 138 138 | AB176 AB178N | 25, 49 24, 52 | AC4220 AC4520 | 273 273 | AL85 AL86 | 231 231 | AP28 AP30 | 205 317 |
| AB29 | 21, 159, 258 | AB101/8 | 138 | AB179 | 25, 48 | AC5150 | 272 | AL87 | 231 | AP31 | 317 |
| AB30N | 21, 259 | AB101/9 | 138 | AB181 | 7, 125 | AC5480 | 272 | AL88 | 231 | AP33 | 38 |
| AB32N AB33 | 16, 158 16, 157 | AB101/10 AB101/16 | 138 138 | AB182 AB183 | 7, 125 7, 125 | ADB10 ADB20 | 289 289 | AL89 AL90 | 229 215, 284 | AP35 AP37 | 160 266 |
| AB35 | 16, 159 | AB101/17 | 138 | AB184 | 13, 140 | ADB205 | 289 | AL91 | 215, 284 | AP40 | 487 |
| AB37N | 17, 156 | AB101/20 | 138 | AB187 | 18, 212 | ADB301 | 289 | AL95 | 233 | AP41 | 56 |
| AB38 | 19, 206 | AB101/21 | 138 | AB188 | 18, 212 | ADB302 | 289 | AL101 | 220 | AP48 | 317 |
| AB41N AB42 | 25, 46 22, 30 | AB101/22 AB101/23 | 138 138 | AB189 AB190 | 19, 213 23, 32 | AL2 AL3 | 224 220 | AL124 AL161 | 220 221 | AP49 AP50 | 143-144, 416 119 |
| AB43 | 22,30 | AB101/24 | 138 | AB191N | | AL4 | 220 | AL162 | 221 | AP53 | 487 |
| AB45N | 20, 254 | AB101/25 | 138 | AB192N | | AL5 | 220 | AL180 | 223 | AP56 | 206 |
| AB46 AB47N | 18. 160 | AB101/26 AB101/27 | 138 138 | AB193 AB194 | 24, 52 25, 51 | AL8 AL10 | 224 219 | AL201 AL202 | 222 222 | AP59 AP60 | 266 183 |
| AB47N AB48N | 15, 153 | AB101/27 AB101/28 | 138 | AB194 AB201N | | AL10 AL11 | 219 | AL202 AL203 | 222 | AP60 AP61 | 217, 269 |
| AB49N | 14, 148 | AB101/29 | 138 | AB202N | 6, 126 | AL12 | 220 | AL204 | 222 | AP62 | 406 |
| AB50 | 14, 150 | AB101/30 | 138 | AB204N | | AL13 | 218 | AL206 | 222 222 | AP63 | 296 |
| AB51N AB55N | 14, 149 17, 157 | AB102 AB103 | 19, 203 23, 38 | AB206 AB207N | 16, 159 21 | AL14 AL14H | 231 231 | AL208 AL210 | 222 | AP64 AP65 | 115 115 |
| AB61 | 11, 138 | AB104N | 6, 128 | AB208N | 8, 132 | AL15 | 232 | AL213 | 222 | AP67 | 115 |
| AB62 | 13, 140 | AB106 | 10, 134 | AB2091 | | AL16 | 232 | AL221 | 222 | AP68 | 115 |
| AB63N AB64N | 12, 143 19, 213 | AB107 AB109N | 9, 135 8, 130 | AB216 AB219 | 18, 160 4 | AL17 AL18 | 218 223 | AL222 AL231 | 222 222 | AP70 AP71 | 404 207 |
| AB67N | 9, 135 | AB110N | 22,30 | AB220 | 21, 251 | AL19 | 223 | AL232 | 222 | AP72 | 207 |
| AB68N | 5, 123 | AB111N | 19, 213 | AB221 | 23, 38 | AL20 | 223 | AL261 | 223 | AP73 | 207 |
| AB71 | 13, 144 18, 159 | AB112 | 15, 152 23, 33 | AB222 | 13, 141 | AL22 | 218 | AL262 | 223 | AP75 | 407 |
| AB72 AB73 | 16, 158 | AB114N AB115N | 23, 33 | AB224 AB244 | 25, 46 24, 37 | AL23 AL25 | 220 232 | AL263 AL264 | 223 223 | AP177 AS1 | 112 145 |
| AB74 | 19, 207 | AB116 | 20, 267 | AB253 | 15, 164 | AL27 | 233 | AL265 | 223 | AS2 | 145 |
| AB76N | 8, 130 | | 0, 20, 137, 265 | AB501 | 22, 28 | AL28 | 233 | AL266 | 223 | AS3 | 145 |
| AB77N AB78N | 9, 131 7, 125 | AB118 AB119N | 25, 48 8, 130 | AB502 AB503 | 22, 29 24, 46 | AL29 AL31 | 233 220 | AL267 AL268 | 223 223 | AS4 AS12 | 145 145 |
| AB80 | 16, 159 | AB120 | 21, 259 | AB504 | 14, 149 | AL32 | 220 | AL316 | 220 | AS13 | 145 |
| AB81 | 11, 138 | AB123N | 23, 33 | AB505 | 10, 134 | AL33 | 224 | AL318 | 220 | AS22 | 145 |
| AB85N AB88N | 20, 255, 257 17, 158 | AB125 AB126 | 23, 32 11, 138 | AB506 AB507 | 13, 144 12, 142 | AL34 AL35 | 223 225 | AL319 AL500 | 220 215, 284 | AS23 AS32 | 145 145 |
| AB89 | 18, 159 | AB127N | 17, 157 | AB508 | 16, 158 | AL37 | 224 | ALG1 | 228 | AS33 | 145 |
| AB92 | 4, 120 | AB128N | 2, 115 | AB509 | 23, 30 | AL38 | 220 | ALG2 | 228 | AS42 | 145 |
| AB94 AB95N | 12, 142 19, 213 | AB129N AB130N | 2, 115 2, 115 | AB510 AB520 | 6, 127 24, 36 | AL39 AL40 | 224 232 | ALG3 ALG4 | 228 228 | В | |
| AB97N | 18, 210 | AB130N AB132 | 14, 145 | AB555 | 16, 159 | AL41 | 220 | ALG5 | 228 | BAG1 | 495 |
| AB99 | 18, 210, 211 | AB134N | 5, 124 | AB561 | 17, 156 | AL42 | 231 | ALG10 | 228 | BAG2 | 495 |
| AB100 | 11, 138 138 | AB135N | 5, 124 12, 145 | AB562 | 4, 120 | AL42H AL43 | 231 | ALR1 ALT1 | 219 | BAG3 BAG4 | 495 495 |
| AB100/1 AB100/2 | 138 | AB137 AB138 | 12, 145 | AB563 AB564 | 4, 121 2, 114 | AL43 AL45 | 232 233 | ALT1 ALT2 | 227 227 | BAG5 | 495 495 |
| AB100/3 | 138 | AB140 | 13, 143 | ABM | 2, 8, 10, 13-14, | AL46 | 223 | ALT3 | 227, 419 | BAG6 | 495 |
| AB100/4 | 138 | AB141 | 12, 142 | ADD | 17-18, 21, 26, 493 | AL47 | 223 | ALT4 | 227 | BAG7 | 495 |
| AB100/5 AB100/6 | 138 138 | AB142 AB143 | 10, 20, 135 9, 133 | ABR AC3 | 3, 26, 493 270 | AL48 AL49 | 223 223 | ALT5 ALT6 | 227 226 | BAG8 BAG9 | 495 495 |
| AB100/7 | 138 | AB144 | 19, 206 | AC4 | 270 | AL50 | 224 | ALT7 | 226 | BAG10 | 495 |
| AB100/8 | 138 | AB145N | 20, 257 | AC6 | 270 | AL51 | 224 | ALT8 | 226 | BAG11 | 495 |
| AB100/9 | 138 | AB146N | 15, 153 | AC7 | 270 | AL52 | 224 | ALT9 | 226 | BAG12 | 495 |


























Л

J



 \odot

 σ

موو

ဇ္

| DH148 | DH12 | 416 | DR18 | 418 | DRS20 | 421 | DXM11 | 417 | EBC104 | 78, 280 | EC81 | 43 |
|---|---------|-----|--------|-----|---------|-----|--------|----------|--------|---------|----------|----|
| DH18 | | | | | | | | | | | | |
| DIN166 446 DR958 421 DS140 290 DXM13 417 EBCG302 72,281 EGGS 42, DR3316 446 DR156 448 DS150 290 EBCG303 72,281 EGGS 44, DR3316 446 DR1316 448 DS150 290 EBCG303 72,281 EGGS 44, DR3316 446 DR1316 448 DS150 290 EAC1 92 EBCG30 72,281 EGGS 44, DR1564 446 DR13216 448 DS150 290 EAC1 92 EBCG30 72,281 EGGS 44, DR1564 446 DR13216 448 DS152 448 DX162 477 EAC3 92 EBL30 80,79 EGGS 42, DR1564 446 DR1322 448 DX164 447 EAC3 92 EBL30 80,79 EGGS 42, DR1722 446 DR1522 448 DX164 447 EAC3 92 EBL570 80,79 EGGS 42, DR1722 446 DR1522 448 DX164 447 EAC3 92 EBL570 80,79 EGGS 42, DR1722 448 DX165 447 EAC3 92 EBCG50 73, 77 EGG 42, DR1522 448 DX165 447 EAC3 92 EBCG50 73, 77 EGG 42, DR1522 448 DX165 447 EAC3 92 EBCG50 73, 77 EGG 42, DR1522 448 DX165 447 EAC3 92 EBCG50 73, 77 EGG 42, DR1522 448 DX165 447 EAC3 92 EBCG50 73, 77 EGG 42, DR1522 448 DX165 447 EAC3 92 EBCG50 73, 77 EGG 42, DR1522 448 DX165 447 EAC3 92 EBCG50 73, 77 EGG 42, DR1524 448 DX165 447 EAC3 92 EBCG50 73, 77 EGG 42, DR1524 448 DX165 447 EAC3 92 EBCG50 73, 77 EGG 42, DR1524 448 DX165 447 EAC3 92 EBCG50 73, 77 EGG 42, DR1524 448 DX165 447 EAC3 92 EBCG50 73, 77 EGG 42, DR1524 448 DX165 447 EAC3 92 EBCG50 73, 77 EGG 42, DR1524 448 DX165 447 EAC3 92 EBCG50 73, 77 EGG 42, DR1524 448 DX165 447 EAC3 92 EBCG50 73, PR EGG 45, DR1524 447 EAC3 92 EBCG50 74, PR EGG 45, DR1524 447 EAC3 92 EBCG50 74, PR EGG 45, DR1524 447 EAC3 92 EBCG50 74, PR EGG 45, DR1524 447 EAC3 92 EBCG50 74, PR EGG 45, DR1524 447 EAC3 92 EBCG50 74, PR EGG 45, DR1524 447 EAC3 92 EBCG50 74, PR EGG 45, DR1524 447 EAC3 92 EBCG50 74, PR EGG 45, DR1524 447 EAC3 92 EBCG50 74, PR EGG 45, DR1524 447 EAC3 92 EBCG50 74, PR EGG 45, DR1524 447 EAC3 92 EBCG50 74, PR EGG 45, DR1524 447 EAC3 92 EBCG50 74, PR EGG 45, DR1524 447 EAC3 92 EBCG50 74, PR EGG 45, DR1524 447 EAC3 92 EBCG50 74, PR EGG 45, DR1524 447 EAC3 92 EBCG50 74, PR EGG 45, DR1524 447 EAC3 92 EBCG50 74, PR EGG 45, DR1524 447 EAC3 92 EBCG50 74, DR1524 | | | | | | | | | | | | 42 |
| DRISSIQ | | | | | | | | | | | | |
| DHS164 416 DR316 418 DS160 229 EAC1 52 ERC305 7,281 EC88 42 DHS564 416 DR332 418 DX12 417 EAC3 52 ERL370 8,779 EC88A 42 DHS64 416 DR332 418 DX12 417 EAC3 52 ERL370 8,779 EC88A 42 DH764 416 DR532 418 DX18 417 EAC3 52 ERL370 8,779 EC89 42 DH764 416 DR564 418 DX38 417 EAC3 52 ERL570 8,779 EC90 42 DH764 416 DR564 418 DX38 417 EAC3 52 ERL570 8,779 EC90 42 DH764 416 DR572 418 DX316 417 EAC3 53 ERF069S 277 EC90 42 DH564 416 DR572 418 DX316 417 EAC3 53 ERF069S 277 EC91 42 DH564 416 DR572 418 DX316 417 EAC3 53 ERF069S 277 EC91 42 DH564 416 DR564 418 DX316 417 EAC3 53 ERF069S 277 EC91 42 DH564 416 DR564 418 DX516 417 EAC3 53 ERF069S 277 EC90 45 DH11564 416 DR564 418 DX516 417 EAC3 53 ERF069S 277 EC90 45 DH11564 416 DR564 418 DX564 417 EAC3 53 ERF069S 277 EC90 45 DH11564 416 DR564 418 DX564 417 EAC10 52 33 ERF069 277 EC90 45 DH11564 416 DR564 418 DX564 417 EAC10 52 33 ERF069 277 EC90 45 DH11564 416 DR564 418 DX564 417 EAC10 52 33 ERF069 277 EC90 45 DH11564 416 DR1116 418 DX564 417 EAC10 52 33 ERF069 277 EC90 45 DH11564 416 DR136 421 DX576 417 EAC10 52 33 ERF069 277 EC90 45 DH12664 416 DR136 421 DX576 417 EAC10 52 33 ERF069 277 EC90 46 DH12664 416 DR136 421 DX576 417 EAC10 52 33 ERF069 277 EC90 418 EC9 | | | | | | | | 41/ | | | | |
| DH5524 416 DR316L 418 DSL62 289 EAC2 52 EBLZ70 8,079 EC88A 42 DH564 416 DR316 418 DX12 417 EAC3 52 EBLS70 8,079 EC88A 42 DH716 416 DR516 418 DX14 417 EAC4 52 EBLS70 8,079 EC88A 42 DH716 416 DR516 418 DX14 417 EAC4 52 EBLS70 8,079 EC88A 42 DH716 416 DR516 418 DX13 417 EAC4 52 EBLS70 8,079 EC88A 42 DH716 418 DX13 417 EAC4 52 EBLS70 8,079 EC88A 42 DH784 416 DR516 418 DX13 417 EAC4 52 EBLS70 8,079 EC88A 42 DH784 416 DR516 418 DX13 61 417 EAC4 52 EBLS70 8,079 EC89A 42 DH594 416 DR516 418 DX13 61 417 EAC4 52 EBLS70 8,079 EC91 42 DH594 416 DR516 418 DX13 61 417 EAC4 52 EBT609S 277 EC91 42 DH594 416 DR516 418 DX13 61 417 EAC4 52 EBT609S 777 EC91 42 DH594 416 DR516 418 DX13 61 417 EAC4 52 EBT609S 777 EC91 42 DH594 416 DR516 418 DX13 61 417 EAC4 52 EBT609S 777 EC92 45 DH594 52 EBT609S 777 EC93 45 EBT6 | | | | | | | E | | | | | |
| 0H564 416 0H532 418 0K14 417 EAC3 52 EB1330 8,779 E699 42 OH7732 416 0H532 418 0K14 417 EAC4 52 EB15037 8,779 E699A 42 OH7732 416 0H532 418 0K18 417 EAC4BK 52 EB15085A 777 EC90A 42 OH7732 416 0H532 418 0K18 417 EAC4BK 52 EB15085A 777 EC90A 42 OH7732 416 0H532 418 0K18 61 417 EAC4BK 52 EB15085A 777 EC90A 42 OH7732 418 0K136 417 EAC4BK 52 EB15085A 777 EC90A 42 OH7732 418 0K136 417 EAC4BK 52 EB15085A 777 EC90A 42 OH7732 418 0K136 417 EAC4BK 52 EB15085A 777 EC90A 42 OH7732 418 0K136 417 EAC4BK 52 EB15085A 777 EC90A 42 OH7732 418 0K136 417 EAC4BK 52 EB15085A 777 EC90A 42 OH7732 418 OH7732 417 EAC4BK 52 ST | | | | | | | | | | | | |
| DH7164 416 DB516 418 DX18 417 EAC4 52 EBL570 8,279 EC99A 42 DH754 416 DB5564 418 DX18 417 EAC4BK 51 EBT6087 277 EC90 42 DH754 416 DB566 418 DX18 417 EAC6 53 EBT6087 277 EC90 42 DX18 417 EAC6 53 EBT708 276 EC90 45 DX18 417 EAC6 53 EBT708 276 EC90 45 DX18 417 EAC6 53 EBT708 276 EC90 45 DX18 417 EAC6 53 EBT708 276 EC94 45 DX18 417 EAC6 53 EBT708 276 EC94 45 DX18 417 EAC6 53 EBT708 277 EC95 45 DX18 418 | | | | | | | | | | | | |
| DH752 416 DR532 418 DX18 417 EAC48K 52 BT6087 777 EC90A 42 DH754 416 DR556 418 DX18 417 EAC6 53 BT509A 727 EC90A 42 DH532 416 DR716 418 DX116 417 EAC6 53 BT509A 727 EC90A 42 DX132 416 DR716 418 DX116 417 EAC6 53 BT509A 727 EC90A 42 DX132 416 DX132 417 EAC6 53 BT509A 727 EC90A 42 DX132 416 DX132 417 EAC6 53 BT509A 727 EC90A 42 DX132 416 DX132 416 DX132 417 EAC16 53 BT509A 727 EC90A 42 DX132 416 DX132 418 DX16 417 EAC16 53 BT509A 727 EC90A 45 DX132 416 DX132 418 DX16 417 EAC16 53 BT509A 727 EC90B 45 DX132 416 DX132 418 DX16 417 EAC16 53 BT509A 727 EC90B 45 DX152 416 DX152 416 DX152 417 EAC16 53 BT509A 727 EC90B 46 DX152 416 DX152 416 DX152 417 EAC16 53 BT509A 727 EC90B 46 DX152 416 DX152 416 DX152 417 EAC16 53 BT509A 727 EC90B 46 DX152 416 DX152 416 DX152 417 EAC16 53 BT509A 727 EC90B 46 DX152 416 DX152 416 DX152 417 EAC16 53 BT509A 727 EC90B 46 DX152 416 DX152 416 DX152 417 EAC16 53 BT509A 727 EC90B 46 DX152 416 DX152 416 DX152 417 EAC16 53 BT509A 727 EC90B 46 DX152 416 DX152 417 EAC16 53 BT509A 727 EC90B 46 DX152 416 DX152 417 EAC16 72 DX152 416 DX152 417 EAC16 72 DX152 416 DX152 416 DX152 417 EAC16 72 D | | | | | | | | | | | | |
| DH9924 416 DR716 418 DX116 417 EACNS \$2 EBFGOSSW 277 EC91 42 DH1994 416 DR764 418 DX316 417 EACNS \$2 EBFGOSSW 277 EC92 45 DH1132 416 DR764 418 DX316 417 EACNS \$3 EBFTOSSW 277 EC92 45 DH1132 416 DR764 418 DX316 417 EACNS \$3 EBFTOSSW 277 EC92 45 DH1136 416 DR1516 421 DX564 418 DX562 417 EACNS \$3 EBFTOSSW 277 EC95 46 DH1136 416 DR1516 421 DX716 417 EACNS \$2,203 EBTTOSS 277 EC20BBK 61 DH1156 416 DR1116 421 DX716 417 EACNS \$2,203 EBTTOSS 277 EC20BBK 61 DH1156 416 DR1116 421 DX716 417 EACNS \$2,203 EBTTOSS 277 EC20BBK 61 DH1156 416 DR1116 421 DX716 417 EACNS \$2,203 EBTTOSS 277 EC20BBK 61 DH1156 416 DR1116 421 DX716 417 EACNS \$2,203 EBTTOSS 277 EC20BBK 61 DH1156 416 DR1116 421 DX716 417 EACNS \$2,203 EBTTOSS 277 EC20BBK 61 DH1156 416 DR1116 421 DX716 417 EACNS \$2,203 EBTTOSS 277 EC20BBK 61 DH1156 416 DR1116 421 DX116 421 DX | | | | | | | | 52 | | | | 42 |
| DHI994 416 DR732 418 DX316 417 EACASHX 52 EBT6095W 277 ECS2 45 DHI164 416 DR936 418 DX312 417 EACLIS 53 EBT7008 276 ECS3 45 DHI164 416 DR936 418 DX516 417 EACLS 53 EBT7008 276 ECS4 45 DH1164 416 DR936 418 DX516 417 EACLS 53 EBT7008 277 ECS9 45 DH11632 418 DR1164 418 DX716 417 EACLS 52 DB EBT7080 277 ECS0BR 61 DH1584 418 DX7164 417 EACLS 52 DB EBT7080 277 ECS0BR 61 DH1586 416 DR1164 418 DX716 417 EACLS 52 DB EBT7080 277 ECS0BR 61 DH1586 416 DR1164 418 DX764 417 EACLS 52 DB EBT7080 277 ECS0BR 61 DH1586 416 DR1164 418 DX764 417 EACLS 52 DB EBT7080 277 ECS0BR 61 DH1586 416 DR1164 418 DX764 417 EACLS 52 DB EBT7080 277 ECS0BR 61 DH1266 416 DR11364 418 DX764 417 EACLS 52 DB EBT7080 277 ECS0BR 61 DH1266 416 DR1364 418 DX164 418 DX164 417 EACLS 52 DB EBT9080 276 ECS0BR 61 DH1266 416 DR1364 418 DX164 418 DX164 417 EACLS 52 DB EBT9080 276 ECS0BR 61 DH1266 416 DR1364 418 DX164 418 DX16 | | | | | | | | | | | | |
| DH1132 416 DR764 418 DX312 417 EACLIS 53 EBTYOOB 776 EC94 45 DH1323 416 DR932 418 DX512 417 EACLIS 53 EBTYOOB 776 EC94 45 DH1323 416 DR932 418 DX512 417 EACLIS 53 EBTYOOB 776 EC94 45 DH1324 416 DR1114 418 DX512 417 EACLIS 53 EBTYOOB 777 ECS5 45 DH1324 416 DR1114 418 DX512 416 DR1114 418 DX764 417 EACLIS 53 EBTYOOB 777 ECXDORN 61 DH1526 416 DR1114 418 DX764 417 EACLIS 53 EBTYOOB 777 ECXDORN 61 DH1564 416 DR1114 418 DX764 417 EACLIS 53 EBTYOOB 777 ECXDORN 61 DH1564 416 DR1114 418 DX764 417 EACLIS 53 EBTYOOB 777 ECXDORN 61 DH1564 416 DR1114 418 DX764 417 EACLIS 53 EBTYOOB 777 ECXDORN 61 DH1564 416 DR1114 418 DX764 417 EACLIS 53 EBTYOOB 777 ECXDORN 61 DH1564 416 DR1114 418 DX764 417 EACLIS 53 EBTYOOB 777 ECXDORN 61 DH1564 416 DR1114 418 DX1112 417 EACLIS 53 EBTYOOB 777 ECXDORN 61 DH1264 416 DR1136 418 DX1112 417 EACLIS 53 EBTYOOB 777 ECXDORN 61 DH1264 416 DR1136 418 DX1114 417 EACLIS 53 EBTYOOB 777 ECXDORN 61 DH1264 416 DR11564 418 DX11132 417 EACLIS 53 EBTYOOB 778 ECXDORN 61 DH1264 416 DR11564 418 DX11132 417 EACLIS 53 EBTYOOB 778 ECXDORN 61 DH1264 418 DX11164 417 EACLIS 53 EBTYOOB 778 ECXDORN 61 DH1264 418 DX1152 418 DX1154 417 EACLIS 53 EBTYOOB 718 ECXDORN 61 DH1364 416 DR1764 418 DX1154 417 EACLIS 53 EBTYOOD 710 ECXDORN 61 DH1364 416 DR1764 418 DX1154 417 EACLIS 53 EBTYOOD 710 ECXDORN 61 DH1464 416 DR1764 418 DX1154 417 EACLIS 53 EBTYOOD 710 ECXDORN 61 DH1464 416 DR1764 418 DX1154 417 EACLIS 53 EBTYOOD 710 ECXDORN 61 DH1464 416 DR1764 418 DX1154 417 EACLIS 53 EBTYOOD 710 ECXDORN 61 DH1464 416 DR1764 418 DX1154 417 EACLIS 53 EBTYOOD 710 ECXDORN 61 DH1464 418 DX1154 417 EACLIS 53 EBTYOOD 710 ECXDORN 61 DH1464 418 DX1154 417 EACLIS 53 EBTYOOD 710 ECXDORN 61 DH1464 418 DX1154 417 EACLIS 53 EBTYOOD 710 ECXDORN 61 DH1464 418 DX1154 417 EACLIS 53 EBTYOOD 710 ECXDORN 61 DH1464 418 DX1154 417 EACLIS 53 EBTYOOD 710 ECXDORN 61 DH1464 418 DX1154 417 EACLIS 53 EBTYOOD 710 ECXDORN 61 DH1465 418 DX1154 417 EACLIS 53 EBTYOOD 710 ECXDORN 61 DH1465 418 DX1154 417 EACLIS 53 EBTYOOD 710 ECXDORN 61 DH1465 418 DX1154 417 EACLIS 53 E | | | | | | | | 52 52 | | | | |
| DH11646 416 DR1916 421 DN516 417 EACZ6 53 EBT7098 276 EC94 45 DH11522 418 DN522 418 DN564 417 EACZ10 52.201 EBT7088 277 EC200BM 61 DH11524 416 DR1116 421 DN762 417 EACL108 52.201 EBT7069 277 EC200BM 61 DH11546 416 DR1116 421 DN762 417 EACL108 52.201 EBT7069 277 EC200BM 61 DH11546 416 DR1116 421 DN762 417 EACL108 52.201 EBT7089 277 EC200BM 61 DH11546 416 DR1116 421 DN762 417 EACL108 52.201 EBT7089 277 EC200BM 61 DH1264 416 DR1136 421 DN762 417 EACL108 52.201 EBT7089 277 EC200BM 61 DH1264 416 DR1136 421 DN392 417 EACL108 52.201 EBT7089 277 EC200BM 61 DH1264 416 DR1316 421 DN392 417 EACL108 52.201 EBT9008 276 EC200PM 61 DH1264 416 DR1324 418 DN394 417 EACL113 52.201 EBT9008 276 EC200PM 61 DH2664 416 DR1324 418 DN1164 417 EACL113 52.201 EBT9553 274.76 EC200PM 61 DH2664 416 DR1546 418 DN1164 417 EACL12 52.201 EBT9513 274.76 EC200PM 61 DH2664 416 DR1764 418 DN1164 417 EACL12 52.201 EBT9711 277 EC200BM 61 DH2664 416 DR1764 418 DN1164 417 EACL12 52.201 EBT971 277 EC200BM 61 DH2664 416 DR1764 418 DN1164 417 EACL12 52.201 EBT971 277 EC200BM 61 DH2664 416 DR1764 418 DN1164 417 EACL12 52.201 EBT971 277 EC200BM 61 DH2664 416 DR1764 418 DN1164 417 EACL12 52.201 EBU077 102 EC200BM 61 DH1879 416 DR2764 418 DN1564 417 EACL12 52.201 EBU077 102 EC200BM 61 DH1871 416 DR2764 418 DN1564 417 EACL12 52.201 EBU077 102 EC200BM 61 DH1871 416 DR2764 418 DN1564 417 EACL12 52.201 EBU077 102 EC200BM 61 DH1871 416 DR2764 418 DN1564 417 EACL12 52.201 EBU077 102 EC200BM 61 DH1871 416 DR2764 418 DN1564 417 EACL12 52.201 EBU077 102 EC200BM 61 DH1871 416 DR2764 418 DN1564 417 EACL12 52.201 EBU077 102 EC200BM 61 DH1871 416 DR2764 418 DN1564 417 EACL12 52.201 EBU077 102 EC200BM 61 DH1871 416 DR2764 418 DN1564 417 EACL12 52.201 EBU077 102 EC200BM 61 DH1871 416 DR2764 418 DN1564 417 EACL12 52.201 EBU077 102 EC200BM 61 DH1871 416 DR2764 418 DN1564 417 EACL12 52.201 EBU077 102 EC200BM 61 DH1871 416 DR2764 418 DN1564 417 EACL12 52.201 EBU077 102 EC200BM 61 DH1871 416 DR2764 418 DN1564 417 EACL12 52.201 EBU077 102 EC200BM 61 DH1871 416 DR2764 418 DN1564 4 | | | | | | | | | | | | |
| DH15864 466 DR1116 421 DX716 417 EACLOS 52,203 EBT7060 277 EC200BN 61 DH1592 416 DR1136 421 DX716 417 EACLOS 52,203 EBT7065 277 EC200BN 61 DH15964 416 DR1136 418 DX7594 417 EACLOS 52,203 EBT7065 277 EC200BN 61 DH15964 416 DR1136 418 DX7594 417 EACLOS 52,203 EBT7095 277 EC200BN 61 DH15964 416 DR1136 418 DX7594 417 EACLOS 52,203 EBT7095 277 EC200BN 61 DH15964 416 DR1136 418 DX1592 417 EACLOS 52,203 EBT7095 277 EC200BN 61 DH15964 416 DR1516 418 DX1392 417 EACLOS 52,203 EBT5050 277 EC200PU 61 DH15964 416 DR1526 418 DX1392 417 EACLOS 52,203 EBT5050 277 EC200PU 61 DH15964 418 DX1392 417 EACLOS 52,203 EBT5050 277 EC200PU 61 DH15964 418 DX13964 417 EACLOS 52,203 EBT5050 277 EC200PU 61 DH15964 418 DX13964 417 EACLOS 52,203 EBU007 102 EC300BN 61 DH15964 418 DX13964 417 EACLOS 52,203 EBU007 102 EC300BN 61 DH15964 418 DX13964 417 EACLOS 52,203 EBU007 102 EC300BN 61 DH1619 416 DR2166 418 DX13964 417 EACLOS 52,203 EBU007 102 EC300BN 61 DH1619 416 DR2166 418 DX15964 417 EACLOS 52,203 EBU007 102 EC300BN 61 DH1619 416 DR2166 418 DX15964 417 EACLOS 52,203 EBU007 102 EC300BN 61 DH1619 416 DR2166 418 DX15964 417 EACLOS 52,203 EBU007 102 EC300BN 61 DH1619 416 DR2166 418 DX15964 417 EACLOS 52,203 EBU007 102 EC300BN 61 DH1619 416 DR2564 418 DX15964 417 EACLOS 52,203 EBU017 17,778 EC300BN 61 DH1619 416 DR2564 418 DX15964 417 EACLOS 52,203 EBU017 17,778 EC300BN 61 DH1619 416 DR2564 418 DX15964 417 EACLOS 52,203 EBW17 17,778 EC300BN 61 DH1619 416 DR3664 418 DX15964 417 EACLOS 52,203 EBW17 17,778 EC300BN 61 DH1619 416 DR3664 418 DX15964 417 EACLOS 52,203 EBW17 17,778 EC300BN 61 DH1619 416 DR3664 418 DX15964 417 EACLOS 52,203 EBW17 17,778 EC300BN 61 DH1619 416 DR3664 418 DX15964 417 EACLOS 52,203 EBW17 17,778 EC300BN 61 DH1619 416 DR3664 418 DX15964 417 EACLOS 52,203 EBW17 17,778 EC300BN 61 DH1619 416 DR3664 418 DX15964 417 EACLOS 52,203 EBW17 17,778 EC300BN 61 DH1619 416 DR3664 418 DX1596 417 EACLOS 52,203 EBW17 17,778 EC300BN 61 DH1619 416 DR3664 418 DX1596 417 EACLOS 52,203 EBW17 17,778 EC300BN 61 DH1619 418 DX1619 419 DX1619 419 DX161 | | | | | | | | | | | | 45 |
| DH1532 446 DR1132 448 DX732 417 EACLOS 52,203 EBT7069 277 EC200BN 61 DH1764 466 DR1132 448 DX732 417 EACLOS 52,203 EBT7069 277 EC200BN 61 DH1764 466 DR1316 421 DX734 417 EACLOS 52,203 EBT7069 277 EC200BN 61 DH1764 466 DR1316 421 DX734 417 EACLOS 52,203 EBT7099 277 EC200BN 61 DH1264 446 DR1316 421 DX932 417 EACLOS 52,203 EBT7099 276 EC200PU 61 DH1264 446 DR1316 421 DX11362 417 EACLOS 52,203 EBT9505 274,776 EC200BN 61 DH1264 446 DR1352 447 EACLOS 52,203 EBT9505 274,776 EC200PU 61 DH1264 448 DX11362 417 EACLOS 52,203 EBT9501 77 77 EC200PU 61 DH1264 448 DX11362 417 EACLOS 52,203 EBT9501 77 77 EC200PU 61 DH1264 448 DX11362 417 EACLOS 52,203 EBT9501 77 77 EC200PU 61 DH1264 448 DX1364 447 EACLOS 52,203 EBT9501 77 77 EC200PU 61 DH1364 448 DX1364 447 EACLOS 52,203 EBU027 102 EC300BN 61 DH1364 448 DX1364 447 EACLOS 52,203 EBU027 102 EC300BU 61 DH1364 448 DX1364 447 EACLOS 52,203 EBU027 102 EC300BU 61 DH1364 448 DX1364 447 EACLOS 52,203 EBU027 102 EC300BU 61 DH1364 448 DX1364 447 EACLOS 52,203 EBU027 102 EC300BU 61 DH1364 448 DX1364 447 EACLOS 52,203 EBU027 77 102 EC300BU 61 DH1364 448 DX1364 447 EACLOS 52,203 EBU027 77 102 EC300BU 61 DH1364 448 DX1364 447 EACLOS 52 EBW1 77,278 EC300BU 61 DH1364 448 DX1364 447 EACLOS 52 EBW1 77,278 EC300BU 61 DH1364 448 DX1364 447 EACLOS 52 EBW1 77,278 EC300BU 61 DH1364 448 DX1364 447 EACLOS 52 EBW1 77,278 EC300BU 61 DH1364 448 DX1364 447 EACLOS 52 EBW1 77,278 EC300BU 61 DH1364 448 DX1364 447 EACLOS 52 EBW1 77,278 EC300BU 61 DH1364 448 DX1364 447 EACLOS 52 EBW1 77,278 EC300BU 61 DH1364 448 DX1364 447 EACLOS 52 EBW1 77,278 EC300BU 61 DH1364 448 DX1364 447 EACLOS 52 EBW1 77,278 EC300BU 61 DH1364 448 DX1364 447 EACLOS 52 EBW1 77,278 EC300BU 62 DH1364 448 DX1364 447 EACLOS 52 EBW1 77,278 EC300BU 62 DH1364 448 DX1364 447 EACLOS 52 EBW1 77,278 EC300BU 62 DH1364 448 DX1364 447 EACLOS 52 EBW1 77,278 EC300BU 62 DH1364 448 DX1364 447 EACLOS 52 EBW1 77,278 EC300BU 62 DH1364 448 DX1364 447 EACLOS 52 EBW1 77,278 EC300BU 62 DH1364 448 DX1364 447 EACLOS 52 EBW1 77,278 EC300BU 62 DH1364 448 DX1364 448 DX | | | | | | | | | | | | |
| DH1564 416 DR1164 418 DX752 417 EACLOB \$\(\)2.203 EBT7099 277 EC200PU 61 DH1564 416 DR1364 418 DX764 417 EACLOB \$\(\)2.203 EBT7090 277 EC200PU 61 DH1564 416 DR13132 418 DX7954 417 EACLOB \$\(\)2.203 EBT9008 276 EC200PU 61 DH2664 416 DR1332 418 DX9964 417 EACLOB \$\(\)2.203 EBT9008 276 EC200PU 61 DH2664 416 DR1362 418 DX1132 417 EACLOB \$\(\)2.203 EBT9008 276, 276, 276 EC200PU 61 DH2564 416 DR1532 418 DX1164 417 EACLOB \$\(\)2.203 EBT9553 274, 276 EC200PU 61 DH2564 416 DR1564 418 DX11322 417 EACLOB \$\(\)2.203 EBT9553 274, 276 EC200PU 61 DH27664 416 DR1564 418 DX1582 417 EACLOB \$\(\)2.203 EBT9553 274, 276 EC200PU 61 DH27664 416 DR1564 418 DX1582 417 EACLOB \$\(\)2.203 EBUD07 102 EC300BK 61 DH3164 416 DR1564 418 DX1582 417 EACLOB \$\(\)2.203 EBUD07 102 EC300BK 61 DH3164 416 DR1564 418 DX1564 417 EACLOB \$\(\)2.203 EBUD07 102 EC300BK 61 DH3164 416 DR1564 418 DX1564 417 EACLOB \$\(\)2.203 EBUD07 102 EC300BK 61 DH3164 416 DR2564 418 DX1564 417 EACLOB \$\(\)2.203 EBUD07 102 EC300BK 61 DH3164 416 DR2564 418 DX1564 417 EACLOB \$\(\)2.203 EBUD07 102 EC300BK 61 DH316 416 DR2564 418 DX1564 417 EACLOB \$\(\)2.203 EBUD07 102 EC300BK 61 DH316 416 DR2564 418 DX1564 417 EACLOB \$\(\)2.203 EBUD07 102 EC300BK 61 DH316 416 DR2564 418 DX1564 417 EACLOB \$\(\)2.203 EBUD07 17,778 EC300BK 61 DH316 416 DR2564 418 DX2564 417 EACLOB \$\(\)2.203 EBUD07 17,778 EC300BK 61 DH317 416 DR2564 418 DX2564 417 EACLOB \$\(\)2.203 EBUD07 17,778 EC300BK 61 DH318 416 DRC1 422 DX2764 417 EACLOB \$\(\)2.203 EBW1 77,278 EC300WK 61 DH318 416 DRC1 422 DX2764 417 EACLOB \$\(\)2.203 EBW1 77,278 EC300WK 61 DH318 416 DRC2 422 DX2764 417 EACLOB \$\(\)2.203 EBW1 77,278 EC300WK 61 DH318 416 DRC1 422 DX2764 417 EACLOB \$\(\)2.203 EBW1 77,278 EC300WK 61 DH318 416 DRC2 422 DX2764 417 EACLOB \$\(\)2.203 EBW1 77,278 EC300WK 62 DH318 416 DRC2 422 DX2764 417 EACLOB \$\(\)2.203 EBW1 77,278 EC300WK 62 DH318 416 DRC2 422 DX2764 417 EACLOB \$\(\)2.203 EBW1 77,278 EC300WK 62 DH318 416 DRC2 422 DX2764 417 EACLOB \$\(\)2.203 EBW1 77,278 EC300WK 62 DH318 416 DRC2 422 DX2764 | | | | | | | | | | | | |
| DH1964 416 DR1316 421 DN392 417 EACI10 52.203 EBT9058 276 EC200PU 61 DR1264 416 DR1364 418 DX1964 417 EACI13 52.203 EBT9553 274,776 EC200WH 61 DR1264 416 DR1364 418 DX1164 417 EACI16 52.203 EBT9553 274,776 EC200WH 61 DR1264 416 DR1564 418 DX1164 417 EACI16 52.203 EBT9553 274,776 EC200WH 61 DR1264 416 DR1564 418 DX1322 417 EACI25 52.203 EBU007 102 EC300BK 61 DR1264 418 DX1364 417 EACI25 52.203 EBU007 102 EC300BK 61 DR1364 416 DR1564 418 DX1564 417 EACI25 52.203 EBU003 102 EC300BU 61 DR15164 418 DX1564 418 DX1564 417 EACI35 52.203 EBU033 102 EC300BU 61 DR1419 416 DR1644 418 DX1564 417 EACI35 52.203 EBU033 102 EC300BU 61 DR1419 416 DR1644 418 DX1564 417 EACI34 52.203 EBU033 102 EC300BU 61 DR1419 416 DR1644 418 DX1564 417 EACI34 52.203 EBU033 102 EC300BU 61 DR1411 416 DR2564 418 DX1564 417 EACI34 52.203 EBU033 102 EC300BU 61 DR1411 416 DR2564 418 DX1564 417 EACI34 52.203 EBU03 102 EC300BU 61 DR1412 416 DR2564 418 DX1564 417 EACI48 52.203 EBW0 77.278 EC300WE 61 DR1412 416 DR2564 418 DX2564 417 EACI460 52 EBW8 77.278 EC300WE 61 DR1413 416 DR2564 418 DX2564 417 EACI405 52 EBW8 77.278 EC400BK 62 DR1413 416 DRC2 412 DX2564 417 EACI405 52 EBW8 77.278 EC400BK 62 DR1413 416 DRC2 412 DX2564 417 EACI405 52 EBW8 77.278 EC400BK 62 DR1413 416 DRC2 412 DX2564 417 EACI405 52 EBW8 77.278 EC400BK 62 DR1413 416 DRC2 412 DX2564 417 EACI405 52 EBW8 77.278 EC400BK 62 DR1413 416 DRC2 412 DX2564 417 EACI405 52 EBW8 77.278 EC400BK 62 DR1413 416 DRC2 412 DX2564 417 EACI405 52 EBW8 77.278 EC400BK 62 DR1413 416 DRC2 412 DX2564 417 EACI405 52 EBW8 77.278 EC400BK 62 DR1413 416 DRC2 412 DX2564 417 EACI405 52 EBW8 77.278 EC400BK 62 DR1413 416 DRC2 412 DX2564 417 EACI405 52 EBW8 77.278 EC400BK 62 DR1413 416 DRC2 412 DX2564 417 EACI405 52 EBW8 77.278 EC400BK 62 DR1413 416 DRC2 412 DX2564 417 EACI405 52 EBW8 77.278 EC400BK 62 DR1413 416 DRC2 412 DX2564 417 EACI405 52 EBW8 77.278 EC400BK 62 DR1413 416 DRC2 412 DX2564 417 EACI405 52 EBW8 77.278 EC400BK 62 DR1413 416 DRC2 412 DX2564 417 EACI405 52 EBW8 77.278 EC400BK 62 DR1413 418 DXC2 418 DXC2 418 DX | | | | | | | | | | | | |
| DR12564 416 DR13364 418 DX11364 417 EAC125 5, 203 EBT9751 27, 276 EC200VE 61 DX12564 416 DR12564 418 DX13364 417 EAC125 5, 203 EBU007 102 EC300BK 61 DX12564 418 DX1364 418 DX1364 417 EAC129 5, 203 EBU007 102 EC300BK 61 DX12564 418 DX1564 418 DX1564 417 EAC129 5, 203 EBU007 102 EC300BK 61 DX1364 418 DX1564 418 DX1564 417 EAC138 5, 203 EBU003 102 EC300BK 61 DX12564 418 DX1564 417 EAC138 5, 203 EBU003 102 EC300BK 61 DX12564 418 DX1564 417 EAC138 5, 203 EBU003 102 EC300BK 61 DX12564 418 DX1564 417 EAC138 5, 203 EBU003 102 EC300BK 61 DX12564 418 DX1564 417 EAC164 5, 203 EBU003 102 EC300BK 61 DX12564 418 DX1564 417 EAC164 5, 203 EBU003 102 EC300BK 61 DX1256 418 DX12564 417 EAC164 5, 203 EBU003 102 EC300BK 61 DX1256 418 DX12564 417 EAC164 5, 203 EBU003 17, 278 EC300WK 61 DX1256 418 DX12564 417 EAC164 5, 203 EBU003 17, 278 EC300WK 61 DX1256 418 DX12564 417 EAC164 5, 203 EBU003 17, 278 EC300WK 61 DX1256 418 DX12564 417 EAC164 5, 203 EBU003 17, 278 EC300WK 61 DX1256 419 DX12564 417 EAC164 5, 203 EBW0 17, 278 EC300WK 61 DX1256 419 DX1256 417 EAC164 5, 203 EBW0 17, 278 EC300WK 61 DX1256 419 DX1256 417 EAC164 5, 203 EBW0 17, 278 EC300WK 61 DX1256 419 DX1256 417 EAC164 5, 203 EBW0 17, 278 EC300WK 61 DX1256 419 DX1256 417 EAC164 5, 203 EBW0 17, 278 EC300WK 61 DX1256 419 DX1256 417 EAC164 5, 203 EBW0 17, 278 EC300WK 61 DX1256 419 DX1256 417 EAC164 5, 203 EBW0 17, 278 EC300WK 61 DX1256 419 DX1256 417 EAC164 5, 203 EBW0 17, 278 EC300WK 61 DX1256 419 DX | | | | | | | | | | | | |
| DR12564 416 DR1364 418 DX11564 417 EAC116 52,203 EBF9553 274,276 EC200WH 61 DR12564 416 DR1352 418 DX11564 418 DX1332 417 EAC125 52,203 EBF971 277 EC200VE 61 DR12564 416 DR1564 418 DX1352 417 EAC125 52,203 EBW007 102 EC300BK 61 DR1364 416 DR1564 418 DX1352 417 EAC125 52,203 EBW007 102 EC300BK 61 DR1364 416 DR1564 418 DX1364 417 EAC135 52,203 EBW007 102 EC300BK 61 DR1364 416 DR1264 418 DX1564 417 EAC138 52,203 EBW007 102 EC300BK 61 DR1452 416 DR2564 418 DX1564 417 EAC138 52,203 EBW007 102 EC300BU 61 DR1452 416 DR2564 418 DX1564 417 EAC148 52,203 EBW007 102 EC300BU 61 DR1451 416 DR2564 418 DX1564 417 EAC148 52,203 EBW007 102 EC300BU 61 DR1451 416 DR2564 418 DX1564 417 EAC148 52,203 EBW007 102 EC300BU 61 DR1451 416 DR2564 418 DX1564 417 EAC168 52,203 EBW007 102 EC300BU 61 DR1451 416 DR2564 418 DX12564 417 EAC160 52,203 EBW007 77,728 EC300WF 61 DR1452 416 DR2564 418 DX2564 417 EAC160 52,03 EBW007 77,728 EC300WF 61 DR1452 416 DR2564 418 DX2564 417 EAC160 52,03 EBW007 77,728 EC400BK 62 DR1433 416 DRC1 422 DX2564 417 EAC160 52 EBW0 77,728 EC400BK 62 DR1433 416 DRC2 422 DX2564 417 EAC160 52 EBW0 77,728 EC400BK 62 DR1433 416 DRC5 422 DX2564 417 EAC160 52 EBW0 77,728 EC400BK 62 DR1433 416 DRC5 422 DX2564 417 EAC160 52 EBW0 77,728 EC400BK 62 DR1433 416 DRC5 422 DX2564 417 EAC160 52 EBW0 77,728 EC400BK 62 DR1433 416 DRC5 422 DX2564 417 EAC160 52 EBW0 77,728 EC400BK 62 DR1433 416 DRC5 422 DX2564 417 EAC160 52 EBW0 77,728 EC400BK 62 DR1434 416 DRC5 429 DXC35 420 EB070 52 EBW0 77,728 EC400BK 62 DR1434 416 DRC5 429 DXC35 420 EB070 52 EBW0 77,728 EC400BK 62 DR1434 416 DRC5 429 DXC35 420 EB070 52 EBW0 77,728 EC400BK 62 DR1434 416 DRC5 429 DXC35 420 EB070 52 EBW0 77,728 EC400BK 62 DR1434 416 DRC5 429 DXC35 420 EB070 52 EBW0 77,728 EC400BK 62 DR1434 416 DRC5 419 DXC35 420 EB070 52 EBW0 77,728 EC400BK 62 DR1434 416 DRC5 419 DXC35 420 EB070 52 EBW0 77,728 EC400BK 62 DR1434 418 DXC55 420 EB070 52 EB070 57,728 EC400BK 62 DR1454 418 DXC55 420 EB070 52 EB070 57,728 EC400BK 62 DR1454 418 DXC55 420 EB070 52 EB070 57,728 EC400BK 62 EC400BK | | | | | | | | | | | | |
| DH2564 416 DR1564 418 DX1364 417 EAC121 52,203 EBIY911 777 EC200YE 61 DH25964 416 DR1564 418 DX13364 417 EAC125 52,203 EBIU077 102 EC300SK 61 DH25964 416 DR1764 418 DX15364 417 EAC129 52,203 EBIU077 102 EC300SK 61 DHX19 416 DR1964 418 DX1564 417 EAC129 52,203 EBIU077 102 EC300SK 61 DHX19 416 DR2564 418 DX1564 417 EAC138 52,203 EBIU073 102 EC300SK 61 DHX19 416 DR2564 418 DX1564 417 EAC138 52,203 EBIU034 102 EC300GK 61 DHX1 416 DR2564 418 DX1564 417 EAC144 52,203 EBIU034 102 EC300GK 61 DHX1 416 DR2564 418 DX1564 417 EAC144 52,203 EBIV07 71,728 EC300FK 61 DHX1 416 DR2564 418 DX1564 417 EAC160 52,203 EBIV07 71,728 EC300FK 61 DHX1 416 DR2564 418 DX1564 417 EAC160 52,203 EBIV07 71,728 EC300FK 61 DHX1 416 DR2564 418 DX1564 417 EAC160 52,203 EBIV07 71,728 EC300FK 62 DHX1 416 DR2564 418 DX1564 417 EAC160 52,203 EBIV07 71,728 EC300FK 62 DHX1 416 DR2564 418 DX1564 417 EAC409 52 EBIW0 77,728 EC400FK 62 DHX1 52 EAC160 52,203 EBIV07 77,728 EC400FK 62 DHX1 52 EAC160 | | | | | | | | | | | | |
| DH2964 416 DR1964 418 DX1364 417 EAC129 52.203 EBU027 102 EC300BU 61 DHK19 416 DR2164 418 DX1522 417 EAC135 52.203 EBU034 102 EC300BU 61 DHK19 416 DR2364 418 DX1564 417 EAC138 52.203 EBU034 102 EC300BU 61 DHK1 416 DR2364 418 DX1564 417 EAC138 52.203 EBU034 102 EC300FU 61 DHM1 416 DR2564 418 DX1564 417 EAC148 52.203 EBU034 102 EC300FU 61 DHM1 416 DR2564 418 DX1564 417 EAC148 52.203 EBU037 712 EC300FU 61 DHM1 416 DR2564 418 DX1564 417 EAC148 52.203 EBW1 77.278 EC300FU 61 DHM2 416 DR2564 418 DX2564 417 EAC152 52.203 EBW1 77.278 EC300FU 61 DHM2 416 DR3164 418 DX2564 417 EAC405 52.203 EBW3 77.278 EC300FU 61 DHM2 54 16 DR3164 418 DX2564 417 EAC406 52 EBW5 77.278 EC300FU 61 DHM3 416 DRC1 422 DX2564 417 EAC406 52 EBW5 77.278 EC400BK 62 DHM3 416 DRC2 422 DX2564 417 EAC406 52 EBW5 77.278 EC400BK 62 DHM3 416 DRC2 422 DX2564 417 EAC406 52 EBW5 77.278 EC400BK 62 DHM3 416 DRC2 422 DX2564 417 EAC409 52 EBW5 77.278 EC400BK 62 DHM3 416 DRC2 422 DX2564 417 EAC409 52 EBW5 77.278 EC500BK 62 DHM3 416 DRC5 422 DXC2.5 420 EAC419 52 EEW 77.278 EC500BK 62 DHM4 416 DRD25 419 DXC3.0 420 EB149 55 EC13 42,333 EC500BK 62 DHM4 416 DRD25 419 DXC3.0 420 EB149 55 EC13 42,333 EC500BK 62 DHM4 416 DRD25 419 DXC3.3 420 EB150 55 EC14 42,333 EC500BK 62 DHM4 416 DRX15 418 DXC3.3 420 EB207 55 EC15 42,80 EC500BK 62 DHM4 416 DRX15 418 DXC3.3 420 EB207 55 EC15 42,80 EC500BK 62 DHM4 416 DRX15 418 DXC3.3 420 EB207 55 EC15 42,80 EC500BK 62 DHM4 416 DRX15 418 DXC3.3 420 EB207 55 EC15 42,80 EC500BK 62 DHM4 416 DRX15 418 DXC3.3 420 EB207 55 EC15 42,80 EC500BK 62 DHM4 416 DRX15 418 DXC3.3 420 EB207 55 EC15 42,80 EC500BK 62 DHM4 416 DRX15 418 DXC3.3 420 EB207 55 EC15 42,80 EC500BK 62 DHM4 416 DRX15 418 DXC3.3 420 EB207 55 EC15 42,80 EC500BK 62 DHM4 416 DRX15 418 DXC3.3 420 EB207 55 EC15 42,80 EC500BK 62 DHM4 416 DRX15 418 DXC3.3 420 EB207 55 EC15 42,80 EC500BK 62 DHM4 416 DRX15 418 DXC3.3 420 EB207 55 EC15 42,80 EC500BK 62 DHM4 416 DRX15 418 DXC3.3 420 EB207 55 EC15 42,80 EC500BK 62 DHM4 416 DRX15 418 DXC3.3 420 EB207 55 EC15 42,80 EC500BK 62 DHM4 416 DRX15 418 D | | | | | | | EAC121 | 52, 203 | | | | 61 |
| DH3164 416 DR1964 418 DX1532 417 EAC138 52.203 EBU033 102 EC300GU 61 DHK125 416 DR2364 418 DX1564 417 EAC138 52.203 EBU077 102 EC300FU 61 DHK15 416 DR2564 418 DX1564 417 EAC144 52.203 EBU077 102 EC300FU 61 DHM1 416 DR2564 418 DX1964 417 EAC144 52.203 EBU077 102 EC300FU 61 DHM1.5 416 DR2564 418 DX2364 417 EAC148 52.203 EBU07 17.278 EC300FU 61 DHM1.5 416 DR2564 418 DX2364 417 EAC152 52.203 EBW2 77.278 EC300WH 61 DHM2.5 416 DR3164 418 DX2564 417 EAC152 52.203 EBW2 77.278 EC300WH 61 DHM2.5 416 DR3164 418 DX2564 417 EAC405 52.203 EBW2 77.278 EC400BK 62 DHM3.1 416 DRC1 422 DX2764 417 EAC405 52.203 EBW4 77.278 EC400BK 62 DHM3.2 416 DRC2 422 DX2764 417 EAC405 52 EBW4 77.278 EC400BK 62 DHM3.3 416 DRC5 422 DX3164 417 EAC409 52 EBW6 77.278 EC400BK 62 DHM3.5 416 DRC5 422 DX3164 417 EAC409 52 EBW6 77.278 EC400BK 62 DHM3.5 416 DRC5 422 DX3164 417 EAC409 52 EBW6 77.278 EC400BK 62 DHM4.4 416 DRC5 419 DXC3.0 420 EB149 52 EC12 209 GS EC500BK 62 DHM4.2 416 DRK8 421 DXC3.2 420 EB150 85 EC14 42,353 EC600BK 62 DHM4.4 416 DRX65 419 DXC3.3 420 EB149 85 EC13 42,353 EC600BK 62 DHM4.8 416 DRX65 419 DXC3.3 420 EB150 85 EC14 42,353 EC600BK 62 DHM4.8 416 DRX65 419 DXC3.5 420 EB209 85 EC14 42,353 EC600BK 62 DHM4.8 416 DRX65 419 DXC3.5 420 EB209 85 EC14 42,353 EC600BK 62 DHM4.8 416 DRX65 418 DXC4.5 420 EB209 85 EC5 66 EC703 62 DHM4.8 416 DRXM1 418 DXC4.0 420 EB233 85 EC40 E65 EC702 EC2 DHM5 416 DRXM1 418 DXC4.5 420 EB239 85 EC5 66 EC703 62 DHM5 416 DRXM3 418 DXC6.5 420 EB249 85 EC5 66 EC703 62 DHM5 416 DRXM3 418 DXC6.5 420 EB249 85 EC5 66 EC703 62 DHM6 416 DRXM3 418 DXC6.5 420 EB249 85 EC5 66 EC703 62 DHM6 416 DRXM3 418 DXC6.5 420 EB249 85 EC5 66 EC301E 63 DHM1.5 416 DRXM3 418 DXC6.5 420 EB249 85 EC5 66 EC301E 63 DHM1.5 416 DRXM3 418 DXC6.5 420 EB249 85 EC5 66 EC301E 63 DHM1.5 416 DRXM3 418 DXC6.5 420 EB249 85 EC5 66 EC301E 63 DHM1.5 416 DRXM3 418 DXC6.5 420 EB249 85 EC5 66 EC301E 63 DHM1.5 416 DRXM3 418 DXC6.5 420 EB249 85 EC5 66 EC301E 63 DHM1.5 416 DRXM3 418 DXXM3 417 EB366 82 EC7 64 44 EC100 63 DHM1.5 416 DRXM5 418 DXXM5 417 EB366 82 EC6 | | | | | | | | | | | | |
| DINK19 416 DR2364 418 DX1564 417 EAC138 5.203 EBU037 102 EC300GR 61 DINM1 416 DR2364 418 DX1964 417 EAC144 5.203 EBU077 102 EC300PU 61 DINM1 416 DR2564 418 DX1964 417 EAC148 5.203 EBU17 7,7278 EC300RE 61 DINM1.5 416 DR2764 418 DX2364 417 EAC152 5.203 EBU12 7,7278 EC300RF 61 DINM2 416 DR2964 418 DX2364 417 EAC152 5.203 EBU12 7,7278 EC300WF 61 DINM2.5 416 DR3164 418 DX2364 417 EAC160 5.203 EBU17 7,7278 EC300WF 61 DINM2.5 416 DR3164 418 DX2364 417 EAC406 5.2 EBU3 7,7278 EC300WF 61 DINM2.5 416 DR3164 418 DX2564 417 EAC406 5.2 EBU3 7,7278 EC400BR 62 DINM3.3 416 DRC1 422 DX2964 417 EAC406 5.2 EBU3 7,7278 EC400BR 62 DINM3.3 416 DRC2 422 DX2964 417 EAC406 5.2 EBU5 7,7278 EC400BR 62 DINM3.3 416 DRC6 422 DX2364 417 EAC409 5.2 EBU5 7,7278 EC400BR 62 DINM3.3 416 DRC6 422 DX236.4 417 EAC409 5.2 EBU5 7,7278 EC400BR 62 DINM3.5 416 DRC6 422 DX23.6 420 EB149 85 EC13 4.253 EC500BR 62 DINM4.4 416 DR025 419 DXC3.0 420 EB149 85 EC13 4.253 EC500BR 62 DINM4.4 416 DRX 8 412 DXC3.3 420 EB150 85 EC14 4.253 EC600BR 62 DINM4.5 416 DRX 8 410 DXC3.3 420 EB150 85 EC14 4.253 EC600BR 62 DINM4.5 416 DRX 9 DXC3.5 420 EB207 85 EC15 4.280 EC600BR 62 DINM4.9 416 DRX 9 DXC3.5 420 EB209 85 EC44 269 EC600BR 62 DINM4.9 416 DRX 9 DXC3.5 420 EB209 85 EC44 269 EC600BR 62 DINM4.9 416 DRX 9 DXC3.5 420 EB209 85 EC50 65 EC702 62 DINM5.5 416 DRX 9 DXC5.0 420 EB239 85 EC50 65 EC702 62 DINM5.5 416 DRX 9 DXC5.0 420 EB241 84 EC51 65 EC712 62 DRX 9 DXC5.0 420 EB241 84 EC51 65 EC712 62 DRX 9 DXC5.0 420 EB249 85 EC50 65 EC702 62 DRX 9 DXC5.0 420 EB249 85 EC50 65 EC702 62 DRX 9 DXC5.0 420 EB249 85 EC50 65 EC702 62 DRX 9 DXC5.0 420 EB249 85 EC50 65 EC703 62 DRX 9 DXC5.0 420 EB249 85 EC50 65 EC703 62 DRX 9 DXC5.0 420 EB249 85 EC50 65 EC703 62 DRX 9 DXC5.0 420 EB249 85 EC50 65 EC703 62 DRX 9 DXC5.0 420 EB249 85 EC50 65 EC703 62 DRX 9 DXC5.0 420 EB249 85 EC50 65 EC703 62 DRX 9 DXC5.0 420 EB249 85 EC50 65 EC703 62 EXX 9 DXC5.0 420 EB249 85 EC50 65 EC703 62 EXX 9 DXC5.0 420 EB249 85 EC50 65 EC703 63 EXX 9 DXC5.0 420 EB249 85 EC50 65 EC703 63 EXX 9 DXC5.0 420 EB249 85 EC50 6 | | | | | | | | | | | | |
| DIHLYS 416 DR2564 418 DX1764 417 EAC144 52,03 EBU077 102 EC300PU 61 DIHM1.5 416 DR2564 418 DX164 417 EAC148 52,03 EBU077 1728 EC300PU 61 DIHM2.4 416 DR2964 418 DX2164 417 EAC152 52,03 EBW2 77,278 EC300WH 61 DIHM2.5 416 DR3164 418 DX2564 417 EAC160 5,203 EBW2 77,278 EC300WH 61 DIHM2.5 416 DR3164 418 DX2564 417 EAC160 5,203 EBW2 77,278 EC300WH 61 DIHM2.5 416 DR3164 418 DX2564 417 EAC405 5,203 EBW3 77,278 EC300WH 61 DIHM3.2 416 DRC1 422 DX2764 417 EAC406 5,203 EBW3 77,278 EC400BK 62 DIHM3.3 416 DRC5 422 DX3164 417 EAC409 5,203 EBW5 77,278 EC400BK 62 DIHM3.3 416 DRC5 422 DX3164 417 EAC409 5,203 EBW6 77,278 EC400BK 62 DIHM3.3 416 DRC5 422 DX3164 417 EAC409 5,203 EBW6 77,278 EC400BK 62 DIHM3.5 416 DRC6 422 DX3164 417 EAC409 5,200 EBW6 77,278 EC400BK 62 DIHM3.5 416 DRC6 422 DX3164 417 EAC412 5,200 EC 4,200 EC | | | | | | | | | | | | |
| DHM1.5 | DHK25 | 416 | DR2364 | 418 | DX1764 | 417 | EAC144 | 52, 203 | EBU077 | 102 | EC300PU | 61 |
| DHM2 416 DR3164 418 DX2364 417 EAC405 52 EBW4 77.78 EC400BK 62 DHM3 416 DRC1 422 DX2764 417 EAC405 52 EBW4 77.78 EC400BK 62 DHM3 416 DRC2 422 DX2764 417 EAC406 52 EBW5 77.78 EC400BK 62 DHM3.3 416 DRC2 422 DX3164 417 EAC409 52 EBW6 77.78 EC400BK 62 DHM3.3 416 DRC5 422 DX3164 417 EAC409 52 EBW6 77.78 EC400BK 62 DHM3.3 416 DRC5 422 DX3164 417 EAC409 52 EBW6 77.78 EC400BK 62 DHM3.5 416 DRC6 422 DX3164 417 EAC412 52 EC9 ES9 EC50BK 62 DHM3.5 416 DRC6 422 DX3.0 420 EB149 52 EC12 269 EC50BK 62 DHM4.2 416 DRK8 421 DXC3.0 420 EB149 85 EC13 42.33 EC500RE 62 DHM4.2 416 DRK8 421 DXC3.0 420 EB150 85 EC13 42.33 EC500RE 62 DHM4.5 416 DRK8 421 DXC3.0 420 EB150 85 EC14 42.33 EC600BK 62 DHM4.8 416 DRK15 418 DXC3.0 420 EB207 85 EC12 42 80 EC60BK 62 DHM4.8 416 DRM1.5 418 DXC4.0 420 EB239 85 EC24 269 EC50DRE 62 DHM4.8 416 DRM1.5 418 DXC4.0 420 EB239 85 EC50 EC5 EC70 62 EDHM5 54 BD DRM1.5 418 DXC5.5 420 EB209 85 EC5 EC5 EC70 62 EDHM5.5 416 DRM1.5 418 DXC5.5 420 EB208 85 EC5 EC5 EC70 62 EDHM6.5 416 DRM2.5 418 DXC5.5 420 EB238 85 EC50 EC5 EC70 62 EDHM6.5 416 DRM2.5 418 DXC5.5 420 EB238 85 EC50 EC5 EC712 62 DHM6.5 416 DRM3.5 418 DXC5.5 420 EB248 85 EC5 EC5 EC712 62 DHM6.5 416 DRM3.5 418 DXC5.5 420 EB248 85 EC5 EC5 EC712 62 DHM6.5 416 DRM3.5 418 DXC5.5 420 EB248 85 EC5 EC5 EC712 62 DHM6.5 416 DRM3.5 418 DXC5.5 420 EB248 85 EC5 EC5 EC60 EC60B G3 DHM7.5 416 DRM3.5 418 DXC5.5 420 EB248 85 EC5 EC5 EC60 EC60B G3 DHM8.5 418 DXC6.5 420 EB248 85 EC5 EC5 EC60 EC60B G3 DHM8.5 418 DXC6.5 420 EB248 85 EC5 EC5 EC60 EC60B G3 DHM8.5 418 DXC6.5 420 EB248 85 EC5 EC5 EC60 EC60B G3 DHM8.5 416 DRM3.5 418 DXC6.5 420 EB248 85 EC5 EC5 EC60 EC60B G3 DHM8.5 416 DRM3.5 418 DXC6.0 420 EB248 85 EC5 EC5 EC5 EC60 EC60B G3 DHM8.5 418 DXC6.0 420 EB248 85 EC5 EC5 EC5 EC60B G3 EC60B G3 DHM8.5 418 DXC6.5 420 EB248 85 EC5 EC5 EC5 EC60B EC60B G3 DHM8.5 418 DXM1.5 417 EB266 85 EC5 EC5 EC60B EC60B G3 DHM8.5 418 DXM3.3 417 EB266 85 EC5 EC5 EC60 EC60B G3 EC60B G4 EC70B G4 | | | | | | | | | | | | |
| DHM2.5 416 DRC1 422 DX2964 417 EAC406 52 EBW5 77.278 EC400BK 62 DHM3.2 416 DRC1 422 DX2964 417 EAC406 52 EBW5 77.278 EC400RK 62 DHM3.3 416 DRC5 422 DX2964 417 EAC409 52 EBW5 77.278 EC400RK 62 DHM3.3 416 DRC5 422 DX2964 417 EAC409 52 EBW6 77.278 EC400RK 62 DHM3.5 416 DRC5 422 DXC2.5 420 EAC409 52 EBW6 77.278 EC400RK 62 DHM3.5 416 DRC5 422 DXC2.5 420 EAC419 52 EC12 2 59 EC50BK 62 DHM4 416 DRD25 419 DXC3.0 420 EBL49 55 EC13 42.533 EC500RK 62 DHM4.2 416 DRK19 419 DXC3.2 420 EB150 65 EC14 42.533 EC600BK 62 DHM4.8 416 DRK19 419 DXC3.3 420 EB209 65 EC15 42.830 EC600BK 62 DHM4.9 416 DRK125 419 DXC3.3 420 EB209 65 EC15 42.80 EC600BK 62 DHM4.9 416 DRK125 419 DXC3.3 420 EB209 65 EC15 42.80 EC600BK 62 DHM4.9 416 DRK15 418 DXC4.0 420 EB233 65 EC49 26 EC50 65 EC703 62 DHM5.5 416 DRM1.5 418 DXC4.0 420 EB233 85 EC50 65 EC703 62 DHM5.5 416 DRM2 418 DXC5.0 420 EB241 84 EC51 65 EC713 62 DHM6.5 416 DRM2 418 DXC5.0 420 EB248 85 EC52 65 EC713 62 DHM6.5 416 DRM3 418 DXC5.0 420 EB248 85 EC52 65 EC713 62 DHM6.5 416 DRM3.3 418 DXC5.0 420 EB248 85 EC53 65 EC601 63 DHM7 416 DRM3.3 418 DXC5.0 420 EB248 85 EC53 65 EC601 63 DHM7 416 DRM3.3 418 DXC5.0 420 EB248 85 EC55 65 EC601 63 DHM7 416 DRM3.3 418 DXC5.0 420 EB248 85 EC55 65 EC601 63 DHM7 416 DRM3.3 418 DXC5.0 420 EB248 85 EC55 65 EC601 EC603 BMM.9 416 DRM3.3 418 DXC5.0 420 EB248 85 EC55 65 EC601 63 DHM7 416 DRM3.3 418 DXC5.0 420 EB248 85 EC55 65 EC601 63 DHM7 416 DRM3.3 418 DXC5.0 420 EB248 85 EC55 65 EC601 63 DHM7 416 DRM3.3 418 DXC5.0 420 EB248 85 EC55 65 EC601 63 DHM7 416 DRM3.5 418 DXM3.5 417 EB384 84 EC60 45 EC603 EC60 | | | | | | | | | | | | |
| DHM3.2 416 DRC5 422 DX2964 417 EACA99 52 EBN/6 77,278 EC400RE 62 DHM3.5 416 DRC5 422 DXC2.5 420 EAC412 52 EC9 43 EC500BK 62 DHM3.5 416 DRC6 422 DXC2.5 420 EAC419 52 EC12 269 EC500BK 62 DHM4.4 416 DRD25 419 DXC3.0 420 EB150 85 EC13 42,353 EC600BK 62 DHM4.5 416 DRK18 421 DXC3.2 420 EB150 85 EC14 42,353 EC600BK 62 DHM4.8 416 DRK19 418 DXC3.3 420 EB207 85 EC15 42,00 EC600BK 62 DHM4.8 416 DRK15 419 DXC3.5 420 EB207 85 EC14 42,353 EC600BK 62 DHM4.8 416 DRK15 419 DXC3.5 420 EB209 85 EC44 269 EC600BK 62 DHM4.8 416 DRM1 418 DXC3.0 420 EB233 85 EC49 65 EC702 62 DHM5.5 416 DRM1.5 418 DXC3.5 420 EB209 85 EC50 65 EC702 62 DHM5.5 416 DRM2 418 DXC5.5 420 EB209 85 EC50 65 EC703 62 DHM5.5 416 DRM2 418 DXC5.5 420 EB209 85 EC50 65 EC703 62 DHM5.5 416 DRM3.3 418 DXC5.5 420 EB224 85 EC52 65 EC713 62 DHM6.5 416 DRM3.3 418 DXC6.0 420 EB241 84 EC51 65 EC712 62 DHM6.5 416 DRM3.3 418 DXC6.5 420 EB249 85 EC54 65 EC60 63 EC80 BHM6.8 416 DRM3.3 418 DXC6.5 420 EB249 85 EC54 65 EC80 63 DHM7.5 416 DRM3.3 418 DXC6.5 420 EB249 85 EC54 65 EC60 63 EC801 63 DHM7.5 416 DRM3.5 418 DXC6.5 420 EB249 85 EC54 65 EC801 63 DHM7.5 416 DRM3.5 418 DXM1.5 417 EB269 85 EC55 65 EC801 63 DHM7.5 416 DRM3.5 418 DXM1.5 417 EB269 85 EC56 65 EC801 63 DHM9.5 416 DRM3.5 418 DXM1.5 417 EB269 85 EC56 65 EC801 62 EC803 63 DHM9.5 416 DRM4.4 418 DXM1.5 417 EB266 85 EC57 65 EC803 63 DHM9.5 416 DRM4.8 418 DXM2.5 417 EB380 84 EC62 45 EC900 62 DHM10.2 416 DRM5.5 418 DXM3.3 417 EB380 84 EC62 45 EC900 62 DHM10.2 416 DRM5.5 418 DXM3.3 417 EB380 84 EC63 43-44 EC90 62 EC803 62 DHM10.2 416 DRM5.5 418 DXM3.3 417 EB380 84 EC63 43-44 EC90 62 EC803 62 DHM10.2 416 DRM5.5 418 DXM3.3 417 EB380 84 EC63 43-44 EC90 62 DHM10.2 416 DRM5.5 418 DXM3.3 417 EB380 84 EC63 43-44 EC90 62 EC803 62 DHM10.2 416 DRM5.5 418 DXM3.3 417 EB380 84 EC63 43-44 EC90 62 EC803 62 DHM10.2 416 DRM5.5 418 DXM3.3 417 EB380 84 EC63 43-44 EC90 62 EC803 63 DHM11.2 416 DRM5.5 418 DXM3.3 417 EB380 85 EC77 44 EC1102 63 DHM11.2 416 DRM5.5 418 DXM3.5 417 EB380 85 EC76 44 EC1102 63 DHM11.2 416 DRM7.5 418 DXM3.5 417 EB380 85 EC76 | | | | | | | | 52 | | | | |
| DHM3.3 416 DRC5 422 DX3164 417 EACA12 52 EC9 43 EC500BN 62 DHM3.5 416 DRC6 422 DXC2.5 420 EACA19 52 EC12 Z69 EC500BN 62 DHM4.4 416 DRD25 419 DXC3.0 420 EB149 85 EC13 42,353 EC500BC 62 DHM4.5 416 DRK19 418 DXC3.2 420 EB149 85 EC14 42,353 EC500BC 62 DHM4.5 416 DRK19 418 DXC3.3 420 EB207 85 EC14 42,353 EC500BC 62 DHM4.5 416 DRK12 419 DXC3.5 420 EB209 85 EC14 42,353 EC500BC 62 DHM4.8 416 DRK15 418 DXC3.3 420 EB209 85 EC49 65 EC702 62 DHM5.5 416 DRM1 418 DXC4.0 420 EB239 85 EC50 65 EC702 62 DHM5.5 416 DRM2 418 DXC4.5 420 EB239 85 EC50 65 EC702 62 DHM5.5 416 DRM2 418 DXC5.0 420 EB239 85 EC50 65 EC703 62 DHM6.6 416 DRM3.2 418 DXC5.0 420 EB241 84 EC51 65 EC712 62 DHM6.6 416 DRM3.2 418 DXC5.0 420 EB242 85 EC53 65 EC601 63 DHM6.8 416 DRM3.2 418 DXC6.0 420 EB249 85 EC53 65 EC713 62 DHM6.8 416 DRM3.3 418 DXC6.0 420 EB249 85 EC54 65 EC801 63 DHM7.5 416 DRM3.3 418 DXC6.0 420 EB249 85 EC56 65 EC801 63 DHM7.5 416 DRM3.3 418 DXC6.0 420 EB249 85 EC56 65 EC801 63 DHM7.5 416 DRM3.3 418 DXM1.5 417 EB269 85 EC56 65 EC802 63 DHM7.5 416 DRM3.3 418 DXM1.5 417 EB269 85 EC56 65 EC802 63 DHM8.5 416 DRM3.4 418 DXM1.5 417 EB269 85 EC57 65 EC802 63 DHM8.5 416 DRM4 418 DXM1.5 417 EB269 85 EC57 65 EC802 63 DHM9.5 416 DRM4 418 DXM3.5 417 EB380 84 EC61 45 EC900 62 EC900 62 DHM9.5 416 DRM4.5 418 DXM2.5 417 EB380 84 EC61 45 EC900 62 EC900 62 DHM10.5 416 DRM5.5 418 DXM2.5 417 EB380 84 EC63 4344 EC903 62 DHM10.5 416 DRM5.5 418 DXM3.2 417 EB382 84 EC63 4344 EC903 62 DHM10.5 416 DRM5.5 418 DXM3.2 417 EB382 84 EC63 4344 EC903 62 DHM10.5 416 DRM5.5 418 DXM3.2 417 EB380 84 EC61 45 EC900 62 EC900 62 DHM10.5 416 DRM5.5 418 DXM3.2 417 EB380 84 EC63 4344 EC903 62 DHM10.5 416 DRM5.5 418 DXM3.2 417 EB380 84 EC63 4344 EC903 62 DHM10.5 416 DRM5.5 418 DXM3.2 417 EB382 84 EC63 4344 EC903 62 DHM10.5 416 DRM5.5 418 DXM3.2 417 EB380 84 EC63 4344 EC903 62 EC900 45 EC900 63 DHM11.5 416 DRM5.5 418 DXM3.5 417 EB380 85 EC76 44 EC100 63 DHM11.5 416 DRM5.5 418 DXM3.5 417 EB380 85 EC76 44 EC100 63 DHM11.5 416 DRM5.5 418 DXM3.5 417 EB380 85 EC76 44 EC100 63 DHM11.5 416 DRM5.5 | | | | | | | | | | | | |
| DHM3.5. 416 DRC6 422 DXC2.5 420 EACA19 52 EC12 269 ECSOORN 62 DHM4 416 DRD25 419 DXC3.0 420 EB149 85 EC13 42,533 ECSOORE 62 DHM4.5. 416 DRK19 418 DXC3.3 420 EB150 85 EC14 42,533 ECSOORE 62 DHM4.5. 416 DRK19 418 DXC3.5 420 EB209 85 EC15 42,80 ECSOORE 62 DHM4.9. 416 DRK15 419 DXC3.5 420 EB209 85 EC24 269 ECSOORE 62 DHM4.9. 416 DRK1 418 DXC4.0 420 EB239 85 EC49 65 EC702 62 DHM5.5 416 DRM1 418 DXC4.0 420 EB239 85 EC50 65 EC702 62 DHM5.5 416 DRM2 418 DXC5.0 420 EB241 84 EC51 65 EC702 62 DHM6.5 416 DRM2 418 DXC5.0 420 EB241 84 EC51 65 EC712 62 DHM6.5 416 DRM3 418 DXC6.0 420 EB242 85 EC52 65 EC713 62 DHM6.5 416 DRM3 418 DXC6.0 420 EB242 85 EC53 65 EC801 63 DHM7 416 DRM3 418 DXC6.0 420 EB249 85 EC54 65 EC800RE 63 DHM7 416 DRM3 418 DXC6.0 420 EB249 85 EC54 65 EC801RE 63 DHM7 416 DRM3.3 418 DXC8.0 420 EB249 85 EC55 65 EC801 63 DHM7 416 DRM3.3 418 DXM1 417 EB269 85 EC55 65 EC802 63 DHM7.5 416 DRM4 418 DXM1.5 417 EB286 85 EC55 65 EC802 63 DHM8.5 416 DRM4 418 DXM1.5 417 EB286 85 EC55 65 EC802 63 DHM8.5 416 DRM4 418 DXM1.5 417 EB286 85 EC55 65 EC802 63 DHM9.5 416 DRM4.8 418 DXM1.5 417 EB286 85 EC55 65 EC802 63 DHM9.5 416 DRM4.8 418 DXM1.5 417 EB286 85 EC56 65 EC802 63 DHM9.5 416 DRM4.8 418 DXM1.5 417 EB286 85 EC57 65 EC802 63 DHM9.5 416 DRM4.8 418 DXM1.5 417 EB334 84 EC61 45 EC900 62 DHM10.0 416 DRM5 418 DXM3.3 417 EB346 84 EC63 45 EC901 62 DHM10.1 416 DRM5 418 DXM3.3 417 EB346 84 EC66 43-44 EC902 62 DHM10.2 416 DRM6 418 DXM3.3 417 EB346 84 EC66 43-44 EC902 62 DHM10.5 416 DRM5 418 DXM4.5 417 EB366 82 EC66 43-44 EC100 63 DHM11.5 416 DRM5 418 DXM3.3 417 EB366 82 EC66 43-44 EC100 63 DHM11.1 416 DRM7 418 DXM4.5 417 EB366 82 EC67 44 EC1100 63 DHM11.5 416 DRM5 418 DXM4.8 417 EB360 82 EC66 43-44 EC100 63 DHM11.5 416 DRM5 418 DXM4.8 417 EB360 82 EC66 43-44 EC100 63 DHM11.5 416 DRM5 418 DXM4.8 417 EB360 82 EC66 43-44 EC100 63 DHM11.5 416 DRM5 418 DXM4.8 417 EB360 82 EC66 43-44 EC100 63 DHM11.5 416 DRM5 418 DXM4.8 417 EB360 82 EC66 43-44 EC100 63 DHM11.5 416 DRM5 418 DXM6.5 417 EB360 82 EC66 43-44 EC100 63 DHM11.5 416 DRM5 418 DXM6.5 | | | | | | | | | | | | |
| DHMM4 416 DRD25 419 DXC3.0 420 EB149 85 EC13 42,333 ECSOORE 62 DHMM4.5 416 DRK19 421 DXC3.2 420 EB150 85 EC14 42,353 EC60DBK 62 DHMM4.8 416 DRK125 419 DXC3.5 420 EB207 85 EC15 42,80 EC60DBK 62 DHMM4.8 416 DRK125 419 DXC3.5 420 EB207 85 EC15 42,80 EC60DBK 62 DHMM4.9 416 DRM1 418 DXC4.0 420 EB233 85 EC24 269 EC60DR 62 DHMM5 416 DRM1.5 418 DXC4.0 420 EB233 85 EC36 65 EC702 62 DHMM5 416 DRM2 418 DXC5.0 420 EB241 84 EC51 65 EC702 62 DHMM5 416 DRM2 418 DXC5.0 420 EB241 84 EC51 65 EC712 62 DHMM6 416 DRM2.5 418 DXC6.0 420 EB242 85 EC52 65 EC713 62 DHM6.8 416 DRM3.3 418 DXC6.0 420 EB245 85 EC53 65 EC801 63 DHM7 416 DRM3.3 418 DXC6.0 420 EB246 85 EC55 65 EC801 63 DHM7 416 DRM3.3 418 DXC6.0 420 EB246 85 EC55 65 EC801 63 DHM7 416 DRM3.3 418 DXC6.0 420 EB246 85 EC55 65 EC802 63 DHMM 416 DRM4.4 418 DXM1.1 417 EB286 85 EC55 65 EC802 63 DHMM 5 416 DRM4.3 418 DXM1.4 417 EB286 85 EC55 65 EC802 63 DHM8 416 DRM4.4 418 DXM1.5 417 EB286 85 EC56 65 EC802 63 DHM8 416 DRM4.8 418 DXM2.5 417 EB334 84 EC60 45 EC803RE 63 DHM9 416 DRM4.8 418 DXM2.5 417 EB346 84 EC61 45 EC900 62 DHM10.2 416 DRM4.8 418 DXM3.3 417 EB346 84 EC61 45 EC901 62 DHM10.5 416 DRM5.5 418 DXM3.3 417 EB346 84 EC61 45 EC901 62 DHM10.5 416 DRM5.5 418 DXM3.3 417 EB346 84 EC62 45 EC901 62 DHM10.5 416 DRM6.5 418 DXM3.3 417 EB346 82 EC65 43-44 EC903 62 DHM10.5 416 DRM6.5 418 DXM3.3 417 EB346 82 EC66 43-44 EC903 62 DHM10.5 416 DRM6.5 418 DXM3.3 417 EB346 82 EC66 43-44 EC903 62 DHM10.5 416 DRM6.5 418 DXM3.3 417 EB346 82 EC66 43-44 EC903 62 DHM10.5 416 DRM6.5 418 DXM3.3 417 EB366 82 EC66 43-44 EC903 62 DHM10.5 416 DRM6.5 418 DXM3.5 417 EB366 85 EC71 43 EC1207 63 DHM11.5 416 DRM6.5 418 DXM3.5 417 EB366 82 EC66 43-44 EC903 62 DHM10.5 416 DRM6.5 418 DXM3.5 417 EB366 85 EC71 43 EC1207 63 DHM11.5 416 DRM6.5 418 DXM3.5 417 EB366 85 EC71 43 EC1207 63 DHM11.5 416 DRM6.5 418 DXM5.5 417 EB366 85 EC71 43 EC1207 63 DHM11.5 416 DRM6.5 418 DXM5.5 417 EB366 85 EC74 43 EC1207 63 DHM11.5 416 DRM6.5 418 DXM5.5 417 EB360 85 EC76 43 EC1202 63 DHM11.5 416 DRM6.5 418 DXM5.5 417 EB360 85 EC76 43 EC1204 | | | | | | | | | | | | |
| DHMALS 416 DRK19 418 DXC3.3 420 EB207 85 EC15 42,80 EG600RN 62 DHMALS 416 DRK15 418 DXC4.0 420 EB209 85 EC24 269 EG600RE 62 DHM4.9 416 DRM1 418 DXC4.0 420 EB233 85 EC49 65 EC702 62 DHM5.5 416 DRM1.5 418 DXC4.5 420 EB233 85 EC50 65 EC703 62 DHM5.5 416 DRM2 418 DXC5.0 420 EB233 85 EC50 65 EC703 62 DHM5.5 416 DRM2.5 418 DXC5.5 420 EB241 84 EC51 65 EC712 62 DHM6.5 416 DRM2.5 418 DXC5.5 420 EB241 84 EC51 65 EC712 62 DHM6.5 416 DRM3.2 418 DXC6.6 420 EB245 85 EC52 65 EC713 62 DHM6.8 416 DRM3.2 418 DXC6.5 420 EB245 85 EC53 65 EC801 63 DHM7.5 416 DRM3.2 418 DXC8.0 420 EB246 85 EC54 65 EC801RE 63 DHM7.5 416 DRM3.5 418 DXM1 417 EB269 85 EC56 65 EC802 63 DHM8.5 416 DRM4.8 418 DXM1.5 417 EB286 85 EC57 66 EC802 63 DHM8.5 416 DRM4.8 418 DXM1.5 417 EB286 85 EC57 66 EC803 63 DHM9 416 DRM4.8 418 DXM2.5 417 EB334 84 EC60 45 EC803RE 63 DHM9 416 DRM4.8 418 DXM2.5 417 EB346 84 EC66 45 EC803RE 63 DHM9.5 416 DRM4.8 418 DXM2.5 417 EB380 84 EC66 45 EC900 62 DHM10.2 416 DRM5.5 418 DXM3.2 417 EB380 84 EC66 45 EC900 62 DHM10.5 416 DRM5.5 418 DXM3.2 417 EB380 84 EC66 43 444 EC902 62 DHM10.5 416 DRM5.5 418 DXM3.2 417 EB380 84 EC66 43 44 EC902 62 DHM10.5 416 DRM6.5 418 DXM3.2 417 EB380 84 EC66 43 44 EC902 62 DHM10.5 416 DRM6.5 418 DXM3.2 417 EB380 84 EC66 43 44 EC902 62 DHM10.5 416 DRM7 418 DXM3.3 417 EB380 84 EC66 43 44 EC902 62 DHM10.5 416 DRM7 418 DXM3.5 417 EB460 82 EC66 43 44 EC902 62 DHM10.5 416 DRM7 418 DXM3.5 417 EB460 82 EC66 43 44 EC101 63 DHM11.5 416 DRM7 418 DXM4.5 417 EB460 82 EC66 43 44 EC101 63 DHM11.5 416 DRM7 418 DXM4.5 417 EB460 82 EC66 43 44 EC102 63 DHM11.5 416 DRM7 418 DXM4.5 417 EB360 85 EC77 43 EC1204 63 DHM11.5 416 DRM7 418 DXM4.5 417 EB460 82 EC66 43 44 EC102 63 DHM11.5 416 DRM7 418 DXM4.5 417 EB470 83 EC66 44 EC1201 63 DHM11.5 416 DRM7 418 DXM4.5 417 EB470 83 EC66 43 44 EC102 63 DHM11.5 416 DRM7 418 DXM4.5 417 EB470 83 EC66 44 EC1201 63 DHM11.5 416 DRM7 418 DXM4.5 417 EB470 83 EC66 44 EC1201 63 DHM11.5 418 DXM4.5 417 EB501 84 EC71 43 EC1201 63 DHM11.5 418 DXM4.5 417 EB501 84 EC71 43 EC1201 63 DHM11.5 418 DXM6.6 417 E | | 416 | | 419 | DXC3.0 | 420 | EB149 | 85 | EC13 | 42, 353 | EC500RE | 62 |
| DHMM.8 | | | | | | | | | | | | |
| DHMMS 416 DRM1 418 DXC4.0 420 EB233 85 EC49 65 EC702 62 DHMS 416 DRM1.5 418 DXC4.5 420 EB239 85 EC50 65 EC703 62 DHMS 416 DRM2 418 DXC5.0 420 EB241 84 EC51 65 EC712 62 DHM6 416 DRM2.5 418 DXC5.5 420 EB242 85 EC52 65 EC713 62 DHM6.8 416 DRM3.2 418 DXC6.0 420 EB242 85 EC52 65 EC713 62 DHM6.8 416 DRM3.2 418 DXC6.0 420 EB249 85 EC53 65 EC801 63 DHM6.8 416 DRM3.2 418 DXC8.0 420 EB249 85 EC54 65 EC801RE 63 DHM7.5 416 DRM3.3 418 DXC8.0 420 EB249 85 EC54 65 EC801RE 63 DHM7.5 416 DRM3.3 418 DXC8.0 420 EB264 85 EC55 65 EC802 63 DHM7.5 416 DRM3.5 418 DXM1 417 EB266 85 EC57 65 EC802 63 DHM8.8 416 DRM4.4 418 DXM1.5 417 EB266 85 EC57 65 EC803 63 DHM8.5 416 DRM4.8 418 DXM2.5 417 EB334 84 EC60 45 EC803RE 63 DHM9.5 416 DRM4.8 418 DXM3.2 417 EB346 84 EC61 45 EC900 62 DHM9.5 416 DRM5.5 418 DXM3 417 EB380 84 EC62 45 EC901 62 DHM10.2 416 DRM5.5 418 DXM3.3 417 EB380 84 EC62 45 EC901 62 DHM10.2 416 DRM5.4 418 DXM3.3 417 EB380 84 EC62 45 EC901 62 DHM10.2 416 DRM5.5 418 DXM3.3 417 EB380 84 EC63 43-44 EC902 62 DHM10.2 416 DRM6.6 418 DXM3.3 417 EB382 84 EC63 43-44 EC902 62 DHM10.1 416 DRM7.5 418 DXM3.3 417 EB380 82 EC66 43-44 EC902 62 DHM11.5 416 DRM6.5 418 DXM3.3 417 EB380 82 EC66 43-44 EC902 62 DHM11.5 416 DRM7.5 418 DXM3.4 417 EB366 82 EC66 43-44 EC902 62 DHM11.5 416 DRM7.5 418 DXM3.4 417 EB366 82 EC66 43-44 EC1002 63 DHM11.5 416 DRM6.5 418 DXM3.4 417 EB466 82 EC66 43-44 EC1002 63 DHM11.5 416 DRM7.5 418 DXM4.2 417 EB466 82 EC66 43-44 EC1002 63 DHM11.5 416 DRM7.5 418 DXM4.2 417 EB466 82 EC66 43-44 EC1002 63 DHM11.5 416 DRM7.5 418 DXM4.5 417 EB472 83 EC68 44 EC1101 63 DHM11.5 416 DRM7.5 418 DXM4.5 417 EB666 82 EC67 44 EC1102 63 DHM11.5 416 DRM7.5 418 DXM4.5 417 EB466 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM7.5 418 DXM4.5 417 EB466 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM7.5 418 DXM4.5 417 EB466 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM7.5 418 DXM4.5 417 EB666 84 EC71 43 EC1201 63 DHM11.5 416 DRM7.5 418 DXM4.5 417 EB666 84 EC71 43 EC1201 63 DHM12.5 416 DRM9.5 418 DXM6.5 417 EB677 84 EC73 43 EC1201 63 DHM12.5 418 DXM6.5 417 EB501 84 EC75 43 E | | | | | | | | | | | | |
| DHM6.5. 416 DRM2. 418 DXC5.0 420 EB241 84 EC51 65 EC712 62 DHM6 416 DRM2.5 418 DXC5.5 420 EB242 85 EC52 65 EC713 62 DHM6.5. 416 DRM3.2 418 DXC6.0 420 EB249 85 EC53 65 EC801 63 DHM6.8 416 DRM3.2 418 DXC6.5 420 EB249 85 EC54 65 EC801RE 63 DHM7.5 416 DRM3.5 418 DXC8.0 420 EB264 85 EC55 DHM6.5 416 DRM3.5 418 DXC8.0 420 EB269 85 EC56 65 EC802 63 DHM7.5 416 DRM3.5 418 DXM1 417 EB269 85 EC57 65 EC802 63 DHM8. 416 DRM4.4 418 DXM1.5 417 EB266 85 EC57 65 EC803 63 DHM9. 416 DRM4.8 418 DXM2.5 417 EB346 84 EC60 45 EC803RE 63 DHM9. 416 DRM4.8 418 DXM2.5 417 EB346 84 EC61 45 EC900 62 DHM9.5 416 DRM5.5 418 DXM3.2 417 EB380 84 EC62 45 EC901 62 DHM10.0 416 DRM5.5 418 DXM3.2 417 EB382 84 EC63 43-44 EC902 62 DHM10.2 416 DRM6 418 DXM3.3 417 EB448 82 EC66 43-44 EC902 62 DHM10.2 416 DRM6.5 418 DXM3.3 417 EB448 82 EC65 43-44 EC904 62 DHM11.4 16 DRM7.4 18 DXM4.4 417 EB450 82 EC65 43-44 EC904 62 DHM11.5 416 DRM6.5 418 DXM3.4 417 EB450 82 EC65 43-44 EC904 62 DHM11.5 416 DRM5.5 418 DXM3.3 417 EB450 82 EC65 43-44 EC904 62 DHM11.5 416 DRM6.5 418 DXM3.4 417 EB450 82 EC65 43-44 EC904 62 DHM11.5 416 DRM7.5 418 DXM4.4 417 EB450 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM7.5 418 DXM4.4 417 EB450 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM6.5 418 DXM4.8 417 EB472 83 EC68 44 EC1102 63 DHM11.5 416 DRM6.5 418 DXM4.8 417 EB474 82 EC69 45 EC104 63 DHM12.5 416 DRM6.5 418 DXM4.8 417 EB474 82 EC69 45 EC102 63 DKEV2 422 DRM5.5 418 DXM4.8 417 EB477 83 EC67 44 EC1102 63 DKEV3 422 DRM10.5 418 DXM6.5 417 EB477 83 EC71 43 EC1204 63 DKEV3 422 DRM10.5 418 DXM6.5 417 EB477 82 EC71 43 EC1204 63 DPD11 406 DRM11.5 418 DXM6.5 417 EB501 84 EC72 43 EC1201 63 DPD12 406 DRM11.5 418 DXM6.5 417 EB501 84 EC73 43 EC1201 63 DPD12 406 DRM11.5 418 DXM6.5 417 EB501 84 EC74 3 EC1203 63 DPD14 407 DRM12 418 DXM6.5 417 EB501 84 EC73 43 EC1204 63 DPD12 406 DRM11.5 418 DXM6.5 417 EB501 84 EC73 43 EC1203 63 DPD14 407 DRM12 418 DXM6.5 417 EB501 84 EC73 43 EC1203 63 DPW22 407 DRP1 393 DXM8.5 417 EB501 84 EC76 43 EC1203 63 DPW32 407 DRS15 421 DXM9.5 417 EB500 83 EC78 43 EC2000BK 61 DR12 418 DRS16 | | | | | | | | | | | | |
| DHM6.5 416 DRM3 418 DXC6.5 420 EB242 85 EC52 65 EC713 62 DHM6.8 416 DRM3.2 418 DXC6.5 420 EB249 85 EC53 65 EC801 63 DHM7 416 DRM3.3 418 DXC8.0 420 EB264 85 EC55 65 EC802 63 DHM7.5 416 DRM3.5 418 DXM1.5 417 EB266 85 EC55 65 EC802 63 DHM8.8 416 DRM4.5 418 DXM1.5 417 EB286 85 EC56 65 EC802RE 63 DHM8.5 416 DRM4.5 418 DXM2 417 EB334 84 EC60 45 EC803RE 63 DHM9.5 416 DRM5.5 418 DXM2 417 EB334 84 EC61 45 EC900 62 DHM9.5 416 DRM5.5 418 DXM3 417 EB380 84 EC61 45 EC900 62 DHM10. 416 DRM5.5 418 DXM3.3 417 EB380 84 EC62 45 EC901 62 DHM10. 416 DRM6.5 418 DXM3.3 417 EB382 84 EC63 43-44 EC902 62 DHM10.5 416 DRM6.5 418 DXM3.3 417 EB488 82 EC64 43-44 EC903 62 DHM10.5 416 DRM6.5 418 DXM3.2 417 EB380 84 EC66 43-44 EC902 62 DHM10.5 416 DRM6.5 418 DXM3.2 417 EB483 82 EC65 43-44 EC902 62 DHM11.1 416 DRM7.5 418 DXM4.2 417 EB460 82 EC66 43-44 EC902 63 DHM11.5 416 DRM7.5 418 DXM4.2 417 EB460 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM7.5 418 DXM4.2 417 EB460 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM7.5 418 DXM4.2 417 EB460 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM7.5 418 DXM4.2 417 EB460 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM7.5 418 DXM4.2 417 EB460 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM7.5 418 DXM4.2 417 EB460 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM7.5 418 DXM4.2 417 EB460 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM7.5 418 DXM4.5 417 EB472 83 EC68 44 EC1102 63 DHM11.5 416 DRM9 418 DXM4.5 417 EB472 83 EC68 44 EC1102 63 DHM11.5 416 DRM9.5 418 DXM4.9 417 EB475 83 EC70 43 EC1201 63 DHM12 416 DRM9.5 418 DXM6.5 417 EB477 82 EC71 43 EC1205 63 DPD11 406 DRM1.5 418 DXM6.8 417 EB501A 84 EC72 43 EC121 63 DPD12 406 DRM11.5 418 DXM6.8 417 EB501A 84 EC73 43 EC1223 63 DPD14 407 DRM12 418 DXM6.5 417 EB501A 84 EC73 43 EC1223 63 DPD14 407 DRM12 418 DXM6.5 417 EB501A 84 EC73 43 EC1223 63 DPD14 407 DRM12 418 DXM6.5 417 EB501A 84 EC73 43 EC1223 63 DPD14 407 DRM12 418 DXM6.5 417 EB500 85 EC76 43 EC73 43 EC1223 63 DPD14 407 DRM13 418 DXM6.5 417 EB500 85 EC76 43 EC723 43 EC1221 63 DPD14 407 DRM12 418 DXM6.5 417 EB500 85 EC76 43 EC223 63 DPW22 407 DRM13 418 DXM6.5 417 E | | | | | | | | | | | | |
| DHM6.5 416 DRM3.2 418 DXC6.0 420 EB245 85 EC53 65 EC801 63 DHM6.8 416 DRM3.2 418 DXC8.0 420 EB249 85 EC54 65 EC801RE 63 DHM7.7 416 DRM3.3 418 DXC8.0 420 EB264 85 EC55 65 EC802 63 DHM7.5 416 DRM3.5 418 DXM1 417 EB269 85 EC56 65 EC802RE 63 DHM8 416 DRM4.5 418 DXM1.2 417 EB286 85 EC57 65 EC803 63 DHM8.5 416 DRM4.5 418 DXM1.2 417 EB344 84 EC60 45 EC803RE 63 DHM9 416 DRM4.8 418 DXM2.5 417 EB346 84 EC61 45 EC900 62 DHM9.5 416 DRM5.5 418 DXM3.2 417 EB380 84 EC62 45 EC901 62 DHM10.0 416 DRM5.5 418 DXM3.2 417 EB380 84 EC63 43-44 EC902 62 DHM10.0 416 DRM5.5 418 DXM3.2 417 EB382 84 EC63 43-44 EC902 62 DHM10.5 416 DRM6 418 DXM3.3 417 EB448 82 EC64 43-44 EC904 62 DHM11.5 416 DRM7.5 418 DXM4.4 417 EB466 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM7.5 418 DXM4.2 417 EB466 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM5.5 418 DXM4.2 417 EB466 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM5.5 418 DXM4.8 417 EB466 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM6.5 418 DXM4.8 417 EB466 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM6.5 418 DXM4.8 417 EB466 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM6.5 418 DXM4.8 417 EB466 82 EC67 44 EC1104 63 DHM11.5 416 DRM8.5 418 DXM4.8 417 EB466 82 EC67 44 EC1104 63 DHM11.5 416 DRM8.5 418 DXM4.8 417 EB474 82 EC69 45 EC1202 63 DHM13 416 DRM8.5 418 DXM4.8 417 EB475 83 EC70 43 EC1204 63 DKEY2 422 DRM9.5 418 DXM4.9 417 EB475 83 EC70 43 EC1204 63 DKEY2 422 DRM9.5 418 DXM6.8 417 EB501 84 EC71A 43 EC1204 63 DPD11 406 DRM10.5 418 DXM6.8 417 EB501 84 EC71A 43 EC1204 63 DPD12 406 DRM10.5 418 DXM6.8 417 EB501 84 EC73 43 EC1211 63 DPD13 406 DRM11.5 418 DXM6.8 417 EB501 84 EC75 43 EC1211 63 DPD14 407 DRM12 418 DXM6.8 417 EB501 84 EC75 43 EC1202 63 DPD14 407 DRM12 418 DXM6.8 417 EB501 84 EC75 43 EC1223 63 DPD14 407 DRM12 418 DXM6.8 417 EB501 84 EC75 43 EC1223 63 DPD14 407 DRM12 418 DXM6.8 417 EB501 84 EC75 43 EC1223 63 DPD14 407 DRM12 418 DXM6.8 417 EB500 82 EC76 43 EC1223 63 DPD14 407 DRM12 418 DXM6.8 417 EB500 82 EC76 43 EC1223 63 DPD14 407 DRM12 418 DXM6.8 417 EB500 82 EC75A 43 EC1223 63 DPM22 407 DRM13 418 DXM6.8 417 EB500 82 EC75A 43 EC122 | | | | | | | | | | | | |
| DHM6.8 416 DRM3.2 418 DXC6.5 420 EB249 85 EC54 65 EC801RE 63 DHM7 416 DRM3.3 418 DXC8.0 420 EB264 85 EC55 65 EC802 63 DHM7.5 416 DRM3.5 418 DXM1 417 EB269 85 EC56 65 EC802 63 DHM8 416 DRM4 418 DXM1.5 417 EB286 85 EC57 65 EC803 63 DHM8.5 416 DRM4.8 418 DXM2 417 EB346 84 EC60 45 EC803RE 63 DHM9.5 416 DRM4.8 418 DXM2.5 417 EB346 84 EC61 45 EC900 62 DHM9.5 416 DRM5 418 DXM3 417 EB380 84 EC62 45 EC901 62 DHM10.2 416 DRM6.5 418 DXM3.2 417 EB380 84 EC62 45 EC901 62 DHM10.2 416 DRM6.6 418 DXM3.3 417 EB448 82 EC64 43-44 EC902 62 DHM10.5 416 DRM6.5 418 DXM3.3 417 EB453 82 EC65 43-44 EC904 62 DHM11.5 416 DRM7.5 418 DXM3.5 417 EB450 82 EC66 43-44 EC100 63 DHM11.5 416 DRM7.5 418 DXM4.2 417 EB450 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM8.5 418 DXM4.2 417 EB450 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM8.5 418 DXM4.2 417 EB450 82 EC66 43-44 EC1104 63 DHM11.5 416 DRM8.5 418 DXM4.2 417 EB472 83 EC68 44 EC101 63 DHM11.5 416 DRM8 418 DXM4.8 417 EB472 83 EC68 44 EC100 63 DHM12 416 DRM8 418 DXM4.8 417 EB472 83 EC69 45 EC1202 63 DHM13 416 DRM9 418 DXM4.8 417 EB472 83 EC69 45 EC1202 63 DHM13 416 DRM9 418 DXM4.9 417 EB472 83 EC69 45 EC1202 63 DHM13 416 DRM9 418 DXM4.9 417 EB472 83 EC69 45 EC1202 63 DHEV2 422 DRM9.5 418 DXM4.8 417 EB475 83 EC70 43 EC1204 63 DKEY2 422 DRM9.5 418 DXM5.5 417 EB501 84 EC71A 43 EC1205 63 DPD11 406 DRM1.5 418 DXM6.5 417 EB501 84 EC71A 43 EC1201 63 DPD12 406 DRM1.5 418 DXM6.5 417 EB501 84 EC71A 43 EC1221 63 DPD13 406 DRM11.5 418 DXM6.5 417 EB501 84 EC72 43 EC121 63 DPD14 407 DRM12 418 DXM6.5 417 EB501 84 EC72 43 EC121 63 DPD14 407 DRM12 418 DXM6.5 417 EB506 84 EC74A 43 EC1223 63 DPD14 407 DRM12 418 DXM6.5 417 EB506 84 EC75A 43 EC1223 63 DPD14 407 DRM12 418 DXM6.5 417 EB506 84 EC77A 43 EC1221 63 DPD14 407 DRM13 418 DXM6.5 417 EB500 85 EC76 43 EC1233 63 DPD14 407 DRM12 418 DXM6.5 417 EB500 82 EC75A 43 EC1231 63 DPD12 406 DRM11 418 DXM6.5 417 EB500 82 EC76A 43 EC1233 63 DPD12 407 DRP1 393 DXM8.5 417 EB500 82 EC75A 43 EC1233 63 DPW22 407 DRP1 393 DXM8.5 417 EB500 82 EC76A 43 EC1233 63 DPW32 407 DRP1 393 DXM8.5 417 EB | | | | | | | | | | | | 63 |
| DHM7.5 416 DRM3.5 418 DXM1 417 EB269 85 EC56 65 EC802RE 63 DHM8 416 DRM4.5 418 DXM2 417 EB334 84 EC60 45 EC803RE 63 DHM9 416 DRM4.8 418 DXM2 417 EB334 84 EC60 45 EC803RE 63 DHM9.5 416 DRM4.8 418 DXM3 417 EB346 84 EC61 45 EC900 62 DHM10.2 416 DRM5.5 418 DXM3.2 417 EB380 84 EC62 45 EC901 62 DHM10.2 416 DRM6.6 418 DXM3.3 417 EB448 82 EC64 43-44 EC902 62 DHM10.5 416 DRM6.5 418 DXM3.5 417 EB458 82 EC66 43-44 EC903 62 DHM11.5 416 | | | | | | | | | | | | 63 |
| DHM8 | | | | | | | | | | | | |
| DHM8.5 416 DRM4.8 418 DXM2 417 EB334 84 EC60 45 EC803RE 63 DHM9 416 DRM4.8 418 DXM2.5 417 EB346 84 EC61 45 EC900 62 DHM9.5 416 DRM5 418 DXM3.2 417 EB380 84 EC62 45 EC900 62 DHM10.2 416 DRM6.5 418 DXM3.2 417 EB382 84 EC63 43-44 EC902 62 DHM10.5 416 DRM6.5 418 DXM3.5 417 EB448 82 EC64 43-44 EC903 62 DHM10.5 416 DRM6.5 418 DXM3.5 417 EB460 82 EC66 43-44 EC903 62 DHM11.5 416 DRM7.5 418 DXM4.2 417 EB466 82 EC66 43-44 EC1102 63 DHM11.5 416 | | | | | | | | | | | | |
| DHM9.5 416 DRM5 418 DXM3 417 EB380 84 EG62 45 EC901 62 DHM10.0 416 DRM5.5 418 DXM3.2 417 EB382 84 EC63 43-44 EC902 62 DHM10.2 416 DRM6 418 DXM3.3 417 EB448 82 EC64 43-44 EC903 62 DHM10.5 416 DRM6.5 418 DXM3.5 417 EB453 82 EC65 43-44 EC904 62 DHM10.5 416 DRM7 418 DXM4 417 EB460 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM7.5 418 DXM4.2 417 EB466 82 EC66 43-44 EC1102 63 DHM11.2 416 DRM8 418 DXM4.5 417 EB466 82 EC67 44 EC1104 63 DHM12.5 416 DRM8.5 418 DXM4.8 417 EB472 83 EC68 44 EC1201 63 DHM12.5 416 DRM8.5 418 DXM4.8 417 EB474 82 EC69 45 EC1202 63 DHM13 416 DRM9 418 DXM4.9 417 EB475 83 EC70 43 EC1204 63 DKEY2 422 DRM9.5 418 DXM5 417 EB477 82 EC71 43 EC1205 63 DKEY3 422 DRM10 418 DXM5.5 417 EB501 84 EC71A 43 EC1205 63 DPD11 406 DRM10.5 418 DXM6.6 417 EB501 84 EC71A 43 EC1207 63 DPD12 406 DRM11.5 418 DXM6.5 417 EB501 84 EC73 43 EC1211 63 DPD13 406 DRM11.5 418 DXM6.5 417 EB507 84 EC73 43 EC1221 63 DPD14 407 DRM12 418 DXM6.5 417 EB508 85 EC74 43 EC1222 63 DPD14 407 DRM12 418 DXM6.5 417 EB508 85 EC74 43 EC1222 63 DPD14 407 DRM12 418 DXM6.5 417 EB508 85 EC74 43 EC1222 63 DPM15 421 DRM12.5 418 DXM6.8 417 EB506 84 EC73 43 EC1221 63 DPM14 407 DRM12 418 DXM6.5 417 EB508 85 EC74 43 EC1222 63 DPM15 421 DRM12.5 418 DXM6.8 417 EB506 84 EC75 43 EC1222 63 DPM16 407 DRM12 418 DXM6.5 417 EB508 85 EC74 43 EC1223 63 DPM17 407 DRM12 418 DXM6.8 417 EB508 85 EC74 43 EC1223 63 DPM18 407 DRM12 418 DXM6.5 417 EB508 85 EC74 43 EC1223 63 DPM14 407 DRM12 418 DXM6.5 417 EB508 85 EC76 43 EC1223 63 DPM15 421 DRM12.5 418 DXM7.5 417 EB508 82 EC75A 43 EC1231 63 DPW21 407 DRM13 418 DXM8 417 EB5006 82 EC76A 43 EC1233 63 DPW31 407 DRS14 421 DXM9 417 EB85122 83 EC76A 43 EC1234 63 DPW32 407 DRS15 421 DXM9.5 417 EB85402 83 EC77 43 EC2000BK 61 DR14 418 DRS16 421 DXM10.2 417 EBC101 78,280 EC78A 43 EC2000BK 61 DR14 418 DRS16 421 DXM10.2 417 EBC101 78,280 EC78A 43 EC2000BK 61 | | | | | | | | | EC60 | 45 | | |
| DHM10 416 DRM5.5 418 DXM3.2 417 EB382 84 EC63 43-44 EC902 62 DHM10.2 416 DRM6 418 DXM3.3 417 EB448 82 EC64 43-44 EC903 62 DHM10.5 416 DRM6.5 418 DXM3.5 417 EB453 82 EC65 43-44 EC904 62 DHM11 416 DRM7.5 418 DXM4.2 417 EB460 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM8.5 418 DXM4.2 417 EB466 82 EC66 43-44 EC1104 63 DHM12.5 416 DRM8.5 418 DXM4.8 417 EB472 83 EC66 44 EC1104 63 DHM12.5 416 DRM8.5 418 DXM4.8 417 EB472 83 EC66 44 EC1201 63 DHM12.5 418< | | | | | | | | | | | | |
| DHM10.2 416 DRM6 418 DXM3.3 417 EB448 82 EC64 43-44 EC903 62 DHM10.5 416 DRM6.5 418 DXM3.5 417 EB453 82 EC65 43-44 EC904 62 DHM11 416 DRM7 418 DXM4 417 EB460 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM7.5 418 DXM4.2 417 EB466 82 EC67 44 EC1104 63 DHM12 416 DRM8 418 DXM4.5 417 EB472 83 EC68 44 EC1201 63 DHM12.5 416 DRM8.5 418 DXM4.8 417 EB472 83 EC68 44 EC1201 63 DHM13 416 DRM9.5 418 DXM4.9 417 EB475 83 EC70 43 EC1202 63 DKEY3 422 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<> | | | | | | | | | | | | |
| DHM10.5 416 DRM6.5 418 DXM3.5 417 EB453 82 EC65 43-44 EC904 62 DHM11 416 DRM7 418 DXM4 417 EB460 82 EC66 43-44 EC1102 63 DHM11.5 416 DRM7.5 418 DXM4.2 417 EB466 82 EC67 44 EC1104 63 DHM12 416 DRM8 418 DXM4.5 417 EB472 83 EC68 44 EC1201 63 DHM12.5 416 DRM8.5 418 DXM4.8 417 EB472 83 EC69 45 EC1201 63 DHM13 416 DRM9.5 418 DXM5 417 EB477 82 EC71 43 EC1204 63 DKEY2 422 DRM9.5 418 DXM5.5 417 EB501 84 EC71A 43 EC1207 63 DKY3 422 DR | | | | | | | | | | | | 62 |
| DHM11.5 416 DRM7.5 418 DXM4.2 417 EB466 82 EC67 44 EC1104 63 DHM12 416 DRM8 418 DXM4.5 417 EB472 83 EC68 44 EC1201 63 DHM13.5 416 DRM9.5 418 DXM4.8 417 EB475 83 EC70 43 EC1202 63 DKEY2 422 DRM9.5 418 DXM5.5 417 EB477 82 EC71 43 EC1205 63 DKEY3 422 DRM10.5 418 DXM5.5 417 EB501 84 EC71A 43 EC1207 63 DPD11 406 DRM10.5 418 DXM6 417 EB501A 84 EC72 43 EC121 63 DPD12 406 DRM11.5 418 DXM6.5 417 EB501A 84 EC72 43 EC1211 63 DPD13 406 | DHM10.5 | 416 | DRM6.5 | 418 | DXM3.5 | 417 | EB453 | 82 | EC65 | 43-44 | EC904 | 62 |
| DHM12 416 DRM8 418 DXM4.5 417 EB472 83 EC68 44 EC1201 63 DHM12.5 416 DRM8.5 418 DXM4.8 417 EB474 82 EC69 45 EC1202 63 DHM13 416 DRM9 418 DXM4.9 417 EB475 83 EC70 43 EC1204 63 DKEY2 422 DRM9.5 418 DXM5 417 EB477 82 EC71 43 EC1205 63 DKEY3 422 DRM10 418 DXM5.5 417 EB501 84 EC71A 43 EC1207 63 DPD11 406 DRM10.5 418 DXM6 417 EB501A 84 EC72 43 EC1211 63 DPD12 406 DRM11 418 DXM6.5 417 EB501A 85 EC74 43 EC1221 63 DPD13 406 DRM11.5 </td <td></td> | | | | | | | | | | | | |
| DHM12.5 416 DRM8.5 418 DXM4.8 417 EB474 82 EC69 45 EC1202 63 DHM13 416 DRM9 418 DXM4.9 417 EB475 83 EC70 43 EC1204 63 DKEY2 422 DRM9.5 418 DXM5 417 EB477 82 EC71 43 EC1205 63 DKEY3 422 DRM10 418 DXM5.5 417 EB501 84 EC71A 43 EC1207 63 DPD11 406 DRM10.5 418 DXM6 417 EB501A 84 EC72 43 EC1221 63 DPD12 406 DRM11 418 DXM6.5 417 EB507 84 EC73 43 EC1221 63 DPD13 406 DRM11.5 418 DXM6.8 417 EB508 85 EC74 43 EC1221 63 DPD13 407 DRM12 </td <td></td> | | | | | | | | | | | | |
| DKEY2 422 DRM9.5 418 DXM5 417 EB477 82 EC71 43 EC1205 63 DKEY3 422 DRM10 418 DXM5.5 417 EB501 84 EC71A 43 EC1207 63 DPD11 406 DRM10.5 418 DXM6 417 EB501A 84 EC72 43 EC1211 63 DPD12 406 DRM11.5 418 DXM6.5 417 EB507 84 EC73 43 EC1221 63 DPD13 406 DRM11.5 418 DXM6.8 417 EB508 85 EC74 43 EC1222 63 DPD14 407 DRM12 418 DXM7 417 EB566 84 EC74A 43 EC1223 63 DPMK5 421 DRM12.5 418 DXM7.5 417 EB581 84 EC75 43 EC1231 63 DPW21 407 DRM13< | | | | | | | | | | 45 | | 63 |
| DKEY3 422 DRM10 418 DXM5.5 417 EB501 84 EC71A 43 EC1207 63 DPD11 406 DRM10.5 418 DXM6 417 EB501A 84 EC72 43 EC1211 63 DPD12 406 DRM11 418 DXM6.5 417 EB507 84 EC73 43 EC1221 63 DPD13 406 DRM11.5 418 DXM6.8 417 EB508 85 EC74 43 EC1221 63 DPD14 407 DRM12 418 DXM7 417 EB506 84 EC74A 43 EC1223 63 DPMK5 421 DRM12.5 418 DXM7.5 417 EB581 84 EC75 43 EC1231 63 DPW21 407 DRM13 418 DXM8 417 EB9005 82 EC75A 43 EC1231 63 DPW32 407 DRP1 <td></td> | | | | | | | | | | | | |
| DPD11 406 DRM10.5 418 DXM6 417 EB501A 84 EC72 43 EC1211 63 DPD12 406 DRM11 418 DXM6.5 417 EB507 84 EC73 43 EC1221 63 DPD13 406 DRM1.5 418 DXM6.8 417 EB508 85 EC74 43 EC1222 63 DPD14 407 DRM12 418 DXM7 417 EB566 84 EC74A 43 EC1223 63 DPWS5 421 DRM12.5 418 DXM7.5 417 EB581 84 EC75 43 EC1231 63 DPW21 407 DRM13 418 DXM8 417 EB9005 82 EC75A 43 EC1231 63 DPW22 407 DRP1 393 DXM8.5 417 EB9006 82 EC76 43 EC1233 63 DPW31 407 DRS14 <td></td> | | | | | | | | | | | | |
| DPD12 406 DRM11 418 DXM6.5 417 EB507 84 EC73 43 EC1221 63 DPD13 406 DRM11.5 418 DXM6.8 417 EB508 85 EC74 43 EC1222 63 DPD14 407 DRM12 418 DXM7 417 EB566 84 EC74A 43 EC1223 63 DPMK5 421 DRM12.5 418 DXM7.5 417 EB581 84 EC75 43 EC1231 63 DPW21 407 DRM13 418 DXM8 417 EB9005 82 EC75A 43 EC1231 63 DPW22 407 DRP1 393 DXM8.5 417 EB9006 82 EC76 43 EC1233 63 DPW31 407 DRS14 421 DXM9 417 EB85122 83 EC76A 43 EC1234 63 DPW32 407 DRS15 <td></td> <td>63</td> | | | | | | | | | | | | 63 |
| DPD14 407 DRM12 418 DXM7 417 EB566 84 EC74A 43 EC1223 63 DPMK5 421 DRM12.5 418 DXM7.5 417 EB581 84 EC75 43 EC1231 63 DPW21 407 DRM13 418 DXM8 417 EB9005 82 EC75A 43 EC1232 63 DPW22 407 DRP1 393 DXM8.5 417 EB9006 82 EC76 43 EC1233 63 DPW31 407 DRS14 421 DXM9 417 EB85122 83 EC76A 43 EC1234 63 DPW32 407 DRS15 421 DXM9.5 417 EB85122 83 EC76A 43 EC1234 63 DPW32 407 DRS15 421 DXM9.5 417 EB85402 83 EC77 43 EC2000BK 61 DR12 418 DRS1 | DPD12 | 406 | DRM11 | 418 | DXM6.5 | 417 | EB507 | 84 | EC73 | 43 | EC1221 | 63 |
| DPMK5 421 DRM12.5 418 DXM7.5 417 EB581 84 EC75 43 EC1231 63 DPW21 407 DRM13 418 DXM8 417 EB9005 82 EC75A 43 EC1232 63 DPW22 407 DRP1 393 DXM8.5 417 EB9006 82 EC76 43 EC1233 63 DPW31 407 DRS14 421 DXM9 417 EB85122 83 EC76A 43 EC1234 63 DPW32 407 DRS15 421 DXM9.5 417 EB85122 83 EC76A 43 EC1234 63 DPW32 407 DRS15 421 DXM9.5 417 EB85402 83 EC77 43 EC2000BK 61 DR12 418 DRS16 421 DXM10.2 417 EBC102 78,280 EC78A 43 EC2000BU 61 DR14 418 | | | | | | | | | | | | |
| DPW21 407 DRM13 418 DXM8 417 EB9005 82 EC75A 43 EC1232 63 DPW22 407 DRP1 393 DXM8.5 417 EB9006 82 EC76 43 EC1233 63 DPW31 407 DRS14 421 DXM9 417 EB85122 83 EC76A 43 EC1234 63 DPW32 407 DRS15 421 DXM9.5 417 EB85402 83 EC77 43 EC2000BK 61 DR12 418 DRS16 421 DXM10 417 EBC101 78,280 EC78 43 EC2000BN 61 DR14 418 DRS18 421 DXM10.2 417 EBC102 78,280 EC78A 43 EC2000BU 61 | | | | | | | | | | | | |
| DPW22 407 DRP1 393 DXM8.5 417 EB9006 82 EC76 43 EC1233 63 DPW31 407 DRS14 421 DXM9 417 EB85122 83 EC76A 43 EC1234 63 DPW32 407 DRS15 421 DXM9.5 417 EB85402 83 EC77 43 EC2000BK 61 DR12 418 DRS16 421 DXM10 417 EBC101 78,280 EC78 43 EC2000BN 61 DR14 418 DRS18 421 DXM10.2 417 EBC102 78,280 EC78A 43 EC2000BU 61 | | | | | | | | | | | | |
| DPW32 407 DRS15 421 DXM9.5 417 EB85402 83 EC77 43 EC2000BK 61 DR12 418 DRS16 421 DXM10 417 EBC101 78,280 EC78 43 EC2000BN 61 DR14 418 DRS18 421 DXM10.2 417 EBC102 78,280 EC78A 43 EC2000BU 61 | DPW22 | | | | DXM8.5 | | EB9006 | 82 | EC76 | | EC1233 | 63 |
| DR12 418 DRS16 421 DXM10 417 EBC101 78,280 EC78 43 EC2000BN 61 DR14 418 DRS18 421 DXM10.2 417 EBC102 78,280 EC78A 43 EC2000BU 61 | | | | | | | | | | | | |
| DR14 418 DRS18 421 DXM10.2 417 EBC102 78,280 EC78A 43 EC2000BU 61 | | | | | | | | | | | | |
| DR14L 418 DRS19 421 DXM10.5 417 EBC103 78,280 EC80 43 EC2000GR 61 | DR14 | 418 | DRS18 | 421 | DXM10.2 | 417 | EBC102 | 78, 280 | EC78A | 43 | EC2000BU | 61 |
| | DR14L | 418 | DRS19 | 421 | DXM10.5 | 417 | EBC103 | 78, 280 | EC80 | 43 | EC2000GR | 61 |



























51

51

49

47

47

49

47

47

47

51

47

47

47

49

49

49

48

47

47

47

49 47

50

50

50

50

50

50

50

50

50

50

48

48

48

48

48

48

48

51

51

51

51

46

46

46

46

46

46

46

46

46

46

46

46

48

48

48

48

48

48

48

48

48

48

48

48

48

46

46

46

46

46

46



| EPX200 66 EM2620 80,779 FM43 99 EBS00 98 EBP52 64 ERWINFIELD 90 EFX307 64 EM4400 80,779 FM43 99 EBS00 98 EBP53 64 ERWINFIELD 90 EFX317 64 EM4400 80,779 FM43 99 EBS00 98 EBP53 64 ERWINFIELD 90 EFX317 64 EPX317 64 EPX318 64 EPX3 | EFX225 | 46 | EMC9 | 52 | ER410 | 93 | ERB501 | 98 | ERP51 | 64 | ERW380LED | 96 |
|--|---------|----|--------|---------|-----------|-----|------------|-----------|-------------|-----|--------------|----|
| EFY3217 46 EMH400 80,779 EM35 99 ER8505 98 EMPS 44 EMMSOLCELED 88 EFY313 46 EMH400 80,779 EM42 90 ER8507 101 EM597 64 EMMSOLCELED 87 EFY313 46 EM 500 80,779 EM 500 90 ER8500 101 EM597 64 EMMSOLCELED 88 EM 500 90 ER8500 101 EM597 64 EMMSOLCELED 88 EM 500 90 ER8500 101 EM597 64 EMMSOLCELED 88 EM 500 90 EMBSOLCE 101 EM597 64 EMMSOLCELED 88 EM 500 90 EMBSOLCE 101 EM 500 90 EM 5 | | | | | | | | | | | | |
| EFX315 | EFX305 | 46 | EMH250 | 80, 279 | ER434 | 99 | ERB504 | 98 | ERP54 | | | |
| EFX315 46 EP269 89 ER448 91 ER850EF 101 ERP67 64 ERWIS48 91 ERFX320 46 EP782F 88 ER4488 91 ER850EF 101 ERP62 65 ERWIS727 91 EFX325 46 EP782F 88 ER4488 91 ER850EF 101 ERP62 65 ERWIS727 91 ERX320 46 EP782F 88 ER4480 90 ER850E 91 | EFX307 | | EMH400 | | ER435 | | ERB505 | | | | | |
| EFX3220 46 EP269 89 EPA68 91 ER856F 31 ER856F 31 ER856F 32 EPA62 65 ERWIS772 31 EFX3230 46 EP2835 88 ER453 90 ER8586 95 EPA68 65 | | | | | | | | | | | | |
| EPX325 46 EP286T 89 EPA48EQ 91 ER8580 96 EPP88 65 EW1577 90 ECC | | | | | | | | | | | | |
| EPY330 | | | | | | | | | | | | |
| EG1 37 EP393 88 ER460 90 ER8592 55 ERP69A 65 ERW3934LED 100 EG3 37 EP4G13 53 ER470 99 ER855S 55 ERP69A 64 ERW3296FELD 100 EG3 37 EP4G13 53 ER470 99 ER855S 55 ERP69A 64 ERW3296FELD 100 ER566 37 EP4G15 53 ER473 99 ER855S 55 ERP69A 64 ERW3296FELD 100 ER566 37 EP4G15 53 ER473 99 ER855S 55 ERP69A 64 ERW3296FELD 100 ER566 37 EP4G29 53 ER473 99 ER856FELD 37 EP4GA 64 ERW3296FELD 100 ER566 57 37 EP4G29 53 ER473 99 ER856FELD 37 EP4GA 64 ERW3296FELD 100 ER567 37 EP4G29 53 ER473 99 ER85676FELD 38 ER767 65 ERW5016LELD 38 ER675 91 ER85676FELD 38 ER767 65 ERW5016LELD 38 ER675 91 ER85676FELD 38 ER767 65 ERW5016LELD 38 ER676 91 ER85676FELD 38 ER767 65 ERW5016LELD 38 ER676 91 ER85676FELD 38 ER767 65 ERW5016LELD 38 ER669 37 EP4G4 33 ER5601 38 ER8569 10 ER85676FELD 38 ER767 65 ERW5016LELD 38 ER669 37 EP4G1 39 ER560 38 ER660 10 ER778 65 ERW5016LELD 38 ER669 37 EP4G1 39 ER560 38 ER6612 67 ER869 66 ERW5.50 57 ER660 37 EP4G 39 ER560 38 ER660 10 ERC6316 67 ER869 66 ERW5.50 57 ER660 39 ER660 30 | | | | | | | | | | | | |
| EGZ 37 PC16 33 ER466 91 ER8691 55 ERR69A 65 ERW2396ED 100 EGA 37 EPC16 33 ER470 99 ER859S 55 ERR69A 65 ERW2396ED 100 EGA 37 EPC16 33 ER472 91 ER869S 55 ERR774 64 ERWS016FSLD 98 EGA 37 EPC16 33 ER472 91 ER869S 55 ERR774 64 ERWS016FSLD 98 EGA 37 EPC18 33 ER473 91 ER869GFSLD 98 ER8774 64 ERWS016FSLD 98 EGA 37 EPC18 33 ER475 91 ER869GFSLD 98 ER8774 64 ERWS016FSLD 98 EGA 37 EPC18 33 ER475 91 ER869GFSLD 98 ER8774 64 ERWS016FSLD 98 EGA 37 EPC18 33 ER677 91 ER869GFSLD 98 ERR774 64 ERWS016FSLD 98 ER66 57 EPC18 | | | | | | | | | | | | |
| EGA 37 PCC13 33 ER470 99 ER856S 55 ERF69A 65 ERW2396LED 100 EGA 37 EPCC16 33 ER472 91 ER855S 56 ERF71 64 ERW5014ED 38 ER565 37 EPCC19 33 ER873 91 ER8545ED 38 ER779 65 ERW5014ED 38 ER566 37 EPCC29 33 ER874 91 ER855G ER 37 EPC24 33 ER874 91 ER8567G ED 38 ER779 65 ERW5016ED 37 EPT3 39 232 ER504 38 ERC612 07 ER786 65 ERW5016ED 37 EPT3 65 ERV5016ED 38 ER506 10 ERC6326 67 ER786 66 ERV5016ED 37 EPT3 65 ERF6016ED 38 ERF6016ED 37 EPT3 65 ERF6016ED 38 ERF6016ED 37 EPT3 65 ERV5016ED 39 ERF6016ED 37 EPT3 65 ERF6016ED 39 ERF6016ED 37 EPT3 65 ERF6016ED 39 ERF6016ED 37 EPT3 65 ERF6016ED 39 ERF6016ED 37 ER786 66 ESL5 53 ERF6016ED 39 | | | | | | | | | | | | |
| EGG 37 EPC29 53 ER472 91 ERBS95S 66 ER771 64 ERWS014ED 38 EGG 37 EPC29 53 ER473 91 ERBS95S 65 ER774 64 ERWS014ED 38 EGG 37 EPC29 53 ER474 90 ERBS216ED 37 ER774 64 ERWS014ED 38 ER76 65 ERWS016FSLD 38 ER76 67 ER | | | | | | | | | | | | |
| EGS 37 EPG21 53 ERA73 91 EBB1496LED 97 ERP74 64 ERWS016FSLED 98 ERF76 55 ERWS016LD 98 ERF76 57 ERWS016LD 98 ERF76 57 ERWS016LD 98 ERF76 57 ERWS016LD 98 ERF77 57 ERWS016LD 98 ERF78 57 ERWS016LD 98 ERWS016LD 98 ERF78 57 ERF78 57 ERWS016LD 98 ERF78 57 ERWS016LD 98 ERF78 57 ERWS016LD 98 ERF78 57 | | | | | | | | | | | | |
| EGG 37 PEPG4 | | | | | | | | 97 | ERP74 | 64 | ERW5016FSLED | 98 |
| EGS 37 EPT1 39,323 ERS01 98 ERBS076LED 98 ERP78 65 ERWIN10 75 ECZS 37 EPT3 39,323 ERS01 98 ERBS076LED 98 ERP79 65 ERWIN10 75 ECZS 37 EPT3 39,323 ERS04 98 ERBS076LED 67 ERP80 65 ERWIN10 75 ECZS 37 EPT3 39,323 ERS04 98 ERBS076LED 67 ERP80 65 ERWIN10 75 ECZS 37 EPT5 39 ERS04 98 ERBS076LED 67 ERP80 66 ESL5 55 ERWIN10 75 E | EG6 | 37 | EPG29 | | ER474 | 90 | ERB2416LED | 95 | ERP76 | 65 | ERW5016LED | 98 |
| EGG 37 EPT1 39,323 ERSO1 98 ERRASIO OF ERPP9 65 ERWISO 76 EC29 37 EPT3 39,323 ERSO1 98 ERC0110 67 ERP80 55 ERWISO 76 EC29 37 EPT3 39,323 ERSO4 98 ERC01120 67 ERP81 55 ESI.1 35 EC30 37 EPT4 38 ERSO5 98 ERC0120 67 ERP82 66 ESI.2 35 EC31 37 EPT5 88 ERSO5 98 ERC0132 67 ERP82 66 ESI.2 35 EC31 37 EPT5 89 ERC0132 67 ERP82 66 ESI.2 35 EC31 37 EPT5 89 ERC0132 67 ERP82 66 ESI.2 35 EC31 37 EPT5 89 ERC0132 67 ERP82 66 ESI.2 35 EC33 37 EPT1 39,322 ERSO8 101 ERC0325 67 ERP86 66 ESI.5 35 EC34 37 EPT1 39,322 ERSO8 101 ERC0325 67 ERP86 66 ESI.5 35 EC34 37 EPT1 39,322 ERSO8 101 ERC0325 67 ERP86 66 ESI.5 35 EC34 37 EPT1 39,322 ERSO8 101 ERC0325 67 ERP86 66 ESI.5 35 EC34 37 EPT1 39,322 ERSO8 101 ERC0325 67 ERP86 66 ESI.5 35 EC34 37 EPT1 39,322 ERSO8 101 ERC0325 67 ERP86 66 ESI.5 35 EC34 37 EPT1 39,322 ERSO8 101 ERC0325 67 ERP86 66 ESI.5 35 EC34 37 EPT1 39,322 ERSO8 101 ERC0325 67 ERP86 66 ESI.5 2 55 EC37 37 EPT14 39,322 ERSO8 101 ERC0325 67 ERP86 66 ESI.5 2 55 EC37 37 EPT14 39,322 ERSO8 101 ERC0325 67 ERP89 66 ET1 31 ERC0325 67 ERP90 66 ET1 328 EC38 37 EPT15 39,322 ERSO8 101 ERC0325 67 ERP90 66 ET1 328 EC38 37 EPT15 39,322 ERSO8 101 ERC0325 67 ERP90 66 ET1 328 ERSO8 101 ERC0325 67 ERP10 66 ET1 328 ERSO8 101 ERC0325 67 ERP10 66 ET1 328 ERSO8 101 ERC | | | | | | | | | | | | |
| EC28 37 EPT2 39.323 ERSO1A 98 ERCE112 67 ERP80 65 ENNLSO 76 EC39 37 EPT3 39.323 ERSO4 98 ERCE122 67 ERP81 65 ESL1 35 EC30 37 EPT5 38 ERSO5 98 ERCE122 67 ERP81 66 ESL2 35 EC31 37 EPT5 38 ERSO6 101 ERCE312 67 ERP82 66 ESL2 35 EC32 37 EPT7 73 38 ERSO8 101 ERCE312 67 ERP84 66 ESL5 35 EC33 37 EPT7 73 38 ERSO8 101 ERCE313 67 ERP84 66 ESL5 35 EC33 37 EPT11 38 323 ERSO8 101 ERCE313 67 ERP84 66 ESL5 35 EC36 37 EPT11 38 323 ERSO8 101 ERCE313 67 ERP88 66 ESL5 35 EC36 37 EPT13 38 323 ERSO8 101 ERCE313 67 ERP88 66 ESL5 35 EC36 37 EPT13 38 323 ERSO8 101 ERCE313 67 ERP88 66 ESL5 35 EC36 37 EPT13 38 323 ERSO8 101 ERCE313 67 ERP88 66 ET1 31 EC37 37 EPT14 38 323 ERSO8 101 ERCE313 67 ERP88 66 ET1 31 EC37 37 EPT14 38 323 ERSO8 101 ERCE313 67 ERP88 66 ET1 31 EC37 37 EPT14 38 323 ERSO8 101 ERCE313 67 ERP89 66 ET1 31 EC37 37 EPT14 38 323 ERSO8 101 ERCE313 67 ERP89 66 ET1 31 EC38 37 EPT13 38 323 ERSO8 101 ERCE313 67 ERP89 66 ET1 31 EC39 37 EPT14 38 323 ERSO8 101 ERCE333 67 ERP90 66 ET1 32 ER1 81 EPT16 38 323 ERSO8 101 ERCE333 67 ERP90 66 ET1 32 ER1 81 EPT16 38 323 ERSO8 101 ERCE333 67 ERP103 66 ET1 32 ER1 81 EPT18 38 323 ERSO8 101 ERCE313 67 ERP103 66 ET1 32 ER1 81 EPT18 38 323 ERSO8 101 ERCE313 67 ERP104 66 ET1 32 ER1 81 EPT18 38 323 ERSO8 101 ERCE313 67 ERP104 66 ET1 32 ER1 81 EPT18 38 323 ERSO8 101 ERCE313 67 ERP104 66 ET1 32 ER1 81 EPT18 38 323 ERSO8 101 ERCE313 67 ERP104 66 ET1 32 ER1 81 EPT18 38 323 ERSO8 101 ERCE313 67 ERP104 66 ET1 32 ER1 81 EPT18 38 323 ERSO8 101 ERCE313 67 ERP104 66 ET1 32 ER1 81 EPT18 38 323 ERSO8 101 ERCE313 67 ERP104 66 ET1 32 ER1 81 EPT18 38 323 ERSO8 101 ERCE313 67 ERP104 66 ET1 32 ER1 81 EPT18 38 323 ERSO8 101 ERCE313 67 ERP104 66 ET1 32 ER1 81 EPT18 38 323 ERSO8 101 ERCE313 67 ERP104 66 ET1 32 ER1 81 EPT18 38 ERCE31 97 ERCE313 67 ERP105 66 ET1 32 ER1 81 ERCE31 97 ERCE31 97 ERCE313 77 ERCE313 77 ERP105 66 ET1 32 ER1 81 ERCE31 98 ERCE31 97 ERCE31 97 ERCE313 77 ERCE313 77 ERP105 66 ET1 32 ER1 81 ERCE31 98 ERCE31 98 ERCE313 97 ERCE310 77 ERCE313 77 ERP105 66 ET1 32 ER1 81 ERCE31 98 ERCE31 99 ERCE313 97 ER | | | | | | | | | | | | |
| EG29 37 EPT3 33.323 ER504 98 ERCB120 67 ERP81 65 ESL1 35 EG31 37 EPT5 38 ER505 98 ERCB125 67 ERP82 66 ESL2 35 EG31 37 EPT6 39 ER508 101 ERCB316 67 ERP83 66 ESL5 35 EG32 37 EPT6 39 ER508 101 ERCB316 67 ERP83 66 ESL5 35 EG32 37 EPT6 39 ER508 101 ERCB316 67 ERP84 66 ESL5 35 EG33 37 EPT11 33.323 ER506T 101 ERCB325 67 ERP86 66 ESL5 35 EC33 37 EPT11 33.323 ER506T 101 ERCB325 67 ERP86 66 ESL5 35 EC33 37 EPT12 33.323 ER509T 101 ERCB325 67 ERP86 66 ESL5 35 EC33 37 EPT12 33.323 ER509T 101 ERCB325 67 ERP86 66 ESL5 35 EC33 37 EPT13 33.323 ER509T 101 ERCB325 67 ERP86 66 ESL5 35 EC33 37 EPT14 33.323 ER509T 101 ERCB325 67 ERP86 66 ESL5 35 EC33 37 EPT15 33.323 ER509T 101 ERCB325 67 ERP86 66 ET1 31 EC33 55 ER309T 101 ERCB325 67 ERP86 66 ET1 31 EC33 55 ER309T 101 ERCB325 67 ERP86 66 ET1 31 EC33 55 ER309T 101 ERCB325 67 ERP86 66 ET1 31 EVAN EVAN EVAN EVAN EVAN EVAN EVAN EVAN | | | | | | | | | | | | |
| EG30 37 EPT4 39 ER505 98 ERCB125 67 ERP82 66 ESL5 35 EG32 37 EPT6 39 ER5057 98 ERCB132 67 ERP84 66 ESL5 35 EG32 37 EPT6 39 ER5088 101 ERCB316 67 ERP84 66 ESL5 35 EG33 37 EPT7 39 323 ER508T 101 ERCB320 67 ERP85 66 ESL5 35 EG34 37 EPT11 29 3232 ER508TUH 101 ERCB320 67 ERP85 66 ESL5 35 EG34 37 EPT12 39 323 ER508TUH 101 ERCB322 67 ERP86 66 ESL5 35 EG34 37 EPT12 39 323 ER508T 101 ERCB322 67 ERP86 66 ESL5 35 EG35 37 EPT12 39 323 ER508T 101 ERCB322 67 ERP86 66 ESL5 35 EG36 37 EPT13 39 323 ER5567 39 ERCB330 67 ERP89 66 ET12 31 EG36 37 EPT14 39 323 ER5567 39 ERCB330 67 ERP89 66 ET2 31 EF2 25 | | | | | | | | | | | | |
| EG31 37 EPTS 38 ER507 98 ERCB132 67 ERPB3 66 ESL5 35 EG32 37 EPT6 39 ER508 101 ERCB325 67 ERPB4 66 ESL6 35 EG33 37 EPT7 39.23 ER508T 101 ERCB325 67 ERPB5 66 ESL6 35 EG34 37 EPT11 39.23 ER508T 101 ERCB325 67 ERPB6 66 ESL5 35 EG34 37 EPT11 39.23 ER508T 101 ERCB325 67 ERPB6 66 ESL5 35 EG35 37 EPT12 39.23 ER509T 101 ERCB325 67 ERPB6 66 ET1 31 EC35 67 ERPB6 66 ET1 31 EC35 67 ERPB6 67 ET13 39.23 ER509T 101 ERCB325 67 ERPB6 66 ET1 31 EC35 67 ERPB6 67 ET13 39.23 ER505 69 ERCB330 67 ERPB6 66 ET1 31 EC35 67 ERPB6 67 ET13 39.23 ER505 69 ERCB330 67 ERPB6 67 ET13 39.23 ER506 69 ERCB330 67 ERPB6 67 ET13 39 ER15 69 ERCB330 67 ERPB6 67 ERPB6 67 ET13 39 ER15 69 ERCB330 67 ERPB6 67 ERPB6 67 ET13 39 ER15 69 ERCB330 67 ERPB6 67 ERPB6 67 ET13 39 ER15 69 ERCB330 67 ERPB6 67 ERPB6 67 ET13 39 ER15 69 ERCB330 67 ERPB6 67 ERPB6 67 ET13 39 ER15 69 ERCB330 67 ERPB6 67 ERPB6 67 ET13 39 ERCB330 ERS06 69 ERCB430 67 ERPB6 67 ERPB6 67 ET13 39 ERCB330 ERS06 69 ERCB430 67 ERPB6 67 ERPB6 67 ET13 39 ERCB330 ERS06 69 ERCB430 67 ERPB6 67 ERPB6 67 ET13 39 ERCB330 ERS06 69 ERCB430 ERRB6 67 ERPB6 67 | | | | | | | | | | | | |
| EG32 37 PPT7 33,22 ER508 101 ERC8320 67 ERP84 66 ESL6 35 EG34 37 PPT7 33,22 ER508TWH 101 ERC8320 67 ERP86 66 ESL52 35 EG35 37 EPT12 33,22 ER508TWH 101 ERC8325 67 ERP86 66 ESL52 35 EG35 37 EPT12 33,22 ER509T 101 ERC8325 67 ERP86 66 ESL52 35 EG35 37 EPT13 33,22 ER509T 99 ERC8320 67 ERP89 66 ET1 31 EG36 37 EPT13 33,22 ER509T 99 ERC8320 67 ERP89 66 ET2 31 EG37 37 EPT14 33,22 ER509T 99 ERC8350 67 ERP89 66 ET2 31 EG37 37 EPT14 33,22 ER506 99 ERC8350 67 ERP89 66 ET2 31 EG37 37 EPT14 33,22 ER506 99 ERC8350 67 ERP102 66 ET4 22 ER508 101 ERC8350 67 ERP102 66 ET4 22 ER508 101 ERC8350 67 ERP102 66 ET4 22 ER508 101 ER508 | | | | | | | | | | | | 35 |
| EG34 37 EPT71 39,222 ER508T 101 ERC832D 67 ERP86 66 ESL51 35 EG35 37 EPT11 39,222 ER508T 101 ERC832D 67 ERP88 66 ESL51 35 EG36 37 EPT12 39,222 ER556 96 ER6340 67 ERP88 66 ET1 31 EG37 37 EPT18 39,222 ER556 96 ERC8340 67 ERP89 66 ET2 31 EG37 37 EPT18 39,222 ER556 96 ERC8340 67 ERP89 66 ET2 31 EG37 37 EPT18 39,222 ER556 96 ERC8360 67 ERP89 66 ET2 31 EG37 37 EPT18 39,222 ER556 96 ERC8360 67 ERP89 66 ET2 31 EF1 31 EF1 39,222 ER556 96 ERC8360 67 ERP90 66 ET3 28 EF1 39 EF1 39,222 ER5570 99 ERC0243 67 ERP103 66 ET5 29 EF1 39 EF1 39,222 ER5570 99 ERC0243 67 ERP103 66 ET5 29 EF1 30 EF1 | | | | | | | | | | | | |
| EG34 37 PPT12 39,322 ER509TCWH 101 ERCR325 67 ER786 66 ESL52 35 EG35 37 PPT12 39,322 ER509T 101 ERCR325 67 ER786 66 ESL52 35 EG36 37 PPT13 39,323 ER566 96 ER18330 67 ER789 66 ET2 31 EG36 37 PPT14 39,323 ER566 96 ER18350 67 ER789 66 ET2 31 EG37 37 PPT14 39,223 ER567 96 ERCR350 67 ER790 66 ET3 28 EG38 37 PPT15 39,223 ER567 96 ERCR350 67 ER790 66 ET3 28 EF1 61 EPT16 39,323 ER571 99 ERCD243 67 ER7910 66 ET6 28 EF1 61 EPT17 39,323 ER551 99 ERCD243 67 ER7910 66 ET6 28 EF1 61 EPT17 39,323 ER551 99 ERCD243 67 ER7910 66 ET6 28 EF1 61 EPT17 39,323 ER551 95 ERCD425 67 ER7910 66 ET6 28 EF1 61 EPT17 39,323 ER552 95 ERCD43 67 ER7910 66 ET6 28 EF1 61 EPT17 39,323 ER552 95 ERCD43 67 ER7910 66 ET7 29 EF1 61 EPT 61 EPT 74 39,323 ER552 95 ERCD43 67 ER7910 66 ET7 29 EF1 61 EPT 74 39,323 ER552 95 ERCD43 67 ER7910 66 ET7 29 EF1 61 EF1 61 EPT 74 39,323 ER552 95 ERCD43 67 ER7910 66 ET7 29 EF1 61 | | | | | | | | | | | | 35 |
| EG36 37 EPT13 39,323 ER566 96 ERC8350 67 ERP89 66 ET2 31 EG37 37 EPT14 39,323 ER566 96 ERC8350 67 ERP80 66 ET3 28 EG38 37 EPT15 39,323 ER567 96 ERC8350 67 ERP910 66 ET3 28 EPT16 39,323 ER570 99 ERC0243 67 ERP1013 66 ET5 29 EPT2 48 EPT18 39,323 ER571 99 ERC0243 67 ERP1013 66 ET5 29 EPT3 48 EPT18 39,323 ER571 99 ERC0243 67 ERP104 66 ET6 28 EPT3 28 EPT3 39,323 ER580 96 ERC0413 67 ERP105 66 ET7 29 EPT4 39,323 ER580 96 ERC0413 67 ERP105 66 ET7 29 EPT4 39,323 ER580 96 ERC0413 67 ERP105 66 ET7 29 EPT4 39,323 ER580 95 ERC0425 67 ERP106 66 ET8 30 EPT4 292 ER585 95 ERC0425 67 ERP106 66 ET8 30 EPT4 292 ER585 95 ERC0425 67 ERP106 66 ET10 29 EPT4 29,323 ER580 95 ERC0425 67 ERP106 66 ET10 29 EPT4 29,323 ER580 95 ERC0425 67 ERP106 66 ET10 29 EPT4 29,323 ER580 95 ERC0426 67 ERP108 66 ET107 62 EPT4 29 EPT4 29 ER585 95 ERC0426 67 ERP108 66 ET107 29 EPT4 29 EPT4 29 ER585 95 ERC0426 67 ERP108 66 ET107 29 EPT4 29 EPT4 29 ER585 95 ERC0426 67 ERP108 66 ET107 29 EPT4 29 EPT4 29 ER585 95 ERC0426 67 ERP108 66 ET107 29 EPT4 2 | | | EPT11 | | ER508TCWH | 101 | | 67 | ERP86 | 66 | ESL52 | |
| EG37 37 EPT14 33,323 ER566 96 ERCB350 67 EPP90 66 ET3 28 EPG38 37 EPT15 33,323 ER567 99 ERCB363 67 EPP102 66 ET4 28 EPT1 33,323 ER570 99 ERCD243 67 EPP104 66 ET6 28 EPT2 133,323 ER570 99 ERCD243 67 EPP104 66 ET6 28 EPT3 33,323 ER570 99 ERCD243 67 EPP104 66 ET6 28 EPT3 33,323 ER590 96 ERCD413 67 EPP104 66 ET6 28 EPP105 133,323 ER590 96 ERCD413 67 EPP105 66 ET7 29 EPP105 69 EPP105 69 EPP107 69 EPP107 69 EPP109 EPP109 69 EPP1 | EG35 | 37 | EPT12 | 39, 323 | ER509T | | ERCB332 | 67 | | | | 31 |
| EG38 37 EPT15 33,323 ER567 96 ERG0563 67 ERP102 66 ET4 28 EH1 81 EPT16 33,323 ER570 99 ERG0243 67 ERP104 66 ET5 29 EH2 81 EPT18 33,323 ER580 96 ERG0243 67 ERP104 66 ET6 28 EH3 81 EPT18 33,323 ER580 96 ERC0413 67 ERP106 66 ET7 29 EH4 81 EPT21 33,323 ER580 96 ERC0413 67 ERP106 66 ET7 29 EH4 81 EPT21 33,323 ER580 95 ERC0425 67 ERP106 66 ET8 30 EH1.120 80 ER12 92 ER588 95 ERC0443 67 ERP107 66 ET9 28 EH1.20 80 ER12 92 ER588 95 ERC0463 67 ERP108 66 ET10 29 EH1.50 80 ER14 97 ER708 92 ERC063 67 ERP108 66 ET10K 29 EH1.50 80 ER149 97 ER708 92 ERC063 67 ERP108 66 ET10K 29 EH1.50 80 ER149 97 ER708 92 ERC063 67 ERP101 66 ET10K 29 EH1.50 80 ER149 97 ER708 92 ERC0633 67 ERP101 66 ET10K 29 EH1.50 80 ER149 97 ER708 92 ERC816P 274,276 ERP110 66 ET10K 29 EH1.50 80 ER149 97 ER708 93 ERCR300P 274,276 ERP110 66 ET12 30 EH1.300LR 74 ER180 97 ER711 93 ERCR300P 274,276 ERP111 66 ET12 30 EH1.300LR 74 ER207 97 ER674 97 ERCV5012 80,279 ERP113 66 ET14 29 EH1.50 80 ER239 99 ER921 96 ERCV5013 80,279 ERP113 66 ET14 29 EH1.60 80 ER239 100 ER555 96 ERCV5013 80,279 ERP116 274 ET15 28 EH1.60 80 ER239 100 ER555 96 ERCV5013 80,279 ERP116 274 ET15 28 EH1.60 81 ER242 100 ER1471 101 ERCV5060 77,278 ERP150 65 ET17 30 EH1.60 81 ER242 100 ER1471 101 ERCV5060 77,278 ERP151 101 ET19 29 EH1.60 81 ER242 97 ER5005 92 ERL566 73 ERP1510 101 ET10 29 EH1.60 81 ER246 97 ER5005 92 ERL566 73 ERP1510 101 ET10 29 EH1.60 81 ER246 99 ER5005 92 ER1.56 73 ERP1510 101 ET10 29 EH1.60 81 ER248 99 ER5005 92 ER1.56 73 ERP1510 101 ET10 29 EH1.60 81 ER248 99 ER5005 92 ER1.56 73 ERP1510 101 ET10 29 EH1.60 81 ER248 99 ER5005 92 ER1.56 73 ERP1510 101 ET10 29 EH1.60 81 ER248 99 ER5005 92 ER1.56 73 ERP1510 101 ET10 29 EH1.60 81 ER248 99 ER5005 92 ER1.56 73 ERP1510 101 ET10 29 EH1.61 81 ER248 99 ER5005 92 ER1.56 73 ERP1510 101 ET10 29 EH1.61 81 ER248 99 ER5005 92 ER1.56 73 ERP1510 101 ET10 29 EH1.61 81 ER264 100 ER6400 274 ER1100 101 ER5000 77, 778 ERP15000 107 ET23 29 EH1.61 83 ER269 100 ER6510 94 ER100 104 ER5010 67 ET131 29 EH541 83 ER289 99 ER5005 94 ER100 104 ER5010 67 ET131 29 E | | | | | | | | | | | | |
| EH1 81 EPT16 39,323 ERS70 99 ERCD243 67 ERP104 66 ET5 29 EH3 81 EPT17 39,323 ERS71 99 ERCD253 67 ERP104 66 ET6 28 EH3 81 EPT18 39,323 ERS80 96 ERCD413 67 ERP105 66 ET7 29 EH4 81 EPT21 39,323 ERS81 95 ERCD424 67 ERP106 66 ET8 30 EH1.12 80 EPT74 39,323 ERS81 95 ERCD424 67 ERP106 66 ET8 30 EH1.29 80 ER12 92 ERS85 95 ERCD43 67 ERP107 66 ET9 28 EH1.30 80 EPZ4 92 ERS85 95 ERCD43 67 ERP108 66 ET10 29 EH1.30 80 ER24 92 ERS88 95 ERCD633 67 ERP108 66 ET10 29 EH1.30 80 ER149 97 ER708 92 ERCT616P 274 Z76 ERP109 66 ET11 30 EH1.300B 74 ER150 96 ER709 93 ERCT616P 274 Z76 ERP110 66 ET11 30 EH1.300L 74 ER180 97 ER711 93 ERCT804 274 Z76 ERP111 66 ET12 30 EH1.300L 74 ER180 97 ER711 93 ERCT804 274 Z76 ERP112 66 ET13 28 EH1.300L 74 ER207 97 ER874 97 ERCV5012 80, Z79 ERP112 66 ET13 28 EH1.300L 74 ER209 96 ER875 96 ERCV5013 80, Z79 ERP112 66 ET13 28 EH1.300S 74 ER233 99 ER921 96 ERCV5013 80, Z79 ERP116 Z74 ET15 28 EH1.300S 74 ER233 99 ER921 96 ERCV5013 80, Z79 ERP116 Z74 ET15 28 EH1.300 80 ER24 195 ER987 97 ERCV5012 77, Z78 ERP15 07 ET15 28 EH1.810 81 ER241 95 ER987 97 ERCV5017 Z778 ERF15 05 ET17 30 EH1.810 31 ER242 100 ER1471 101 ERCV5607 77, Z78 ERF15 05 ET17 30 EH1.810 74 ER245 97 ER1791 101 ERCV5607 77, Z78 ERP12 101 ET19 29 EH1.100 74 ER246 97 ER2401ED 101 ERCV5607 77, Z78 ERP12 101 ET19 29 EH1.100 Z74 ER246 97 ER338 101 ERCV5020 68 ERP130 107 ET21 28 EHLED4 81 ER247 96 ER8328 101 ERCV5020 68 ERP130 107 ET21 28 EHLED6 81 ER248 99 ERS05 92 ER1.56 73 ERP150 100 ET21 28 EHLED6 81 ER248 99 ERS05 92 ER1.56 73 ERP5000 107 ET23 29 EHLED6 81 ER248 99 ERS05 92 ER1.56 73 ERP5000 107 ET23 29 EHLED6 81 ER248 99 ERS06 99 ER8520 100 ER8520 94 ER1.4300 75 ERF5000 107 ET23 29 EHLED6 81 ER248 99 ERS06 99 ER829 100 ER14 20 94 ER1.4300 75 ERF5000 107 ET23 29 EHLED6 81 ER248 99 ERS06 99 ER829 100 ER14 20 94 ER1.4300 75 ERF5000 107 ET23 29 EHS133R 38 ER259 100 ER8520 99 ER8209 99 ER1.50 10 ERS0120 07 ET33 29 EHS141R 38 ER288 99 ER289 100 ER829 100 ER1 11 41 ERS0300 07 ET34 29 EHS44 38 ER289 99 ER829 100 ER44 29 ER150 100 ER3520 66 ET35 29 EH544 38 E | | | | | | | | | | | | |
| EH2 81 EPT17 39,323 ERS91 99 ERC0253 67 ERP104 66 ET6 28 EH4 81 EPT21 39,323 ERS80 96 ERC0413 67 ERP105 66 ET7 29 EH4 81 EPT21 39,323 ERS81 95 ERC0425 67 ERP107 66 ET8 30 EH4 98 EPT4 39,323 ERS82 95 ERC043 67 ERP107 66 ET9 28 EH4 98 ER12 92 ERS85 95 ERC043 67 ERP107 66 ET9 28 EH4 99 ERT8 95 ERC063 67 ERP108 66 ET100 29 EH4 99 ERT8 95 ERC063 67 ERP109 66 ET100 29 EH4 97 ERT8 97 ERT8 97 ERC063 67 ERP109 66 ET100 29 EH4 97 ERT8 97 ERT8 97 ERC063 67 ERP109 66 ET100 29 EH4 97 ERT8 97 ERT8 97 ERC063 67 ERP109 66 ET100 29 EH4 97 ERT8 97 ERT8 97 ERC063 67 ERP109 66 ET100 29 EH4 97 ERT8 97 ERT8 97 ERC063 67 ERP109 66 ET100 29 EH4 97 ERT8 97 ERT8 97 ERC063 67 ERP109 66 ET100 29 EH4 97 ERT8 97 ERT8 97 ERC063 67 ERP109 66 ET100 29 EH4 97 ERT8 97 ERT8 97 ERC063 67 ERP109 66 ET100 29 EH4 97 ERT8 97 ERR8 95 ERC063 67 ERP109 66 ET100 29 EH4 97 ERT8 97 ERR8 97 ERCV5012 80.779 ERP111 66 ET11 30 EH4 300 R 74 ER20 97 ER87 97 ER874 97 ERCV5012 80.779 ERP113 66 ET14 29 EH4 98 EH4 99 ER89 99 ER89 199 ERS9 199 ERCV5013 80.779 ERP113 66 ET14 29 EH4 98 ER4 99 ERS9 97 ERCV5012 80.779 ERP113 66 ET14 29 EH4 98 EH4 99 ERS9 97 ERCV5012 80.779 ERP114 274 ET15 28 EH4 81 ER24 190 ERR8 97 ERCV5012 77.778 ERP150 65 ET18 28 EH4 1000 74 ER245 97 ER1791 101 ERCV5608 77.778 ERP150 65 ET18 28 EH4 1000 74 ER245 97 ER1791 101 ERCV5608 77.778 ERP150 65 ET18 28 EH4 1000 74 ER245 97 ER1991 101 ERCV5608 77.778 ERP150 65 ET18 28 EH4 1000 74 ER245 97 ER1991 101 ERCV5608 77.778 ERP150 65 ET18 28 EH4 1000 74 ER245 97 ER1991 101 ERCV5608 77.778 ERP150 65 ET18 28 EH4 1000 74 ER245 97 ER1991 101 ERCV5608 77.778 ERP510 10 ET20 29 EH4 1000 74 ER245 97 ER1991 101 ERCV5608 77.778 ERP510 10 ET20 29 EH4 1000 74 ER245 97 ER1991 101 ERCV5608 77.778 ERP510 10 ET20 29 EH4 1000 74 ER245 97 ER1991 101 ERCV5608 77.778 ERP510 10 ET20 29 EH4 1000 74 ER245 97 ER1991 101 ERCV5608 77.778 ERP510 10 ET20 29 EH4 1000 74 ER245 97 ER1991 101 ERCV5608 77.778 ERP510 10 ET20 29 EH4 1000 74 ER245 97 ER1991 101 ERCV5608 77.778 ERP510 10 ET20 29 EH4 1000 74 ER245 97 ER240 100 ER8512 97 ER104 | | | | , | | | | | | | | |
| EH13 81 EPT18 39,323 ERS80 96 ERC0413 67 ERP106 66 ET8 30 EH1412 80 EPT74 39,323 ERS81 95 ERC0425 67 ERP106 66 ET8 30 EH1412 80 EPT74 39,323 ERS82 95 ERC043 67 ERP107 66 ET9 28 EH1430 80 ER12 92 ERS88 95 ERC0633 67 ERP108 66 ET10 29 EH1430 80 ER14 97 ER708 92 ER688 95 ERC0633 67 ERP108 66 ET10 29 EH1430 80 ER14 97 ER708 92 ERT816P 274,276 ERP110 66 ET11 30 EH14300 74 ER150 96 ER709 93 ERCT816P 274,276 ERP111 66 ET11 30 EH14300 74 ER180 97 ER711 93 ERCT900P 274,276 ERP111 66 ET11 30 EH14300 74 ER207 97 ER874 97 ERCV9012 80,279 ERP112 66 ET13 28 EH14300 74 ER209 96 ER875 96 ERCV9012 80,279 ERP113 66 ET14 29 EH14300 74 ER209 96 ER875 96 ERCV9013 80,279 ERP114 67 ET14 29 EH14300 74 ER233 99 ER921 96 ERCV9013 80,279 ERP114 274 ET15 28 EH14300 80 ER239 1000 ER955 96 ERCV9013 80,279 ERP115 274 ET15 28 EH14500 81 ER241 95 ER987 97 ER709 77 ERCV9060 ERP117 274 ET16 29 EH16100 74 ER245 97 ER1791 101 ERCV9060 ERP12 101 ERP12 101 ET19 29 EH16100 74 ER245 97 ER1791 101 ERCV9060 ERP12 101 ERP12 101 ET19 29 EH16100 74 ER246 97 ER1791 101 ERCV9060 ERP12 101 ERP12 29 EH16100 74 ER246 97 ER1791 101 ERCV9060 ERP12 101 ERP12 29 EH16100 74 ER246 97 ER301 ER301 101 ERCV9060 ERP12 101 ET19 29 EH16100 81 ER249 99 ER9006 92 ER16.56 73 ERP912 101 ET20 28 EH16100 81 ER248 97 ER1791 101 ERCV9060 T9,281 ERP912 101 ET21 29 EH16104 81 ER249 99 ER9006 92 ER16.56 73 ERP91700 107 ET23 29 EH16104 81 ER249 99 ER9006 92 ER16.56 73 ERP91700 107 ET23 29 EH16178 76 ER264 100 ER85126 94 ER14300 75 ERF95000A 107 ET23 29 EH16178 76 ER264 100 ER85126 94 ER14300 75 ERF95000A 107 ET23 29 EH16178 76 ER264 100 ER85126 94 ER14300 75 ERF95000A 107 ET23 29 EH16178 76 ER264 100 ER85126 94 ER14300 75 ERF95000A 107 ET23 29 EH16178 76 ER264 100 ER85126 94 ER14300 75 ERF95000A 107 ET23 29 EH1618 38 ER273 100 ERAC620 234 ERINVMAIO 104 ERSC00 105 ET27 30 EH514RE 38 ER289 99 ER8006 92 ER16 4 ER14300 75 ERF95000A 107 ET23 29 EH5148 38 ER299 99 ER8209 9 | | | | | | | | | | | | |
| EHH. 280 EPT74 33,223 ERS81 95 ERC0425 67 ERP106 66 ET8 30 EHH.129 80 EPT74 33,223 ERS82 95 ERC0463 67 ERP107 66 ET9 28 EHL.29 80 ER12 39 ERS88 95 ERC0463 67 ERP108 66 ET10 29 EHL.55 80 ER149 97 ER708 92 ERC1563 67 ERP109 66 ET10 29 EHL.55 80 ER149 97 ER708 92 ERC15619 74,276 ERP109 66 ET101 30 EHL300LR 74 ER150 96 ER709 93 ERCT330P 74,276 ERP111 66 ET11 30 EHL300LR 74 ER180 97 ER711 93 ERCT330P 74,276 ERP111 66 ET13 28 EHL300LR 74 ER207 97 ER711 93 ERCT330P 74,276 ERP111 66 ET13 28 EHL300LR 74 ER209 97 ER711 93 ERC750P 74,276 ERP112 66 ET13 28 EHL300LR 74 ER209 97 ER711 93 ERC750P 74,276 ERP112 66 ET13 28 EHL300LR 74 ER209 97 ER874 97 ERV5012 80,279 ERP113 66 ET14 29 EHL500 80 ER233 99 ER821 96 ERCV5013 80,279 ERP113 67 ET115 28 EHL505 74 ER233 99 ER821 96 ERCV502 80,279 ERP116 274 ET15 28 EHL500 80 ER239 100 ER355 96 ERCV502 ERV502 ERP117 274 ET15 28 EHL600 80 ER239 100 ER355 96 ERCV502 ERV502 ERV | | | | | | | | | | | | |
| EHIL12 80 EPT74 39,322 ERSS2 95 ERC0443 67 ERP108 66 ET10 29 EHIL300 80 ER12 92 ERSSS 95 ERC0463 67 ERP108 66 ET101 29 EHIL300 80 ER149 97 ER708 92 ERCTS16P 724,276 ERP110 66 ET101 30 EHIL300 74 ERSS 95 ERC0633 67 ERP110 66 ET101 30 EHIL300 74 ERSS 97 ER708 92 ERCTS16P 724,276 ERP111 66 ET12 30 EHIL300 74 ERSS 97 ER711 93 ERCTS00P 774,276 ERP111 66 ET12 30 EHIL300 74 ERSS 97 ER711 93 ERCTS00P 774,276 ERP112 66 ET13 28 EHIL300LY 74 ER207 97 ER874 97 ERCVS012 80,279 ERP113 66 ET14 29 EHIL300 74 ER209 96 ERS75 96 ERCVS012 80,279 ERP113 66 ET14 29 EHIL300 74 ER233 99 ER921 96 ERCVS012 80,279 ERP116 724 ET15 28 EHIL300 74 ER233 99 ER921 96 ERCVS012 80,279 ERP116 724 ET15 28 EHIL300 74 ER239 100 ER955 96 ERCVS012 80,279 ERP116 724 ET15 28 EHIL810 81 ER241 95 ER987 97 ERCVS012 80,779 ERP116 724 ET16 29 EHIL810 81 ER242 100 ER1071 101 ERCVS060 77,728 ERP125 65 ET18 28 EHIL810 74 ER242 100 ER1071 101 ERCVS060 77,728 ERP125 101 ET19 29 EHIL1002 74 ER242 100 ER1071 101 ERCVS060 77,728 ERP121 101 ET19 29 EHILD06 81 ER248 97 ERS0015 91 ERVS060 77,728 ERP121 101 ET19 29 ERVS060 77,728 ERP125 | | | | | | | | | | | | |
| EHL29 80 FR24 92 ER585 95 ERCD463 67 ERP108 66 ET100 29 EHL55 80 FR24 92 ER588 95 ERCD633 67 ERP109 66 ET101 29 EHL55 80 FR149 97 ER708 92 ERCT816P 274,276 ERP110 66 ET111 30 EHL300R 74 ER150 96 ER709 93 ERCT830P 274,276 ERP111 66 ET12 30 EHL300R 74 ER180 97 ER711 93 ERCT830P 274,276 ERP111 66 ET13 28 EHL300L7 74 ER207 97 ER874 97 ERV5012 80,279 ERP113 66 ET13 28 EHL300R 74 ER209 96 ER875 96 ERCV5013 80,279 ERP113 66 ET14 29 EHL300R 74 ER209 97 ER874 97 ERV5012 80,279 ERP113 66 ET14 29 EHL300 81 ER233 99 ER921 96 ERCV5013 80,279 ERP116 274 ET15 28 ER160 81 ER241 95 ER955 96 ERCV5013 80,279 ERP116 274 ET15 28 ER1800 81 ER241 95 ER955 96 ERCV5013 80,279 ERP116 274 ET15 28 ER1810 81 ER242 100 ER1471 101 ERCV5060 77,278 ERP150 65 ET17 30 ENL800 81 ER242 100 ER1471 101 ERCV5060 77,278 ERP150 65 ET18 28 ENL8100 74 ER245 97 ER1791 101 ERCV5060 77,278 ERP151 101 ET10 29 ENL1000 74 ER246 97 ER2011ED 101 ERCV5060 77,278 ERP152 101 ET20 28 ENLED04 81 ER247 96 ER8328 101 ERCV5060 77,278 ERP152 101 ET20 28 ENLED04 81 ER248 97 ER9005 92 ENL56 73 ERPP520 10 ET12 29 ENLED06 81 ER248 97 ER9005 92 ENL56 73 ERPP5000 107 ET23 29 ENLED06 81 ER248 97 ER9005 92 ENL56 73 ERPP5000 107 ET23 29 ENLED06 81 ER260 100 ER8502 94 ERIL4300 75 ERPP54000A 107 ET24 30 ENL513 38 ER260 100 ER8502 94 ERIL4300 75 ERSP5000A 107 ET24 30 ENL513 38 ER260 100 ER8602 34 ERINV120 104 ERS50125 67 ET20 29 ENL513 38 ER260 100 ERA6730 234 ERINV120 104 ERS50125 67 ET20 29 ENL513 38 ER260 100 ERA6730 234 ERINV120 104 ERS50125 67 ET20 29 ENL513 38 ER260 100 ERA6730 234 ERINV120 104 ERS50125 67 ET30 30 ENL513 38 ER260 100 ERA6730 234 ERINV120 104 ERS50125 67 ET30 30 ENL513 38 ER260 100 ERA6730 234 ERINV120 104 ERS50125 67 ET30 30 ENL513 38 ER260 100 ERA6730 234 ERINV120 104 ERS50125 67 ET30 30 ENL513 38 ER260 100 ERA6730 234 ERINV120 104 ERS50125 67 ET30 30 ENL513 38 ER260 101 ERA690 29 ENL54 41 ERS5030 67 ET33 23 ENL513 29 ENL514 38 ER283 99 ERB29 99 ERB29 100 ER17 41 ERS5030 67 ET33 23 ERS513 29 ERB514 99 ERB29 100 ERA700 234 ERINV120 104 ERS5030 67 ET33 23 ERS54 | | | | | | | | | | | | |
| EHL300 80 ER24 92 ER588 95 ERCD633 67 ERP109 66 ET10K 29 EHL300B 74 ER150 96 ER709 93 ERCT830P 274,776 ERP110 66 ET11 30 EHL300B 74 ER180 97 ER711 93 ERCT830P 274,776 ERP111 66 ET12 30 EHL300LY 74 ER207 97 ER874 97 ERCV5012 80,279 ERP113 66 ET13 28 EHL30OLY 74 ER209 96 ER875 96 ERCV5013 80,279 ERP113 66 ET14 29 EHL30OLY 74 ER209 96 ER875 96 ERCV5013 80,279 ERP113 66 ET14 29 EHL30OLY 74 ER233 99 ER821 96 ERCV5013 80,279 ERP113 66 ET14 29 EHL30L 81 ER233 100 ER955 96 ERCV5013 80,279 ERP113 66 ET14 29 EHL805 81 ER243 95 ER897 97 ERCV9607 77,278 ERP116 274 EHL806 81 ER241 95 ER897 97 ERCV9607 77,278 ERP150 65 ET17 30 EHL810 81 ER242 100 ER1471 101 ERCV9608 77,278 ERP150 65 ET18 28 EHL1000 74 ER246 97 ER2401LED 101 ERCV9608 77,278 ERPB121 101 ET19 29 EHLE04 81 ER247 96 ER8328 101 ERCV9608 77,278 ERPB122 101 ET20 28 EHLED4 81 ER248 97 ER2401LED 101 ERCV9676 79,281 ERPB120 101 ET20 28 EHLED4 81 ER248 97 ER905 92 ERIL56 73 ERPPL300 106 ET22 28 EHLED6 81 ER249 99 ER9006 92 ERIL58 73 ERPPL300 107 ET22 28 EHLED6 81 ER249 99 ER9006 92 ERIL58 73 ERPPL300 107 ET24 30 EHLED6 81 ER249 99 ER9006 92 ERIL58 73 ERPPS3000A 107 ET24 30 EHLED6 81 ER269 100 ER85126 94 ERIL4300 75 ERPS4000A 107 ET24 30 EHLED6 81 ER269 100 ER85126 94 ERIL4300 75 ERPS4000A 107 ET24 30 EHLED6 81 ER269 100 ERA6200 234 ERINV120 104 ERSC088 105 ET27 30 EHL57R 76 ER265 100 ERA6200 234 ERINV1300 104 ERSC088 105 ET27 30 EHL57R 76 ER265 100 ERA6200 234 ERINV1300 104 ERSC080 105 ET28 28 EHS13RE 38 ER273 100 ERA6200 234 ERINV1300 104 ERSC063 07 ET33 29 EHS14RE 38 ER269 100 ERA6200 235 ERINVMA20 104 ERSC063 07 ET33 29 EHS14RE 38 ER269 100 ERA6200 234 ERINV1300 104 ERSC063 07 ET33 28 EHS14RE 38 ER269 100 ERA6200 235 ERINVMA20 104 ERSD163 07 ET33 29 EHS14RE 38 ER269 100 ERA6200 235 ERINVMA20 104 ERSD163 07 ET33 29 EHS14RE 38 ER269 100 ERA6200 235 ERINVMA20 104 ERSD163 07 ET33 29 EHS14RE 38 ER269 100 ERA6200 235 ERINVMA20 104 ERSD163 07 ET33 29 EHS14RE 38 ER269 100 ERA6200 235 ERINVMA20 104 ERSD163 07 ET33 29 EHS44RE 38 ER269 100 ERA6200 235 ERINVMA20 104 ERSD163 07 E | | | | | | | | | | | | |
| EHLSO B) ER149 97 ER708 92 ERCT816P 274,276 ERP110 66 ET11 30 EHL300R 74 ER150 96 ER709 93 ERCT830P 274,276 ERP111 66 ET12 30 EHL300R 74 ER160 97 ER711 93 ERCT890P 274,276 ERP111 66 ET12 32 8 EHL300R 74 ER207 97 ER874 97 ERCV5012 80,279 ERP113 66 ET14 29 EHL300R 74 ER209 96 ER875 96 ERCV5013 80,279 ERP113 66 ET14 29 EHL300 74 ER233 99 ER821 96 ERCV5013 80,279 ERP116 274 ET15 28 EHL300 80 ER239 100 ER955 96 ERCV5013 80,279 ERP116 274 ET16 29 EHL640 80 ER239 100 ER955 96 ERCV500 77,278 ERP150 65 ET17 30 EHL805 81 ER241 95 ER987 97 ERCV5007 77,278 ERP150 65 ET18 28 EHL810 81 ER242 100 ER1471 101 ERCV5060 77,278 ERP150 65 ET18 28 EHL1000 74 ER245 97 ER2401ED 101 ERCV5060 77,278 ERPB121 101 ET19 29 EHL1000 74 ER246 97 ER2401ED 101 ERCV5060 77,278 ERPB121 101 ET19 29 EHLEDA 81 ER247 96 ER8328 101 ERCV5060 77,278 ERPB212 101 ET20 28 EHLEDA 81 ER249 99 ER9006 92 ER150 67 ERPB200 106 ET22 28 EHLEDA 81 ER248 97 ER5005 92 ER150 67 ERPB200 107 ET23 29 EHLEDA 81 ER248 97 ER5005 92 ER150 67 ERPB200 107 ET23 29 EHLEDA 81 ER248 99 ER5005 92 ER150 73 ERPP53000A 107 ET23 29 EHLEDA 81 ER248 99 ER5005 92 ER150 73 ERPP53000A 107 ET23 29 EHLEDA 81 ER248 99 ER5005 92 ER150 73 ERPP53000A 107 ET23 29 EHL5DA 81 ER248 99 ER5005 92 ER150 75 ERFP54000A 107 ET23 29 EHL5DA 81 ER248 99 ER5005 92 ER150 75 ERFSCO04 107 ET23 29 EHL5DA 81 ER260 100 ERA6530 234 ERINV120 104 ER5608 105 ET25 29 EHS13 38 ER272 100 ERA620 235 ERINVM20 104 ER5008 105 ET27 30 EHS13 82 ER273 100 ERA6200 234 ERINV120 104 ER5008 105 ET27 30 EHS13 82 ER23 99 ERB500 ER841 99 ERB500 67 ET32 30 EHS41R 83 ER239 99 ERB2075 97 ER14 41 ERSD340 67 ET33 30 EHS41R 83 ER281 99 ERB500 67 ER130 49 ER1000 67 ET33 28 EHS43 83 ER289 99 ERB2075 97 ER14 41 ERSD340 67 ET33 28 EHS43 83 ER289 99 ERB2075 97 ER14 41 ERSD340 67 ET33 28 EHS43 83 ER289 99 ERB2075 97 ER14 41 ERSD340 67 ET33 28 EHS43 83 ER289 99 ERB2075 97 ER14 41 ERSD340 67 ET33 28 EHS44 83 ER289 99 ERB209 96 ERB209 | | | | | | | | 67 | ERP109 | 66 | ET10K | 29 |
| EHL300LR 74 ER180 97 ER711 93 ERCT90OP 274,276 ERP112 66 ET13 28 EHL300R 74 ER207 97 ER674 97 ERCV5012 80,279 ERP113 66 ET14 29 EHL300R 74 ER209 96 ER875 96 ERCV5013 80,279 ERP113 66 ET14 29 EHL30OR 74 ER203 99 ER855 96 ERCV9420 ERP117 274 ET15 28 EHL30O 81 ER233 100 ER855 96 FRV9420 ERP117 274 ET16 29 EHL640 80 ER239 100 ER855 96 FRV9420 ERP117 274 ET16 29 EHL810 81 ER241 95 ER887 97 ERCV9607 77,278 ERP150 65 ET18 28 EHL810 81 ER242 100 ER1471 101 ERCV9608 77,278 ERP151 101 ET19 29 EHL1000 74 ER245 97 ER1791 101 ERCV9968 77,278 ERP151 101 ET19 29 EHL1000 74 ER245 97 ER1791 101 ERCV9961 79,281 ERP8121 101 ET19 29 EHLED4 81 ER247 96 ER8328 101 ERDCP20 68 ERPPL300 106 ET22 28 EHLED4 81 ER249 99 ER9005 92 ERIL56 73 ERPPL300 106 ET22 28 EHLED6 81 ER249 99 ER9006 92 ERIL56 73 ERPPL300 107 ET23 29 EHLED6 81 ER249 99 ER9006 92 ERIL56 73 ERPPPL300 107 ET23 29 EHLED6 81 ER260 100 ER85126 94 ERIL4300 75 ERPPS3000A 107 ET24 30 EHL572 76 ER265 100 ER85402 94 ERIL4300 75 ERPPS3000A 107 ET25 28 EHL573 38 ER269 100 ERAC700 234 ERINV120 104 ERSCCR08 105 ET26 29 EHS13 38 ER269 100 ERAC700 234 ERINV120 104 ERSCCR08 105 ET26 29 EHS13 38 ER273 100 ERAC900 234 ERINV120 104 ERSCCR08 105 ET27 30 EHS14R 38 ER281 99 ER8150 96 ER15 97 ERIL 4 ERSD330 67 ET33 28 EHS412 38 ER283 99 ERB150 96 ERIL 4 ERSD330 67 ET33 28 EHS412 38 ER283 99 ERB2075 97 ERIL 4 ERSD330 67 ET33 28 EHS42R 38 ER283 99 ERB2075 97 ERIL 4 ERSD330 67 ET33 28 EHS42R 38 ER289 99 ERB241 95 ERB241 105 ERIL 4 ERSD330 67 ET33 28 EHS43R 38 ER289 99 ERB241 95 ERB241 105 ERIL 4 ERSD330 67 ET33 28 EHS43R 38 ER289 99 ERB245 97 ERILD 299 ERT151 70 ET33 28 EHS43R 38 ER289 99 ERB246 97 ERILD 299 ERT151 70 ET33 28 EHS43R 38 ER289 99 ERB245 97 ERILD 299 ERT151 70 ET33 28 EHS43R 38 ER289 99 ERB245 97 ERILD 299 ERT151 70 ET33 28 EHS43R 38 ER289 99 ERB245 97 ERILD 299 ERT1519 70 ET33K 29 EHS448 38 ER289 99 ERB245 97 ERILD 299 ERT1519 70 ET33K 29 EHS448 38 ER289 99 ERB245 97 ERILD 299 ERT1519 70 ET33K 29 EHS448 38 ER289 99 ERB249 99 ERLD 299 ERT1519 70 ET33K 29 EHS448 38 ER395 97 ERB246 97 | EHL55 | 80 | ER149 | 97 | ER708 | 92 | ERCT816P | 274, 276 | ERP110 | 66 | ET11 | |
| EHL300LY 74 ER207 97 ER674 97 ERCV5012 80,279 ERP113 66 ET14 29 EHL30DS 74 ER239 99 ER951 96 ERCV5013 80,279 ERP116 274 ET15 28 EHL30DS 74 ER233 99 ER951 96 ERCV9420 ERP117 274 ET16 29 EHL640 80 ER239 100 ER555 96 FCV9420 ERP117 274 ET16 29 EHL640 81 ER241 195 ER987 97 ERCV9607 77,278 ERP150 65 ET18 28 EHL810 81 ER242 100 ER1471 101 ERCV9608 77,278 ERP150 65 ET18 28 EHL810 81 ER242 97 ER1791 101 ERCV9608 77,278 ERP151 101 ET19 29 EHL1000 74 ER246 97 ER2401LED 101 ERCV99608 77,278 ERP151 101 ET20 28 EHL1000 74 ER246 97 ER2401LED 101 ERCV9962 79,281 ERP152 101 ET20 28 EHLEDA 81 ER247 96 ER8328 101 ERCV20 68 ERPP1300 106 ET22 28 EHLEDA 81 ER249 99 ER9005 92 ER1L56 73 ERPP100 107 ET23 29 EHLEDA 81 ER249 99 ER9006 92 ER1L58 73 ERPP53000A 107 ET24 30 EHLEDA 81 ER260 100 ER65126 94 ER1L4200 75 ERSP54000A 107 ET25 28 EHLF2R 76 ER264 100 ER65402 94 ER1L4300 75 ERSP54000A 107 ET25 28 EHLF2R 76 ER265 100 ERACG30 234 ERINV120 104 ERSC608 105 ET27 30 EHL513 38 ER269 100 ERACG30 234 ERINV120 104 ERSC608 105 ET27 30 EHS131 38 ER269 100 ERACG30 234 ERINV120 104 ERSC608 105 ET27 30 EHS13R 38 ER272 100 ERACG30 234 ERINV130 104 ERSC608 105 ET27 30 EHS14R 38 ER271 100 ERACS30 235 ERINVMA20 104 ERSD125 67 ET29 29 EHS14R 38 ER274 100 ERB149 97 ERINVUS00 104 ERSD125 67 ET29 29 EHS14R 38 ER274 100 ERB149 97 ERINVUS00 104 ERSD130 67 ET31 29 EHS41R 38 ER281 99 ERB150 96 ERL1 41 ERSD310 67 ET33 28 EHS42R 38 ER286 101 ERD20 96 ERL5 41 ERSD330 67 ET34 29 EHS43R 38 ER289 99 ERB207S 97 ERL4 41 ERSD340 67 ET33 28 EHS42R 38 ER286 101 ERD20 96 ERL5 41 ERSD330 67 ET34 29 EHS43 38 ER289 99 ERB209 95 ERB241 95 ERL1 41 ERSD340 67 ET33 28 EHS43R 38 ER289 99 ERB209 95 ERB241 99 ERL100 48 ERSD160 67 ET34 29 EHS43R 38 ER289 99 ERB209 95 ERB241 95 ERL10 41 ERSD330 67 ET34 29 EHS43R 38 ER289 99 ERB209 90 ERB239 100 ERL1 41 ERSD340 67 ET33 28 EHS43R 38 ER289 99 ERB209 95 ERB241 99 ERL10 49 ERT5191 70 ET37K 29 EHS44R 38 ER295 97 ERB246 97 ERL10 299 ERT5191 70 ET37K 29 EHS453 38 ER395 99 ERB249 99 ERB235 90 ERL00 48 ERL10 48 ERSD360 67 ET34K 29 EHS453 38 ER | EHL300B | | ER150 | | ER709 | | ERCT830P | | | | | |
| EHL300R 74 ER299 96 ER875 96 ERCV5013 80,279 ERP116 274 ET15 28 EHL305 74 ER233 99 ER921 96 ERCV9420 ERP117 274 ET16 29 EHL640 80 ER239 100 ER955 96 ERCV9420 ERP117 274 ET16 29 EHL640 81 ER241 95 ER987 97 ERCV9607 77,278 ERP150 65 ET18 28 EHL810 81 ER242 100 ER1471 101 ERCV9608 77,278 ERP150 66 ET18 28 EHL810 74 ER245 97 ER1791 101 ERCV9608 77,278 ERP1512 101 ET19 29 EHL1000 74 ER245 97 ER1791 101 ERCV9608 77,278 ERP1512 101 ET20 28 EHL1002 74 ER246 97 ER2401LED 101 ERCV962 79,281 ERP8122 101 ET20 28 EHLEDA 81 ER247 96 ER8328 101 ER06720 68 ERPH130 106 ET22 28 EHLEDA 81 ER248 97 ER9005 92 ER1L56 73 ERPH230 106 ET22 28 EHLEDA 81 ER249 99 ER9006 92 ER1L58 73 ERPH500A 107 ET23 29 EHLED6 81 ER249 99 ER9006 92 ER1L58 73 ERPP5000A 107 ET23 29 EHLED6 81 ER246 100 ER85126 94 ER1L4200 75 ERPP5000A 107 ET24 30 EHLEPA 76 ER264 100 ER85402 94 ERIL4300 75 ERPP5000A 107 ET25 28 EHLF2R 76 ER265 100 ERAC630 234 ERINV120 104 ERSC808 105 ET26 29 EHL513 38 ER269 100 ERAC630 234 ERINV120 104 ERSC808 105 ET26 29 EHS13 38 ER269 100 ERAC630 234 ERINV1401 104 ERSC808 105 ET27 30 EHS13R 38 ER269 100 ERAC900 234 ERINV1401 104 ERSC808 105 ET27 30 EHS148 38 ER273 100 ERAC900 234 ERINV1400 104 ERSC808 105 ET28 28 EHS14R 38 ER269 100 ERAC900 234 ERINV1400 104 ERSD125 67 ET30 30 EHS418 38 ER269 100 ERAC900 234 ERINV1400 104 ERSD125 67 ET30 30 EHS418 38 ER281 99 ERB150 96 ERL1 41 ERSD340 67 ET31 29 EHS41R 38 ER286 101 ERB299 96 ERL5 41 ERSD340 67 ET33 30 EHS418 38 ER286 191 ERB233 99 ERB2075 97 ERL4 41 ERSD340 67 ET33 38 EHS42 38 ER286 101 ERB233 99 ERB2075 97 ERL4 41 ERSD340 67 ET33 30 EHS43R 38 ER289 99 ERB239 100 ERL7 41 ERSD340 67 ET33 30 EHS44RE 38 ER286 99 ERB239 100 ERL7 41 ERSD340 67 ET33 30 EHS44RE 38 ER286 99 ERB235 97 ERB240 99 ERL5 41 ERSD340 67 ET33 30 EHS44RE 38 ER286 99 ERB239 100 ERL7 41 ERSD340 67 ET33 30 EHS44RE 38 ER286 99 ERB249 99 ERL5 41 ERSD340 67 ET33 30 EHS44RE 38 ER286 99 ERB249 99 ERL5 41 ERSD340 67 ET33 30 EHS44RE 38 ER286 99 ERB249 99 ERL5 41 ERSD340 67 ET33 30 EHS44RE 38 ER286 99 ERB249 99 ERL5 41 ERSD340 67 ET33 | | | | | | | | | | | | |
| EHL305 74 ER233 99 ER921 96 ERCV9620 78-78-28-81 ERP117 274 ET16 29 EHL640 80 ER239 100 ER955 96 78-79-280-81 ERP125 65 ET17 30 EHL805 81 ER241 95 ER987 97 ERCV9607 77.278 ERP150 65 ET18 28 EHL810 81 ER242 100 ER1471 1011 ERCV9608 77.278 ERP151 101 ET19 29 EHL1000 74 ER245 97 ER1791 101 ERCV9608 77.278 ERPB121 101 ET19 29 EHL1000 74 ER246 97 ER2401LED 101 ERCV9761 79.281 ERPB122 101 ET12 28 EHLED4A 81 ER247 96 ER8328 101 ERDCP20 68 ERPPL300 106 ET22 28 EHLED4A 81 ER248 97 ER9005 92 ER1L56 73 ERPPL300 106 ET22 28 EHLED4A 81 ER249 99 ER9006 92 ER1L58 73 ERPPL300 107 ET23 29 EHLED6A 81 ER249 199 ER906 92 ER1L58 73 ERPPL300 107 ET23 29 EHLED6A 81 ER260 100 ER85402 94 ER1L4300 75 ERPPL3000 A 107 ET25 28 EHLF2R 76 ER264 100 ER85402 94 ER1L4300 75 ERFC704 105 ET26 29 EHLF3R 76 ER265 100 ERAC530 234 ERINV120 104 ERSC608 105 ET27 30 EHL513R 38 ER269 100 ERAC700 234 ERINV120 104 ERSC608 105 ET27 30 EHS13RE 38 ER272 100 ERAC820 235 ERINVMA20 104 ERSCPRS0 105 ET28 28 EHS13RE 38 ER273 100 ERAC930 235 ERINVMA20 104 ERSD160 67 ET30 30 EHS14RE 38 ER274 100 ERB149 97 ERINVJ300 104 ERSD160 67 ET31 29 EHS14RE 38 ER274 100 ERB149 97 ERINVJ300 104 ERSD160 67 ET31 29 EHS14RE 38 ER281 99 ERB150 96 ERL1 41 ERSD310 67 ET32 30 EHS41RE 38 ER288 99 ERB207S 97 ERL4 41 ERSD310 67 ET33 30 EHS41RE 38 ER286 101 ERB233 99 ERL5 41 ERSD366 67 ET33 32 EHS43RE 38 ER286 101 ERB233 99 ERL5 41 ERSD360 67 ET33 29 EHS43RE 38 ER289 99 ERB207S 97 ERL5 41 ERSD360 67 ET33 30 EHS43RE 38 ER296 99 ERB241 95 ERL5 41 ERSD360 67 ET33 30 EHS43RE 38 ER296 99 ERB246 97 ERLD2 299 ERT5174 70 ET37 29 EHS43RE 38 ER296 99 ERB246 97 ERLD2 299 ERT510 70 ET37K 29 EHS43RE 38 ER296 99 ERB246 97 ERLD2 299 ERT5174 70 ET37 29 EHS43RE 38 ER296 99 ERB246 97 ERLD2 299 ERT5174 70 ET37 29 EHS43RE 38 ER296 99 ERB246 97 ERLD2 299 ERT5174 70 ET37 29 EHS43RE 38 ER296 99 ERB246 97 ERLD2 299 ERT5174 70 ET37 29 EHS43RE 38 ER296 99 ERB246 97 ERLD2 299 ERT5174 70 ET37 29 EHS43RE 38 ER296 99 ERB246 97 ERLD2 299 ERT5174 70 ET37 29 EH | | | | | | | | | | | | |
| EHL640 80 ER239 100 ER955 96 78-79,280-281 ERP125 65 ET17 30 EHL805 81 ER241 95 EF987 97 ERCV9607 77,278 ERP150 65 ET18 28 EHL810 81 ER242 100 ER1471 101 ERCV9608 77,278 ERPB121 101 ET19 29 EHL1000 74 ER245 97 ER1791 101 ERCV9616 79,281 ERPB122 101 ET20 28 EHL1002 74 ER246 97 ER2401LED 101 ERCV962 79,281 ERPB122 101 ET20 28 EHLED4 81 ER247 96 ER8328 101 ERCV962 79,281 ERPB243 101 ET21 29 EHLED4 81 ER248 97 ER9005 92 ERIL56 73 ERPPL700 107 ET23 29 EHLED6 81 ER248 97 ER9005 92 ERIL56 73 ERPPL700 107 ET23 29 EHLED6 81 ER249 99 ER9006 92 ERIL58 73 ERPPS3000A 107 ET24 30 EHLED6 81 ER260 100 ER85126 94 ERIL4200 75 ERPPS4000A 107 ET24 30 EHLED6 81 ER260 100 ER85402 94 ERIL4200 75 ERPPS4000A 107 ET25 28 EHLF2R 76 ER265 100 ERA6630 234 ERINV120 104 ERSC088 105 ET27 30 EHL513 38 ER269 100 ERA6700 234 ERINV120 104 ERSC088 105 ET27 30 EHS13 38 ER269 100 ERA6700 234 ERINVMA20 104 ERSC088 105 ET27 30 EHS14 38 ER273 100 ERAC900 234 ERINVMA20 104 ERSC08 105 ET27 30 EHS14 38 ER273 100 ERAC900 234 ERINVMA20 104 ERSD163 67 ET31 29 EHS14 38 ER273 100 ERAC900 234 ERINVMA20 104 ERSD163 67 ET31 29 EHS14 38 ER283 99 ERB150 96 ERI.1 41 ERSD160 67 ET30 30 EHS41 38 ER283 99 ERB150 96 ERI.1 41 ERSD160 67 ET30 30 EHS418 38 ER288 99 ERB207S 97 ERIA 41 ERSD300 67 ET33 28 EHS41 38 ER288 99 ERB207S 97 ERIA 41 ERSD300 67 ET33 28 EHS42R 38 ER286 101 ERB209 96 ERL5 41 ERSD300 67 ET33 28 EHS42R 38 ER286 101 ERB209 96 ERL5 41 ERSD300 67 ET33 28 EHS42R 38 ER286 101 ERB239 100 ERL7 41 ERSD300 67 ET334 29 EHS44R 38 ER289 99 ERB207S 97 ERIA 41 ERSD300 67 ET334 29 EHS44R 38 ER289 99 ERB207S 97 ERIA 41 ERSD300 67 ET334 29 EHS44R 38 ER289 99 ERB207S 97 ERIA 41 ERSD300 67 ET334 29 EHS44R 38 ER289 99 ERB207S 97 ERIA 41 ERSD300 67 ET334 29 EHS44R 38 ER289 99 ERB207S 97 ERIA 41 ERSD300 67 ET334 29 EHS44R 38 ER299 95 ERB241 95 ERB249 99 ERB209 95 ERB241 95 ERB249 99 ERB209 95 ERB241 95 ERB300 67 ET334 29 EHS44R 38 ER299 95 ERB249 99 ERB209 95 ERB249 99 ERD04 299 ERT5191 70 ET37K 29 EHS458 38 ER299 99 ERB249 99 ERB249 99 ERD04 299 ERT5191 70 ET37K 29 EHS458 38 | | | | | | | | 80, 279 | | | | |
| EHLBOS 81 ER241 95 ER967 97 ERCV9607 77,278 ERP150 65 ET18 28 EHLB10 81 ER242 100 ER1471 101 ERCV9608 77,278 ERPB121 101 ET19 29 EHL1000 74 ER245 97 ER1791 101 ERCV9608 77,278 ERPB122 101 ET20 28 EHL1002 74 ER246 97 ER2401LED 101 ERCV9622 79,281 ERPB122 101 ET20 28 EHLEDA 81 ER247 96 ER8328 101 ERDCP20 68 ERPP1300 106 ET22 28 EHLEDA 81 ER248 97 ER9005 92 ERIL56 73 ERPP1300 106 ET22 29 EHLEDA 81 ER249 99 ER9006 92 ERIL56 73 ERPP1300 107 ET23 29 EHLEDA 81 ER249 99 ER9006 92 ERIL58 73 ERPP53000A 107 ET23 29 EHLEDA 81 ER249 99 ER9006 92 ERIL58 73 ERPP53000A 107 ET25 28 EHLF2R 76 ER264 100 ER85126 94 ERIL4200 75 ERPP54000A 107 ET25 28 EHLF2R 76 ER264 100 ER85402 94 ERIL4300 75 ERSC704 105 ET26 29 EHLF3R 76 ER265 100 ERACG30 234 ERINV120 104 ERSC808 105 ET27 30 ERS13 38 ER269 100 ERACG30 234 ERINV120 104 ERSC808 105 ET27 30 ERS13 38 ER269 100 ERACG30 234 ERINV130 104 ERSCR08 105 ET27 30 ERS14 38 ER272 100 ERACG300 234 ERINV1300 104 ERSCR05 105 ET28 28 EHS14 38 ER273 100 ERACG300 234 ERINV1300 104 ERSCR50 105 ET28 28 EHS14R 38 ER273 100 ERACB30 234 ERINV1300 104 ERSD140 67 ET30 30 ERS151R 38 ER281 199 ERB150 96 ER1 11 ERSD310 67 ET31 29 ERS41 38 ER281 199 ERB15075 97 ERINV1300 104 ERSD163 67 ET31 29 ERS41 28 ERS41 38 ER286 101 ERB233 99 ERB2075 97 ERL4 41 ERSD310 67 ET32 30 ERS41RE 38 ER286 101 ERB233 99 ERB2075 97 ERL4 41 ERSD300 67 ET34 29 ERS43 38 ER286 101 ERB233 99 ERB207 97 ERL541 41 ERSD300 67 ET34 29 ERS43 38 ER286 99 ERB239 100 ERL7 41 ERSD300 67 ET34 29 ERS44 96 ERB249 99 ERB209 99 ERB239 100 ERL7 41 ERSD300 67 ET34 29 ERS44 96 ERB249 99 ERB209 ERT5191 70 ET37K 29 ERS44 96 ERB249 99 ERL54 11 ERSD300 67 ET34 29 ERS44 96 ERB249 99 ERB249 99 ERL54 11 ERSD300 67 ET34 29 ERS44 96 ERB249 99 ERL54 11 ERSD300 67 ET34 29 ERS44 96 ERB249 99 ERL54 100 ERMM500 42 ERTC000 235 ET41 31 ET37K 29 ERS45E 38 ER296 99 ERB249 99 ERL54 100 ERMM500 42 ERTC000 235 ET41 31 ET37K 29 ERS45E 38 ER296 99 ERB249 99 ERL54 100 ERMM500 42 ERTC000 235 ET41 31 ERS63 38 ER339 95 ERB269 100 ERP14 274 ERV1020 103 ET44 28 ERS563 38 ER335 95 ERB26 | | | | | | | | 0 200-201 | | | | |
| EHLEIO | | | | | | | | | | | | |
| EHL1000 74 ER245 97 ER1791 101 ERCV9761 79,281 ERPB122 101 ET20 28 EHL1002 74 ER246 97 ER2401LED 101 ERCV9822 79,281 ERPB243 101 ET21 29 EHLED4 81 ER247 96 ER8328 101 ERDCP20 68 ERPPL300 106 ET22 28 EHLED4 81 ER248 97 ER9005 92 ERIL56 73 ERPPL300 107 ET23 29 EHLED6 81 ER249 99 ER9006 92 ERIL58 73 ERPPL300 107 ET24 30 EHLED6A 81 ER249 99 ER9006 92 ERIL58 73 ERPPS3000A 107 ET24 30 EHLED6A 81 ER260 100 ER85126 94 ERIL4200 75 ERPPS4000A 107 ET25 28 EHLF2R 76 ER264 100 ER85402 94 ERIL4300 75 ERSCR08 105 ET27 30 EHL513 38 ER269 100 ERAC630 234 ERINV120 104 ERSCR08 105 ET27 30 EHS13 38 ER269 100 ERAC630 234 ERINVMA10 104 ERSCR08 105 ET27 30 EHS14 38 ER272 100 ERAC630 234 ERINVMA10 104 ERSD125 67 ET29 29 EHS14 38 ER273 100 ERAC630 234 ERINVMA10 104 ERSD125 67 ET29 29 EHS14 38 ER274 100 ER8149 97 ERINVUS00 104 ERSD125 67 ET30 30 EHS14RE 38 ER274 100 ER8149 97 ERINVUS00 104 ERSD163 67 ET31 29 EHS41 38 ER281 99 ERB150 96 ER11 41 ERSD340 67 ET33 28 EHS42 38 ER286 101 ER8209 96 ERL5 41 ERSD340 67 ET32 30 EHS41RE 38 ER286 101 ER8209 96 ERL5 41 ERSD340 67 ET33 28 EHS42 38 ER286 101 ER8209 96 ERL5 41 ERSD363 67 ET33 28 EHS42 38 ER286 101 ER8233 99 ERB6 41 ERSD340 67 ET33 28 EHS42 38 ER286 101 ER8233 99 ERL6 41 ERSD360 67 ET33 28 EHS43 38 ER286 101 ER8239 100 ER17 41 ERSD360 67 ET334 29 EHS43 38 ER286 101 ER8299 99 ERB239 100 ER17 41 ERSD360 67 ET334 29 EHS43 38 ER286 101 ER8299 99 ERB239 100 ER17 41 ERSD360 67 ET334 29 EHS43 38 ER290 99 ERB249 99 ERL6 41 ERSD360 67 ET334 29 EHS43RE 38 ER290 99 ERB249 99 ERL6 41 ERSD360 67 ET334 29 EHS43RE 38 ER296 99 ERB249 99 ERLD 299 ERT5191 70 ET37K 29 EHS458 38 ER296 99 ERB246 97 ERLD 299 ERT5191 70 ET37K 29 EHS458 38 ER296 99 ERB246 99 ERD2 299 ERT5191 70 ET37K 29 EHS458 38 ER296 99 ERB246 99 ERD2 299 ERT5191 70 ET37K 29 EHS458 38 ER296 99 ERB246 99 ERD2 299 ERT5191 70 ET37K 29 EHS458 38 ER296 99 ERB246 99 ERD249 99 ERLD4 299 ERT5191 70 ET37K 29 EHS458 38 ER396 99 ERB246 99 ERD249 99 ERLD4 299 ERT5191 70 ET37K 29 EHS458 38 ER396 99 ERB246 99 ERD249 99 ERLD4 299 ERT5191 70 ET37K 29 EHS458 | | | | | | | | | | | | |
| EHL1002 74 ER246 97 ER2401LED 101 ERCV9822 79,281 ERPB243 101 ET21 29 EHLED4 81 ER247 96 ER8328 101 ERCV982 79,281 ERPB243 101 ET22 28 EHLEDA 81 ER248 97 ER9005 92 ERIL55 73 ERPPL700 107 ET23 29 EHLED6 81 ER249 99 ER9006 92 ERIL58 73 ERPPS300A 107 ET24 30 EHLED6A 81 ER260 100 ER85126 94 ERIL4200 75 ERPPS400A 107 ET25 28 EHLF2R 76 ER264 100 ER85126 94 ERIL4300 75 ERPPS400A 107 ET25 28 EHLF3R 76 ER265 100 ERAC630 234 ERINV120 104 ERSCR08 105 ET27 30 EHS133 38 ER269 100 ERAC630 234 ERINV120 104 ERSCR080 105 ET27 30 EHS13RE 38 ER272 100 ERAC820 235 ERINVMA10 104 ERSCR050 105 ET28 28 EHS14 38 ER273 100 ERAC820 235 ERINVMA20 104 ERSD125 67 ET29 29 EHS14 38 ER274 100 ER819 97 ERINV1500 104 ERSD163 67 ET31 29 EHS41 38 ER281 99 ER8150 96 ERL1 41 ERSD340 67 ET31 29 EHS41RE 38 ER283 99 ER82075 97 ERL4 41 ERSD340 67 ET32 30 EHS42 38 ER286 101 ER8209 96 ERL5 41 ERSD340 67 ET33 28 EHS42 38 ER286 101 ER8209 96 ERL5 41 ERSD340 67 ET33 28 EHS43 38 ER286 101 ER8209 97 ERB24 195 ERL4 41 ERSD340 67 ET34 29 EHS43RE 38 ER289 99 ER8233 99 ERE6 41 ERSD380 67 ET34 29 EHS43RE 38 ER290 95 ERB241 95 ERL5 41 ERSD340 67 ET34 29 EHS43RE 38 ER290 95 ERB241 95 ERL5 41 ERSD340 67 ET34 29 EHS43RE 38 ER296 99 ERB255 97 ERB246 97 ERL10 41 ERSD340 67 ET34 29 EHS43RE 38 ER299 95 ERB241 95 ERL11 41 ERSD340 67 ET34 29 EHS43RE 38 ER299 95 ERB241 95 ERL1 41 ERSD340 67 ET34 29 EHS43RE 38 ER299 95 ERB241 95 ERL5 41 ERSD340 67 ET34 29 EHS43RE 38 ER299 95 ERB241 95 ERL10 41 ERSD340 67 ET34 29 EHS43RE 38 ER299 95 ERB246 97 ERLD 299 ERT5174 70 ET37K 29 EHS45RE 38 ER299 95 ERB246 97 ERLD 299 ERT5191 70 ET37K 29 EHS45RE 38 ER296 99 ERB299 99 ERB299 99 ERT5190 70 ET37K 29 EHS45RE 38 ER334 96 ERB246 100 ERM500 482 ERTC000 235 ET34 31 EHS62 38 ER334 96 ERB246 100 ERM500 482 ERTC000 235 ET34 31 EHS62 38 ER335 95 ERB269 100 ERP13 274 ERV12600 235 ET34 31 EHS64 38 ER334 96 ERB249 99 ERB29 99 ERT5174 70 ET37K 29 EHS45RE 38 ER338 99 ERB296 99 ERB299 99 ERT5174 70 ET37K 29 EHS64 38 ER338 95 ERB269 100 ERP13 274 ERV12600 235 ET34 31 EHS62 38 ER338 99 ERB296 99 ERB299 99 | | | | | | | | | | 101 | | |
| EHLEDAA 81 ER248 97 ER9005 92 ERIL56 73 ERPPS000A 107 ET23 29 EHLEDGA 81 ER249 99 ER9006 92 ERIL58 73 ERPPS000A 107 ET23 30 EHLEDGA 81 ER260 100 ER85126 94 ERIL4200 75 ERPPS4000A 107 ET25 28 EHLF2R 76 ER264 100 ER85402 94 ERIL4200 75 ERPPS4000A 107 ET25 28 EHLF3R 76 ER265 100 ERAC630 234 ERINV120 104 ERSCR08 105 ET26 29 EHLF3R 76 ER265 100 ERAC630 234 ERINV120 104 ERSCR08 105 ET27 30 EM513 38 ER272 100 ERAC630 234 ERINVMA20 104 ERSCRP50 105 ET28 28 EM513R 38 ER2772 100 ERAC620 235 ERINVMA20 104 ERSCRP50 105 ET28 28 EM514 38 ER273 100 ERAC6300 234 ERINV1300 104 ERSD125 67 ET29 29 EM514RE 38 ER274 100 ERAC900 234 ERINV1300 104 ERSD125 67 ET29 29 EM514RE 38 ER281 99 ERB150 56 ERL1 41 ERSD140 67 ET32 30 EM541 38 ER283 99 ERB150 96 ERL1 41 ERSD340 67 ET32 30 EM541RE 38 ER283 99 ERB150 96 ERL1 41 ERSD340 67 ET32 30 EM542 38 ER286 101 ERB209 96 ERL1 41 ERSD340 67 ET33 28 EM542R 38 ER286 101 ERB209 96 ERL5 41 ERSD360 67 ET334K 28 EM543R 38 ER289 99 ERB295 97 ERL6 41 ERSD360 67 ET334K 29 EM543R 38 ER289 99 ERB239 100 ERL7 41 ERSD340 67 ET334K 29 EM544R 38 ER290 95 ERB241 95 ERB241 95 ERL11 41 ERSD340 67 ET334K 29 EM544R 38 ER290 95 ERB241 95 ERB241 95 ERL11 41 ERSD340 67 ET334K 29 EM544R 38 ER290 95 ERB241 95 ERL11 41 ERSD340 67 ET334K 29 EM544R 38 ER291 95 ERB242 100 ERL7 41 ERSD340 67 ET334K 29 EM544R 38 ER299 99 ERB239 100 ERL7 41 ERSD340 66 ET35 30 EM544R 38 ER299 99 ERB245 97 ERLD1 299 ERT5191 70 ET37 29 EM545E 38 ER296 99 ERB249 99 ERLD2 299 ERT5191 70 ET37 29 EM545E 38 ER295 97 ERB246 97 ERLD2 299 ERT5191 70 ET37 29 EM545E 38 ER333 99 ERB249 99 ERB249 99 ERLD2 299 ERT5191 70 ET37 29 EM546 38 ER333 99 ERB249 99 ERB249 99 ERLD2 299 ERT5191 70 ET37 29 EM546 38 ER333 99 ERB249 99 ERB249 99 ERLD2 299 ERT5191 70 ET37 29 EM546 38 ER333 99 ERB249 99 ERB249 99 ERLD2 299 ERT5191 70 ET37 29 EM546 38 ER333 99 ERB249 99 ERB249 99 ERLD4 299 ERT5191 70 ET37 29 EM546 38 ER333 99 ERB249 99 ERB249 99 ERLD4 299 ERT5191 70 ET37 29 EM546 38 ER333 99 ERB249 99 ERB249 99 ERD24 299 ERT5191 70 ET37 29 EM546 38 ER333 99 ERB249 99 ERB249 2 | EHL1002 | 74 | ER246 | | ER2401LED | 101 | ERCV9822 | 79, 281 | ERPB243 | 101 | ET21 | 29 |
| EHLED6 81 ER249 99 ER9006 92 ERIL58 73 ERPPS3000A 107 ET24 30 EHLED6A 81 ER260 100 ER85126 94 ERIL4200 75 ERPPS4000A 107 ET25 28 EHLF2R 76 ER264 100 ER85402 94 ERIL4300 75 ERPPS4000A 107 ET25 29 EHLF3R 76 ER265 100 ERAC630 234 ERINV120 104 ERSCR08 105 ET27 30 EHS13 38 ER269 100 ERAC700 234 ERINVMA10 104 ERSCRS08 105 ET27 30 EHS13R 38 ER272 100 ERAC900 234 ERINVMA20 104 ERSCRS08 105 ET28 28 EHS14 38 ER273 100 ERAC900 234 ERINVMA20 104 ERSD125 67 ET29 29 EHS14 38 ER273 100 ERAC900 234 ERINVUS00 104 ERSD125 67 ET30 30 EHS41RE 38 ER281 99 ERB150 95 ERIL1 41 ERSD310 67 ET31 29 EHS41 38 ER281 99 ERB150 95 ERIL1 41 ERSD310 67 ET31 29 EHS41 38 ER283 99 ERB2075 97 ERL4 41 ERSD310 67 ET33 28 EHS42 38 ER286 101 ERB209 95 ERL5 41 ERSD360 67 ET34 29 EHS43 38 ER286 101 ERB209 95 ERL5 41 ERSD360 67 ET34 29 EHS43 38 ER289 99 ERB239 100 ERL7 41 ERSD380 67 ET34K 29 EHS43RE 38 ER289 99 ERB239 100 ERL7 41 ERSD380 67 ET34K 29 EHS43RE 38 ER299 95 ERB241 95 ERL11 41 ERSD30 66 ET35 30 EHS44E 38 ER299 99 ERB239 100 ERL7 41 ERSD30 66 ET35 30 EHS44 38 ER291 95 ERB241 95 ERL10 41 ERSD30 66 ET35 30 EHS44 38 ER291 95 ERB241 95 ERL10 41 ERSD30 66 ET36 28 EHS44RE 38 ER296 99 ERB239 100 ERL7 41 ERSD30 66 ET36 28 EHS44 38 ER291 95 ERB242 100 ERL00 41 ERST230 66 ET36 28 EHS44RE 38 ER296 99 ERB249 99 ERLD4 299 ERT5191 70 ET37K 29 EHS45RE 38 ER296 99 ERB249 99 ERLD4 299 ERT5191 70 ET37K 29 EHS45RE 38 ER296 99 ERB249 99 ERLD4 299 ERT5191 70 ET37K 29 EHS45RE 38 ER334 96 ERB264 100 ERMM500 482 ERTC2000 235 ET39 31 EHS62 38 ER334 96 ERB269 100 ERP13 274 ERUC260 235 ET39 31 EHS62 38 ER339 95 ERB269 100 ERP13 274 ERUC26 102 ET42 29 EHS64 38 ER339 95 ERB269 100 ERP13 274 ERUC260 103 ET44 28 EMS 267 ER380 96 ERB284 96 ERP20 64 ERU280 103 ET44 28 EMS 267 ER380 96 ERB284 96 ERP22 64 ERU194 103 ET45 28 EMS 267 ER380 96 ERB284 96 ERP22 64 ERU194 103 ET45 28 EMS 267 ER380 96 ERB335 95 ERB269 100 ERP14 274 ERUC26 EB ET47 29 EMG5 52 ER382 95 ERB380 96 ERP42 274 ERVEP2 68 ET47 29 EMG5 52 ER382 95 ERB380 96 ERP42 274 ERVEP2 68 ET47 29 EMG5 52 ER382 95 ERB380 96 ER | EHLED4 | | ER247 | | | | | | | | | |
| EHLEDGA 81 ER260 100 ER85126 94 ERIL4200 75 ERPPS4000A 107 ET25 28 EHLF2R 76 ER264 100 ER85402 94 ERIL4300 75 ERSC704 105 ET26 29 EHLF3R 76 ER265 100 ERAC630 234 ERINV120 104 ERSC808 105 ET27 30 EHS13 38 ER269 100 ERAC700 234 ERINV120 104 ERSC808 105 ET27 30 EHS13R 38 ER272 100 ERAC820 235 ERINVMA20 104 ERSCD750 105 ET28 28 EHS14R 38 ER273 100 ERAC820 235 ERINVMA20 104 ERSD125 67 ET29 29 EHS14R 38 ER273 100 ERAC900 234 ERINVU300 104 ERSD140 67 ET30 30 EHS14RE 38 ER281 99 ERB149 97 ERINVU500 104 ERSD163 67 ET31 29 EHS41 38 ER281 99 ERB150 96 ERL1 41 ERSD310 67 ET32 30 EHS41RE 38 ER283 99 ERB2075 97 ERL4 41 ERSD340 67 ET33 28 EHS42 38 ER286 101 ERB209 96 ERL5 41 ERSD360 67 ET33 28 EHS42 38 ER286 101 ERB209 97 ERL5 41 ERSD360 67 ET34 29 EHS43 38 ER289 99 ERB239 100 ERL7 41 ERSD360 67 ET34 29 EHS43RE 38 ER289 99 ERB239 100 ERL7 41 ERSD360 67 ET34K 29 EHS44RE 38 ER289 99 ERB239 100 ERL7 41 ERSD360 66 ET36 28 EHS44 38 ER291 95 ERB241 95 ERB245 97 ERLD1 299 ERT5191 70 ET37K 29 EHS45E 38 ER296 99 ERB246 99 ERB245 97 ERLD2 299 ERT5191 70 ET37K 29 EHS45RE 38 ER296 99 ERB246 99 ERB246 99 ERLD2 299 ERT5191 70 ET37K 29 EHS45E 38 ER334 96 ERB245 97 ERLD2 299 ERT5191 70 ET37K 29 EHS61 38 ER334 96 ERB245 97 ERLD2 299 ERT5191 70 ET37K 29 EHS62 38 ER334 96 ERB246 100 ERMM500 482 ERTC000 235 ET39 31 EHS63 38 ER339 95 ERB269 100 ERP13 274 ERC000 235 ET39 31 EHS63 38 ER339 95 ERB266 101 ERP13 64 ERV175 103 ET44 28 EMS63 38 ER335 95 ERB266 101 ERP13 64 ERV175 103 ET44 28 EMS63 38 ER335 95 ERB266 101 ERP13 64 ERV175 103 ET44 28 EM1 267 ER386 95 ERB286 101 ERP13 74 ERW207LED 97 ET48 28 EM3 267 ER380 96 ERB346 95 ERB240 96 ERB245 97 ERLD2 299 ERT5191 70 ET37K 29 EHS64 38 ER335 95 ERB269 100 ERP13 274 ERW207LED 103 ET44 28 EM1 267 ER386 95 ERB286 101 ERP13 64 ERW175 103 ET44 28 EM1 267 ER386 95 ERB286 101 ERP13 64 ERW175 103 ET44 28 EM1 267 ER386 95 ERB380 96 ERB240 95 ERP22 66 ERW2507LED 97 ET48 28 EM655 52 ER381 97 ERB380 96 ERB240 274 | | | | | | | | | | | | |
| EHLF2R 76 ER264 100 ER85402 94 ERIL4300 75 ERSC704 105 ET26 29 EHLF3R 76 ER265 100 ERAC630 234 ERINV120 104 ERSC808 105 ET27 30 EHS13 38 ER269 100 ERAC700 234 ERINVMA10 104 ERSCR508 105 ET28 28 EHS13RE 38 ER272 100 ERAC820 235 ERINVMA20 104 ERSCR50 105 ET28 29 EHS14 38 ER273 100 ERAC900 234 ERINVJA30 104 ERSD125 67 ET29 29 EHS14 38 ER273 100 ERAC900 234 ERINVJA300 104 ERSD160 67 ET30 30 EHS41 38 ER281 99 ERB149 97 ERINVJS00 104 ERSD163 67 ET31 29 EHS41 38 ER283 99 ERB2075 97 ERL4 41 ERSD360 67 ET33 28 EHS42RE 38 ER283 99 ERB2075 97 ERL4 41 ERSD360 67 ET33 28 EHS42RE 38 ER286 101 ERB209 96 ERL5 41 ERSD363 67 ET334 29 EHS43 38 ER286 101 ERB233 99 ERL6 41 ERSD360 67 ET34 29 EHS43 38 ER289 99 ERB239 100 ERL7 41 ERSD360 67 ET34 29 EHS43 38 ER290 95 ERB241 95 ERL11 41 ERSD360 67 ET34 29 EHS44 38 ER290 95 ERB241 95 ERL11 41 ERSD360 67 ET34 29 EHS44 38 ER290 95 ERB241 95 ERL11 41 ERSD360 66 ET36 28 EHS44 38 ER291 95 ERB242 100 ERL7 41 ERSD360 66 ET36 28 EHS44 38 ER291 95 ERB242 100 ERL100 41 ERST230 66 ET36 28 EHS44RE 38 ER294 96 ERB2455 97 ERLD1 299 ERT5191 70 ET37K 29 EHS45RE 38 ER295 97 ERB246 97 ERLD2 299 ERT5191 70 ET37K 29 EHS45RE 38 ER296 99 ERB249 99 ERLD2 299 ERT5191 70 ET37K 29 EHS45RE 38 ER296 99 ERB249 99 ERLD2 299 ERT5191 70 ET37K 29 EHS45RE 38 ER296 99 ERB249 99 ERLD4 299 ERT5191 70 ET37K 29 EHS45RE 38 ER334 96 ERB264 100 ERMM500 482 ERTC0000 235 ET39 31 EHS61 38 ER334 96 ERB264 100 ERMM500 482 ERTC0000 235 ET39 31 EHS62 38 ER335 95 ERB269 100 ERP13 274 ERTC6000 235 ET39 31 EHS63 38 ER334 96 ERB266 101 ERP13 64 ERU175 103 ET43 30 EHS63 38 ER335 95 ERB266 101 ERP13 64 ERU194 103 ET44 28 EM563 38 ER335 95 ERB286 101 ERP13 64 ERU195 103 ET44 28 EM563 38 ER335 95 ERB286 101 ERP13 64 ERU195 103 ET44 28 EM563 38 ER335 95 ERB286 101 ERP13 64 ERU195 103 ET44 28 EM3 267 ER380 96 ERB286 101 ERP13 64 ERU195 103 ET44 28 EM563 38 ER335 95 ERB286 101 ERP13 64 ERU195 103 ET44 28 EM563 38 ER335 95 ERB286 101 ERP13 64 ERU195 103 ET44 28 EM563 38 ER335 95 ERB286 101 ERP13 64 ERU195 103 ET44 28 EM565 52 ER381 97 ERB380 96 E | | | | | | | | | | | | |
| EHL513 | | | | | EDOE 400 | | | | | | | |
| EHS13 38 ER269 100 ERAC700 234 ERINVMA10 104 ERSCPR50 105 ET28 28 EHS13RE 38 ER272 100 ERAC820 235 ERINVMA20 104 ERSD125 67 ET29 29 29 25 EMS44 38 ER273 100 ERAC900 234 ERINVU300 104 ERSD140 67 ET30 30 30 25 EMS44RE 38 ER274 100 ERB149 97 ERINVU500 104 ERSD163 67 ET31 29 27 EMS41 38 ER281 99 ERB150 96 ERL1 41 ERSD310 67 ET32 30 28 28 EMS41RE 38 ER283 99 ERB2075 97 ERL4 41 ERSD340 67 ET33 28 28 EMS42RE 38 ER286 101 ERB209 96 ERL5 41 ERSD363 67 ET33K 28 28 EMS42RE 38 ER286 101 ERB233 99 ERL6 41 ERSD360 67 ET33K 28 29 EMS43RE 38 ER289 99 ERB239 100 ERL7 41 ERSD360 67 ET34 29 EMS43RE 38 ER290 95 ERB241 95 ERL11 41 ERSD340 67 ET34 29 EMS44RE 38 ER290 95 ERB241 95 ERL11 41 ERSD340 67 ET34K 29 EMS44RE 38 ER291 95 ERB241 95 ERL11 41 ERSR230 66 ET35 30 EMS44RE 38 ER291 95 ERB242 100 ERL100 41 ERSR230 66 ET36 28 EMS44RE 38 ER296 99 ERB246 97 ERLD1 299 ERT5174 70 ET37 29 EMS45RE 38 ER296 99 ERB246 97 ERLD2 299 ERT5191 70 ET37K 29 EMS45RE 38 ER296 99 ERB249 99 ERLD2 299 ERT5191 70 ET37K 29 EMS45RE 38 ER296 99 ERB249 99 ERLD2 299 ERT5191 70 ET37K 29 EMS45RE 38 ER296 99 ERB249 99 ERLD2 299 ERT5100 70 ET38 30 EMS62 38 ER334 96 ERB249 99 ERLD4 299 ERT5210 70 ET38 30 EMS63 38 ER334 96 ERB264 100 ERMM500 482 ERTC2000 235 ET39 31 EMS63 38 ER334 96 ERB264 100 ERMM500 482 ERTC2000 235 ET39 31 EMS63 38 ER333 95 ERB269 100 ERM500 482 ERTC2000 235 ET39 31 EMS63 38 ER333 95 ERB269 100 ERM1500 482 ERTC2000 235 ET39 31 EMS63 38 ER333 95 ERB269 100 ERM1500 482 ERTC2000 235 ET41 31 EMS63 38 ER333 95 ERB266 101 ERP18 64 ERU175 103 ET43 30 EMS63 38 ER343 95 ERB286 101 ERP18 64 ERU175 103 ET44 28 EMS64 38 ER343 95 ERB286 101 ERP18 64 ERU175 103 ET44 28 EMS64 30 ER334 96 ERB286 101 ERP18 64 ERU175 103 ET44 28 EMS64 267 ER386 96 ERB343 95 ERB294 96 ERP20 64 ERU196 103 ET44 28 EMS64 267 ER386 97 ERB346 95 ERB294 96 ERP20 64 ERU196 103 ET44 28 EMS65 27 ER386 96 ERB343 95 ERB294 96 ERP20 64 ERU196 103 ET44 28 EMS65 27 ER381 97 ERB346 95 ERB340 95 ERP25 64 ERU194 103 ET45 28 EMS65 52 ER381 97 ERB346 95 ERB340 96 ERP42A 274 ERW207LED 97 ET48 28 | | | | | | | | | | | | |
| EHS13RE 38 ER272 100 ERAC820 235 ERINVMA20 104 ERSD125 67 ET29 29 EHS14 38 ER273 100 ERAC900 234 ERINVU300 104 ERSD140 67 ET30 30 30 EHS41RE 38 ER274 100 ERB149 97 ERINVU500 104 ERSD163 67 ET31 29 EHS41 38 ER281 99 ERB150 96 ERL1 41 ERSD310 67 ET32 30 EHS41RE 38 ER283 99 ERB207S 97 ERL4 41 ERSD340 67 ET33 28 EHS42 38 ER286 101 ERB209 96 ERL5 41 ERSD363 67 ET33K 28 EHS42RE 38 ER286B 101 ERB233 99 ERB209 96 ERL5 41 ERSD360 67 ET34 29 EHS43 38 ER289 99 ERB239 100 ERL7 41 ERSD360 67 ET34 29 EHS43 38 ER289 99 ERB239 100 ERL7 41 ERSD360 67 ET34K 29 EHS44 38 ER290 95 ERB241 95 ERL11 41 ERSD360 66 ET35 30 EHS44RE 38 ER291 95 ERB242 100 ERL100 41 ERST230 66 ET36 28 EHS44RE 38 ER294 96 ERB245S 97 ERLD1 299 ERT5174 70 ET37 29 EHS45 38 ER296 99 ERB249 99 ERLD2 299 ERT5191 70 ET37K 29 EHS45 38 ER296 99 ERB249 99 ERLD4 299 ERT5174 70 ET37 29 EHS46 38 ER296 99 ERB249 99 ERLD4 299 ERT5110 70 ET37K 29 EHS61 38 ER334 96 ERB266 100 ERMM500 482 ERTC2000 235 ET39 31 EHS62 38 ER335 95 ERB269 100 ERP13 274 ERTC6000 235 ET39 31 EHS63 38 ER339 95 ERB269 100 ERP13 274 ERTC6000 235 ET39 31 EHS63 38 ER334 95 ERB269 100 ERP13 274 ERTC6000 235 ET41 31 EHS63 38 ER334 95 ERB269 100 ERP13 274 ERU126 102 ET42 29 EHS64 38 ER334 95 ERB269 100 ERP13 274 ERU126 102 ET42 29 EHS64 38 ER334 95 ERB269 100 ERP13 274 ERU126 102 ET42 29 EHS64 38 ER334 95 ERB269 100 ERP13 274 ERU126 102 ET42 29 EHS64 38 ER334 95 ERB269 100 ERP14 274 ERU126 102 ET42 29 EHS64 38 ER334 95 ERB269 100 ERP13 274 ERU126 102 ET42 29 EHS64 38 ER334 95 ERB269 100 ERP13 274 ERU126 102 ET42 29 EHS64 38 ER334 95 ERB269 100 ERP14 274 ERU126 102 ET42 29 EHS64 38 ER343 95 ERB269 100 ERP13 274 ERU126 103 ET44 28 EMS64 277 ER386 96 ERB343 95 ERB294 96 ERP20 64 ERU194 103 ET44 28 EMS64 277 ER380 96 ERB343 95 ERB294 96 ERP20 64 ERU194 103 ET44 28 EMS64 277 ER380 96 ERB343 95 ERB286 101 ERP18 64 ERU175 103 ET44 28 EMS64 274 ERVEP1 68 ET47 29 EMC5 52 ER381 97 ERB380 96 ERB380 96 ERP42A 274 ERWEP2 68 ET47 29 EMC5 52 ER382 95 ERB380 96 ERB340 97 ERB380 96 ERP42A 274 ERWEP2 68 ET47 29 | | | | | | | | | | | | |
| EHS14 38 ER273 100 ERAC900 234 ERINVU300 104 ERSD140 67 ET30 30 EHS14RE 38 ER274 100 ERB149 97 ERINVU500 104 ERSD163 67 ET31 29 ERS41 38 ER281 99 ERB150 96 ERL1 41 ERSD310 67 ET32 30 EHS41RE 38 ER283 99 ERB207S 97 ERL4 41 ERSD340 67 ET33 28 EHS42 38 ER286 101 ERB209 96 ERL5 41 ERSD340 67 ET33K 28 EHS42 38 ER286 101 ERB233 99 ERB150 67 ET33K 28 EHS42RE 38 ER286B 101 ERB233 99 ERL6 41 ERSD380 67 ET34 29 EHS43 38 ER289 99 ERB239 100 ERL7 41 ERSD360 67 ET34 29 EHS43RE 38 ER290 95 ERB241 95 ERL11 41 ERSD360 67 ET34K 29 EHS44 38 ER290 95 ERB241 95 ERL11 41 ERSD360 66 ET35 30 EHS44 38 ER291 95 ERB241 95 ERL11 41 ERSD300 66 ET35 30 EHS44RE 38 ER294 96 ERB245S 97 ERLD1 299 ERT5174 70 ET37 29 EHS45 38 ER295 97 ERB246 97 ERLD2 299 ERT5191 70 ET37K 29 EHS45RE 38 ER296 99 ERB249 99 ERLD4 299 ERT5191 70 ET37K 29 EHS45RE 38 ER296 99 ERB249 99 ERLD4 299 ERT5191 70 ET37K 29 EHS61 38 ER334 96 ERB264 100 ERMM500 482 ERTC2000 235 ET39 31 EHS62 38 ER335 95 ERB269 100 ERP13 274 ERTC6000 235 ET39 31 EHS63 38 ER339 95 ERB269 100 ERP13 274 ERTC6000 235 ET41 31 EHS63 38 ER339 95 ERB272 100 ERP14 274 ERU126 102 ET42 29 EHS64 38 ER333 95 ERB286 101 ERP18 64 ERU175 103 ET43 30 ELB501RES 98 ER343 95 ERB286 101 ERP18 64 ERU126 102 ET42 29 EMS64 38 ER334 96 ERB286 101 ERP18 64 ERU126 102 ET42 29 EMS64 38 ER333 95 ERB286 101 ERP18 64 ERU126 102 ET42 29 EMS64 38 ER334 95 ERB286 101 ERP18 64 ERU126 102 ET42 29 EMS64 38 ER333 95 ERB286 101 ERP18 64 ERU126 102 ET42 29 EMS64 38 ER333 95 ERB286 101 ERP18 64 ERU126 102 ET42 29 EMS64 38 ER334 95 ERB286 101 ERP18 64 ERU126 102 ET42 29 EMS64 38 ER333 95 ERB286 101 ERP18 64 ERU194 103 ET45 28 EMS65 26 ERB36 96 ERB343 95 ERB286 101 ERP18 64 ERU194 103 ET45 28 EMS65 26 ERB36 96 ERB343 95 ERB286 96 ERP20 64 ERU194 103 ET45 28 EMS65 26 ERB38 96 ERB346 95 ERB346 95 ERP20 64 ERU194 103 ET45 28 EMS65 25 ERB380 96 ERB346 95 ERP42 274 ERVEP1 68 ET46 29 EMC5 52 ER381 97 ERB346 95 ERP42 274 ERVEP2 68 ET47 29 EMC5 52 ER382 95 ERB380 96 ERP42A 274 ERVEP2 68 ET47 29 EMC5 52 ER382 95 ERB380 96 ERP42A 274 ERVEP2 68 ET47 | | | | | | | | | | | | 29 |
| EHS14RE 38 ER281 99 ERB150 96 ERL1 41 ERSD310 67 ET32 30 EBS41RE 38 ER283 99 ERB207S 97 ERL4 41 ERSD340 67 ET32 30 EBS41RE 38 ER286 101 ERB209 96 ERL5 41 ERSD340 67 ET33 28 EBS42RE 38 ER286 101 ERB209 96 ERL5 41 ERSD340 67 ET33K 28 EBS42RE 38 ER286B 101 ERB233 99 ERL6 41 ERSD380 67 ET34 29 EBS43RE 38 ER289 99 ERB239 100 ERL7 41 ERSD380 67 ET34K 29 EBS43RE 38 ER290 95 ERB241 95 ERL11 41 ERSD380 66 ET35 30 EBS44 38 ER290 95 ERB241 95 ERL11 41 ERSD380 66 ET35 30 EBS44 38 ER291 95 ERB241 95 ERL11 41 ERSD380 66 ET36 28 EBS44RE 38 ER291 95 ERB242 100 ERL100 41 ERST230 66 ET36 28 EBS44RE 38 ER294 96 ERB245S 97 ERLD1 299 ERT5174 70 ET37 29 EBS45 38 ER295 97 ERB246 97 ERLD2 299 ERT5191 70 ET37K 29 EBS45E 38 ER296 99 ERB249 99 ERLD4 299 ERT510 70 ET37K 29 EBS61 38 ER334 96 ERB264 100 ERMM500 482 ERTC2000 235 ET39 31 EBS62 38 ER335 95 ERB269 100 ERP13 274 ERTC6000 235 ET39 31 EBS63 38 ER339 95 ERB269 100 ERP13 274 ERTC6000 235 ET41 31 EBS63 38 ER339 95 ERB269 100 ERP13 274 ERTC6000 235 ET41 31 EBS64 38 ER343 95 ERB266 101 ERP18 64 ERU175 103 ET43 30 ELB501RES 98 ER345 95 ERB266 101 ERP18 64 ERU175 103 ET43 30 ELB501RES 98 ER345 95 ERB266 101 ERP18 64 ERU196 103 ET44 28 EM3 267 ER380 96 ERB343 95 ERP20 64 ERU280 103 ET44 28 EM3 267 ER380 96 ERB346 95 ERP20 64 ERU280 103 ET44 28 EM3 267 ER381 97 ERB386 95 ERP25 274 ERW207LED 97 ET48 28 | | | | | | | | | | | | 30 |
| EHS41RE 38 ER283 99 ERB207S 97 ERL4 41 ERSD340 67 ET33 28 EHS42 38 ER286 101 ERB209 96 ERL5 41 ERSD363 67 ET33K 28 EHS42RE 38 ER286B 101 ERB233 99 ERL6 41 ERSD380 67 ET34K 29 EHS43 38 ER289 99 ERB239 100 ERL7 41 ERSD410 67 ET34K 29 EHS43RE 38 ER290 95 ERB241 95 ERL11 41 ERSD410 67 ET34K 29 EHS44 38 ER291 95 ERB241 95 ERL11 41 ERSR230 66 ET35 30 EHS44 38 ER291 95 ERB242 100 ERL100 41 ERST230 66 ET36 28 EHS44RE 38 ER294 96 ERB245S 97 ERLD1 299 ERT5174 70 ET37 29 EHS45 38 ER295 97 ERB246 97 ERLD2 299 ERT5191 70 ET37K 29 EHS45RE 38 ER296 99 ERB249 99 ERLD4 299 ERT5191 70 ET37K 29 EHS61 38 ER334 96 ERB249 99 ERLD4 299 ERT5210 70 ET38 30 EHS61 38 ER334 96 ERB264 100 ERMM500 482 ERTC2000 235 ET39 31 EHS62 38 ER335 95 ERB269 100 ERP13 274 ERCC6000 235 ET41 31 EHS63 38 ER339 95 ERB269 100 ERP13 274 ERCC6000 235 ET41 31 EHS63 38 ER334 95 ERB269 100 ERP13 274 ERCC6000 235 ET41 31 EHS63 38 ER343 95 ERB269 100 ERP14 274 ERU126 102 ET42 29 EHS64 38 ER345 95 ERB269 101 ERP18 64 ERU175 103 ET44 28 EMS1 267 ER386 95 ERB235 95 ERB294 96 ERP20 64 ERU280 103 ET44 28 EM1 267 ER386 95 ERB335 95 ERP25 64 ERU194 103 ET45 28 EM3 267 ER380 96 ERB343 95 ERP25 64 ERU194 103 ET45 28 EM3 267 ER381 97 ERB346 95 ERP42 274 ERVEP1 68 ET46 29 EMC5 52 ER382 95 ERB380 96 ERP42A 274 ERW207LED 97 ET48 28 | | 38 | | 100 | ERB149 | 97 | | | ERSD163 | 67 | ET31 | 29 |
| EHS42 | | | | | | | | | | | | 30 |
| EHS42RE 38 ER289 99 ERB239 100 ERL7 41 ERSD380 67 ET34 29 ERS43RE 38 ER290 95 ERB241 95 ERL11 41 ERSD410 67 ET34K 29 EHS44 38 ER291 95 ERB242 100 ERL100 41 ERST230 66 ET35 30 EHS44 38 ER294 96 ERB245S 97 ERLD1 299 ERT5174 70 ET37 29 EHS45 38 ER295 97 ERB246 97 ERLD2 299 ERT5174 70 ET37 29 EHS45RE 38 ER296 99 ERB249 99 ERLD2 299 ERT5191 70 ET37K 29 EHS45RE 38 ER296 99 ERB249 99 ERLD4 299 ERT5210 70 ET38 30 EHS61 38 ER334 96 ERB264 100 ERMM500 482 ERTC2000 235 ET39 31 EHS62 38 ER335 95 ERB269 100 ERP13 274 ERC16000 235 ET39 31 EHS63 38 ER339 95 ERB269 100 ERP13 274 ERC16000 235 ET41 31 EHS63 38 ER339 95 ERB269 100 ERP14 274 ERU126 102 ET42 29 EHS64 38 ER343 95 ERB266 101 ERP18 64 ERU175 103 ET43 30 ELED501RES 98 ER345 95 ERB286 101 ERP18 64 ERU175 103 ET44 28 EM1 267 ER380 96 ERB335 95 ERP20 64 ERU280 103 ET44 28 EM1 267 ER380 96 ERB343 95 ERB294 96 ERP20 64 ERU280 103 ET44 28 EM3 267 ER380 96 ERB343 95 ERB294 97 ERB240 274 ERVEP1 68 ET46 29 EM4 267 ER381 97 ERB346 95 ERP25 64 ERU194 103 ET45 28 EM4 267 ER381 97 ERB346 95 ERP42 274 ERVEP1 68 ET46 29 EMC5 52 ER382 95 ERB380 96 ERP42A 274 ERW207LED 97 ET48 28 | | | | | | | | | | | | 28 |
| EHS43 | | | | | | | | | | | | 28 |
| EHS43RE 38 ER290 95 ERB241 95 ERL11 41 ERSR230 66 ET35 30 EHS44 38 ER291 95 ERB242 100 ERL100 41 ERST230 66 ET36 28 EHS44RE 38 ER294 96 ERB245S 97 ERLD1 299 ERT5174 70 ET37 29 EHS45 38 ER295 97 ERB246 97 ERLD2 299 ERT5191 70 ET37K 29 EHS45RE 38 ER296 99 ERB249 99 ERLD4 299 ERT5210 70 ET37K 29 EHS61 38 ER334 96 ERB264 100 ERMM500 482 ERTC2000 235 ET39 31 EHS62 38 ER335 95 ERB269 100 ERP13 274 ERTC6000 235 ET41 31 EHS63 38 ER3 | | | | | | | | | | | | 29 |
| EHS44 38 ER291 95 ERB242 100 ERL100 41 ERST230 66 ET36 28 EHS44RE 38 ER294 96 ERB245S 97 ERLD1 299 ERT5174 70 ET37 29 EHS45 38 ER295 97 ERB246 97 ERLD2 299 ERT5191 70 ET37K 29 EHS45RE 38 ER296 99 ERB249 99 ERLD4 299 ERT5210 70 ET38 30 EHS61 38 ER334 96 ERB264 100 ERMM500 482 ERTC2000 235 ET39 31 EHS62 38 ER335 95 ERB269 100 ERP13 274 ERTC6000 235 ET41 31 EHS63 38 ER339 95 ERB272 100 ERP14 274 ERU126 102 ET42 29 EHS64 38 ER34 | | | | | | | | | | | | 30 |
| EHS44RE 38 ER294 96 ERB245S 97 ERLD1 299 ERT5174 70 ET37 29 EHS45 38 ER295 97 ERB246 97 ERLD2 299 ERT5191 70 ET37K 29 EHS45RE 38 ER296 99 ERB249 99 ERLD4 299 ERT5210 70 ET38 30 EHS61 38 ER334 96 ERB264 100 ERMM500 482 ERTC2000 235 ET39 31 EHS62 38 ER335 95 ERB269 100 ERP13 274 ERTC6000 235 ET41 31 EHS63 38 ER339 95 ERB272 100 ERP14 274 ERU1266 102 ET42 29 EHS64 38 ER343 95 ERB286 101 ERP18 64 ERU175 103 ET43 30 ELLD501RES 98 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<> | | | | | | | | | | | | |
| EHS45 38 ER295 97 ERB246 97 ERLD2 299 ERT5191 70 ET37K 29 EHS45RE 38 ER296 99 ERB249 99 ERLD4 299 ERT5210 70 ET38 30 EHS61 38 ER334 96 ERB264 100 ERMM500 482 ERTC2000 235 ET39 31 EHS62 38 ER335 95 ERB269 100 ERP13 274 ERTC6000 235 ET41 31 EHS63 38 ER335 95 ERB272 100 ERP14 274 ERU1266 102 ET42 29 EHS64 38 ER343 95 ERB286 101 ERP18 64 ERU175 103 ET43 30 ELED501RES 98 ER345 95 ERB294 96 ERP200 64 ERU280 103 ET44 28 EM1 267 ER3 | | | | | | | | | | | | 29 |
| EHS45RE 38 ER296 99 ERB249 99 ERLD4 299 ERT5210 70 ET38 30 EHS61 38 ER334 96 ERB264 100 ERMM500 482 ERTC2000 235 ET39 31 EHS62 38 ER335 95 ERB269 100 ERP13 274 ERTC6000 235 ET41 31 EHS63 38 ER339 95 ERB272 100 ERP14 274 ERU126 102 ET42 29 EHS64 38 ER343 95 ERB286 101 ERP18 64 ERU175 103 ET43 30 ELED501RES 98 ER345 95 ERB294 96 ERP920 64 ERU280 103 ET43 28 EM1 267 ER346 95 ERB335 95 ERP25 64 ERU194 103 ET45 28 EM3 267 ER380 </td <td></td> <td>29</td> | | | | | | | | | | | | 29 |
| EHS61 38 ER334 96 ERB264 100 ERMM500 482 ERTC2000 235 ET39 31 EHS62 38 ER335 95 ERB269 100 ERP13 274 ERTC6000 235 ET41 31 EHS63 38 ER339 95 ERB272 100 ERP14 274 ERU126 102 ET42 29 EHS64 38 ER343 95 ERB286 101 ERP18 64 ERU175 103 ET43 30 ELED501RES 98 ER345 95 ERB294 96 ERP20 64 ERU280 103 ET44 28 EM1 267 ER346 95 ERB335 95 ERP25 64 ERU194 103 ET45 28 EM3 267 ER380 96 ERB343 95 ERP41 274 ERVEP1 68 ET46 29 EM4 267 ER381 97 ERB346 95 ERP42 274 ERVEP2 68 ET47 29 EMC5 52 ER382 95 ERB380 96 ERP42A 274 ERW207LED 97 ET48 <td< td=""><td></td><td>38</td><td>ER296</td><td></td><td>ERB249</td><td></td><td>ERLD4</td><td></td><td>ERT5210</td><td>70</td><td>ET38</td><td>30</td></td<> | | 38 | ER296 | | ERB249 | | ERLD4 | | ERT5210 | 70 | ET38 | 30 |
| EHS63 38 ER339 95 ERB272 100 ERP14 274 ERU126 102 ET42 29 EHS64 38 ER343 95 ERB286 101 ERP18 64 ERU175 103 ET43 30 ELD501RES 98 ER345 95 ERB294 96 ERP20 64 ERU280 103 ET44 28 EM1 267 ER346 95 ERB335 95 ERP25 64 ERU194 103 ET45 28 EM3 267 ER380 96 ERB343 95 ERP41 274 ERVEP1 68 ET46 29 EM4 267 ER381 97 ERB346 95 ERP42 274 ERVEP2 68 ET47 29 EMC5 52 ER382 95 ERB380 96 ERP42A 274 ERW207LED 97 ET48 28 | | 38 | ER334 | | | | | | | | | |
| EHS64 38 ER343 95 ERB286 101 ERP18 64 ERU175 103 ET43 30 ELED501RES 98 ER345 95 ERB294 96 ERP20 64 ERU280 103 ET44 28 EM1 267 ER346 95 ERB335 95 ERP25 64 ERU194 103 ET45 28 EM3 267 ER380 96 ERB343 95 ERP41 274 ERVEP1 68 ET46 29 EM4 267 ER381 97 ERB346 95 ERP42 274 ERVEP2 68 ET47 29 EMC5 52 ER382 95 ERB380 96 ERP42A 274 ERW207LED 97 ET48 28 | | | | | | | | | | | | 31 |
| ELED501RES 98 ER345 95 ERB294 96 ERP20 64 ERU280 103 ET44 28 EM1 267 ER346 95 ERB335 95 ERP25 64 ERU194 103 ET45 28 EM3 267 ER380 96 ERB343 95 ERP41 274 ERVEP1 68 ET46 29 EM4 267 ER381 97 ERB346 95 ERP42 274 ERVEP2 68 ET47 29 EMC5 52 ER382 95 ERB380 96 ERP42A 274 ERW207LED 97 ET48 28 | | | | | | | | | | | | 29 |
| EM1 267 ER346 95 ERB335 95 ERP25 64 ERU194 103 ET45 28 EM3 267 ER380 96 ERB343 95 ERP41 274 ERVEP1 68 ET46 29 EM4 267 ER381 97 ERB346 95 ERP42 274 ERVEP2 68 ET47 29 EMC5 52 ER382 95 ERB380 96 ERP42A 274 ERW207LED 97 ET48 28 | | | | | | | | | | | | |
| EM3 267 ER380 96 ERB343 95 ERP41 274 ERVEP1 68 ET46 29 EM4 267 ER381 97 ERB346 95 ERP42 274 ERVEP2 68 ET47 29 EMC5 52 ER382 95 ERB380 96 ERP42A 274 ERW207LED 97 ET48 28 | | | | | | | | | | | | |
| EM4 267 ER381 97 ERB346 95 ERP42 274 ERVEP2 68 ET47 29 EMC5 52 ER382 95 ERB380 96 ERP42A 274 ERW207LED 97 ET48 28 | | | | | | | | | | | | |
| EMC5 52 ER382 95 ERB380 96 ERP42A 274 ERW207LED 97 ET48 28 | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | 94 | | | | | ERW239CBLED | 100 | | |

























Л

П



ET500 EUB472 87 **EUB474 ET501** 36 86 37 87 **ET502 EUB475 ET503** 36 **EUB499** 86 37 **EUB9005 ET504** 86 ET505 36 **EUB9006** 86 37 **ET506 EUB85122** 87 **ET507** 36 **EUB85126** 87 **ET508** 37 **EUB85402** 87 ET509 36 **EWL100** 76 37 76 **ET510 EWL101** ET511 36 EX2 266 36 **ET512** EX3 266 ET513 36 EX4 266 **ET514** 36 EX5 266 35 266 **ETB2.5 EX112** 35 **EX114** 266 ETB5 **ETB15** 35 **EX116** 266 **ETB30** 35 **EX118** 266 ETB50 35, 81 **EX134** 266 266 ETB51 81 **EX138** 266 **ETB52** 81 **EX178** 35 266 **ETB102 EX212** 35 266 **ETB103 EX214 ETB104** 35 **EX216** 266 35 **ETB105 EX218** 266 35 **EX234** 266 **ETB106 ETB108** 35 **EX238** 266 **ETB611** 34 **EX258** 266 34 266 **ETB612 EX318** 34 **ETB612T EX358** 266 34 266 **ETB613 EX312** 34 266 **ETB614 EX314** 34 **ETB616 EX334** 266 **ETB621** 34 **EX412** 266 34 **ETB622 EX414** 266 34 **ETB6221 EX434** 266 34 **EX436** 266 **ETB623** 34 **ETB624 EX456** 266 34 **ETB626 EX518** 266 ETL1H5 70 EXHD42 266 ETL1H5R 71 EXHD45 266 ETL1H5RPC EXHD48 266 71 ETL₁₀ 72 EXHD50 266 ETL1060 73 EXHD52 266 70 266 ETLH5 EXHD54 71 ETLH5R EXHD58 266 ETLH7R 71 EXHD60 266 ETLNE4 70 EXHD65 266 **ETLNE6R** 71 EXHD67 266 ETLP4R 72 EXHD70 266 ETLP5R 72 72 ETLP7R **EU149** 89 FE1 363 89 363 **EU150** FE₂ **EU207** 89 FIX1 162, 193 **EU233** 89 FIX6 175, 185, 189-190, 193 **EU239** 89 **EU241** 88 FIX7 176 **EU242** 89 FIX9 174 **EU245** 89 FIX18 159 **EU249** 89 FIX20 163, 199 **EU269** 89 FIX21 164, 187-188, 190 **EU286** 89 FIX22 174 174, 190, 195 **EU334** 88 FIX23 88 175, 186 **EU380** FIX26 **EU382** 88 FIX28 174 **EU501** 89 FIX29 163, 188, 190, 198 89 **EU501A** FIX30 162, 186-187 89 **EU507** FIX31 170, 191, **EU508** 89 193, 197, 199 **EU566** 88 FIX32 181, 187, 191 88 **EU581** FIX33 162 **EUB448** 86 FIX34 162 86 162, 190-191, 199 **EUB453** FIX35 86 162, 190, 199 **EUB460** FIX36 **EUB466** 86 FIX37 177, 190

FIX39 169, 185, 187, 189, 191, 193, 198-199 168, 189, 196 FIX43 168, 193, 196, 198 FIX44 168 FIX45 168, 193 FIX46 162, 186 FIX47 177, 186, 197 FIX48 177, 190 FIX49 179, 186, 189 183, 189-190 FIX50 FIX52 182, 189-190, 196 FIX53 182, 190 FIX54 182 182 FIX55 FIX56 182 FIX57 182 FIX58 163, 186 FIX60 183 162, 186 FIX61 179, 185 FIX63 179, 185 FIX64 168, 186 FIX65 FIX66 168, 185 FIX67 180, 190 FIX69 182, 190 FIX70 151, 184, 190, 198 FIX71 174, 186 174 FIX72 FIX73 174, 186, 197 174, 190 FIX74 182 FIX76 FIX77 182 FIX78 182 FIX79 162, 185 177, 185, 187-188 FIX80 178, 186 FIX81 FIX82 178, 186 FIX83 178, 186 FIX84 185 FIX85 180, 186 FIX86 180, 186 FIX87 175, 186 FIX88 168 FIX91 168 FIX94 168 FIX95 168, 196, 198-199 FIX97 168, 186-189, 193, 196 FIX98 168, 187, 189, 191, 195 FIX99 169, 185, 194 **FIX100** 168, 185, 187, 191, 193, 198-199 **FIX103** 168, 187, 190, 194, 198-199 **FIX104** 168, 198 **FIX105** 169, 187 **FIX106** 168, 193, 198 **FIX107** 165, 187, 194 165, 187, 198 **FIX109 FIX110** 167, 198-199 **FIX111** 165, 187, 194 **FIX112** 166, 187 **FIX113** 167 **FIX114** 167, 188 194-195, 199 **FIX116** 165, 194 170, 194 **FIX117 FIX118** 170, 194, 199 **FIX119** 170 **FIX120** 170, 188, 191, 198 170, 188, 191 **FIX121 FIX122** 171, 188-190

FIX123

171, 192, 195

FIX38

174

FIX124

FIX126

174, 186 **FIX134** 174, 187 **FIX135** 174, 187 **FIX136 FIX137** 174, 186 **FIX138** 175, 186 **FIX139** 175, 186 **FIX140** 179, 185, 194 **FIX142** 174, 198 **FIX144** 175, 198 175, 198-199 **FIX145 FIX146** 175, 188, 194 **FIX147** 175, 187, 194, 198-199 FIX148 175, 187-188, 194 **FIX149** 147 **FIX150** 147 **FIX151** 147 **FIX152** 147 **FIX153** 147 148, 198 **FIX154** 147 **FIX155** 177, 186 **FIX160 FIX161** 146 **FIX162** 146 **FIX163** 164, 198 **FIX164** 164, 189, 196 **FIX165** 177, 190 179, 189, 196 **FIX166 FIX167** 176, 186, 190 178, 186 **FIX168** 178, 187 **FIX169 FIX170** 198 **FIX174** 168, 196 **FIX175** 169, 194, 199 FIX176 169, 194, 198-199 169, 187 **FIX177 FIX178** 166, 192 **FIX179** 195-196 **FIX180** 166, 192 **FIX181** 171, 192, 195 **FIX182** 172, 192-193, 195, 199 150, 187, 191 **FIX183** FIX184 150, 187, 189, 191 FIX185 179, 185, 190, 198 **FIX186** 180, 185-186 **FIX187** 180, 186 **FIX190** 174, 197 **FIX191** 174, 188, 192 174, 197 **FIX192 FIX193** 175, 187 **FIX194** 150 150, 187 **FIX195 FIX196** 150 **FIX197** 186 **FIX198** 186 186 **FIX199 FIX200** 150, 187 **FIX202** 150 151, 184, 199 **FIX206** FIX207 151, 184, 190-191 **FIX209** 184, 188 **FIX210** 184. 188-189, 191, 198 FIX211 184, 188, 191, 198 **FIX212** 184 184, 188 **FIX213 FIX215** 189 172, 192 **FIX216 FIX217** 177, 188 163, 193 **FIX218 FIX219** 181, 188 174, 197 **FIX221** 179, 189-190 **FIX227 FIX228** 179, 196-197

170, 188

170

FIX230 178 **FIX231** 166, 192 170. 191-193 **FIX232 FIX233** 171, 191-193, 195 FIX234 170, 195, 197 FIX236 170, 188-189, 191 **FIX237** 179, 190 **FIX238** 166, 188 **FIX239** 185 **FIX240** 167, 195, 197 **FIX242** 177, 187, 198 **FIX244** 164, 186-188 **FIX245** 190-191 **FIX250** 177, 186, 189 **FIX252** 177, 187, 189 **FIX253** 163, 187 **FIX255** 177, 189, 196 **FIX257** 165, 189, 195 FIX258 166, 190, 196-197 **FIX259** 162, 191-192, 195, 197 **FIX261** 163, 192, 195 **FIX262** 163, 188 **FIX263** 178, 193 **FIX266** 179. 189-190 **FIX267** 163, 189, 198 178, 189 **FIX269 FIX272** 177, 188 **FIX273** 166, 189, 196 **FIX274** 186 **FIX275** 178, 187 **FIX300** 162, 192 163, 192, 197 **FIX301 FIX302** 162, 191, 193 **FIX303** 162, 193 **FIX305** 175, 194 **FIX308** 194 **FIX309** 194 **FIX310** 194 194 **FIX311 FIX312** 194 194 **FIX313 FIX314** 163, 195 **FIX315** 198 198 **FIX317** 162, 196 **FIX318 FIX320** 162, 191, 197 **FIX321** 185 **FIX323** 185-186 **FIX325** 181, 187 **FIX328** 191 178, 191 **FIX330 FIX331** 180, 190-191 **FIX333** 190 190 **FIX334 FIX335** 182, 190 178, 189, 196 **FIX338 FIX339** 196 175, 198 **FIX340 FIX342** 198 **FIX343** 198 **FIX344** 199 FIX345 185, 192, 195, 197 **FIX349** 162, 189, 196 **FIX350** 185 195 **FIX352 FIX353** 189 **FIX354** 180, 198 **FIX355** 191 **FIX356** 191 **FIX357** 192 **FIX358** 185 171, 191 **FIX359 FIX360** 181, 189 **FIX361** 182, 196 182, 189 **FIX363 FIX364** 199

•

L


 σ

موو

128, 397

146, 187, 193 **FIX831** 176, 186, 190-191 **GAS63**













| LIVOO | 134 | LIVAOT | 173, 133, 137 | FIAUUZ | 100 | FIA/2U | 140, 107, | 133 | LIVO2T | 170, 100, 130 | IJ | UMJUJ | 120, 337 |
|---------------|--------------------|---------------|---------------------|------------------|--------------------|---------------|--------------------------|-----|---------------|--------------------|-----|---------|----------|
| FIX366 | 175 | FIX462 | 179, 197 | FIX603 | 193 | FIX721 | | 147 | FIX833 | | 192 | GAS64 | 397 |
| FIX367 | 194 | FIX463 | 162, 192 | FIX604 | 196 | FIX722 | 149, 1 | 187 | FIX835 | 176.1 | 194 | GAS71 | 397 |
| FIX368 | | FIX464 | 192 | FIX605 | 191 | FIX724 | 147, | | FIX837 | 179, | | GAS72 | 397 |
| FIX369 | 182 | FIX465 | 192 | FIX606 | 195 | FIX725 | | 146 | FIX838 | 176, 197-1 | | GAS73 | 397 |
| FIX370 | 195 | FIX466 | 197 | FIX607 | 186 | FIX726 | 146, | | FIX841 | 176, 190-1 | | GAS74 | 397 |
| FIX371 | 195 | FIX467 | 192 | FIX608 | 186 | FIX728 | | 146 | 1 1/10-12 | 194-1 | | GAS75 | 397 |
| FIX373 | 194 | FIX468 | 186 | FIX609 | 194 | FIX729 | 146, | | FIX843 | | 192 | GLU4 | 332 |
| FIX374 | 194 | FIX472 | 194 | FIX611 | 194 | FIX730 | | 147 | | 176, 193, 196-1 | | GLU4A | 332 |
| FIX375 | 190 | FIX473 | 192 | FIX613 | 162, 186 | FIX731 | | 147 | FIX846 | 176, 135, 136 | | GLU5 | 323, 335 |
| FIX373 | 194 | FIX474 | 186 | FIX614 | 186 | FIX732 | 147, | | FIX848 | 170, 103, 1 | | GLU10 | 320 |
| | 199 | | 187 | | 188 | | 146, 191, | | | | | | 320 |
| FIX378 | | FIX475 | 191 | FIX616 | | FIX733 | | | FIX850 | 179, | | GLU11 | |
| FIX379 | 199 | FIX476 | | FIX617 | 188 | FIX734 | 146, | | FIX851 | | 191 | GLU12 | 332 |
| FIX380 | 162, 190 | FIX477 | 182, 197 | FIX618 | 188 | FIX735 | | 147 | FIX853 | 176, 1 | | GLU12A | 332 |
| FIX382 | 182, 197 | FIX478 | 186, 194 | FIX619 | 188 | FIX736 | | 147 | FIX854 | | 196 | GLU13 | 258, 288 |
| FIX383 | 188 | FIX479 | 194 | FIX620 | 195 | FIX737 | | 147 | FIX856 | 176, 196, 1 | | GLU21 | 320 |
| FIX384 | | FIX480 | 194 | | 175, 191, 195, 197 | FIX738 | | 147 | FIX857 | | 186 | GLU24 | 320 |
| FIX385 | 194 | FIX481 | 175, 188 | FIX622 | 197 | FIX740 | 174, 1 | | FIX858 | | 194 | GLU51 | 323, 335 |
| FIX386 | | FIX482 | 175, 188 | FIX623 | 191 | FIX742 | 186, | | FIX859 | 57, 1 | | GN1 | 302 |
| FIX387 | 189 | FIX483 | 175, 188 | FIX624 | 182 | FIX743 | | 190 | FIX860 | | 194 | GN2 | 302 |
| FIX388 | 192 | FIX484 | 187 | FIX628 | 195 | FIX746 | 175,1 | | FIX861 | 178, 1 | | GN3 | 302 |
| FIX390 | 190 | FIX485 | 188 | FIX629 | 197 | FIX747 | 174, 195, 1 | | FIX862 | | 150 | GN4 | 302 |
| FIX391 | 188 | FIX486 | 192 | FIX630 | 150, 186 | FIX749 | 174, 197, 1 | | FIX863 | 176, 198 -1 | | GN5 | 302 |
| FIX392 | 196 | FIX487 | 192 | FIX631 | 187 | FIX751 | 167, 187-1 | | FIX865 | | 162 | GN6 | 302 |
| FIX394 | 196 | FIX489 | 192 | FIX632 | 188 | | -191, 193, 196, 1 | | FIX866 | | 187 | GN7 | 302 |
| FIX396 | 196 | FIX490 | 181, 185 | FIX633 | 191 | FIX753 | 166, | | FIX867 | 175, 189, 1 | 196 | GN8 | 302 |
| FIX397 | 196 | FIX493 | 194 | FIX634 | 180, 194 | FIX754 | 167, 195, 1 | 199 | FIX868 | | 193 | GN9 | 302 |
| FIX400 | 179, 186 | FIX494 | 186 | FIX635 | 194 | FIX756 | 167, | 191 | FIX869 | | 180 | GN10 | 302 |
| FIX401 | 186 | FIX495 | 178, 196 | FIX637 | 166, 197 | FIX758 | 166, 1 | | FIX871 | | 192 | GN11 | 302 |
| FIX403 | 167, 190 | FIX496 | 196, 198 | FIX638 | 187 | | 195, 197, 1 | | FIX872 | 163, 192, 1 | 197 | GN12 | 302 |
| FIX404 | 188 | FIX497 | 188 | FIX639 | 181, 188 | FIX759 | 165, 1 | 194 | FIX877 | | 192 | GN13 | 302 |
| FIX406 | 196 | FIX499 | 162, 193 | FIX640 | 181, 188 | FIX760 | 165, 189, 1 | 195 | FIX878 | 1 | 188 | GN14 | 302 |
| FIX407 | 181, 197 | FIX500 | 163, 188-190 | FIX641 | 195 | FIX762 | | 199 | FIX880 | 176.1 | 196 | GN15 | 302 |
| FIX409 | 149, 190 | FIX501 | 163, 189 | FIX642 | 194 | FIX763 | 167, | | FIX883 | | 196 | GN16 | 302 |
| FIX411 | 180, 187 | FIX502 | 163, 192 | FIX644 | 186 | FIX764 | 166, | | FIX886 | 178. | | GN17 | 302 |
| FIX413 | 186 | FIX503 | 163, 187-188, | FIX645 | 175, 192 | FIX765 | 166, | | FIX888 | 186, 1 | | GN19 | 302 |
| FIX414 | 165, 194 | | 190, 198 | FIX646 | 196 | FIX766 | 165, 195, | | FIX890 | 175, 188, 1 | | GN20 | 303 |
| FIX415 | 188 | FIX504 | 164 | FIX648 | 196 | FIX768 | 167, | | | 166, 189-190, 1 | | GN22 | 302 |
| FIX416 | 188 | FIX505 | 164, 190 | FIX650 | 186 | FIX769 | 166, | | FIX892 | | 185 | GN23 | 303 |
| | 180, 188, 190, 198 | FIX506 | 167, 188, | FIX651 | 167, 195 | FIX771 | 167, | | FIX1013 | | 183 | GN31 | 302 |
| FIX418 | 186 | TIAGOO | 194-195, 199 | FIX652 | 148, 193 | FIX772 | 167, | | FIX1421 | | 183 | GN32 | 302 |
| FIX419 | 188 | FIX507 | 167, 195, 197 | FIX653 | 148 | FIX774 | | 165 | FIX2230 | | 183 | GN33 | 302 |
| FIX420 | 194 | FIX507 | 166, 189 | FIX657 | 193 | FIX775 | 165, | | FUN1 | | 359 | GN34 | 302 |
| FIX421 | 175, 185 | FIX509 | 167 | FIX660 | 149, 194 | | 165, 195, 197, 1 | | FUN2 | | 359 | GN35 | 302 |
| FIX421 | 175, 185 | | 165, 195-197, 199 | FIX661 | 149, 194 | FIX778 | | 188 | FUN3 | | 359 | GN36 | 302 |
| FIX423 | 188 | FIX510 | 166, 197 | | 196 | FIX779 | 167. | | FUN5 | | 359 | GN37 | 302 |
| FIX424 | 180, 194 | FIX511 | 165, 195 | FIX662 FIX664 | 190 | FIX779 | 165, 1 | | FUN6 | | 359 | GN51 | 303 |
| | 194 | FIX512 | 166, 188, 191, | | 164, 190 | | 165, 195, 197, 1 | | FUN7 | | 359 | GN52 | 303 |
| FIX425 | | LIVOIO | 193, 195, 199 | FIX668 FIX669 | | | | | FUN50 | | 359 | | 303 |
| FIX426 | | FIVE 4.4 | | | 164, 190 | FIX785 | | 192 | | | 359 | GN191 | |
| FIX427 | 194 | FIX514 | 166, 192 | FIX672 | 163 | FIX786 | 165, | | FUN60 | | בכנ | GN192 | 302 |
| FIX428 | 194 | FIX515 | 168, 186-189, | FIX673 | 199 | FIX791 | | 188 | G | | | GT5 | 258 |
| FIX429 | 194 | EIVE46 | 193, 196 | FIX674 | 199 | FIX792 | 171, 1 | 186 | | | 200 | GT6 | 258 |
| FIX430 | 194 | FIX516 | 169, 194, 199 | FIX675 | 199 | FIX793 | 171, 1 | | GAS3 | | 396 | GT14 | 258 |
| FIX431 | 194 | FIX517 | 169, 185, 187, 189, | FIX677 | 163, 199 | FIX794 | 170, 195, 1 | 199 | GAS4 | | 396 | GT18 | 258 |
| FIX432 | | | 191, 193, 198-199 | FIX680 | 199 | | 171, 191-193, | | GAS5 | | 396 | н | |
| FIX433 | 196 | FIX518 | 170, 191 | FIX682 | 163, 199 | FIX796 | 170, 191- | | GAS6 | | 396 | П | 44 405 |
| FIX434 | | FIX519 | 171, 192 | FIX684 | 199 | FIX797 | | 172 | GAS7 | | 396 | HAC200 | 11, 135 |
| FIX435 | 186 | FIX520 | 171, 192-193 | FIX687 | 164 | FIX798 | 172, 185- | | GAS8 | | 397 | HAW610 | 133 |
| FIX436 | 181, 185 | | 172, 192-193, 199 | FIX688 | 199 | FIX800 | | 192 | GAS9 | | 397 | HAW811 | 133 |
| FIX438 | 189 | FIX522 | 170, 191, 193, | FIX689 | 199 | FIX801 | 170, 193, 1 | | GAS20 | | 396 | HAW1013 | 133 |
| FIX439 | 188 | | 195, 197, 199 | FIX690 | 189, 191 | FIX802 | 172, | | GAS21 | | 396 | HAW1014 | 133 |
| FIX440 | | FIX523 | 171, 193, 195 | FIX693 | 164 | FIX804 | 171, 1 | | GAS22 | | 396 | HAW1216 | 133 |
| FIX442 | | | 174, 185, 189-190 | FIX696 | 190 | FIX806 | 170, 189, 1 | | GAS23 | | 396 | HAW1218 | 133 |
| FIX445 | 188 | FIX525 | 174, 197 | FIX699 | 190 | FIX807 | 170, | | GAS24 | | 396 | HAW1418 | 133 |
| FIX446 | | FIX526 | 174, 197 | FIX700 | 192 | FIX810 | 176, 191, 1 | | GAS25 | 392, 3 | | HAW1420 | 133 |
| FIX447 | 187 | | 176, 190, 197-199 | FIX701 | 192 | FIX812 | 177, 1 | | GAS26 | 392, 3 | | HAW1620 | 133 |
| FIX448 | | FIX528 | 177, 187-188 | FIX703 | 164, 187, 198 | FIX814 | | 189 | GAS30 | | 396 | HAW1721 | 133 |
| FIX449 | 162, 191 | | 176, 186, 189, 196 | FIX705 | 164, 198 | FIX816 | 176, 1 | | GAS32 | | 396 | HAW2227 | 133 |
| FIX451 | 194 | FIX530 | 177, 197 | FIX707 | 192, 196 | FIX818 | | 176 | GAS35 | | 397 | HBA1 | 123 |
| FIX452 | 185 | FIX531 | 177, 197, 199 | FIX709 | 169, 199 | FIX819 | | 178 | GAS36 | | 397 | HBA3 | 123 |
| FIX453 | 149, 187-188 | FIX532 | 179, 189-190, 196 | FIX710 | 193, 198-199 | FIX820 | | 194 | GAS37 | | 397 | HBA4 | 123 |
| FIX455 | 187 | FIX533 | 178, 190, 196, | FIX712 | 184, 189 | FIX821 | 178, | 193 | GAS38 | | 397 | HBA5 | 123 |
| FIX456 | 186 | | 198-199 | FIX714 | 146, 187 | FIX822 | 179, | | GAS39 | | 397 | HBA6 | 123 |
| FIX457 | 186 | FIX534 | 179, 189-190 | FIX715 | 146 | FIX824 | 177, | | GAS40 | | 397 | HBA7 | 123 |
| FIX458 | 182, 192, 197 | FIX535 | 179, 192 | FIX716 | 146, 186-187, 189 | FIX827 | 190- | | GAS60 | | 397 | HBA8 | 123 |
| FIX459 | 197 | FIX600 | 194 | FIX718 | 198 | FIX828 | 176, | | GAS61 | | 397 | HBA9 | 123 |
| FIX460 | | FIX601 | 194 | FIX719 | 146, 192 | FIX829 | | 196 | GAS62 | | 397 | HBA10 | 123 |
| | , = | | <u> •</u> | | ,= | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

188 **FIX720**

175, 195, 197

FIX602

194 **FIX461**

FIX365

| UDA44 | 422 | LIDOC4 | 447 | LIDGAAO | 422 | Helipe | 120 | 116114650 | 120 | 110040 | 110 |
|------------------|--------------------------------|------------------|------------|--------------------|----------------------|--------------------|------------|----------------------|------------|--------------------|------------|
| HBA11 HBA12 | 123 123 | HB061 HB062 | 117 117 | HBS440 HBS512 | 123 123 | HCH56 HCH310 | 120 120 | HCH1650 HCH1665 | 120 120 | HCS16 HCS17 | 118 118 |
| HBA13 | 123 | HB063 | 117 | HBS516 | 123 | HCH312 | 120 | HCH1680 | 120 | HCS17 | 118 |
| HBA14 | 123 | HB064 | 117 | HBS525 | 123 | HCH320 | 120 | HCH1690 | 120 | HCS19 | 118 |
| HBA15 | 123 | HB065 | 117 | HBS540 | 123 | HCH330 | 120 | HCH2050 | 120 | HCS20 | 118 |
| HBA16 | 123 | HB066 | 117 | HBS550 | 123 | HCH335 | 120 | HCH2080 | 120 | HCS21 | 118 |
| HBA17 HBC520 | 123 124 | HB067 HB068 | 117 117 | HBS625 HBS640 | 123 123 | HCH410 HCH412 | 120 120 | HCH2090 HCH2490 | 120 120 | HCS22 HCS23 | 118 118 |
| HBC525 | 124 | HB070 | 117 | HBS650 | 123 | HCH416 | 120 | HCH10100 | 120 | HCS24 | 118 |
| HBC550 | 124 | HB071 | 117 | HBT510 | 123 | HCH420 | 120 | HCH12130 | 120 | HCS25 | 118 |
| HBC610 | 124 | HB072 | 117 | HBT516 | 123 | HCH425 | 120 | HCH16100 | 120 | HCS26 | 118 |
| HBC620 | 124 124 | HB073 | 117 | HBT525 | 123 123 | HCH430 HCH440 | 120 120 | HCH16200 | 120 | HCS27 | 118 |
| HBC612 HBC625 | 124 | HB074 HB075 | 117 117 | HBT550 HBT625 | 123 | HCH450 | 120 | HCH20100 HCH20140 | 120 120 | HCS28 HCS29 | 118 118 |
| HBC650 | 124 | HB076 | 117 | HBT650 | 123 | HCH510 | 120 | HCH20150 | 120 | HCS30 | 118 |
| HBC820 | 124 | HB077 | 117 | HBU410 | 121 | HCH512 | 120 | HCH24100 | 120 | HCS31 | 118 |
| HBC825 | 124 | HB078 | 117 | HBU512 | 121 | HCH516 | 120 | HCL111 | 156 | HCS32 | 118 |
| HBH306 HBH308 | 122 122 | HB079 HB080 | 117 117 | HBU516 HBU520 | 121 121 | HCH520 HCH525 | 120 120 | HCL113 HCL116 | 156 156 | HCS33 HCS34 | 118 118 |
| HBH310 | 122 | HB081 | 117 | HBU525 | 121 | HCH530 | 120 | HCL119 | 156 | HCS35 | 118 |
| HBH312 | 122 | HB082 | 117 | HBU610 | 121 | HCH540 | 120 | HCL121 | 156 | HCS36 | 118 |
| HBH320 | 122 | HB083 | 117 | HBU612 | 121 | HCH550 | 120 | HCL122 | 156 | HCS37 | 118 |
| HBH325 | 122 122 | HBO84 | 117 | HBU616 | 121 121 | HCH580 | 120 | HCL125 | 156 156 | HCS38 HCS39 | 118 |
| HBH330 HBH350 | 122 | HB085 HB086 | 117 117 | HBU625 HBU630 | 121 | HCH610 HCH612 | 120 120 | HCL130 HCL135 | 156 | HCS40 | 118 118 |
| HBH406 | 122 | HB087 | 117 | HBU810 | 121 | HCH615 | 120 | HCL138 | 156 | HCS41 | 118 |
| HBH412 | 122 | HB088 | 117 | HBU816 | 121 | HCH616 | 120 | HCL140 | 156 | HCS42 | 118 |
| HBH508 | 122 | HB089 | 117 | HBU820 | 121 | HCH620 | 120 | HCL142 | 156 | HCS43 | 118 |
| HBH510 HBH516 | 122 122 | HB090 HB091 | 117 117 | HBU825 HBU830 | 121 121 | HCH625 HCH630 | 120 120 | HCL147 HCL207 | 156 156 | HCS44 HCS45 | 118 118 |
| HBH550 | 122 | HB092 | 117 | HBU1040 | 121 | HCH635 | 120 | HCL208 | 156 | HCS46 | 118 |
| HBH610 | 122 | HB093 | 117 | HBZ620 | 121 | HCH640 | 120 | HCL210 | 156 | НСТ8 | 144 |
| HBH612 | 122 | HB094 | 117 | HBZ820 | 121 | HCH645 | 120 | HCL211 | 156 | HCT10 | 118 |
| HBH616 HBH620 | 122 122 | HB095 HB096 | 117 117 | HBZ830 HBZ840 | 121 121 | HCH650 HCH660 | 120 120 | HCL212 HCL213 | 156 156 | HCT12 HCU23 | 118 134 |
| HBH625 | 122 | HB097 | 117 | HBZ1030 | 121 | HCH665 | 120 | HCL213 | 156 | HCU24 | 134 |
| HBN5 | 119, 129, 267 | HB098 | 117 | HBZ1035 | 121 | HCH670 | 120 | HCL215 | 156 | HCU25 | 134 |
| HBN6 | 119, 129, 267 | HB099 | 117 | HBZ1040 | 121 | HCH810 | 120 | HCL216 | 156 | HCU34 | 134 |
| HBN7 | 119, 129, 267 | HB0100 | 117 | HC0 | 205 | HCH812 | 120 | HCL217 | 156 | HCU35 | 134 |
| HBN8 HBN10 | 119, 129, 267 119, 129, 267 | HB0101 HB0102 | 117 117 | HC000 | 205 205 | HCH816 HCH820 | 120 120 | HCL218 HCL219 | 156 156 | HCU46 HCU48 | 134 134 |
| HBN40 | 128 | HB0103 | 117 | HCOX | 205 | HCH825 | 120 | HCL220 | 156 | HCU57 | 134 |
| HBN41 | 128 | HB0104 | 117 | HC1 | 205 | HCH830 | 120 | HCL221 | 156 | HCU58 | 134 |
| HBN42 | 128 | HB0105 | 117 | HC1A | 205 | HCH835 | 120 | HCL222 | 156 | HCU68 | 134 |
| HBO2 HBO3 | 117 117 | HB0106 HB0107 | 117 117 | HC1X HC2 | 205 205 | HCH840 HCH845 | 120 120 | HCL224 HCL225 | 156 156 | HCU80 HCU81 | 134 134 |
| HBO4 | 117 | HB0107 | 117 | HC2A | 205 | HCH850 | 120 | HCL225 | 156 | HCU91 | 134 |
| HBO5 | 117 | HB0109 | 117 | HC2X | 205 | HCH860 | 120 | HCL235 | 156 | HCU93 | 134 |
| HB06 | 117 | HB0110 | 117 | НС3 | 205 | HCH865 | 120 | HCL238 | 156 | HCU95 | 134 |
| HB07 | 117 | HB0111 | 117 | HC3X | 205 | HCH870 | 120 | HCL240 | 156 | HCU96 | 134 134 |
| HB08 HB09 | 117 117 | HB0112 HB0113 | 117 117 | HC4X | 205 205 | HCH890 HCH1020 | 120 120 | HCL250 HCM00 | 156 205 | HCU509 HCU609 | 134 |
| HB010 | 117 | HB0114 | 117 | HCA8 | 203 | HCH1025 | 120 | HCN61 | 151 | HCU610 | 134 |
| HB011 | 117 | HBP68 | 124 | HCA9 | 203 | HCH1030 | 120 | HCN62 | 151 | HCU612 | 134 |
| HB012 | 117 | HBP312 | 124 | HCA10 | 203 | HCH1035 | 120 | HCP1 | 157 | HCU811 | 134 |
| HB013 HB014 | 117 117 | HBP330 HBP412 | 124 124 | HCA11 HCA12 | 203 203 | HCH1040 HCH1045 | 120 120 | HCP2 HCP3 | 157 157 | HCU812 HCU814 | 134 134 |
| HB015 | 117 | HBP435 | 124 | HCA13 | 203 | HCH1050 | 120 | HCP4 | 157 | HCU914 | 134 |
| HB016 | 117 | HBP450 | 124 | HCA14 | 203 | HCH1055 | 120 | HCP5 | 157 | HCU1013 | 134 |
| HB017 | 117 | HBP516 | 124 | HCA15 | 203 | HCH1060 | 120 | HCP6 | 157 | HCU1014 | 134 |
| HB021 HB022 | 117 117 | HBP520 HBP525 | 124 124 | HCA16 HCA17 | 203 203 | HCH1070 HCH1075 | 120 120 | HCP7 HCP8 | 157 157 | HCU1016 HCU1021 | 134 134 |
| HB023 | 117 | HBP540 | 124 | HCB1 | 118 | HCH1080 | 120 | HCS1 | 118 | HCU1117 | 134 |
| HBO24 | 117 | HBP550 | 124 | HCB2 | 118 | HCH1090 | 120 | HCS2 | 118 | HCU1216 | 134 |
| HB025 | 117 | HBP610 | 124 | HCB3 | 118 | HCH1220 | 120 | HCS3 | 118 | HCU1218 | 134 |
| HB026 HB027 | 117 117 | HBP616 HBP620 | 124 124 | HCB4 HCB5 | 118 118 | HCH1225 HCH1230 | 120 120 | HCS4 HCS5 | 118 118 | HCU1318 HCU1418 | 134 134 |
| HB028 | 117 | HBP625 | 124 | HCB6 | 118 | HCH1235 | 120 | HCS6 | 118 | HCU1410 | 134 |
| HBO29 | 117 | HBP820 | 124 | HCC610 | 133, 135 | HCH1240 | 120 | HCS7 | 118 | HCU1520 | 134 |
| HB030 | 117 | HBP825 | 124 | HCC812 | 133, 135 | HCH1245 | 120 | HCS8 | 118 | HCU1620 | 134 |
| HB031 | 117 117 | HBS36 | 123 | HCC1014 | 133, 135 | HCH1250 | 120 | HCS9 HCS10 | 118 | HCU1622 | 134 134 |
| HB032 HB033 | 117 | HBS48 HBS320 | 123 123 | HCC1218 HCC2026 | 133, 135 133, 135 | HCH1260 HCH1275 | 120 120 | HCS10 | 118 118 | HCU1624 HCU1721 | 134 |
| HB034 | 117 | HBS325 | 123 | HCC2227 | 133, 135 | HCH1280 | 120 | HCS12 | 118 | HCU1723 | 134 |
| HB035 | 117 | HBS340 | 123 | HCC2632 | 133, 135 | HCH1290 | 120 | HCS13 | 118 | HCU1725 | 134 |
| HB036 HB037 | 117 117 | HBS416 HBS425 | 123 123 | HCD100 HCH38 | 205 120 | HCH1630 HCH1640 | 120 120 | HCS14 HCS15 | 118 118 | HCU1822 HCU1824 | 134 134 |
| прозл | 11/ | 1103423 | 123 | пспэо | 120 | 17011040 | 120 | IICJIJ | 110 | 1101024 | 134 |

| HCU2024 | 134 | HFB6 | 133 | HFW66 | 130 | HKB1675 | 122 | HRF620 | 118 | HSN23 | 126 |
|---------------------|--------------|------------------|------------|---------------------|------------|--------------------|----------------------|---------------------|----------------------|----------------|------------|
| HCU2026 | 134 | HFB8 | 133 | HFW67 | 130 | HKB20100 | 122 | HRF625 | 118 | HSN24 | 126 |
| HCU2125 | 134 | HFB10 | 133 | HH1 | 216 | HKZ460 | 122 | HRF640 | 118 | HSN25 | 126 |
| HCU2227 | 134 134 | HFB12 | 133 133 | HH2 HH3 | 216 216 | HKZ620 | 122 122 | HRF650 HRF660 | 118 118 | HSN26 | 126 126 |
| HCU2430 HCU2634 | 134 | HFB14 HFB16 | 133 | HH4 | 216 | HKZ640 HKZ825 | 122 | HRF680 | 118 | HSN27 HSN28 | 126 |
| HCU2834 | 134 | HFB18 | 133 | HHD8/4 | 145 | HKZ830 | 122 | HRF830 | 118 | HSN29 | 126 |
| HCU3038 | 134 | HFB31 | 133 | HHD8/6 | 145 | HLW1 | 132 | HRF835 | 118 | HSN30 | 126 |
| HCU3240 | 134 | HFB32 | 133 | HHD8/8 | 145 | HLW2 | 132 | HRF860 | 118 | HSN31 | 126 |
| HCU3545 HCU10165 | 134 134 | HFB33 HFB34 | 133 133 | HHD10/4 HHD10/6 | 145 145 | HLW3 HLW4 | 132 132 | HRF880 HRF6100 | 118 118 | HSN32 HSN33 | 126 126 |
| HCU14180 | 134 | HFB35 | 133 | HHD10/8 | 145 | HLW5 | 132 | HRK105 | 124, 423 | HSN34 | 126 |
| HCV1 | 56, 203, 250 | HFB36 | 133 | HHD12/8 | 145 | HLW6 | 132 | HRK106 | 124, 423 | HSN35 | 126 |
| HCV2 | 56, 203, 250 | HFB37 | 133 | HHD12/12 | 145 | HLW20 | 132 | HRK108 | 124, 423 | HSN36 | 126 |
| HCW5 HCW6 | 132 132 | HFB38 HFC1 | 133 150 | HHD12/16 HHD14/8 | 145 145 | HLW21 HLW22 | 132 132 | HRK110 HRK112 | 124, 423 124, 423 | HSN37 HSN38 | 126 126 |
| HCW8 | 132 | HFC2 | 150 | HHD14/12 | 145 | HLW23 | 132 | HRK214 | 124, 423 | HSN40 | 128 |
| HCW10 | 132 | HFC6 | 150 | HHD14/16 | 145 | HLW24 | 132 | HRP105 | 124, 423 | HSN41 | 128 |
| HCW11 HCW12 | 132 132 | HFC7 HFC8 | 150 150 | HIL105 HIL106 | 127 127 | HLW27 HLW28 | 132 132 | HRP106 HRP108 | 124, 423 124, 423 | HSN42 HSN55 | 128 128 |
| HCV12 | 121 | HFC9 | 150 | HIL108 | 127 | HLW29 | 132 | HRP110 | 124, 423 | HSN56 | 128 |
| HCZ2 | 121 | HFC10 | 150 | HIL110 | 127 | HMB623 | 153 | HRP112 | 124, 423 | HSN58 | 128 |
| HCZ3 | 121 | HFC11 | 150 | HIN105 | 126 | HMB632 | 153 | HRP208 | 124, 423 | HSN60 | 128 |
| HCZ4 HCZ5 | 121 121 | HFC12 HFL125 | 150 116 | HIN106 HIN108 | 126 126 | HMS11 HMS12 | 119, 267 119, 267 | HRP212 HRW1 | 124, 423 129 | HSN62 HSN64 | 128 128 |
| HCZ6 | 121 | HFL130 | 116 | HIN110 | 126 | HMS13 | 119, 267 | HRW2 | 129 | HSN66 | 128 |
| HCZ7 | 121 | HFL140 | 116 | HIP105 | 131 | HMS14 | 119, 267 | HRW3 | 129 | HSN76 | 128 |
| HCZ8 | 121 | HFL150 | 116 | HIP106 | 131 | HMS15 | 119, 267 | HRW4 | 129 | HSN78 | 128 |
| HCZ9 HCZ10 | 121 121 | HFL616 HFL620 | 116 116 | HIP108 HIP110 | 131 131 | HMS16 HN0816 | 119, 267 206 | HRW5 HRW6 | 129 129 | HSP1 HSP2 | 158 158 |
| HCZ11 | 121 | HFL625 | 116 | HIS525 | 115 | HN1220 | 206 | HRW7 | 129 | HSP3 | 158 |
| HCZ308 | 121 | HFL630 | 116 | HIS625 | 115 | HN1625 | 206 | HRW8 | 129 | HSP4 | 158 |
| HCZ316 | 121 | HFL820 | 116 | HIS825 | 115 | HN2032 | 206 | HRW13 | 129 | HSP5 | 158 |
| HCZ420 HCZ430 | 121 121 | HFL825 HFL830 | 116 116 | HIS840 HIS1025 | 115 115 | HN2840 HN3250 | 206 206 | HRW14 HRW15 | 129 129 | HSP6 HSP7 | 158 158 |
| HCZ510 | 121 | HFL840 | 116 | HIS1040 | 115 | HN4060 | 206 | HRW520 | 129 | HSP8 | 158 |
| HCZ516 | 121 | HFW1 | 130 | HIW105 | 131 | HN5070 | 206 | HRW620 | 129 | HSP9 | 158 |
| HCZ525 | 121 | HFW2 | 130 | HIW106 | 131 | HN6080 | 206 | HRW830 | 129 | HSP10 | 158 |
| HCZ530 HCZ535 | 121 121 | HFW3 HFW4 | 130 130 | HIW108 HIW110 | 131 131 | HN7090 HN80100 | 206 206 | HRW1025 HRW1040 | 129 129 | HSP11 HSP12 | 158 158 |
| HCZ540 | 121 | HFW5 | 130 | HJC1 | 148 | HNN1 | 127 | HSB510 | 115 | HSP13 | 159 |
| HCZ620 | 121 | HFW6 | 130 | HJC2 | 148 | HNN2 | 127 | HSB670 | 115 | HSP19 | 159 |
| HCZ625 | 121 | HFW7 | 130 | НЈСЗ | 148 | HNN3 | 127 | HSB880 | 115 | HSP20 | 158 |
| HCZ630 HCZ635 | 121 121 | HFW8 HFW10 | 130 130 | HJC4 HKB36 | 148 122 | HNN4 HNN5 | 127 127 | HSB1220 HSB1265 | 115 115 | HSP21 HSP22 | 159 159 |
| HCZ816 | 121 | HFW11 | 130 | HKB320 | 122 | HNN6 | 127 | HSB1280 | 115 | HSP33 | 159 |
| HCZ820 | 121 | HFW12 | 130 | HKB412 | 122 | HNN19 | 127 | HSB1640 | 115 | HSP62 | 159 |
| HCZ830 | 121 | HFW13 | 130 | HKB416 | 122 | HNN20 | 127 | HSB1660 | 115 | HSP63 | 159 |
| HCZ845 HCZ865 | 121 121 | HFW14 HFW15 | 130 130 | HKB420 HKB440 | 122 122 | HNN21 HNN22 | 127 127 | HSB1680 HSB12120 | 115 115 | HSR26 HSR28 | 119 119 |
| HCZ1025 | 121 | HFW16 | 130 | HKB510 | 122 | HNN23 | 127 | HSL10 | 135 | HSR30 | 119 |
| HCZ1030 | 121 | HFW17 | 130 | HKB512 | 122 | HNN24 | 127 | HSL12 | 135 | HSR32 | 119 |
| HCZ1040 HCZ1225 | 121 121 | HFW18 HFW19 | 130 130 | HKB516 HKB520 | 122 122 | HNN25 HNN26 | 127 127 | HSL14 HSL16 | 135 135 | HSR34 HSR36 | 119 119 |
| HCZ1225 | 121 | HFW20 | 130 | HKB525 | 122 | HNN27 | 127 | HSL18 | 135 | HSR38 | 119 |
| HCZ10130 | 121 | HFW40 | 130 | HKB530 | 122 | HNN32 | 127 | HSL20 | 135 | HSR40 | 119 |
| HCZ12100 | 121 | HFW41 | 130 | HKB612 | 122 | HNN33 | 127 | HSL22 | 135 | HSS2 | 116 |
| HCZ12110 HER1 | 121 157 | HFW42 HFW43 | 130 130 | HKB616 HKB620 | 122 122 | HNN34 HNN35 | 127 127 | HSL24 HSL41 | 135 135 | HSS3 HSS5 | 116 116 |
| HER2 | 157 | HFW44 | 130 | HKB625 | 122 | HNN36 | 127 | HSL42 | 135 | HSS6 | 116 |
| HER3 | 157 | HFW45 | 130 | HKB630 | 122 | HNU108 | 128 | HSL43 | 135 | HSS7 | 116 |
| HER4 HER6 | 157 157 | HFW46 | 130 130 | HKB640 | 122 122 | HNU110 HNU112 | 128 128 | HSL44 HSL45 | 135 135 | HSS8 HSS9 | 116 116 |
| HER7 | 157 | HFW47 HFW48 | 130 | HKB820 HKB825 | 122 | HNU114 | 128 | HSL45 | 135 | HSS10 | 116 |
| HER13 | 157 | HFW49 | 130 | HKB830 | 122 | HNU116 | 128 | HSL48 | 135 | HSS11 | 116 |
| HER15 | 157 | HFW50 | 130 | HKB840 | 122 | HPD6/4 | 145 | HSN1 | 126 | HSS12 | 116 |
| HER51 HER52 | 157 157 | HFW51 HFW52 | 130 130 | HKB850 HKB860 | 122 122 | HPD6/6 HPD6/8 | 145 145 | HSN2 HSN3 | 126 126 | HSS13 HSS14 | 116 116 |
| HER53 | 157 | HFW53 | 130 | HKB1020 | 122 | HPD8/4 | 145 | HSN4 | 126 | HSS15 | 116 |
| HER54 | 157 | HFW54 | 130 | HKB1025 | 122 | HPD8/6 | 145 | HSN5 | 126 | HSS16 | 116 |
| HER55 | 157 | HFW59 | 130 | HKB1035 | 122 | HPD8/8 | 145 | HSN6 | 126 | HSS17 | 116 |
| HER56 HER57 | 157 157 | HFW60 HFW61 | 130 130 | HKB1040 HKB1050 | 122 122 | HPD10/4 HPD10/6 | 145 145 | HSN7 HSN8 | 126 126 | HSS18 HSS19 | 116 116 |
| HER58 | 157 | HFW62 | 130 | HKB1225 | 122 | HPD10/8 | 145 | HSN19 | 126 | HSS20 | 116 |
| HER59 | 157 | HFW63 | 130 | HKB1250 | 122 | HPD10/12 | 145 | HSN20 | 126 | HSS36 | 114 |
| HER60 | 157 | HFW64 | 130 | HKB1650 | 122 | HPD10/16 | 145 | HSN21 | 126 | HSS37 | 114 |
| HFB5 | 133 | HFW65 | 130 | HKB1670 | 122 | HRF520 | 118 | HSN22 | 126 | HSS38 | 114 |

























| HSS39 | 114 | 262, 264 | HSW10 | 131 | HTP8/6 | 142 | HY103 | 283 | JCS2A | 202 |
|--------|---------------|------------------------------|------------------|------------|----------------------|------------|--------|-----|------------------|-----|
| HSS40 | 114 | HSU12 133, 135-136, | HSW11 | 131 | HTP8/8 | 142 | HY110 | 283 | JCS2X | 202 |
| HSS41 | 114 | 263-264 | HSW12 | 131 | HTP8/12 | 142 | HY111 | 283 | JCS3 | 202 |
| HSS42 | 114 | HSU14 136, 264 | HSW13 | 131 | HTP10/4 | 142 | HY112 | 283 | JCS3X | 202 |
| HSS43 | 114 | HSU19 137, 265 | HSW14 | 131 | HTP10/5 | 142 | HY113 | 283 | JCS4 | 202 |
| HSS44 | 114 | HSU20 137, 261, 265 | HSW15 | 131 | HTP10/6 | 142 | HY114 | 283 | JCS4X | 202 |
| HSS45 | 114 | HSU21 137, 261-263, 265 | HSW16 | 131 | HTP10/8 | 142 | HY115 | 283 | JCS5 | 202 |
| HSS46 | 114 | HSU25 137, 261, 265 | HSW17 | 131 | HTP10/10 | 142 | HY116 | 283 | JCS6 | 202 |
| HSS47 | 114 | HSU26 136, 264 | HSW18 | 131 | HTP10/12 | 142 | HY117 | 283 | JCS7 | 202 |
| HSS48 | 114 | HSU27 136, 264 | HSW19 | 131 | HTP12/4 | 142 | HY118 | 283 | JCS24 | 202 |
| HSS50 | 114 | HSU30 137, 265 | HSW20 | 131 | HTP12/6 | 142 | HY119 | 283 | JCS50 | 202 |
| HSS51 | 114 | HSU35 136, 264 | HSW21 | 131 | HTP12/8 | 142 | HY120 | 283 | JCS100 | 202 |
| HSS52 | 114 | HSU40 137, 260, 265 | HTA6/4 | 142 | HTP12/12 | 142 | HY121 | 283 | JCS160 JCS160 | 202 |
| | 114 | | | 142 | | | HY130 | 282 | | 202 |
| HSS53 | | HSU41 137, 265 | HTA6/6 | | HTP12/16 | 142 | HY131 | 282 | JCS245 | |
| HSS54 | 114 | HSU45 136, 260, 264 | HTA6/8 | 142 | HTP12/24 | 142 | | | JCSM00 | 202 |
| HSS55 | 114 | HSU50 137, 261, 265 | HTA8/4 | 142 | HTP14/6 | 142 | HY132 | 282 | JCX0 | 202 |
| HSS56 | 114 | HSU51 137, 262, 265 | HTA8/6 | 142 | HTP14/8 | 142 | HY133 | 282 | JCX00 | 202 |
| HSS57 | 114 | HSU60 137, 260-261, 265 | HTA8/8 | 142 | HTP14/12 | 142 | HY134 | 282 | JCX000 | 202 |
| HSS58 | 114 | HSU81 260 | HTA10/4 | 142 | HTW6/6 | 143 | HY135 | 282 | JCXOX | 202 |
| HSS60 | 114 | HSU82 261 | HTA10/6 | 142 | HTW6/8 | 143 | HY136 | 282 | JCX1 | 202 |
| HSS61 | 114 | HSU83 262 | HTA10/8 | 142 | HTW6/10 | 143 | HY137 | 282 | JCX1A | 202 |
| HSS62 | 114 | HSU84 261 | HTC4/4 | 143 | HTW6/12 | 143 | HY138 | 282 | JCX1X | 202 |
| HSS64 | 114 | HSU85 262 | HTC4/6 | 143 | HTW8/4 | 143 | HY150 | 282 | JCX2 | 202 |
| HSS65 | 114 | HSU86 263 | HTC6/4 | 143 | HTW8/6 | 143 | HY151 | 282 | JCX245 | 202 |
| HSS66 | 114 | HSU87 262 | HTC6/5 | 143 | HTW8/10 | 143 | HY152 | 282 | JCX2A | 202 |
| HSS69 | 114 | HSU88 261 | HTC6/6 | 143 | HTW8/12 | 143 | HY153 | 282 | JCX2X | 202 |
| HSS70 | 114 | HSU89 263 | HTC6/8 | 143 | HTW8/14 | 143 | HY154 | 282 | JCX3 | 202 |
| HSS71 | 114 | HSU90 261 | HTC6/10 | 143 | HTW8/16 | 143 | HY155 | 282 | JCXM00 | 202 |
| HSS72 | 114 | HSU91 262 | HTC6/12 | 143 | HTW8/20 | 143 | HY156 | 282 | JEY5 | 346 |
| HSS73 | 114 | HSU92 261 | HTC8/4 | 143 | HTW8/24 | 143 | HY160 | 283 | JP3 | 221 |
| HSS74 | 114 | HSU93 260 | HTC8/5 | 143 | HTW10/8 | 143 | HY161 | 283 | JP12 | 221 |
| HSS75 | 114 | HSU94 262 | HTC8/6 | 143 | HTW10/12 | 143 | HY170 | 283 | JP14 | 230 |
| HSS76 | 114 | HSU95 260 | HTC8/8 | 143 | HTW10/16 | 143 | HY171 | 283 | JP15 | 233 |
| HSS77 | 114 | HSU96 260 | HTC8/12 | 143 | HTW10/20 | 143 | HY172 | 283 | JP16 | 233 |
| HSS78 | 114 | HSU97 263 | HTC8/16 | 143 | HTW10/24 | 143 | HY173 | 283 | JP25 | 233 |
| HSS79 | 114 | HSU98 262 | HTC10/4 | 143 | HTW12/8 | 143 | HY180 | 283 | JP31 | 221 |
| HSS80 | 116 | HSU101 260 | HTC10/5 | 143 | HTW12/12 | 143 | HY181 | 283 | JP32 | 221 |
| HSS81 | 116 | | HTC10/6 | 143 | HTW12/12 HTW12/24 | 143 | HY182 | 283 | JP35 | 225 |
| HSS82 | 116 | HSU102 263 | | 143 | HUC1 | | | 283 | JP35 JP36 | 225 |
| | | HSU104 260 | HTC10/8 | | | 148 | HY183 | | | |
| HSS83 | 116 | HSU105 261 | HTC10/10 | 143 | HUC2 | 148 | HY184 | 283 | JP37 | 225 |
| HSS84 | 116 | HSU106 263 | HTC10/12 | 143 | HUC3 | 148 | HY190 | 283 | JP38 | 221 |
| HSS85 | 116 | HSU107 263 | HTC10/16 | 143 | HUC4 | 148 | HY191 | 283 | JP42 | 230 |
| HSS86 | 116 | HSU181 260 | HTC12/6 | 143 | HUC5 | 148 | HY200 | 283 | JP43 | 232 |
| HSS87 | 116 | HSU182 261 | HTC12/8 | 143 | HUC6 | 148 | HY201 | 283 | JP44 | 230 |
| HSS88 | 116 | HSU183 262 | HTC12/12 | 143 | HUC7 | 148 | HY202 | 283 | JP60 | 226 |
| HSS89 | 116 | HSU185 262 | HTC14/12 | 142 | HUC11 | 148 | HY203 | 283 | JP61 | 232 |
| HSS90 | 116 | HSU186 263 | HTC14/12A | 143 | HUC21 | 148 | HY204 | 283 | JP70 | 233 |
| HSS91 | 116 | HSU187 262 | HTC14/14 | 142 | HUC22 | 148 | HY300 | 282 | JP72 | 226 |
| HSS92 | 114 | HSU190 261 | HTC14/14A | 143 | HUC50 | 149 | HY301 | 282 | JP80 | 223 |
| HSS93 | 114 | HSU191 262 | HTC14/16 | 142 | HUC51 | 149 | HY302 | 282 | JP81 | 223 |
| HSS94 | 114 | HSU193 260 | HTC14/16A | 143 | HUC52 | 149 | HY303 | 282 | JP100 | 230 |
| HSS95 | 114 | HSU194 262 | HTK6/3 | 144 | HUC55 | 149 | HY304 | 282 | JP101 | 221 |
| HSS96 | 114 | HSU195 260 | HTK6/4 | 144 | HUC56 | 149 | HY305 | 282 | JP124 | 221 |
| HSS97 | 114 | HSU196 260 | HTK6/5 | 144 | HUC57 | 149 | HY306 | 282 | JP201 | 222 |
| HSS98 | 114 | HSU197 263 | HTK6/6 | 144 | HUC58 | 149 | HY307 | 282 | JP202 | 222 |
| HSS99 | 114 | HSU198 262 | HTK6/8 | 144 | HUC59 | 149 | HY308 | 282 | JP221 | 222 |
| HSS100 | 114 | HSU1022 136, 260, 264 | HTK8/3 | 144 | HWN1 | 128 | HY309 | 282 | JP222 | 222 |
| HSS101 | 114 | HSU1215 137, 260, 265 | HTK8/4 | 144 | HWN2 | 128 | HY400 | 282 | JP314 | 230 |
| HSS102 | 114 | HSU1217 136, 260, 264 | HTK8/5 | 144 | HWN3 | 128 | HY401 | 282 | JP342 | 230 |
| HSS103 | 114 | HSU1217AL | HTK8/6 | 144 | HWN4 | 128 | HY402 | 282 | JP344 | 230 |
| HSS104 | 114 | 137, 260, 265 | HTK8/8 | 144 | HXT6/5 | 144 | HY403 | 282 | JP414 | 230 |
| HSS105 | 114 | HSU1824AL | HTK8/10 | 144 | HXT7/6 | 144 | HY404 | 282 | JP501 | 229 |
| HSS106 | 114 | 137, 263, 265 | HTK8/12 | 144 | HXT8/5 | 144 | HY405 | 282 | JP502 | 229 |
| HSS107 | 114 | HSU1420 136, 262, 264 | HTK10/3 | 144 | HXT8/6 | 144 | HY406 | 282 | JPR1 | 218 |
| HSS108 | 114 | HSU1826 136, 263-264 | HTK10/4 | 144 | HXT8/8 | 144 | HY407 | 282 | JPR2 | 219 |
| HSS109 | 114 | HSUP1 259 | HTK10/5 | 144 | HXT10/5 | 144 | HY408 | 282 | JPR3 | 219 |
| HSS110 | 114 | HSUP2 259 | HTK10/6 | 144 | HY10 | 284 | HY409 | 282 | JSS0 | 203 |
| HSS111 | 114 | HSUP3 259 | HTK10/0 | 144 | HY11 | 284 | | 202 | JSS00 | 203 |
| HSS111 | 114 | HSUP4 259 | HTP4/4 | 142 | HY12 | 284 | J | | JSS000 | 203 |
| HSS112 | 114 | | | | HY13 | | JCS0 | 202 | | 203 |
| HSS114 | 114 | HSW1 131 | HTP4/6 HTP6/4 | 142 | HY14 | 284 218 | JCS00 | 202 | JSSOX JSS1 | 203 |
| HSS114 | 114 | HSW2 131 | | 142 142 | HY20 | | JCS000 | 202 | JSS1A | 203 |
| | | HSW3 131 | HTP6/5 | | | 158, 271 | | | | |
| HSS116 | 114 | HSW4 131 | HTP6/6 | 142 | HY38 | 218 | JCS0X | 202 | JSS1X | 203 |
| HSS117 | 122 125 126 | HSW5 131 | HTP6/8 | 142 | HY38D | 218 | JCS1 | 202 | JSS2 | 203 |
| HSU10 | 133, 135-136, | HSW6 131 | HTP6/10 | 142 | HY100 | 283 | JCS1A | 202 | JSS2A | 203 |
| UCI144 | 261, 264 | HSW8 131 | HTP8/4 | 142 | HY101 | 283 | JCS1X | 202 | JSS2X | 203 |
| HSU11 | 133, 135-136, | HSW9 131 | HTP8/5 | 142 | HY102 | 283 | JCS2 | 202 | JSS3 | 203 |
| | | | | | | | | | | |

| JSS3X | 203 | JUX0 | 204 | K159.1035 | 443 | K515.1032 | 464 | K911.0901 | 466 | K918.1424 | 4(|
|--------------------|------------|------------------------|-----------------|------------------------|----------------------|------------------------|-----------------|------------------------|------------|-------------------------|----|
| JSS4 | 203 | JUX00 | 204 | K159.1036 | 443 | K515.1050 | 466 | K911.1177 | 208 | K918.1425 | 46 |
| JSS4X JSS5 | 203 203 | JUX000 | 204 204 | K159.1037 K159.1038 | 443 443 | K515.1070 K515.1108 | 464, 469 464 | K911.1180 K911.2027 | 208 447 | K918.14255 K918.1426 | 46 |
| JSS6 | 203 | JUX1 | 204 | K159.1040 | 442 | K515.1109 | 464 | K911.2188 | 482 | K918.1427 | 46 |
| JSS7 | 203 | JUX1A | 204 | K159.1041 | 442 | K515.1110 | 464 | K911.3862 | 462 | K918.1428 | 4(|
| JSS245 | 203 | JUX1M | 204 | K159.1042 | 442 | K515.1111 | 464 | K911.3863 | 462 | K918.1429 | 40 |
| JSSM00 | 203 204 | JUX1X JUX2 | 204 204 | K159.1043 | 442 | K515.1112 | 464 | K911.3864 | 462 462 | K918.1430 | 40 |
| JUBON JUBOON | 204 | JUX2A | 204 | K159.1044 K159.1045 | 442 442 | K515.1113 K515.1114 | 464 464 | K911.3865 K911.3866 | 462 | K918.1431 K918.1432 | 40 |
| JUB000N | 204 | JUX2X | 204 | K159.1046 | 442 | K515.1115 | 464 | K911.3867 | 462 | K918.1433 | 40 |
| JUBOXN | 204 | JUX3 | 204 | K159.1047 | 442 | K515.1116 | 464 | K911.3868 | 462 | K918.1449 | 4 |
| JUB1N | 204 | JUX100 | 204 | K159.1048 | 442 | K515.1117 | 464 | K911.3869 | 462 | K918.1450 | 4 |
| JUB1AN JUB1MN | 204 204 | JUXM00 | 204 | K159.1049 K159.1050 | 442 443 | K515.1118 K515.1119 | 464 464 | K911.3870 K911.3871 | 462 462 | K918.1801 K918.1802 | 45 |
| JUB1XN | 204 | K | | K159.1050 K159.1051 | 443 | K515.1119 | 464 | K911.3872 | 462 | K918.3010 | 4. |
| JUB2N | 204 | K115.1028 | 58 | K159.1052 | 443 | K515.1121 | 464 | K911.3873 | 462 | K918.3106 | 44 |
| JUB2AN | 204 | K115.1029 | 58 | K159.1053 | 443 | K515.1122 | 464 | K911.3874 | 462 | K918.3111 | 44 |
| JUB2XN | 204 | K115.1041 | 208 | K159.1054 | 443 | K515.1123 | 464 | K911.3884 | 462 | K918.3116 | 44 |
| JUB3N JUB3XN | 204 204 | K115.1052 K115.1090 | 394 209-210 | K159.1055 K159.1056 | 443 443 | K515.1124 K515.1125 | 464 464 | K911.3885 K911.3887 | 462 462 | K918.3206 K918.3211 | 4/ |
| JUB4N | 204 | K118.0060 | 430 | K159.1057 | 443 | K515.1126 | 464 | K911.3888 | 462 | K918.3216 | 44 |
| JUB4XN | 204 | K120.1050 | 474 | K159.1058 | 443 | K515.1127 | 464 | K911.3889 | 462 | K918.3306 | 44 |
| JUB5 | 204 | K122.1290 | 474 | K310.0250 | 374, 469 | K515.1128 | 464 | K911.3935 | 460 | K918.3311 | 44 |
| JUB6N JUB7N | 204 204 | K140.1015 K140.1060 | 480 480 | K310.0255 K310.0260 | 374, 469 374, 469 | K515.1129 K515.1130 | 464 464 | K911.3945 K911.4312 | 460 447 | K918.3316 K918.3321 | 4/ |
| JUB25 | 204 | K140.1000 K140.2206 | 480 | K310.0250 | 374, 469 | K515.1130 | 464 | K911.8120 169. | | K918.3406 | 4/ |
| JUB50 | 204 | K140.2211 | 480 | K310.0355 | 374, 469 | K515.1132 | 464 | K913.1290 | 476 | K918.3411 | 44 |
| JUB100 | 204 | K140.2214 | 480 | K310.0360 | 374, 469 | K515.1243 | 401, 407 | K913.3800 | 453 | K918.3416 | 44 |
| JUBM00N JUBS19 | 204 205 | K140.2248 K140.2290 | 480 429, 480 | K310.0470 K310.0475 | 375 375 | K515.1901 K515.1907 | 225 225 | K913.3880 K916.4050 | 476 459 | K918.3421 K918.3506 | 4/ |
| JUBS22 | 205 | K140.2250 K140.5255 | 425, 460 | K310.0475 K310.0480 | 375 | K515.1907 K515.2124 | 465 | K918.0610 | 461 | K918.3511 | 4/ |
| JUBS25 | 205 | K140.5257 | 439 | K500.1380 | 478 | K515.2127 | 465 | K918.0611 | 461 | K918.3516 | 44 |
| JUBS28 | 205 | K150.1305 | 476 | K500.7170 | 445 | K515.2130 | 465 | K918.0612 | 461 | K918.3521 | 44 |
| JUBS31 | 205 | K150.1450 | 259 | K503.4265 | 454 | K515.2133 | 465 | K918.0627 | 458 459 | K918.3526 | 44 |
| JUBS35 JUBS39 | 205 205 | K150.1970 K150.2024 | 475 247 | K503.4646 K503.4666 | 454 454 | K515.3095 K515.3360 | 403 224 | K918.0635 K918.0646 | 459 | K918.3531 K918.3536 | 4/ |
| JUBS43 | 205 | K150.2035 | 475 | K503.5905 | 454 | K515.3370 | 224 | K918.0661 | 459 | K918.3606 | 4/ |
| JUBS47 | 205 | K150.9310 | 478 | K503.5908 | 454 | K515.3396 | 224 | K918.1200 | 455 | K918.3611 | 4/ |
| JUBS51 | 205 | K151.1100 | 443 | K503.5909 | 454 | K516.1150 | 469 | K918.1210 | 462 | K918.3616 | 44 |
| JUBS55 JUBS59 | 205 205 | K151.2100 K151.2180 | 451 451 | K503.5910 K503.5911 | 454 454 | K516.1403 K516.1404 | 468 468 | K918.1211 K918.1212 | 462 462 | K918.3621 K918.3626 | 4/ |
| JUBS63 | 205 | K151.2100 K152.1100 | 476 | K503.5912 | 454 | K516.1412 | 468 | K918.1213 | 462 | K918.3631 | 4/ |
| JUBS67 | 205 | K156.0180 | 440 | K503.5913 | 454 | K516.1413 | 468 | K918.1214 | 462 | K918.3636 | 4/ |
| JUBS73 | 205 | K156.0690 | 440 | K503.5914 | 454 | K516.1414 | 468 | K918.1215 | 462 | K918.3800 | 4: |
| JUBS79 JUBS85 | 205 205 | K159.0020 K159.0030 | 443 443 | K503.5915 K503.5916 | 454 454 | K516.1422 K516.1423 | 468 468 | K918.1216 K918.1217 | 462 462 | K918.3807 K918.3808 | 4: |
| JUBS91 | 205 | K159.0030 | 443 | K503.5917 | 454 | K516.1424 | 468 | K918.1217 | 462 | K918.3809 | 4(|
| JUBS97 | 205 | K159.0100 | 442 | K503.5918 | 454 | K516.1432 | 468 | K918.1219 | 462 | K918.3810 | 4(|
| JUBS103 | 205 | K159.1001 | 442 | K503.5919 | 454 | K516.1442 | 468 | K918.1220 | 462 | K918.3811 | 40 |
| JUBS112 JUBS121 | 205 | K159.1002 K159.1003 | 442 442 | K514.1113 K515.1003 | 446 466 | K516.1444 K516.1448 | 468 468 | K918.1221 K918.1222 | 462 462 | K918.3812 K918.3813 | 40 |
| JUBS130 | 205 | K159.1003 K159.1004 | 442 | K515.1005 | 464, 469 | K516.1448 | 468 | K918.1224 | 462 | K918.3814 | 40 |
| JUBS139 | 205 | K159.1005 | 442 | K515.1008 | 464 | K517.0043 | 453 | K918.1227 | 462 | K918.3815 | 4(|
| JUBS148 | 205 | K159.1006 | 442 | K515.1009 | 464 | K517.0052 | 453 | K918.1232 | 462 | K918.3816 | 40 |
| JUBS161 | 205 205 | K159.1007 | 442 442 | K515.1010 | 464 464 | K518.0370 | 475 452 | K918.1234 | 462 462 | K918.3817 K918.3818 | 40 |
| JUBS174 JUBS187 | 205 | K159.1008 K159.1009 | 442 | K515.1011 K515.1012 | 464 | K518.0643 K518.0800 | 452 | K918.1236 K918.1240 | 463 | K918.3819 | 40 |
| JUG3 | 359 | K159.1010 | 442 | K515.1013 | 464 | K519.0660 | 453 | K918.1241 | 463 | K918.3826 | 4 |
| JUG6 | 354 | K159.1011 | 442 | K515.1014 | 464 | K550.1001 | 479, 481 | K918.1242 | 463 | K918.3826-1 | 4 |
| JUG8 | 354 | K159.1012 | 442 | K515.1015 | 464 | K550.1002 | 481 | K918.1243 | 463 | K918.3828 | 4(|
| JUG10 JUG11 | 354 350 | K159.1013 K159.1020 | 442 442 | K515.1016 K515.1017 | 464 464 | K550.1003 K550.1022 | 481 479 | K918.1244 K918.1245 | 463 463 | K918.3829 K918.3830 | 4(|
| JUG12 | 354 | K159.1021 | 442 | K515.1018 | 464 | K550.1045 | 477 | K918.1246 | 463 | K918.3831 | 40 |
| JUG16 | 354 | K159.1022 | 442 | K515.1019 | 464 | K550.1290 | 482 | K918.1247 | 463 | K918.3832 | 4(|
| JUG17 | 354 | K159.1023 | 442 | K515.1020 | 464 | K550.1501 | 482 | K918.1248 | 463 | K918.3833 | 4(|
| JUG21 JUG22 | 358 358 | K159.1024 K159.1025 | 442 442 | K515.1021 K515.1022 | 464 464 | K700.1120 K700.1130 | 473 473 | K918.1249 K918.1250 | 463 457 | K918.3834 K918.3835 | 4(|
| JUG23 | 358 | K159.1025 K159.1026 | 442 | K515.1022 K515.1023 | 464 | K700.1130 K700.1190 | 473 | K918.1252 | 463 | K918.3836 | 40 |
| JUG23A | 358 | K159.1027 | 442 | K515.1024 | 464 | K700.1193 | 479 | K918.1254 | 463 | K918.3837 | 4(|
| JUG31 | 358 | K159.1028 | 442 | K515.1025 | 464 | K700.1195 | 41 | K918.1257 | 463 | K918.3838 | 4(|
| JUG32 JUG33 | 358 358 | K159.1029 K159.1030 | 442 443 | K515.1026 K515.1027 | 464 464 | K850.0300 K850.0305 | 488 488 | K918.1258 K918.1260 | 463 463 | K918.3839 K918.3937 | 40 |
| JUM10 | 205 | K159.1030 K159.1031 | 443 | K515.1027 | 464 | K850.0505 | 488 | K918.1270 | 455 | K918.3997 | 4 |
| JUM30 | 205 | K159.1032 | 443 | K515.1029 | 464 | K907.2105 | 428 | K918.1292 | 456 | K919.0123 | 4 |
| JUS1 | 205 | K159.1033 | 443 | K515.1030 | 464 | K907.2174 | 429 | K918.1292-1 | 456 | K919.0143 | 4 |
| JUS2 | 205 | K159.1034 | 443 | K515.1031 | 464 | K907.2210 | 428 | K918.1400 | 455 | K919.0383 | 4 |
| | | | | | | | | | | | |

























| K920.1490 | 455 | MX7600 | 382 | NST36 | 125 | PB1 | 317 | PJ306 | 207 | REF4 | 275 |
|--|---------------------------------|---|--------------------------|---------------------------------------|--------------------------|-------------------------|-------------------|--------------------------------|-------------------|------------------------------------|-------------------|
| K920.3890 | 455 | MX7122 | 382 | NST38 | 125 | PB1 1/2 | 317 | PJ308 | 207 | REF4S | 275 |
| K920.1290 | 455 | MX7232 | 382 | NST40 | 125 | PB2 | 317 | PJ310 | 207 | REF5A | 275 |
| K960.1160 | 395 | MX7432 | 382 | 0 | | PB3 | 317 | PJ312 | 207 | REF7A | 275 |
| K960.1200 | 395 | MX7800 | 382 | | 200 | PB4 | 317 | PJ316 | 207 | REF9A | 275 |
| K975.2020 | 447 | MX7825 | 382 | OC1 | 206 | PB48 | 317 | PJ319 | 207 | RTS1 | 235, 242 |
| K975.2025 K975.2027 | 447 447 | MX7850 MX9002 | 382 382 | OC1A OC2 | 206 206 | PB49 PB51 | 317 317 | PJ406 PJ408 | 207 207 | RZ1001 RZ1002 | 338 338 |
| K975.2027 | 447 | MX9002 | 382 | OC2A | 206 | PB52 | 317 | PJ408 PJ410 | 207 | RZ1002 | 338 |
| K975.2040 | 447 | MX9020 | 382 | OC3 | 206 | PB53 | 317 | PJ410 PJ412 | 207 | RZ1005 | 338 |
| K975.2045 | 447 | MX9030 | 382 | OC3A | 206 | PB54 | 317 | PJ416 | 207 | RZ1104 | 338 |
| K975.2050 | 447 | MX9100 | 382 | OC4 | 206 | PB62 | 317 | PJ419 | 207 | RZ2001 | 339 |
| K975.2055 | 447 | MX9200 | 382 | OC4A | 206 | PB64 | 317 | PR1 | 153 | RZ2004 | 339 |
| K975.2060 | 447 | MX9400 | 382 | OC5 | 206 | PB66 | 317 | PR2 | 153 | RZ2011 | 339 |
| KN782 | 59, 432 | MX9500 | 382 | OC5A | 206 | PB68 | 317 | PR3 | 153 | RZ2014 | 339 |
| KN792 | 437 | MX9600 | 382 | OC6 | 206 | PB100 | 316 | PR4 | 153 | RZ3004 | 338 |
| | | N | | OC6A | 206 | PB101 | 316 | PR5 | 153 | S | |
| | 457 | | 200 | OC7 | 206 | PB102 | 316 | PR6 | 153 | | 200 |
| LP1 | 157 | NIL1 NIL5 | 290 | OC7A | 206 | PB103 | 316 | PR7 | 153 | SAS1 | 309 |
| LP2 LP4 | 157 157 | NIL11 | 290 346 | OC11 OC12 | 206 206 | PB104 PB110 | 316 316 | PR8 PR9 | 153 153 | SAS2 SAS3 | 300 41,310 |
| LP5 | 158 | NIL11 NIL15 | 346 | OC12 | 206 | PB110 PB111 | 316 | PR10 | 151, 190 | SAS4 | 301 |
| LP6 | 158 | NIL605 | 296 | OC14 | 206 | PB112 | 316 | PR11 | 151, 150 | SAS5 | 301 |
| LP7 | 158 | NIL606 | 296 | OC15 | 206 | PB120 | 316 | PR12 | 151, 190-191 | SAS6 | 307 |
| LP8 | 158 | NIL607 | 296 | OC16 | 206 | PB121 | 316 | PR47 | 151, 150 151 | SAS7 | 309 |
| LP9 | 158 | NIL618 | 346 | OC17 | 206 | PC1 | 206 | PR48 | 151 | SAS8 | 310 |
| LP10 | 157 | NIL624 | 346 | OC18 | 206 | PC2 | 206 | PR49 | 151 | SAS9 | 310, 393 |
| LP11 | 157 | NIL630 | 346 | P | | PC3 | 206 | PR101 | 152 | SAS10 | 301 |
| M | | NP1 | 140 | | | PG1 | 285 | PR102 | 152 | SAS12 | 309 |
| | | NP2 | 140 | PAD1 | 484 | PG2 | 285 | PR103 | 152 | SAS14 | 309 |
| MB261 | 275 | NP3 | 141 | PAD2 | 484 | PG3 | 285 | PR104 | 152 | SAS15 | 291 |
| MB262 | 275 | NP4 | 141 | PAD3 | 484 | PG4 | 285 | PR105 | 152 | SAS16 | 291 |
| MB263 | 275 | NP5 | 140 | PAD4 | 484 | PG5 | 285 | PR106 | 152 152 | SAS17 | 305 |
| MB264 MB265 | 275 275 | NP6 NP7 | 141 141 | PAD5 PAD6 | 484 486 | PG6 PG7 | 285 285 | PR107 PR108 | 152 | SAS18 SAS19 | 309 310 |
| MB266 | 275 | NP8 | 141 | PAD7 | 487 | PG8 | 285 | PR109 | 152 | SAS19 SAS20 | 307 |
| MEM32 | 68 | NP9 | 141 | PAD9 | 487 | PG9 | 285 | PR111 | 152 | SAS21A | 307-308 |
| MKIT1 | 172 | NP10 | 140 | PAD12 | 486 | PG10 | 285 | PR112 | 151 | SAS22 | 307 |
| MP1 | 330 | NP11 | 140 | PAD13 | 487 | PG12 | 285 | PR114 | 151 | SAS22A | 307 |
| MP2 | 331 | NP12 | 140 | PAD14 | 486 | PG13 | 285 | PR214 | 151 | SAS23 | 307 |
| мр3 | 331 | NP13 | 141 | PAD15 | 485 | PG14 | 285 | PRB11 | 152 | SAS24 | 312 |
| MP4 | 331 | NP14 | 141 | PAD16 | 486 | PG15 | 285 | PRB12 | 152 | SAS25 | 314 |
| MP5 | 331 | NP15 | 141 | PAD17 | 486 | PG16 | 285 | PRB13 | 152 | SAS27 | 314 |
| MP6 | 330 | NP16 | 140 | PAD20R | 487 | PG17 | 285 | PRB21 | 152 | SAS28 | 314 |
| MP7 | 330 | NP17 | 140 | PAD21 | 485 | PG18 | 285 | PRB22 | 152 | SAS29 | 314 |
| MP8 | 330 | NP18 | 140 | PAD22 | 485 | PG19 | 285 | PRB23 | 152 | SAS30 | 314 |
| MP9 | 330 331 | NP19 NP20 | 141 140 | PAD23 | 485 486 | PG20 | 285 285 | PRB24 | 152 152 | SAS31 SAS32 | 314 291 |
| MP10 MP11 | 331 | NP21 | 140 | PAD25 PAD26 | 486 | PG21 PG22 | 285 | PRB25 PRC50 | 153 | SAS33A | 309 |
| MP12 | 331 | NP22 | 141 | PAD20 PAD30 | 484 | PG23 | 285 | PRC53 | 153 | SASSSA SASSS | 313 |
| MT10 | 320 | NP23 | 141 | PAD38 | 484 | PG24 | 285 | PRC54 | 153 | SAS36 | 313 |
| MT11 | 320 | NP24 | 140 | PAD50 | 484 | PG25 | 285 | PRC56 | 153 | SAS37 | 313 |
| MT12 | 320 | NP25 | 140 | PAD63 | 484 | PG26 | 285 | PRC58 | 153 | SAS43 | 291 |
| MT24 | 320 | NP26 | 140 | PAD95 | 486 | PG27 | 285 | PRL1 | 153 | SAS46 | 309, 416 |
| MT48 | 320 | NP33 | 141 | PAD110 | 485 | PG28 | 285 | PRL2 | 153 | SAS50 | 395 |
| MT225 | 320 | NP34 | 141 | PAD110S | 485 | PG29 | 285 | PRL5 | 153 | SAS51 | 291 |
| MT250 | 320 | NP35 | 141 | PAD130 | 484 | PG30 | 285 | PRL6 | 153 | SAS52 | 300 |
| MX2385 | 381 | NP36 | 141 | PAD138 | 484 | PG31 | 285 | PRL7 | 153 | SAS53 | 299, 301 |
| MX2395 | 380 | NP37 | 141 | PAD150 | 484 | PG32 | 285 | PRL8 | 153 | SAS54 | 291 |
| MX2475 | 380 | NP38 | 141 | PAD163 | 484 | PG33 | 285 | PRL49 | 151 | SAS55 | 291 |
| MX2485 | 381 380 | NP39 | 140 140 | PAD170 PAD195 | 486 486 | PG35 PJ1 | 285 | PRS4 PRS5 | 151 151 | SAS56 SAS57 | 309 250 310 |
| MX2495 MX2505 | 381 | NP40 NST4 | 140 | PAD195 PAD230 | 480 | PJ1 PJ2 | 207 207 | PRS5 PRW1 | 132, 151 | SAS57 SAS58 | 250, 310 301 |
| MX3405 | 381 | NST5 | 125 | PAD230K | 484 | PJ3 | 207 | PS1 | 266 | SASS9 | 314 |
| MX5120 | 381 | NST6 | 125 | PAD240 | 484 | PJ4 | 207 | PS2 | 266 | SAS62 | 300 |
| MX5230 | 381 | NST8 | 125 | PAD240K | 484 | PJ5 | 207 | | 200 | SAS62T | 300, 355 |
| MX5330 | 381 | NST10 | 125 | PAD240LS | 484 | PJ6 | 207 | Q | | SAS63A | 311 |
| MX5430 | 381 | NST14 | 125 | PAD250 | 484 | PJ105 | 207 | QB10 | 329 | SAS64A | 313 |
| | 383 | NST15 | 125 | PAD250K | 484 | PJ106 | 207 | QB10A | 329 | SAS65A | 312 |
| MX6100 | | NST16 | 125 | PAD250LS | 484 | PJ108 | 207 | R | | SAS66A | 313 |
| MX6200 | 383 | | 425 | PAD260 | 484 | PJ110 | 207 | П | | SAS67A | 313 |
| MX6200 MX6401 | 383 | NST18 | 125 | | | | | | | | |
| MX6200 MX6401 MX6600 | 383 383 | NST18 NST24 | 125 | PAD260K | 484 | PJ112 | 207 | REF1 | 275 | SAS68A | |
| MX6200 MX6401 MX6600 MX6700 | 383 383 382 | NST18 NST24 NST25 | 125 125 | PAD260K PAD330 | 484 484 | PJ116 | 207 | REF1 REF1S | 275 | SAS68A SAS72 | 300 |
| MX6200 MX6401 MX6600 MX6700 MX6750 | 383 383 382 382 | NST18 NST24 NST25 NST26 | 125 125 125 | PAD260K PAD330 PAD340 | 484 484 484 | PJ116 PJ119 | 207 207 | REF1S REF2 | 275 275 | SAS68A SAS72 SAS81 | 312 300 300 |
| MX6200 MX6401 MX6600 MX6700 MX6750 MX7002 | 383 383 382 382 382 | NST18 NST24 NST25 NST26 NST28 | 125 125 125 125 | PAD260K PAD330 PAD340 PAD350 | 484 484 484 484 | PJ116 PJ119 PJ212 | 207 207 207 | REF1 REF1S REF2 REF2S | 275 275 275 | SAS68A SAS72 SAS81 SAS81A | 300 300 300 |
| MX6200 MX6401 MX6600 MX6700 MX6750 | 383 383 382 382 | NST18 NST24 NST25 NST26 | 125 125 125 | PAD260K PAD330 PAD340 | 484 484 484 | PJ116 PJ119 | 207 207 | REF1S REF2 | 275 275 | SAS68A SAS72 SAS81 | 300 300 |

موم

| SASTIP 308 SASTIP 235 SBIP 401 SASTIP 308 SA | | | | | | | | | | | | |
|--|------------|-----|---------------|-------------|------------------|---------|--------|----------|------------------|-----|----------|-----|
| \$6,55190 30 \$6,5574/12 32 \$812,1814 690 \$6,5412 33 \$6,5413 37 \$58403 37,7556,55130 30 \$6,5574/12 32 \$812,1814 690 \$6,54127 348 \$5,54124 377 \$58405 37,7556,55130 30 \$6,5591 22 33 \$12,7281 690 \$6,54127 348 \$5,54104 37,7556,55130 30 \$6,5591 33 \$12,7281 690 \$6,54127 348 \$5,54104 348 \$5,54104 37,7556,55130 30 \$6,5591 33 \$12,7281 690 \$6,54127 348 \$5,54104 348 \$5,54104 37,7556,55130 30 \$6,5592 33 \$13,7281 690 \$6,5410 349 \$5,54104 349 \$6,54104 37,7556,55104 349 \$6,55410 37,7556,55104 349 \$6,55410 37,7556,55104 349 \$6,55410 37,7556,55104 349 \$6,55410 37,7556,55104 390 \$6,55410 37,7556,55104 349 \$6,55410 37,7556,55104 390 \$6,55410 37,7556,55104 390 \$6,55410 37,7556,55104 390 \$6,55410 37,7556,55104 390 \$6,55410 37,7556,55104 390 \$6,55410 37,7556,55104 390 \$6,55410 37,7556,55104 390 \$6,55410 37,7556,55104 390 \$6,55410 37,7556,55104 390 \$6,55410 37,7556,55104 390 \$6,55410 37,7556,55104 390 \$6,55410 37,7556,55104 390 \$6,55410 37,7556,55104 390 \$6,55410 37,7556,55104 390 \$6,55410 37,7556,55104 390 \$6,55410 37,7556,5510 | | 308 | | 335 | | 491 | | 364 | | 372 | SSB325 | 370 |
| \$6.55181 305 \$4.5590/12 333 \$82.281 | | | | | | | | | | | | |
| SAS188 305 SAS5991/2 333 SEZZRE 690 SASA137 364 SSB102 364 SSB409 377 SAS188BA 305 SAS5991/2 333 SEZZRE 600 SSA202 368 SSB106 364 SSB409 377 SAS18BA 305 SAS5991/2 333 SEZZRE 600 SSA202 368 SSB106 364 SSB413 377 SAS1519A 305 SAS593 313 SEZZRE 600 SSA202 368 SSB106 364 SSB413 377 SAS1519A 305 SAS593 313 SEZZRE 600 SSA202 369 SSB110 364 SSB413 377 SAS1519A 305 SAS593 123 SB11 600 SSA212 369 SSB110 364 SSB414 377 SAS1519A 305 SAS593 123 SB11 600 SSA212 369 SSB110 364 SSB414 377 SAS1519A 305 SAS593 123 SB11 600 SSA212 369 SSB112 364 SSB414 377 SAS1519A 305 SAS501 277 SB11 600 SSA212 369 SSB110 365 SSB414 377 SAS1519A 305 SAS501 277 SB13 600 SSA212 369 SSB110 365 SSB414 377 SAS2021/1 333 SAS591 233 SB11 234 600 SSA212 369 SSB110 365 SSB414 377 SAS2021/1 333 SAS701 288 SB12 374 600 SSA212 369 SSB110 365 SSB511 377 SAS2021/1 333 SAS701 288 SB15 600 SSA202 388 SSB110 365 SSB513 377 SAS2021/1 333 SAS701 288 SB15 600 SSA202 388 SSB110 365 SSB513 377 SAS2021/1 333 SAS701 288 SB15 600 SSA202 388 SSB12 344 SSB50 377 SAS2021/1 333 SAS701 288 SB12 600 689 SSA222 388 SSB12 344 SSB50 377 SAS2021/1 335 SAS701 288 SB12 600 689 SSA222 389 SSB12 344 SSB50 377 SAS2021/1 335 SAS700 388 SB12 389 SB12 389 SSB12 3 | | | | | | | | | | | | |
| SAS198A 305 SAS5991 333 SE22RE 499 SAS2004 368 SSB106 364 SSB4113 377. SAS199A 305 SAS5992 333 SE23RE 490 SAS2006 369 SSB103 364 SSB4113 377. SAS199A 305 SAS5991/12 333 SB103 640 SAS2006 369 SSB110 364 SSB4113 377. SAS199A 305 SAS5991/12 333 SB103 640 SAS2006 369 SSB110 364 SSB4113 377. SAS199A 305 SAS501/12 330 SB103 640 SSA2106 369 SSB110 364 SSB4113 377. SAS199A 305 SAS501/12 333 SAS501/12 333 490 SSA210 460 SSA2106 369 SSB116 365 SSB419 377. SAS199A 304 SAS503 277 SB32 460 SSA2106 360 SSB116 365 SSB412 377. SAS2020/17 333 SAS503/17 238 SB30 640 SSA2208 360 SSB110 365 SSB421 377. SAS2020/17 333 SAS501/17 288 SB30 640 SSA2206 369 SSB110 365 SSB421 377. SAS2020/17 333 SAS700 288 SB30 640 SSA220 360 SSB110 365 SSB501 377. SAS2020/17 333 SAS700 288 SB00 449 SSA220 360 SSB110 365 SSB500 377. SAS2020/17 333 SAS700 288 SB00 449 SSA220 360 SSB110 365 SSB500 377. SAS2020/17 335 SAS500/17 288 SB00 449 SSA220 360 SSB110 364 SSB500 377. SAS2020/17 335 SAS500/17 288 SB00 449 SSA220 360 SSB110 364 SSB500 377. SAS2020/17 335 SAS500/17 288 SB00 449 SSA220 360 SSB110 364 SSB500 377. SAS2020/17 335 SAS500/17 288 SB00 449 SSA220 360 SSB110 364 SSB500 377. SAS2020/17 335 SAS500/17 288 SB00 449 SSA220 360 SSB110 364 SSB500 377. SAS2020/17 335 SAS500/17 288 SB00 449 SSA220 360 SSB110 364 SSB500 377. SAS2020/17 335 SAS500/17 378 SB00 449 SSA220 360 SSB110 364 SSB500 377. SAS2020/17 335 SAS500/17 378 SB00 449 SSA220 360 SSB110 364 SSB500 377. SAS2020/17 355 SAS200 300 346 SB00 449 SSA220 360 SSB110 364 SSB500 377. SAS2020/17 365 SAS200 300 346 SB00 449 SSA220 360 SSB110 364 SSB500 377. SAS2020/17 365 SAS200 300 346 SB00 380 SSB10 360 SSB10 364 SSB500 377. SAS2020/17 365 SAS200 300 346 SB00 380 SSB10 360 SSB10 364 SSB500 377. SAS2020/17 365 SAS200 300 346 SB00 380 SSB10 360 SSB10 364 SSB500 377. SAS2020/17 365 SAS200 300 346 SB00 380 SSB10 360 SS | | 305 | | 333 | | | | 364 | | | | 372 |
| SAS1990 305 SAS5992 333 SI23BI 499 SSA208 368 SSB108 364 SSB413 377. SAS1912 305 SAS59371 333 SI33D 490 SSA208 369 SSB111 364 SSB415 377. SAS1923 305 SAS59371 333 SI33D 490 SSA208 369 SSB111 364 SSB415 377. SAS193 305 SAS59371 333 SI33D 490 SSA218 369 SSB111 364 SSB417 377. SAS193 305 SAS50172 217 SI32 490 SSA218 369 SSB118 365 SSB117 SSB513 SAS5017 377. SAS193 304 SAS503 377 SI33D 490 SSA218 369 SSB118 365 SSB514 SSB512 377. SAS202071 333 SAS59371 27 SI33D 490 SSA218 369 SSB118 365 SSB512 377. SAS202071 333 SAS59371 288 SI351 490 SSA228 369 SSB112 364 SSB510 377. SAS202071 333 SAS707 288 SI351 490 SSA228 369 SSB112 364 SSB510 377. SAS202071 333 SAS707 288 SI351 490 SSA228 369 SSB112 364 SSB51 377. SAS202071 333 SAS707 288 SI351 490 SSA228 369 SSB112 364 SSB510 377. SAS202071 333 SAS707 288 SI351 490 SSA228 369 SSB112 364 SSB500 377. SAS202071 333 SAS707 288 SI351 490 SSA228 369 SSB12 364 SSB500 377. SAS202071 335 SAS7007 288 SI351 490 SSA228 369 SSB12 364 SSB500 377. SAS202071 370 SSB51 490 SSA228 369 SSB12 364 SSB500 377. SAS202071 370 SSB51 490 SSA228 369 SSB12 364 SSB50 377. SAS202071 370 SSB51 490 SSA228 369 SSB12 364 SSB50 377. SAS202071 370 SSB51 490 SSA228 369 SSB12 364 SSB50 377. SAS202071 370 SSB51 490 SSA228 369 SSB12 364 SSB50 377. SAS202071 370 SSB51 370 SSB51 370 SSB51 370 SSB12 370 SSB51 37 | | | | | | | | | | | | |
| SAS190A 365 SAS5931 233 SAS20R 490 SSA208 369 SSB110 364 SSB415 377 SAS192A 365 SAS59312 333 SAS594 490 SSA2112 369 SSB1112 364 SSB417 377 SAS192A 365 SAS5931 237 SSB31 490 SSA2112 369 SSB114 364 SSB413 377 SAS193A 365 SAS601 22 377 SSB3 449 SSA212 369 SSB114 364 SSB413 377 SAS2028/3 333 SAS638/12 327 SSB3 4490 SSA218 369 SSB114 369 SSB213 367 SSB213 367 SSB222 369 SSB223 367 SSB223 | | | | | | | | | | | | |
| SAS19122 305 SAS5991/12 333 SB30 490 SSA210 360 SSB112 364 SB8419 377 SAS193 305 SAS601/12 377 SB31 490 SSA214 386 SSB116 365 SSB423 377 SSA5193 305 SAS601/12 377 SB32 460 SSA214 386 SSB116 365 SSB423 377 SSA5193 315 SAS601/12 288 SB35 460 SSA216 386 SSB116 365 SSB423 377 SSA5194 386 SSB116 365 SSB424 377 SSA5194 377 SSA5194 378 | | | | | | | | | | | | |
| \$A55192A 305 \$A5601 227 \$831 499 \$SA212 366 \$S8114 364 \$S8419 377 \$A5193 305 \$A560142 327 \$832 490 \$SA216 368 \$S8118 365 \$S8421 377 \$A5193 304 \$A5638 217 \$S33 490 \$SA216 368 \$S8118 365 \$S8423 377 \$A5193 304 \$A5638 217 \$S33 490 \$SA216 368 \$S8118 365 \$S8423 377 \$A5193 304 \$A5638 217 \$S33 490 \$SA216 368 \$S8118 365 \$S8423 377 \$A5193 305 \$S85014 305 \$S85014 377 \$A5193 305 \$S85014 305 \$S85014 377 \$A5193 305 \$S85014 3 | | | | | | | | | | | | |
| \$A55202 30 \$4 \$500 \$27 \$833 \$490 \$5A216 \$30 \$58118 \$35 \$58423 \$27 \$835 \$490 \$5A220 \$36 \$58112 \$35 \$58601 \$27 \$58501 \$27 \$58502 \$27 \$31 \$5A5202R/12 \$33 \$5A5701/12 \$28 \$8155 \$490 \$5A220 \$38 \$58112 \$36 \$58102 \$35 \$58001 \$27 \$585001 \$27 \$27 \$585001 \$27 \$27 \$585001 \$27 \$27 \$27 \$27 \$27 \$27 \$27 \$27 \$27 \$27 | | | | | | | | | | | | |
| \$AS\$2028/13 333 \$AS\$203/12 288 \$BS\$3 499 \$SA\$212 349 \$SB\$12 365 \$SB\$501 377 \$A\$\$2028/13 333 \$A\$\$707/12 288 \$BS\$5 499 \$SA\$202 348 \$SB\$12 36 \$SB\$20 377 \$A\$\$2028/13 333 \$A\$\$707/12 288 \$BS\$0 489 \$SA\$202 473 399 \$SB\$124 364 \$SB\$502 377 \$A\$\$2028/13 333 \$A\$\$707 288 \$BS\$1 489 \$SA\$202 473 399 \$SB\$124 364 \$SB\$503 377 \$A\$\$2028/13 333 \$A\$\$707 288 \$BS\$1 489 \$SA\$202 473 399 \$SB\$126 364 \$SB\$503 377 \$A\$\$2028/12 333 \$A\$\$707 288 \$BS\$1 489 \$SA\$202 473 399 \$SB\$126 364 \$SB\$503 377 \$A\$\$2028/12 333 \$A\$\$707 288 \$BS\$1 489 \$SA\$202 489 \$SA\$203 489 \$SA\$203 369 \$SB\$126 364 \$SB\$503 377 \$A\$\$210/12 336 \$A\$\$1069/2 299, 299 \$BS\$0 489 \$SA\$203 369 \$SB\$126 364 \$SB\$507 377 \$A\$\$210/12 336 \$A\$\$1069/2 299, 299 \$BS\$0 489 \$SA\$203 369 \$SB\$126 364 \$SB\$40 415 \$A\$\$202 369 \$SB\$136 364 \$STAP\$ 155 \$A\$\$220/12 336 \$A\$\$2007 294, 300, 355 \$BS\$638 491 \$SA\$224 369 \$SB\$136 364 \$STAP\$ 155 \$A\$\$220/12 336 \$A\$\$2007 294, 300, 355 \$BS\$638 491 \$SA\$224 369 \$SB\$136 365 \$\$\$\$4\$ \$S\$\$2021 326 \$A\$\$2010 300, 346 \$S\$\$708 489 \$SA\$204 369 \$SB\$136 365 \$\$\$\$\$4\$ \$A\$\$2020 326 \$A\$\$2015 394 \$S\$\$708 489 \$SA\$244 369 \$SB\$136 365 \$\$\$\$4\$ \$A\$\$2020 326 \$A\$\$2015 394 \$S\$\$708 489 \$SA\$244 368 \$SB\$130 365 \$\$\$\$4\$ \$A\$\$2020 326 \$A\$\$2015 394 \$S\$\$708 489 \$SA\$244 368 \$SB\$130 365 \$\$\$\$4\$ \$A\$\$2020 326 \$A\$\$2021 295 \$BS\$68 489 \$SA\$244 368 \$SB\$124 365 \$700.7 34 \$A\$\$244 368 \$SB\$201 365 \$700.7 34 \$A\$\$244 369 \$SB\$201 369 \$710.0 402 \$A\$ | SAS193 | | SAS601/12 | | | | | | | | SSB421 | |
| \$AS\$202H12 333 \$AS701/12 288 \$BS0 499 \$SA2220 336 \$SB124 354 \$SB5002 377 \$AS\$202L/12 333 \$AS702L/12 288 \$BS0 489 \$SA2222 339 \$SB124 354 \$SB5003 377 \$AS\$202L/12 333 \$AS702L/12 288 \$BS1 489 \$SA2226 339 \$SB126 354 \$SB5004 377 \$AS\$202L/12 333 \$AS702L/12 288 \$BS1 489 \$SA2226 339 \$SB128 354 \$SB5004 377 \$AS\$202L/12 333 \$AS702L/12 288 \$BS1 489 \$SA2226 339 \$SB128 354 \$SB5005 377 \$AS\$202L/12 333 \$AS\$202L/12 336 \$AS\$200L/12 338 \$AS\$202L/12 338 \$AS\$202L/12 336 \$AS\$200L/12 336 \$AS\$200L/ | | | | | | | | | | | | |
| \$AS\$202(7) 333 \$A\$707(12 288 \$B\$5 499 \$SA222 399 \$B\$124 394 \$SB\$03 377 \$A\$5202(7) 333 \$A\$707(12 288 \$B\$5 499 \$SA2224 399 \$B\$126 394 \$SB\$50 377 \$A\$5202(7) 333 \$A\$707(12 288 \$B\$5 499 \$SA2228 398 \$B\$120 394 \$SB\$50 377 \$A\$5202(7) 333 \$A\$707(2 288 \$B\$6 499 \$SA228 398 \$B\$130 394 \$SB\$50 377 \$A\$5202(7) 335 \$A\$707(2 288 \$B\$6 499 \$SA228 398 \$B\$130 394 \$SB\$50 377 \$A\$5202(7) 335 \$A\$510(9) 72 188 \$B\$6 491 \$SA228 398 \$B\$130 394 \$SB\$50 377 \$A\$5202(7) 336 \$A\$510(9) 72 189 \$B\$6 491 \$SA2210 398 \$B\$132 394 \$SB\$50 377 \$A\$5202(7) 2 336 \$A\$510(9) 72 189 \$B\$6 381 394 \$SB\$50 397 377 \$A\$522(7) 2 336 \$A\$52000 300, 346 \$B\$70 489 \$SA228 398 \$B\$132 394 \$SB\$50 377 \$A\$522(7) 2 336 \$A\$52010 300, 346 \$B\$70 489 \$SA228 398 \$B\$130 395 \$B\$130 395 \$F\$138 395 \$F\$138 \$A\$5220(7) 2 326 \$A\$52010 300, 346 \$B\$70 489 \$SA229 398 \$B\$130 395 \$F\$138 365 \$F\$145 \$A\$5220(7) 2 326 \$A\$52015 294 \$B\$706 489 \$SA229 398 \$B\$130 395 \$F\$138 365 \$F\$145 \$A\$5220(7) 2 326 \$A\$52015 294 \$B\$706 489 \$SA2240 398 \$B\$141 365 \$T\$101-10 434 \$A\$5222(7) 2 326 \$A\$52017 255 \$B\$708 489 \$SA2240 398 \$B\$141 365 \$T\$101-10 434 \$A\$5222(7) 2 326 \$A\$52017 255 \$B\$707 489 \$SA2424 398 \$B\$141 365 \$T\$101-7 434 \$A\$5220(7) 2 326 \$A\$52017 255 \$B\$506 489 \$SA240 398 \$B\$141 365 \$T\$101-7 434 \$A\$5220(7) 2 326 \$A\$52017 255 \$B\$506 489 \$SA240 398 \$B\$141 365 \$T\$101-7 434 \$A\$5220(7) 2 326 \$A\$52017 255 \$B\$506 489 \$SA240 398 \$B\$141 365 \$T\$101-7 434 \$A\$5220(7) 2 326 \$A\$52012 255 \$B\$506 489 \$SA240 398 \$B\$141 365 \$T\$101-7 434 \$A\$5220(7) 2 326 \$A\$52012 255 \$B\$506 489 \$SA240 398 \$B\$141 365 \$T\$101-7 436 \$A\$5220(7) 2 326 \$A\$52012 255 \$B\$506 489 \$SA240 398 \$B\$141 365 \$T\$101-7 436 \$A\$5220(7) 2 326 \$A\$52014 255 \$B\$506 489 \$SA240 398 \$B\$141 365 \$T\$100 \$A\$5250 \$A\$52014 255 \$B\$606 489 \$SA240 398 \$B\$142 365 \$T\$100 \$A\$5250 \$A\$52014 255 \$B\$606 489 \$SA2526 336 \$B\$5213 369 \$T\$12007\$P\$ 455 \$A\$52710 236 \$A\$52040 255 \$B\$606 489 \$SA2526 336 \$B\$5213 369 \$T\$12007\$P\$ 455 \$A\$52710 236 \$A\$52040 255 \$B\$606 489 \$SA2526 366 \$B\$211 369 \$T\$12007\$P\$ 455 \$A\$52710 236 \$A\$52040 255 \$B\$606 489 \$SA2526 366 \$B\$211 369 \$T\$12007\$P\$ 455 \$A\$52710 236 \$A\$52040 | | | | | | | | | | | | |
| \$A5202V/12 333 \$A5702 288 \$B51 499 \$SA224 399 \$SB128 364 \$SB504 373 \$A5202W/12 383 \$A5702W/12 288 \$B62 489 \$SA2268 399 \$SB128 364 \$SB5050 373 \$A5202W/12 333 \$A5703 288 \$B60 489 \$SA2280 398 \$SB128 364 \$SB5050 373 \$A5202W/12 333 \$A5703 288 \$B60 489 \$SA2280 398 \$SB128 364 \$SB5050 373 \$A5202W/12 333 \$A5703 288 \$B60 489 \$SA2280 398 \$SB128 364 \$SB5050 373 \$A52020 336 \$A520067 276 289 \$B638U 491 \$SA2230 398 \$SB128 364 \$SB5050 373 \$A52020 336 \$A52000 300,346 \$B70 489 \$SA2286 399 \$SB128 364 \$TAP5 5155 \$A52220 236 \$A52010 300,346 \$B70 489 \$SA2286 369 \$SB138 365 \$A52024 \$A52021 295 \$B708 489 \$SA2289 398 \$SB138 365 \$A52024 \$A52021 295 \$B708 489 \$SA2289 398 \$SB140 365 \$T401-10 434 \$A52220 202 \$A52010 202 \$B706 489 \$SA2280 399 388 \$SB140 365 \$T401-10 434 \$A52220 202 \$A52010 202 \$B706 489 \$SA2280 399 388 \$SB140 365 \$T401-7 434 \$A52200 202 \$A52010 202 \$B706 489 \$SA2240 388 \$SB141 365 \$T401-7 434 \$A52220 202 \$A52010 202 \$B706 489 \$SA2240 388 \$SB140 365 \$T401-7 434 \$A52220 202 \$A52010 202 \$B706 489 \$SA2240 388 \$SB140 365 \$T401-7 434 \$A52220 202 \$A52010 202 \$B706 489 \$SA240 388 \$SB140 365 \$T401-7 434 \$A52220 202 \$A52010 202 \$B808 489 \$SA240 388 \$SB140 365 \$T401-7 434 \$A52220 202 \$A52010 202 \$B808 489 \$SA240 388 \$SB140 365 \$T401-7 434 \$A52200 202 \$B808 489 \$SA240 388 \$SB140 365 \$T401-7 434 \$A52200 202 \$B808 489 \$SA240 388 \$SB140 365 \$T100 402 \$A52200 202 \$B808 489 \$SA240 388 \$SB140 365 \$T100 402 \$A52200 202 \$B808 489 \$SA240 388 \$SB140 365 \$T100 402 \$A52200 202 \$B808 489 \$SA240 388 \$SB202 389 \$T100 402 \$A52200 202 \$B808 489 \$SA240 388 \$SB202 389 \$T100 402 \$A52200 202 \$B808 489 \$SA240 388 \$SB202 389 \$T100 402 \$A52200 202 \$B808 489 \$SA250 389 \$SA200 380 \$T100 402 \$A52200 202 \$B808 489 \$SA250 380 \$SB20 380 \$T100 402 \$A52200 202 \$B808 489 \$SA250 380 \$SB20 380 \$T100 402 \$A52200 202 \$B808 489 \$SA250 380 \$SB20 380 \$T100 402 \$A52200 202 \$B808 489 \$SA250 380 \$SB20 380 \$T100 402 \$B808 489 \$SA250 380 \$B800 300 \$B800 \$T1000 \$B800 \$A5220 380 \$B800 300 \$B800 \$A5020 380 \$B800 \$A5020 380 \$B800 \$A5020 \$A5020 \$A5020 \$A5020 \$A5020 \$A5020 \$A5020 \$A502 | | | | | | | | | | | | |
| \$A5202W/3 333 \$A5702/12 288 \$B52 489 \$SA226 369 \$SB128 364 \$SB505 377 \$A5220/6 336 \$A5703/12 288 \$B60 489 \$SA228 368 \$SB130 364 \$SB505 377 \$A5220/6 336 \$A5703/12 288 \$B60 481 \$SA2232 369 \$SB124 364 \$SB505 377 \$A5220/6 336 \$A5703/12 288 \$B61 491 \$SA2232 369 \$SB124 364 \$SB505 377 \$A5220/12 336 \$A5007 78 200.5 \$B618 489 \$SA2232 369 \$SB124 364 \$SB505 377 \$A5220/12 336 \$A5007 78 200.5 \$B618 489 \$SA2232 369 \$SB124 365 \$TAP4 155 \$A5220/12 336 \$A5007 78 200.5 \$B618 489 \$SA2236 369 \$SB124 365 \$TAP4 155 \$A52221/12 336 \$A52010 300.346 \$B618 489 \$SA2246 369 \$SB124 365 \$TAP5 55 \$A52222/12 336 \$A52010 300.346 \$B618 489 \$SA2240 368 \$SB124 365 \$TAP5 55 \$A52222/12 336 \$A52015 294 \$B706 489 \$SA2240 368 \$SB141 365 \$TA01-10 436 \$A52220/12 326 \$A52015 294 \$B706 489 \$SA2240 368 \$SB141 365 \$TA01-10 436 \$A52220/12 326 \$A52017 295 \$B709 489 \$SA2424 368 \$SB142 365 \$T800 488 \$A52240 378 \$A52227/12 326 \$A52017 295 \$B709 489 \$SA2424 368 \$SB142 365 \$T800 488 \$A52434 368 \$SB142 365 \$T800 488 \$A52434 368 \$SB142 365 \$T800 488 \$A52434 368 \$SB201 368 \$T705 488 \$A52437 368 \$A52017 295 \$B858 489 \$SA244 368 \$SB201 568 \$T705 488 \$A52437 368 \$A52017 295 \$B858 489 \$SA244 368 \$SB201 568 \$T705 488 \$A52437 368 \$A52017 295 \$B858 489 \$SA244 368 \$SB202 568 \$A6201 568 \$T705 488 \$A6201 568 \$A6201 294 \$B866 489 \$SA244 368 \$SB202 568 \$A6201 568 \$A6201 294 \$B866 489 \$SA244 368 \$SB202 568 \$A6201 294 \$B866 489 \$SA246 368 \$SB202 568 \$A6201 294 \$A6200 294 \$A6200 294 \$A6200 29 | | | | | | | | | | | | |
| SAS210/6 336 SAS703/12 288 SB61 491 SSA220 369 SSB122 364 STAPS 155 SAS210/12 336 SAS20007 24, 30, 355 SB638U 491 SSA224 369 SSB136 364 STAPS 155 SAS220/12 336 SAS20007 24, 30, 355 SB638E 491 SSA2236 369 SSB136 364 STAPS 155 SAS222/13 365 SAS2010 30, 346 SB70 498 SSA2236 369 SSB138 365 TAPS 155 SAS222/12 326 SAS2011 255 SB708 489 SSA2238 369, 377 SSB139 365 TAPS 155 SAS222/12 326 SAS2011 255 SB708 489 SSA2238 369, 377 SSB139 365 TAPS 155 SAS222/12 326 SAS2015 254 SB708 489 SSA2240 368 SSB140 365 TAPO 140 TAPS 155 SAS222/12 326 SAS2015 254 SB708 489 SSA2240 368 SSB140 365 TAPO 140 TAPS 155 SAS2430 369 SSB138 365 SSB138 365 TAPS 155 SAS2430 369 SSB138 365 SSB138 365 TAPS 155 SAS2430 369 SSB138 365 SSB138 365 TAPS 155 SAS2430 369 SSB138 36 | | | SAS702/12 | | | | | | | | | |
| SAS2120/12 336 SAS20097 294,300,355 SB638 499 SSA224 399 SSB134 364 STAPS 155 SAS2202/12 336 SAS2010 300,346 SB70 489 SSA2234 399 SSB138 365 SAS222/12 326 SAS2010 300,346 SB70 489 SSA2238 369,371 SSB139 365 SAS222/12 326 SAS2015 294 SB70C 489 SSA2240 368 SSB140 355 T401-10 434 SAS2220/12 326 SAS2015 294 SB70C 489 SSA2240 368 SSB141 365 T401-10 434 SAS2220/12 326 SAS2015 294 SB70C 489 SSA2240 368 SSB141 365 T401-10 434 SAS2240/13 SB SSB141 365 T401-10 434 SAS2220/12 326 SAS2017 295 SB70V 489 SSA2240 368 SSB142 365 T401-10 434 SAS2240/13 SB SSB141 365 T401-10 434 SB SSB141 365 T4 | | | | | | | | | | | | |
| SA5220/1 336 SA520007 294 300.55 B8638W 491 SSA2236 399 SSB136 364 SA52012 355 SA52221/3 326 SA52010 300.346 SP70 499 SSA2239 388 SSB139 365 SA52221/3 326 SA52011 295 SP70B 489 SSA2239 388 SSB140 365 T401-10 434 SA52220 336 SA52015 294 SB70B 489 SSA2240 388 SSB141 365 T401-17 434 SA52240/3 388 SSB140 365 T401-17 434 SA52240/3 388 SSB140 365 T401-17 434 SA5241/3 388 SSB140 365 T500 488 SSA2249 388 SSB140 365 T500 488 SSA2249 388 SSB140 365 T500 488 SSA2249/3 388 SSB140 365 T7100 429 SSA2249/3 388 SSB140 365 T500 488 SSA2249/3 388 SSB140 365 T7100 49 SSA2249/3 388 SSB140 365 T500 488 SSA2249/3 388 SSB140 365 T7100 49 SSA2249/3 388 SSB140 365 SSB2217 369 T1200FRP 455 SA22710/12 326 SA22040 295 SB85G 489 SSA2254 366 SSB2209 369 T1200FRP 455 SA22710/12 326 SA22049 294 SB86G 489 SSA2256 366 SSB2213 368 T1200FRP 455 SA22540 365 SSB2213 368 T1200FRP 455 SA22540 375 SSB225 360 SSB2213 368 T1292AGE4 49 SSA2259 366 SSB2213 368 T1292AGE4 49 SSA2259 366 SSB2213 369 T1200FRP 455 SA22540 375 SSB225 360 SSB2213 369 T1200FRP 455 SA22540 375 SSB225 360 SSB2213 369 T1292AGE4 49 SSA22540 375 SSB225 360 T1292AGE4 49 SSA22540 375 SSB225 369 T1200FRP 455 SSA22540 375 SSB2250 375 SSB225 369 T1200FRP 455 SSA22540 375 SSB2250 375 T1292AGE4 49 SSA22540 375 SSB225 369 T1200FRP 455 SSA22540 375 SSB225 369 T1200FRP 455 SSA22540 375 SSB225 369 T1200FRP 455 SSA22540 | | | | | | | | | | | | |
| SAS2221/2 326 SAS2010 303/46 SB70 499 SAS228 369,71 SSB138 365 TASSE221/2 326 SAS2010 303/46 SB70 499 SAS228 369,71 SSB138 365 TASSE221/2 326 SAS2015 294 SB707B 499 SAS229 368 SSB140 365 T401-10 434 SAS2220/12 326 SAS2015 294 SB707B 499 SAS240 368 SSB140 365 T401-7 434 SAS2220/12 326 SAS2016 294 SB707B 499 SAS240 368 SSB142 365 T800 488 SAS243/12 326 SAS2017 295 SB85B 499 SAS243/12 326 SAS2012 329 SB85B 499 SAS243/12 326 SAS2012 326 SAS2012 329 SB85B 499 SAS243/12 326 SAS2013 326 S | | | | | | | | | | | | |
| \$A\$5222/5 236 \$A\$2011 295 \$870 499 \$A\$239 369 \$S8149 365 \$T01-10 434 \$A\$52220 236 \$A\$2015 294 \$8700 489 \$A\$240 368 \$S8141 365 \$T401-7 434 \$A\$52220 236 \$A\$2016 294 \$8700 489 \$A\$240 368 \$S8141 365 \$T401-7 434 \$A\$5220 236 \$A\$2016 294 \$8700 489 \$A\$241 368 \$S8141 365 \$T401-7 434 \$A\$5243/5 236 \$A\$2016 294 \$8700 489 \$A\$241 368 \$S8141 365 \$T401-7 434 \$A\$5243/5 236 \$A\$2016 294 \$8700 489 \$A\$241 368 \$S8141 365 \$T401-7 434 \$A\$5243/5 236 \$A\$2017 295 \$8700 489 \$A\$2421 368 \$S8142 365 \$37 \$T8000 488 \$A\$243/6 236 \$A\$2017 295 \$8850 489 \$A\$243 368 \$S8203 368 \$T100 428 \$A\$2430 226 \$A\$2022 295 \$8850 489 \$A\$243 368 \$S8203 368 \$T1100 429 \$A\$271/5 236 \$A\$2033 294 \$8858 489 \$A\$244 368 \$S8203 368 \$T1100 429 \$A\$271/5 236 \$A\$2034 295 \$8859 449 \$A\$245 368 \$S8203 368 \$T1100 429 \$A\$271/5 236 \$A\$2034 295 \$8859 449 \$A\$245 368 \$S8207 369 \$T1200-720 425 \$A\$271/5 236 \$A\$2040 295 \$8859 449 \$A\$245 368 \$S8207 369 \$T1200-720 455 \$A\$2710/12 236 \$A\$2040 295 \$8859 449 \$A\$245 368 \$S8207 369 \$T1200-720 455 \$A\$2710/12 236 \$A\$2040 295 \$8859 449 \$A\$245 5865 \$A\$2710/12 236 \$A\$2040 295 \$8859 449 \$A\$245 5865 \$A\$2710/12 236 \$A\$2046 295 \$8859 449 \$A\$245 5865 \$A\$257 366 \$S8213 369 \$T1200-720 455 \$A\$2504 295 \$8859 449 \$A\$245 5865 \$A\$257 366 \$S8213 369 \$T1200-720 455 \$A\$2504 295 \$8859 449 \$A\$245 5865 \$A\$257 366 \$S8213 369 \$T1200-720 455 \$A\$2504 295 \$8859 449 \$A\$245 5865 \$A\$259 366 \$S8213 369 \$T1400-720 455 \$A\$2504 295 \$8859 449 \$A\$245 5865 \$A\$259 366 \$S8213 369 \$T1400-720 455 \$A\$2504 295 \$8859 449 \$A\$245 5865 \$A\$259 366 \$S8213 369 \$T1400-720 455 \$A\$240 360 \$A\$250 360 \$A | | | | | | | | | | | T | |
| \$A\$222/0 | | | | 300, 346 | | 489 | SSA238 | 369, 371 | SSB139 | 365 | | |
| \$\frac{8}{8}\$220/12 326 \$\frac{8}{3}\$20017 294 \$\frac{8}{5}\$870R 489 \$\frac{8}{3}\$4341 368 \$\frac{8}{3}\$8142 365 \$\frac{7}{3}\$50 488 \$\frac{8}{3}\$8243/12 326 \$\frac{8}{3}\$52011 295 \$\frac{8}{3}\$8888 489 \$\frac{8}{3}\$8243 368 \$\frac{8}{3}\$8143 366 \$\frac{7}{3}\$1580A 488 \$\frac{8}{3}\$8243/12 326 \$\frac{8}{3}\$82021 295 \$\frac{8}{3}\$8888 489 \$\frac{8}{3}\$8243 368 \$\frac{8}{3}\$8203 368 \$\frac{7}{3}\$61 \$\frac{7}{3}\$61 \$\frac{7}{3}\$62 \$\frac{8}{3}\$82203 368 \$\frac{7}{3}\$61 \$\frac{7}{3}\$61 \$\frac{7}{3}\$62 \$\frac{8}{3}\$82021 368 \$\frac{7}{3}\$61 \$\frac{7}{3}\$61 \$\frac{7}{3}\$62 \$\frac{8}{3}\$8203 294 \$\frac{8}{3}\$8868 489 \$\frac{8}{3}\$8245 368 \$\frac{8}{3}\$8203 368 \$\frac{7}{1}\$100 \$\frac{7}{2}\$40 \$\frac{8}{3}\$8271/12 326 \$\frac{8}{3}\$8204 295 \$\frac{8}{3}\$8868 489 \$\frac{8}{3}\$8245 366 \$\frac{8}{3}\$8207 389 \$\frac{7}{1}\$200 \$\frac{7}{2}\$40 \$\frac{8}{3}\$868 489 \$\frac{8}{3}\$8245 366 \$\frac{8}{3}\$8221 369 \$\frac{7}{1}\$200 \$\frac{7}{2}\$40 \$\frac{8}{3}\$868 489 \$\frac{8}{3}\$8225 366 \$\frac{8}{3}\$8211 369 \$\frac{7}{1}\$200 \$\frac{7}{2}\$40 \$\frac{8}{3}\$868 489 \$\frac{8}{3}\$8225 366 \$\frac{8}{3}\$8211 369 \$\frac{7}{1}\$200 \$\frac{7}{2}\$40 \$\frac{8}{3}\$868 489 \$\frac{8}{3}\$8225 366 \$\frac{8}{3}\$8215 369 \$\frac{7}{1}\$2246-EP \$\frac{469}{4}\$8666 489 \$\frac{8}{3}\$8225 366 \$\frac{8}{3}\$8215 369 \$\frac{7}{1}\$400 \$\frac{7}{2}\$40 \$\frac{8}{3}\$830 377 \$\frac{8}{3}\$8204 388 \$\frac{8}{4}\$9 \$\frac{8}{3}\$8225 366 \$\frac{8}{3}\$8215 369 \$\frac{7}{1}\$400 \$\frac{7}{2}\$40 \$\frac{8}{3}\$830 377 \$\frac{8}{3}\$8204 388 \$\frac{8}{4}\$9 \$\frac{8}{3}\$8225 366 \$\frac{8}{3}\$8217 369 \$\frac{7}{1}\$400 \$\frac{7}{2}\$40 \$\frac{8}{3}\$830 377 \$\frac{8}{3}\$8210 388 \$\frac{7}{4}\$9 \$\frac{8}{3}\$8225 366 \$\frac{8}{3}\$8217 369 \$\frac{7}{1}\$400 \$\frac{7}{2}\$40 \$\frac{8}{3}\$830 377 \$\frac{8}{3}\$8204 388 \$\frac{8}{3}\$8225 366 \$\frac{8}{3}\$8217 369 \$\frac{7}{1}\$400 \$\frac{7}{2}\$40 \$\frac{8}{3}\$830 378 \$\frac{8}{3}\$8210 378 \$\frac{8}{3}\$8210 388 \$\frac{7}{ | | | | | | | | | | | | |
| \$A\$243/5 326 \$A\$2021 295 \$B888 489 \$\$A243 368 \$SB203 366 \$T710 429 \$A\$2430 326 \$A\$2023 295 \$B888 489 \$\$A244 368 \$SB203 366 \$T710 429 \$A\$2430 326 \$A\$2023 295 \$B888 489 \$\$A244 368 \$SB203 366 \$T710 429 \$A\$2471/5 326 \$A\$2033 294 \$B888 489 \$\$A244 368 \$SB203 366 \$T710 429 \$A\$271/5 326 \$A\$2034 295 \$B886 489 \$\$A246 368 \$SB205 368 \$T710 429 \$A\$271/5 326 \$A\$2040 295 \$B886 489 \$\$A245 366 \$SB209 369 \$T1200FZP 455 \$A\$2710 326 \$A\$2040 295 \$B886 489 \$\$A254 366 \$SB209 369 \$T1200FZP 455 \$A\$2710 326 \$A\$2043 294 \$B886 489 \$\$A2555 366 \$SB213 368 \$T1200FZP 455 \$A\$2710 326 \$A\$2043 294 \$B886 489 \$\$A2555 366 \$SB213 368 \$T1204FZP 455 \$A\$2710 326 \$A\$2043 294 \$B886 489 \$\$A2555 366 \$SB213 368 \$T1292AG-EP 469 \$A\$2325 325 \$A\$2045 295 \$B886 489 \$\$A255 366 \$SB213 368 \$T1292AG-EP 469 \$A\$2325 325 \$A\$2045 295 \$B886 489 \$\$A255 366 \$SB213 368 \$T1292AG-EP 469 \$A\$3255 327 \$A\$2046 295 \$B887 489 \$\$A258 366 \$SB217 369 \$T1400-FZP 455 \$A\$3390 327 \$A\$2086 294,301 \$B887 489 \$\$A258 366 \$SB217 369 \$T1400-FZP 455 \$A\$3390 327 \$A\$2058 294,301 \$B887 489 \$\$A258 366 \$SB217 369 \$T1400-FZP 455 \$A\$3401/5 325 \$A\$2501A 293 \$B87 489 \$\$A260 366 \$SB221 369 \$T1479MA 451 \$A\$4401/5 325 \$A\$2501A 293 \$B87 489 \$\$A260 366 \$SB223 369 \$T1479MA 451 \$A\$45401/5 325 \$A\$2501A 293 \$B87 489 \$\$A260 366 \$SB223 369 \$T1479MA 451 \$A\$45401/5 325 \$A\$2501A 293 \$B89 492 \$\$A\$265 367 \$SB225 369 \$T1479MA 451 \$A\$45401/5 325 \$A\$2500A 293 \$B89 492 \$\$A\$265 367 \$SB227 368 \$T3800-FZP 455 \$A\$45407 315 \$A\$2500A 293 \$B89 492 \$\$A\$260 367 \$SB223 369 \$T1479MA 451 \$A\$45407 315 \$A\$2500A 293 \$B89 492 \$\$A\$260 367 \$SB223 369 \$T1800-FZP 455 \$A\$45407 315 \$A\$2500A 293 \$B89 492 \$\$A\$260 367 \$SB223 369 \$T1800-FZP 455 \$A\$45407 315 \$A\$2500A 293 \$B89 492 \$\$A\$260 367 \$SB223 369 \$T1800-FZP 455 \$A\$45407 315 \$A\$2500A 293 \$B89 492 \$\$A\$260 367 \$SB223 369 \$T1800-FZP 455 \$A\$45407 315 \$A\$2500A 293 \$B89 492 \$\$A\$260 367 \$SB223 369 \$T1800-FZP 455 \$A\$45407 315 \$A\$2500A 293 \$B89 492 \$\$A\$260 367 \$SB223 369 \$T1800-FZP 455 \$A\$45407 315 \$A\$2500A 293 \$B89 492 \$\$A\$260 367 \$SB223 369 \$T1800-FZP 455 \$A\$45407 315 \$A\$2500A 293 \$B89 492 \$\$A\$260 367 | | | | | | | | | | | | |
| SASZ43/12 326 SASZ021 255 SB858 489 SASZ43 368 SSB201 368 T705 426 SASZ43/12 326 SASZ022 255 SB858 489 SASZ44 368 SSB205 368 T710 429 SASZ430/12 326 SASZ033 294 SB85R 489 SASZ44 368 SSB205 368 T710N 429 SASZ71/12 326 SASZ034 255 SB85R 489 SASZ45 368 SSB205 368 T710N 429 SASZ71/12 326 SASZ040 255 SB85R 489 SASZ45 368 SSB205 368 T710N 429 SASZ71/12 326 SASZ040 255 SB85R 489 SASZ45 366 SSB209 369 T1200-72N 455 SASZ71/1/12 326 SASZ041 294 SB86R 489 SASZ55 366 SSB213 369 T1200-72N 455 SASZ710/1/12 326 SASZ045 294 SB86R 489 SASZ55 366 SSB213 368 T1292AG-E4 469 SASZ35 325 SASZ045 255 SB85R 489 SASZ55 366 SSB213 368 T1292AG-E4 469 SASZ35 325 SASZ045 255 SB86R 489 SASZ55 366 SSB213 368 T1292AG-E4 469 SASZ350 327 SASZ046 255 SB86R 489 SASZ55 366 SSB213 369 T1400-72N 455 SASZ391 327 SASZ046 255 SB86R 489 SASZ55 366 SSB213 369 T1400-72N 455 SASZ391 327 SASZ046 255 SB86R 489 SASZ55 366 SSB217 369 T1400-72N 455 SASZ391 327 SASZ058 293 301 SB87R 489 SASZ55 366 SSB217 369 T1400-72N 455 SASZ401 325 SASZ501A 233 SB87R 489 SASZ56 366 SSB217 369 T1479-FA 451 SASZ400R 315 SASZ5501A 233 SB87K 489 SASZ65 366 SSB213 369 T1479-FA 451 SASZ400R 315 SASZ5501A 233 SB87K 489 SASZ65 367 SSB225 369 T1479-FM 451 SASZ400R 315 SASZ5503A 233 SB87K 489 SASZ65 367 SSB225 369 T1479-FM 451 SASZ400R 315 SASZ5503A 233 SB87S 409 SASZ65 367 SSB225 369 T1479-FM 451 SASZ400W 315 SASZ5503A 233 SB87S 409 SASZ65 367 SSB225 369 T1479-FM 451 SASZ400W 315 SASZ5503A 233 SB87S 409 SASZ65 367 SSB229 369 T3800-72N 455 SASZ40W 315 SASZ5503A 232 SB810 56 SASZ65 367 SSB229 369 T3800-72N 455 SASZ40W 315 SASZ5503A 232 SB810 56 SASZ65 367 SSB229 369 T3800-72N 455 SASZ40W 315 SASZ5503A 232 SB810 56 SASZ65 367 SSB229 369 T3800-72N 455 SASZ40W 315 SASZ5503A 232 SB810 56 SASZ65 367 SSB229 369 T3800-72N 455 SASZ40W 315 SASZ5503A 232 SB810 56 SASZ65 367 SSB229 369 T3800-72N 455 SASZ40W 315 SASZ5503A 232 SB810 56 SASZ65 367 SSB229 369 T3800-72N 455 SASZ503A 327 SASZ513A 325 SB810 369 T3800-72N 455 SASZ65 360 SSB227 367 SSB227 367 T3800-72N 455 SASZ65 367 SSB227 367 SSB227 367 T3 | | | | | | | | | | | | |
| \$A\$2430 326 \$A\$2032 295 \$B85G 489 \$SA244 368 \$S8203 368 \$T100 429 \$A\$271/5 326 \$A\$2033 294 \$B85R 489 \$SA245 368 \$S8205 368 \$T100 429 \$A\$271/5 326 \$A\$2040 295 \$B86B 489 \$SA245 368 \$S8209 369 \$120072N 455 \$A\$2710 326 \$A\$2040 295 \$B86B 489 \$SA2255 366 \$S8209 369 \$120072N 455 \$A\$2710 326 \$A\$2041 294 \$B86G 489 \$SA2255 366 \$S8211 369 \$120072N 455 \$A\$2710 326 \$A\$2041 294 \$B86G 489 \$SA2255 366 \$S8213 368 \$1292AG-E4 469 \$A\$3235 325 \$A\$2045 295 \$B86W 489 \$SA2257 366 \$S8213 368 \$1292AG-E4 469 \$A\$330 327 \$A\$2046 295 \$B86W 489 \$SA2257 366 \$S8213 368 \$1292AG-E4 469 \$A\$330 327 \$A\$2046 295 \$B87B 489 \$SA2256 366 \$S8211 369 \$11202AG-E4 469 \$A\$330 327 \$A\$2046 295 \$B87B 489 \$SA2256 366 \$S8213 369 \$11292AG-E9 469 \$A\$330 327 \$A\$2046 293 \$B87W 489 \$SA2259 366 \$S8217 369 \$1140072N 455 \$A\$3401/5 325 \$A\$2501A 293 \$B87W 489 \$SA2260 366 \$S8212 369 \$114079AF 455 \$A\$401/5 325 \$A\$2501A 293 \$B87W 489 \$SA2260 366 \$S8221 369 \$11479AM 455 \$A\$4001/5 325 \$A\$2501A 293 \$B87W 489 \$SA2260 366 \$S8223 369 \$11479AM 455 \$A\$4001/5 325 \$A\$2500A 293 \$B89 492 \$SA2260 366 \$S8223 369 \$11479AM 455 \$A\$400 315 \$A\$2500A 293 \$B89 492 \$SA2266 367 \$S8227 369 \$11479AM 455 \$A\$400 315 \$A\$2500A 293 \$B80 540 \$SA2265 367 \$S8227 368 \$13800-72N 455 \$A\$400 315 \$A\$2500A 293 \$B810 3.56.493 \$SA2266 367 \$S8227 368 \$13800-72N 455 \$A\$400 315 \$A\$2500A 293 \$B810 3.56.493 \$SA2266 367 \$S8227 369 \$114000-72N 455 \$A\$4400 315 \$A\$2500A 293 \$B810 3.56.493 \$SA2273 366 \$S8233 369 \$13802AG-E1 469 \$A\$4400 325 \$A\$4540 325 \$A\$2510A 292 \$B106 \$6.493 \$SA2273 366 \$S8223 369 \$13802AG-E1 469 \$A\$4400 327 \$A\$2526A 292 \$B106 \$6.493 \$SA2273 366 \$S8223 369 \$13802AG-E1 469 \$A\$4400 327 \$A\$2526A 325 \$A\$2510A 292 \$B106 \$6.493 \$SA2273 366 \$S8223 369 \$13802AG-E1 469 \$A\$4400 325 \$A\$4549 325 \$A\$2510A 292 \$B106 \$6.493 \$SA2275 367 \$S8227 369 \$11 140004 453 \$A\$4549 325 \$A\$2510A 292 \$B106 \$6.493 \$SA2275 367 \$S8227 369 \$11 140004 453 \$A\$4549 325 \$A\$2510A 292 \$B106 \$6.493 \$SA2275 367 \$S8227 369 \$11 140004 453 \$A\$4549 325 \$A\$2510A 292 \$B106 \$6.493 \$SA2275 367 \$S8227 371 140004 453 \$A\$4549 325 \$A\$2510A 292 \$B106 \$6.493 \$SA | | | | | | | | | | | | |
| SAS271/S 326 SAS2040 295 SB85Y 489 SSA2246 368 SSB207 369 T1200-72N 455 SAS2710 326 SAS2040 295 SB86B 489 SSA255 366 SSB210 369 T1200-72N 455 SAS2710 326 SAS2041 294 SB86G 489 SSA255 366 SSB211 369 T1201R 455 SAS2710 326 SAS2043 294 SB86G 489 SSA255 366 SSB211 369 T1201R 455 SAS2710 327 SAS2043 295 SB86V 489 SSA255 366 SSB213 368 T1292AG-E4 469 SAS330 327 SAS2046 295 SB86V 489 SSA255 366 SSB215 369 T1292AG-E4 469 SAS330 327 SAS2046 295 SB87G 489 SSA256 366 SSB215 369 T1292AG-E7 455 SAS390 327 SAS2046 295 SB87G 489 SSA256 366 SSB217 369 T1400-72N 455 SAS391 327 SAS2046 293 SB87G 489 SSA259 366 SSB217 369 T1400-72N 455 SAS391 327 SAS2046 293 SB87G 489 SSA256 366 SSB215 369 T14079AF 455 SAS391 327 SAS2032 323 SB87G 489 SSA2560 366 SSB219 368 T1400FRP 455 SAS40N 315 SAS2502A 293 SB87Y 489 SSA2560 366 SSB212 369 T1479AF 451 SAS40N 315 SAS2502A 293 SB87Y 489 SSA2560 366 SSB221 369 T1479AFMA 451 SAS40N 315 SAS2502A 293 SB89 490 SSA266 367 SSB225 369 T1479AFMA 451 SAS40N 315 SAS2502A 293 SB95 490 SSA266 367 SSB225 369 T1479AFMA 451 SAS40N 315 SAS2502A 293 SB95 490 SSA266 367 SSB225 369 T1479AFMA 451 SAS40N 315 SAS2502A 293 SB910 366 SSB20 367 SSB227 368 T3800-72N 455 SAS40N 315 SAS2502A 293 SB910 366 SSB20 367 SSB227 369 T3800-72N 455 SAS40N 315 SAS2502A 293 SB910 366 SSB20 367 SSB227 369 T3800-72N 455 SAS440 325 SAS2516A 292 SB106 366 SSB235 367 SSB229 369 T3800-72N 455 SAS440 325 SAS2516A 292 SB106 366 SSB235 367 SSB229 369 T3800-72N 455 SAS440 325 SAS2516A 292 SB106 366 SSB235 367 SSB231 369 T3800-72N 455 SAS4500 327 SAS2515A 292 SB106 366 SSB235 367 SSB231 369 T3800-72N 455 SAS4500 327 SAS2515A 292 SB106 366 SSB235 367 SSB239 369 T300-72N 455 SAS4500 327 SAS2515A 292 SB106 366 SSB235 367 SSB239 369 T300-72N 455 SAS4500 327 SAS2515A 292 SB106 366 SSB235 371 T4000 452 SAS4500 327 SAS2515A 292 SB106 366 SSB235 370 SSB233 369 T3800-72N 455 SAS500 327 SAS2515A 329 SB144 349 SSA2260 367 SSB233 369 T3800-72N 455 SAS4500 327 SAS2515A 329 SB144 349 SSA2260 367 SSB233 371 T40007 452 SAS4500 327 SAS2515A 329 SB144 349 SSA2260 | | | | | | | | | | | | |
| \$A\$2710 236 \$A\$2040 295 \$B86B 489 \$\$A\$254 366 \$\$B209 369 \$T1200FRP 455 \$A\$2710/12 336 \$A\$2041 294 \$B86G 489 \$\$A\$255 366 \$\$B211 369 \$T1201 456 \$A\$2710/12 336 \$A\$2043 294 \$B86G 489 \$\$A\$255 366 \$\$B211 369 \$T1201 456 \$A\$2710/12 336 \$A\$2045 295 \$B86V 489 \$\$A\$256 366 \$\$B213 368 \$T1292AG-E4 469 \$A\$320 327 \$A\$2046 295 \$B87B 489 \$\$A\$259 366 \$\$B215 369 \$T1400-72N 455 \$A\$300 327 \$A\$2046 295 \$B87B 489 \$\$A\$259 366 \$\$B217 369 \$T1400-72N 455 \$A\$301 327 \$A\$2058 294 301 \$B87G 489 \$\$A\$259 366 \$\$B217 369 \$T1400-72N 455 \$A\$301 327 \$A\$2058 294 301 \$B87G 489 \$\$A\$259 366 \$\$B217 369 \$T1400-72N 455 \$A\$301 327 \$A\$2058 294 301 \$B87G 489 \$\$A\$259 366 \$\$B212 369 \$T14079MF 455 \$A\$400 315 \$A\$2050 202 \$B87B 489 \$\$A\$260 366 \$\$B221 369 \$T14079MF 455 \$A\$400 315 \$A\$2500A 233 \$B84 492 \$\$A\$260 366 \$\$B221 369 \$T1479MF 455 \$A\$400 315 \$A\$2500A 233 \$B84 492 \$\$A\$265 367 \$\$B222 369 \$T1479MM 455 \$A\$400 315 \$A\$2500A 233 \$B84 492 \$\$A\$265 367 \$\$B227 369 \$T14079MM 455 \$A\$400 315 \$A\$2500A 233 \$B810 5A,833 \$\$A\$266 367 \$\$B227 369 \$T3800-72N 455 \$A\$400 315 \$A\$2500A 233 \$B101 3,6,433 \$\$A\$266 367 \$\$B223 369 \$T3800-72N 455 \$A\$400 315 \$A\$2500A 233 \$B101 3,6,433 \$\$A\$269 367 \$\$B223 369 \$T3800-72N 455 \$A\$400 315 \$A\$2500A 233 \$B101 3,6,433 \$\$A\$273 366 \$\$B233 369 \$T3892AG-E1 469 \$A\$400 20 \$A\$5 \$A\$400 327 \$A\$2515A 29 \$B116 56,433 \$\$A\$273 366 \$\$B233 369 \$T3892AG-E1 469 \$A\$400 20 \$A\$5 \$A\$400 327 \$A\$2515A 29 \$B116 56,433 \$\$A\$277 367 \$\$B247 371 \$\$A\$004 433 \$\$A\$440 325 \$A\$2516A 29 \$B116 56,433 \$\$A\$277 367 \$\$B247 371 \$\$A\$004 433 \$\$A\$495 325 \$A\$2516A 29 \$B116 56,433 \$\$A\$277 367 \$\$B249 371 \$\$A\$004 433 \$\$A\$495 325 \$A\$2516A 29 \$B116 56,433 \$\$A\$277 367 \$\$B249 371 \$\$A\$004 433 \$\$A\$495 325 \$A\$2516A 29 \$B116 56,433 \$\$A\$277 367 \$\$B249 371 \$\$A\$004 433 \$\$A\$495 325 \$A\$540 325 \$A\$5216A 29 \$B116 56,433 \$\$A\$276 367 \$\$B253 371 \$\$A\$006 433 \$\$A\$495 325 \$A\$540 325 \$A\$5500 338 \$A\$6275 367 \$\$B249 371 \$\$A\$006 433 \$\$A\$540 325 \$A\$540 325 \$A\$540 325 \$A\$540 325 \$A\$540 325 \$A\$540 325 \$A\$540 325 \$A\$5 | SAS2430/12 | | | | | | | | | | | |
| \$A\$2710 326 \$A\$2041 294 \$B86G 489 \$SA255 366 \$SB213 369 \$11201 456 \$A\$271012 326 \$A\$2043 294 \$B86G 489 \$SA255 366 \$SB213 369 \$11292AG-E4 469 \$A\$325 325 \$A\$2045 295 \$B86F 489 \$SA255 366 \$SB215 369 \$11292AG-EP 469 \$A\$325 327 \$A\$2046 295 \$B87B 489 \$SA255 366 \$SB215 369 \$11292AG-EP 469 \$A\$390 327 \$A\$2046 295 \$B87B 489 \$SA255 366 \$SB217 369 \$11400FRP 455 \$A\$390 327 \$A\$2036 294 \$B87R 489 \$SA256 366 \$SB219 368 \$11400FRP 455 \$A\$390 327 \$A\$2132 294 \$B87R 489 \$SA256 366 \$SB219 368 \$11400FRP 455 \$A\$401/5 325 \$A\$2510 293 \$B87F 489 \$SA266 366 \$SB219 368 \$11400FRP 455 \$A\$401/5 325 \$A\$2510 293 \$B87F 489 \$SA266 366 \$SB219 369 \$11479MMA 451 \$A\$401/5 325 \$A\$2502A 293 \$B894 492 \$SA263 367 \$SB225 369 \$11479MMA 451 \$A\$40R 315 \$A\$25002A 293 \$B94 492 \$SA263 367 \$SB225 369 \$11479MMA 451 \$A\$40R 315 \$A\$25002A 293 \$B94 492 \$SA265 367 \$SB225 369 \$11479TY 451 \$A\$40R 315 \$A\$25002A 292 \$B100 26,493 \$SA266 367 \$SB229 369 \$13800FRP 455 \$A\$40W 315 \$A\$25002A 292 \$B100 26,493 \$SA266 367 \$SB229 369 \$13800FRP 455 \$A\$40W 315 \$A\$25002A 292 \$B100 26,493 \$SA269 367 \$SB229 369 \$13800FRP 455 \$A\$40W 315 \$A\$25002A 292 \$B102 26,493 \$SA269 367 \$SB223 369 \$13802AG-E1 469 \$A\$422/12 325 \$A\$2510A 292 \$B102 26,493 \$SA273 366 \$SB233 369 \$13802AG-E1 469 \$A\$422/12 325 \$A\$2510A 292 \$B102 26,493 \$SA275 367 \$SB231 369 \$13802AG-E1 469 \$A\$440 \$A\$40 \$A\$4 | | | | | | | | | | | | |
| \$\frac{\frac | | | | | | | | | | | | |
| SAS32S 325 SAS2046 295 SB86V 489 SSA25F 366 SB217 369 T1292AG-EP 459 SAS380 327 SAS2046 295 SB87B 489 SSA258 366 SB217 369 T1400-FRP 455 SAS390 327 SAS2058 294 SB87R 489 SSA256 366 SSB217 369 T1400-FRP 455 SAS390 327 SAS2132 294 SB87R 489 SSA256 366 SSB213 369 T1479MFA 451 SAS401/5 325 SAS2501A 233 SB87V 489 SSA260 366 SSB221 369 T1479MFA 451 SAS40B 315 SAS2502A 233 SB94 492 SSA261 366 SSB223 369 T1479MFA 451 SAS40B 315 SAS2502A 233 SB94 492 SSA266 366 SSB223 369 T1479MFA 451 SAS40W 315 SAS2503A 233 SB94 492 SSA265 367 SSB227 368 T3800-72N 455 SAS40W 315 SAS2506A 229 SB100 36,493 SSA265 367 SSB227 368 T3800-72N 455 SAS40W 315 SAS2506A 292 SB100 36,493 SSA265 367 SSB227 368 T3800-72N 455 SAS40W 315 SAS2506A 292 SB100 36,493 SSA266 367 SSB223 369 T3892AG-E1 469 SAS422 325 SAS2510A 292 SB106 26,493 SSA271 366 SSB233 369 T3892AG-E1 469 SAS422 325 SAS2510A 292 SB106 26,493 SSA273 366 SSB235 369 T3892AG-E1 469 SAS426 327 SAS2511A 292 SB106 26,493 SSA273 366 SSB235 369 T3892AG-E3 469 SAS454 325 SAS2516A 292 SB116 26,493 SSA276 367 SSB237 369,371 T4003 453 SAS456 325 SAS2516A 292 SB116 26,493 SSA276 367 SSB247 371 T4004 453 SAS454/20 325 SAS2516A 292 SB116 26,493 SSA277 367 SSB247 371 T4004 453 SAS454/20 325 SAS2516A 292 SB118 26,493 SSA277 367 SSB247 371 T4004 453 SAS456 327 SAS2516A 292 SB118 26,493 SSA277 367 SSB249 371 T4004 453 SAS460 327 SAS2516A 292 SB118 26,493 SSA276 367 SSB249 371 T4006 453 SAS496/5 325 SAS2516A 392 SB118 364 SAS268 367 SSB249 371 T4006 453 SAS496/5 325 SAS2516A 392 SB144 349 SSA286 367 SSB250 371 T4006 453 SAS496/5 325 SAS2516A 393 SB144 349 SSA286 367 SSB250 371 T4006 453 SAS496/5 325 SAS500 338 SASP 253,315,318,414 S02 334 SSA286 367 SSB250 371 T4006 453 SAS496/5 325 SAS500 338 SASP 253,315,318,414 S02 334 SSA288 367 SSB250 371 T4006 453 SAS496/5 325 SAS500 338 SASP 253,315,318,414 S02 334 SSA286 367 SSB250 371 T4006 453 SAS500 341 SB18W 491 SSA103 394 SSA280 367 SSB260 367 T600507 452 SAS500 341 SB18W 491 SSA103 394 SSA306 370 SSB260 367 T600518 454 SAS500 341 SB18W 491 SSA103 394 SSA306 | | | | | | | | | | | | |
| SAS390 327 SAS2058 294 301 SB87R 489 SSA259 366 SB8219 368 T1400FRP 455 SAS391 327 SAS2132 294 SB87R 489 SSA260 366 SB8221 369 T1479MFA 451 SAS401/5 325 SAS2501A 293 SB87Y 489 SSA260 366 SB8221 369 T1479MFA 451 SAS401/5 325 SAS2501A 293 SB87Y 489 SSA261 366 SSB223 369 T1479MFA 451 SAS40R 315 SAS2503A 293 SB94 492 SSA263 367 SSB225 369 T1479TX 451 SAS40R 315 SAS2503A 293 SB95 490 SSA265 367 SSB227 368 T3800-72N 455 SAS40W 315 SAS2506A 292 SB100 26,433 SSA267 367 SSB227 368 T3800-72N 455 SAS40W 315 SAS2506A 293 SB101 3,76,433 SSA269 367 SSB223 369 T3800FRP 455 SAS40W 315 SAS2506A 293 SB101 3,76,433 SSA269 367 SSB223 369 T3800FRP 455 SAS40W 315 SAS2506A 293 SB101 3,76,433 SSA269 367 SSB223 369 T3800FRP 455 SAS422 325 SAS2510A 292 SB102 26,433 SSA273 366 SSB233 369 T3892AG-E3 469 SAS422 325 SAS2511A 292 SB106 26,433 SSA273 366 SSB235 369 T4002 453 SAS450 327 SAS2515A 292 SB112 26,433 SSA275 367 SSB227 369,371 T4003 453 SAS454 325 SAS2516A 292 SB116 26,433 SSA275 367 SSB247 371 T4004 453 SAS454 325 SAS2516A 292 SB116 26,433 SSA277 367 SSB247 371 T4004 453 SAS454 325 SAS2515A 292 SB118 26,433 SSA277 367 SSB249 371 T4006 453 SAS496 327 SAS2545A 292 SB140 494 SSA278 367 SSB249 371 T4006 453 SAS497 325 SAS2545A 292 SB140 494 SSA278 367 SSB249 371 T4006 453 SAS495/24 325 SAS2545A 292 SB140 494 SSA280 367 SSB249 371 T4006 453 SAS495/24 325 SAS2545A 393 SB144 494 SSA280 367 SSB250 371 T4007 453 SAS495/24 325 SASC125, 393,318,44 SB144 S94 SSA280 367 SSB250 371 T4006 453 SAS495/24 325 SASC125, 393,318,44 SB144 S94 SSA280 367 SSB250 371 T9126 466 SAS4995/14 325 SASM07 333-334 SD1 334 SSA280 367 SSB250 371 T9126 466 SAS4995/14 325 SASM07 333-334 SD1 334 SSA280 367 SSB250 371 T9126 466 SAS4995/14 325 SASM07 333-334 SD1 334 SSA280 367 SSB250 371 T9126 466 SAS4995/14 325 SASM07 334 SSA280 367 SSB250 371 T9126 466 SAS4995/14 325 SASM07 333-334 SD1 334 SSA280 367 SSB250 371 T9126 466 SAS4995/14 325 SASM07 333-334 SD1 334 SSA280 367 SSB250 371 T9126 466 SAS4995/14 325 SASM07 333-334 SD1 334 SSA280 377 SSB260 367 T6000SD8 452 SASS00 | | | | | | | | | | | | |
| SAS4391 327 SAS2132 294 SB87Y 489 SSA260 366 SSB221 369 T1479AF 451 SAS400B 315 SAS2501A 233 SB94 492 SSA263 367 SSB225 369 T1479TMX 451 SAS400B 315 SAS2502A 233 SB95 490 SSA265 367 SSB225 369 T1479TMX 451 SAS400W 315 SAS2506A 292 SB100 26, 493 SSA267 367 SSB227 368 T3800-72N 455 SAS400W 315 SAS2506A 292 SB100 26, 493 SSA267 367 SSB229 369 T3800-F2N 455 SAS400W 315 SAS2506A 292 SB100 26, 493 SSA267 367 SSB223 369 T3800-F2N 455 SAS400W 315 SAS2510A 292 SB102 6, 493 SSA271 366 SSB233 369 T3800-F2N 455 SAS422/12 325 SAS2511A 292 SB102 6, 493 SSA271 366 SSB233 369 T3892AG-E1 469 SAS422/12 325 SAS2516A 292 SB102 6, 493 SSA273 366 SSB235 369 T4002 453 SAS464 325 SAS2516A 292 SB112 6, 493 SSA274 367 SSB237 369, T14002 453 SAS464 325 SAS2516A 292 SB116 6, 493 SSA274 367 SSB237 369, T14004 453 SAS4660 327 SAS2516A 292 SB116 6, 493 SSA275 367 SSB247 371 T4004 453 SAS4660 327 SAS2516A 292 SB116 5, 493 SSA276 367 SSB247 371 T4004 453 SAS4660 327 SAS2516A 292 SB118 6, 493 SSA276 367 SSB248 371 T4006 453 SAS4660 327 SAS2516A 292 SB118 6, 493 SSA276 367 SSB248 371 T4006 453 SAS4660 327 SAS2516A 292 SB118 6, 493 SSA276 367 SSB249 371 T4006 453 SAS495/24 325 SASC171 325 SB126 494 SSA280 367 SSB250 371 T4006 453 SAS495/24 325 SASC171 325 SB140 494 SSA280 367 SSB250 371 T4007 453 SAS495/24 325 SASC171 325 SB140 494 SSA280 367 SSB250 371 T9121 466 SAS4950/12 325 SASC013 33334 SO1 394 SSA280 367 SSB250 371 T9121 466 SAS4950/12 325 SASC013 33334 SO1 394 SSA280 367 SSB250 371 T600500 452 SAS500 341 SASVP1 293 SO4 394 SSA300 370 SSB266 367 T600500 452 SAS500 341 SASVP1 293 SO4 394 SSA300 370 SSB279 367 T600510 452 SAS500 341 SASVP1 293 SO4 394 SSA300 370 SSB279 367 T600510 452 SAS500 341 SASVP1 293 SO4 394 SSA300 370 SSB279 367 T600510 452 SAS500 341 SASVP1 293 SO4 394 SSA300 370 SSB279 367 T600510 452 SAS500 341 SBBW 491 SSA103 364 SSA310 370 SSB279 367 T600510 452 SAS500 341 SBBW 491 SSA103 364 SSA310 370 SSB300 370 T600519 452 SAS500 341 SBBW 491 SSA103 364 SSA310 370 SSB300 370 T600519 452 SAS500 341 SBBW 491 SSA103 364 SSA310 370 | | | | | | | | | | | | |
| SAS4001/5 325 SAS2501A 293 SB94 492 SSA263 367 SSB223 369 T1479MMA 451 SAS40R 315 SAS2502A 293 SB94 492 SSA263 367 SSB225 369 T1479MMA 451 SAS40R 315 SAS2506A 292 SB100 25,493 SSA265 367 SSB227 368 T3800-72N 455 SAS40W 315 SAS2506A 292 SB100 26,493 SSA265 367 SSB229 369 T3800FRP 455 SAS40W 315 SAS250BA 293 SB101 3,26,493 SSA269 367 SSB223 369 T3800FRP 455 SAS40W 315 SAS250BA 293 SB101 3,26,493 SSA269 367 SSB233 369 T3892AG-E1 469 SAS422 325 SAS2510A 292 SB106 6,493 SSA273 366 SSB233 369 T3892AG-E1 469 SAS422 325 SAS2515A 292 SB106 6,493 SSA273 366 SSB233 369 T3892AG-E1 469 SAS422 327 SAS2515A 292 SB116 6,493 SSA273 366 SSB237 369,371 T4003 453 SAS454 202 SAS2516A 292 SB116 6,493 SSA274 367 SSB237 369,371 T4003 453 SAS454 202 SAS2516A 292 SB116 6,493 SSA275 367 SSB248 371 T4006 453 SAS454/20 325 SAS2516A 292 SB116 6,493 SSA275 367 SSB248 371 T4006 453 SAS460 327 SAS2516A 292 SB116 6,493 SSA275 367 SSB248 371 T4006 453 SAS460 327 SAS2516A 292 SB116 6,493 SSA275 367 SSB248 371 T4006 453 SAS470 325 SAS2516A 292 SB124 26,493 SSA276 367 SSB248 371 T4006 453 SAS495/5 325 SASC 235,299,318,414 SB141 494 SSA280 367 SSB250 371 T4006 453 SAS495/5 325 SASC 235,299,318,414 SB141 494 SSA280 367 SSB250 371 T4006 453 SAS495/5 325 SASC 235,393,18,414 SB141 494 SSA280 367 SSB250 371 T4006 453 SAS495/5 325 SASC 235,393,18,414 SB141 494 SSA280 367 SSB250 371 T1006 453 SAS495/2 325 SASW2 33334 SD1 394 SSA300 367 SSB250 371 T1006 453 SAS495/5 325 SASC 235,393,18,414 SD1 394 SSA280 367 SSB250 371 T1007 453 SAS500 338 SASP 225,315,318,414 SD1 394 SSA280 367 SSB250 371 T1007 453 SAS500 338 SASP 235,315,318,414 SD2 394 SSA300 370 SSB250 371 T1006 453 SAS500 338 SASP 235,315,318,414 SD2 394 SSA300 370 SSB250 371 T1006 453 SAS500 338 SASP 235,315,318,414 SD2 394 SSA300 370 SSB250 371 T1006 453 SAS500 331 SASW2 36,349 SSA300 370 SSB270 366 T600510R 454 SAS500 341 SASW2 394 SSA300 370 SSB270 366 T600510R 454 SAS500 341 SASW2 394 SSA300 370 SSB270 367 T6005017 452 SAS500 341 SASW2 394 SSA300 370 SSB270 367 T600513R 454 SAS500 341 SASW2 394 SS | | | | | | | | | | | | |
| SAS40B 315 SAS2502A 293 SB94 492 SSA263 367 SSB225 369 T1479TX 451 SAS40W 315 SAS2503A 293 SB95 490 SSA265 367 SSB227 368 T3800-TZN 455 SAS40W 315 SAS250BA 293 SB100 26,493 SSA267 367 SSB229 369 T3800FRP 455 SAS40W 315 SAS250BA 293 SB101 3,26,493 SSA269 367 SSB223 369 T3800FRP 455 SAS40W 315 SAS250BA 293 SB101 3,26,493 SSA269 367 SSB231 369 T3892AG-E1 469 SAS422/12 325 SAS251DA 292 SB106 26,493 SSA271 366 SSB233 369 T3892AG-E3 469 SAS422/12 325 SAS251DA 292 SB106 26,493 SSA273 366 SSB235 369 T4002 453 SAS450 327 SAS251SA 292 SB116 26,493 SSA274 367 SSB237 369,371 14003 453 SAS454 325 SAS251DA 292 SB116 26,493 SSA275 367 SSB248 371 T4004 453 SAS454/20 325 SAS2517A 292 SB118 26,493 SSA275 367 SSB248 371 T4004 453 SAS460 327 SAS251SA 292 SB118 26,493 SSA276 367 SSB248 371 T4006 453 SAS4660 327 SAS251SA 292 SB140 494 SSA278 367 SSB248 371 T4006 453 SAS495/24 325 SAS251TA 292 SB140 494 SSA278 367 SSB249 371 T4007 453 SAS495/24 325 SASX1T1 325 SB142 494 SSA280 367 SSB250 371 T4007 453 SAS495/24 325 SASX1T1 325 SB142 494 SSA280 367 SSB250 371 T4007 453 SAS495/24 325 SASX1T1 325 SB142 494 SSA280 367 SSB251 371 T9121 466 SAS4950 325 SASS 385 235 313,18,144 SO2 394 SSA280 367 SSB252 371 T9121 466 SAS4950 325 SASS 385 235,13,18,144 SO2 394 SSA286 367 SSB252 371 T9121 466 SAS4950 325 SASW 385 385 235,13,18,144 SO3 394 SSA286 367 SSB252 371 T9121 466 SAS500 338 SASP 235,135,18,144 SO3 394 SSA288 367 SSB262 367 T600507 452 SAS501 341 SASV 236,290,318,414 SO3 394 SSA304 370 SSB266 367 T60050R 454 SAS501 341 SASV 236,290,318,414 SO3 394 SSA306 370 SSB266 367 T600518 454 SAS500 341 SB1BU 491 SO18 394 SSA304 370 SSB266 367 T600518 454 SAS500 341 SB1BU 491 SO18 394 SSA304 370 SSB268 367 T600518 454 SAS500 341 SB1BU 491 SO18 394 SSA306 370 SSB279 367 T600519 452 SAS501 341 SB1BU 491 SO18 394 SSA306 370 SSB279 367 T600519 452 SAS500 341 SB1BU 491 SO30 394 SSA310 370 SSB269 367 T600519 452 SAS500 341 SB1BU 491 SO30 394 SSA310 370 SSB280 370 T600519 452 SAS500 341 SB1BU 491 SSA103 364 SSA300 370 SSB287 367 T600519 452 SAS500 341 SB2B | | | | | | | | | | | | |
| SAS40R 315 SAS2503A 293 SB95 490 SSA265 367 SSB227 368 T3800-72N 455 SAS40W 315 SAS2508A 293 SB101 3,26,493 SSA267 367 SSB223 369 T3802AG-E1 469 SAS422 325 SAS2510A 292 SB102 26,493 SSA271 366 SSB235 369 T3892AG-E3 469 SAS422 325 SAS2511A 292 SB102 26,493 SSA273 366 SSB235 369 T4002 453 SAS450 377 SAS2515A 292 SB112 26,493 SSA274 367 SSB237 369,371 T4003 453 SAS450 377 SAS2515A 292 SB112 26,493 SSA274 367 SSB237 369,371 T4003 453 SAS454 205 SAS2517A 292 SB116 26,493 SSA276 367 SSB247 371 T4004 453 SAS456 325 SAS2517A 292 SB116 26,493 SSA276 367 SSB247 371 T4005 453 SAS456 375 SAS2517A 292 SB118 26,493 SSA276 367 SSB248 371 T4005 453 SAS464/20 325 SAS2517A 292 SB124 26,493 SSA276 367 SSB248 371 T4005 453 SAS466 377 SAS2543A 292 SB124 26,493 SSA277 367 SSB248 371 T4006 453 SAS469 372 SAS2543A 292 SB124 26,493 SSA277 367 SSB249 371 T4007 453 SAS495/5 325 SAS2 23,293,18,44 SB141 494 SSA280 367 SSB250 371 T4007 453 SAS495/5 325 SAS2 23,293,18,44 SB141 494 SSA280 367 SSB251 371 T6510A 452 SAS495/2 325 SASC 33,334 SB142 494 SSA284 367 SSB253 371 T9121 466 SAS4950 325 SASL 33,310,318,44 SB143 494 SSA284 367 SSB253 371 T9121 466 SAS4950 325 SASL 33,310,318,44 SB143 494 SSA284 367 SSB253 371 T9126 466 SAS4950 325 SASL 33,310,318,44 SB143 494 SSA284 367 SSB253 371 T9126 466 SAS4950 325 SASL 33,310,318,44 SB143 494 SSA284 367 SSB253 371 T9126 466 SAS4950 325 SASL 33,310,318,44 SB143 494 SSA284 367 SSB253 371 T9126 466 SAS4950 325 SASL 33,310,318,44 SB144 303 394 SSA286 367 SSB264 367 T600507 452 SAS501 341 SASVP1 293 SO6 394 SSA286 367 SSB264 367 T600507 452 SAS501 341 SASVP1 293 SO6 394 SSA304 370 SSB266 367 T600507 452 SAS501 341 SASVP1 293 SO6 394 SSA304 370 SSB266 367 T600507 452 SAS500 341 SASVP1 293 SO6 394 SSA304 370 SSB266 367 T600510 452 SAS500 341 SB1BU 491 SO18 394 SSA304 370 SSB266 367 T600510 452 SAS500 341 SB1BU 491 SO18 394 SSA304 370 SSB266 367 T600510 452 SAS500 341 SB1BU 491 SSA103 364 SSA302 370 SSB266 367 T600517 452 SAS500 341 SB1BU 491 SSA103 364 SSA302 370 SSB269 367 T600517 452 SAS500 341 SB2BU 491 | | | | | | | | | | | | |
| SAS-40W 315 SAS-2506A 293 SB100 26,493 SSA267 367 SSB229 369 T3800FRP 455 SAS-40W 315 SAS-2508A 293 SB101 3,26,493 SSA269 367 SSB231 369 T3892AG-E1 469 SAS-422 325 SAS-2510A 292 SB102 26,493 SSA271 366 SSB233 369 T4002 453 SAS-454 325 SAS-2516A 292 SB106 26,493 SSA273 366 SSB235 369 T4002 453 SAS-454 325 SAS-2516A 292 SB116 26,493 SSA275 367 SSB237 369,71 T4003 453 SAS-454 325 SAS-2516A 292 SB116 26,493 SSA275 367 SSB237 369,71 T4004 453 SAS-454 325 SAS-2516A 292 SB116 26,493 SSA275 367 SSB247 371 T4004 453 SAS-454(20 325 SAS-2517A 292 SB118 26,493 SSA275 367 SSB248 371 T4005 453 SAS-454(20 325 SAS-2517A 292 SB118 26,493 SSA277 367 SSB248 371 T4006 453 SAS-454(20 325 SAS-2517A 292 SB144 494 SSA284 367 SSB259 371 T4006 453 SAS-454(20 325 SAS-2517A 292 SB140 494 SSA284 367 SSB250 371 T4007 453 SAS-454(5) SAS-454(5) SAS-2543A 292 SB140 494 SSA280 367 SSB251 371 T4006 453 SAS-454(5) SAS-2543A 292 SB140 494 SSA280 367 SSB251 371 T4007 453 SAS-454(5) SAS-254(5) SAS-254(5) SAS-254(5) SAS-254(5) SAS-254(5) SB140 494 SSA280 367 SSB251 371 T4006 453 SAS-495/24 325 SASK 235,293,18,414 SB141 494 SSA280 367 SSB251 371 T9121 466 SAS-4950 325 SASL 235,310,318,414 SB143 494 SSA280 367 SSB253 371 T9121 466 SAS-4950 325 SASL 235,310,318,414 SB143 494 SSA280 367 SSB253 371 T9126 466 SAS-4950 325 SASL 235,310,318,414 SD2 394 SSA280 367 SSB266 367 T600508 452 SAS-500 338 SASP 235,315,318,414 SD2 394 SSA280 367 SSB266 367 T600508 452 SAS-500 338 SASP 235,315,318,414 SD3 394 SSA280 370 SSB266 367 T600508 452 SAS-500 341 SAS-VP 293 SOA 394 SSA300 370 SSB266 367 T600508 452 SAS-500 341 SAS-VP 293 SOA 394 SSA300 370 SSB266 367 T600508 452 SAS-500 341 SAS-VP 293 SOA 394 SSA300 370 SSB266 367 T600510R 454 SAS-500 341 SAS-VP 293 SOA 394 SSA310 370 SSB270 366 T600510R 454 SAS-500 341 SB1BU 491 SOA 394 SSA310 370 SSB285 367 T600510R 454 SAS-500 341 SB1BU 491 SSA110 365 SSA314 370 SSB285 367 T600515R 454 SAS-500 341 SB1BU 491 SSA110 364 SSA310 370 SSB285 367 T600515R 454 SAS-500 341 SB2BU 491 SSA110 364 SSA310 370 SSB287 367 T600515R 454 SAS- | | | | | | | | | | | | |
| \$\frac{\text{SAS422}}{\text{2325}}\$\$\frac{\text{SAS2510A}}{\text{2325}}\$\$\frac{\text{SAS2511A}}{\text{292}}\$\$\frac{\text{SB106}}{\text{2016}}\$\$\frac{\text{264}}{\text{335}}\$\$\frac{\text{SAS271A}}{\text{365}}\$\$\frac{\text{365}}{\text{SAS2515A}}\$\$\frac{\text{292}}{\text{SB116}}\$\$\frac{\text{264}}{\text{335}}\$\$\frac{\text{SAS275}}{\text{367}}\$\$\frac{\text{365}}{\text{SAS2515A}}\$\$\frac{\text{292}}{\text{SB116}}\$\$\frac{\text{264}}{\text{335}}\$\$\frac{\text{SAS2515A}}{\text{292}}\$\$\frac{\text{SB116}}{\text{264}}\$\$\frac{\text{264}}{\text{335}}\$\$\frac{\text{365}}{\text{362517A}}\$\$\frac{\text{292}}{\text{SB116}}\$\$\frac{\text{264}}{\text{335}}\$\$\frac{\text{362517A}}{\text{371}}\$\$\frac{\text{4004}}{\text{435}}\$\$\frac{\text{5434}}{\text{3640}}\$\$\frac{\text{371}}{\text{36460}}\$\$\frac{\text{377}}{\text{362543A}}\$\$\frac{\text{292}}{\text{SB124}}\$\$\frac{\text{264}}{\text{493}}\$\$\frac{\text{58A277}}{\text{367}}\$\$\frac{\text{365}}{\text{58249}}\$\$\frac{\text{371}}{\text{4006}}\$\$\frac{\text{435}}{\text{583460}}\$\$\frac{\text{371}}{\text{4006}}\$\$\frac{\text{435}}{\text{583450}}\$\$\frac{\text{365}}{\text{3650}}\$\$\frac{\text{365}}{\text{3650}}\$\frac{\text{365}}{\text{365}}\$\text{393}\$\$\frac{\text{3814}}{\text{481}}\$\$\text{8B141}\$\$\text{494}\$\$\text{58A280}\$\$\frac{\text{367}}{\text{58B250}}\$\$\frac{\text{371}}{\text{371}}\$\$\frac{\text{466}}{\text{564}}\$\$\frac{\text{466}}{\text{58459}}\$\frac{\text{365}}{\text{305}}\$\text{393}\$\text{313}\$\text{301}\$\$\text{394}\$\$\text{58A280}\$\text{367}\$\$\text{58B26}\$\text{371}\$\$\text{79121}\$\$\text{466}\$\$\text{58A590}\$\text{325}\$\$\text{3818}\$\text{314}\$\$\text{502}\$\$\text{394}\$\$\text{58A280}\$\$\text{367}\$\$\text{58B26}\$\text{367}\$\$\text{7600507}\$\$\text{452}\$\$\text{58501}\$\$\text{311}\$\$\text{58SVP1}\$\$\text{293}\$\$\text{504}\$\$\text{394}\$\$\text{58A300}\$\$\text{370}\$\$\text{58B26}\$\text{367}\$\$\text{7600508}\$\text{454}\$\$\text{58503}\$\$\text{31}\$\$\text{3818}\$\text{491}\$\$\text{502}\$\$\text{394}\$\$\text{58A300}\$\$\text{370}\$\$\text{58B26}\$\text{367}\$\$\text{7600510}\$\$\text{452}\$\$\text{58503}\$\$\text{31}\$\$\text{3818}\$\$\text{491}\$\$\ | | 315 | | 292 | SB100 | 26, 493 | | | | | T3800FRP | 455 |
| \$\frac{\frac | | | | | | | | | | | | |
| \$A\$450 327 \$A\$2515A 292 \$B116 26,493 \$\$A275 367 \$\$B237 369,371 \$\$A003 453 \$\$A\$454/20 325 \$A\$52516A 292 \$B116 26,493 \$\$A276 367 \$\$B248 371 \$\$A004 453 \$\$A\$460 327 \$\$A\$2543A 292 \$B118 26,493 \$\$A276 367 \$\$B248 371 \$\$A006 453 \$\$A\$460 327 \$\$A\$2545A 292 \$B124 26,493 \$\$A277 367 \$\$B249 371 \$\$A006 453 \$\$A\$470 325 \$\$A\$2545A 292 \$B140 494 \$\$A2877 367 \$\$B249 371 \$\$A006 453 \$\$A\$495/5 325 \$\$A\$2545A 292 \$B140 494 \$\$A280 367 \$\$B250 371 \$\$A006 453 \$\$A\$495/5 325 \$\$A\$2545A 292 \$B140 494 \$\$A280 367 \$\$B250 371 \$\$A006 453 \$\$A\$495/5 325 \$\$A\$5171 325 \$\$B142 494 \$\$A280 367 \$\$B251 371 \$\$A5260 455 \$\$A\$495/24 325 \$\$A\$5117 325 \$\$B142 494 \$\$A280 367 \$\$B252 371 \$\$B121 466 \$\$A\$495/24 325 \$\$A\$511 325 \$\$B142 494 \$\$A280 367 \$\$B252 371 \$\$B121 466 \$\$A\$495/24 325 \$\$A\$511 325 \$\$A\$10,184 \$\$B143 494 \$\$A286 367 \$\$B253 371 \$\$B126 466 \$\$A\$495/24 325 \$\$A\$51 325,18,144 \$\$B143 494 \$\$A286 367 \$\$B253 371 \$\$B126 466 \$\$A\$495/24 325 \$\$A\$51 325,18,144 \$\$B143 494 \$\$A286 367 \$\$B253 371 \$\$B126 466 \$\$A\$495/24 325 \$\$A\$51 325,310,318,414 \$\$B143 494 \$\$A286 367 \$\$B253 371 \$\$B126 466 \$\$A\$495/24 325 \$\$A\$500 338 \$\$A\$5P 235,315,318,414 \$\$C02 394 \$\$A2806 367 \$\$B266 367 \$\$B266 367 \$\$B05007 452 \$\$A\$501 341 \$\$A\$5VP1 293 \$\$C04 394 \$\$SA280 370 \$\$B266 367 \$\$B0500 452 \$\$A\$501 341 \$\$A\$5VP1 293 \$\$C04 394 \$\$SA300 370 \$\$B266 367 \$\$B05010 452 \$\$A\$5004 341 \$\$A\$5VP2 293 \$\$C06 394 \$\$SA300 370 \$\$B270 366 \$\$B0510R 454 \$\$A\$504 341 \$\$B1BU 491 \$\$C018 394 \$\$SA300 370 \$\$B270 366 \$\$B0510R 454 \$\$A\$504 341 \$\$B1BU 491 \$\$C018 394 \$\$SA310 370 \$\$B279 367 \$\$B0510R 454 \$\$A\$504 341 \$\$B1BU 491 \$\$C018 394 \$\$SA310 370 \$\$B279 367 \$\$B0510R 454 \$\$A\$504 341 \$\$B1BU 491 \$\$C018 394 \$\$SA310 370 \$\$B279 367 \$\$B0515 \$\$252 \$\$A\$504 341 \$\$B1BU 491 \$\$C018 394 \$\$SA310 370 \$\$B279 367 \$\$B0515 \$\$452 \$\$A\$506 341 \$\$B1BU 491 \$\$C018 394 \$\$SA310 370 \$\$B283 367 \$\$B0515 \$\$452 \$\$A\$506 341 \$\$B1BU 491 \$\$C018 394 \$\$SA310 370 \$\$B283 367 \$\$B0515 \$\$452 \$\$A\$506 341 \$\$B2RE 491 \$\$SA103 364 \$\$SA314 370 \$\$SB283 367 \$\$B00515 \$\$452 \$\$A\$5516 341 \$\$B2RE 491 \$\$SA103 364 \$\$SA320 370 \$\$SB303 370 \$\$B0515 \$\$452 \$\$A\$5516 341 \$\$B3BU 491 \$\$SA105 364 \$\$SA320 37 | | | | | | | | | | | | |
| \$A\$454/20 325 \$A\$2517A 292 \$B116 26,493 \$\$A\$275 367 \$\$B247 371 \$\$74004 453 \$\$A\$544/20 325 \$A\$2517A 292 \$B118 26,493 \$\$A\$277 367 \$\$B248 371 \$\$74005 453 \$\$A\$5460 327 \$A\$25243A 292 \$B124 26,493 \$\$A\$277 367 \$\$B249 371 \$\$74005 453 \$\$A\$2470 325 \$A\$25243A 292 \$B124 26,493 \$\$A\$277 367 \$\$B249 371 \$\$74005 453 \$\$A\$2470 325 \$A\$25243A 292 \$B124 26,493 \$\$A\$277 367 \$\$B250 371 \$\$14007 453 \$\$A\$2495/5 325 \$A\$521 372 \$\$18,414 \$\$141 494 \$\$A\$282 367 \$\$B250 371 \$\$1007 453 \$\$A\$495/24 325 \$A\$5K1T1 325 \$B142 494 \$\$A\$282 367 \$\$B252 371 \$\$19121 466 \$\$A\$4950/12 325 \$A\$5K1T1 325 \$B142 494 \$\$A\$282 367 \$\$B252 371 \$\$1126 466 \$\$A\$4950/12 325 \$A\$5K1T1 325 \$B142 494 \$\$A\$284 367 \$\$B253 371 \$\$1126 466 \$\$A\$4950/12 325 \$A\$5NOZ 333334 \$\$01 394 \$\$A\$288 367 \$\$B262 367 \$\$600507 \$\$452 \$\$A\$500 338 \$\$A\$P 333,315,318,414 \$\$02 394 \$\$5A288 367 \$\$B264 367 \$\$600508 452 \$\$A\$501 341 \$\$A\$5VP1 293 \$\$04 394 \$\$A\$302 370 \$\$B266 367 \$\$600508 452 \$\$A\$501 341 \$\$A\$5VP2 293 \$\$06 394 \$\$SA304 370 \$\$B266 367 \$\$600508 452 \$\$A\$501 341 \$\$A\$5VP2 293 \$\$06 394 \$\$SA304 370 \$\$B270 366 \$\$600510 452 \$\$A\$503 341 \$\$A\$5VP2 293 \$\$06 394 \$\$SA306 370 \$\$B270 366 \$\$600510 452 \$\$A\$503 341 \$\$A\$5VP2 293 \$\$08 394 \$\$SA306 370 \$\$B270 366 \$\$600510 452 \$\$A\$503 341 \$\$B1BU 491 \$\$018 394 \$\$SA308 370 \$\$B272 366 \$\$600510 452 \$\$A\$503 341 \$\$B1BU 491 \$\$018 394 \$\$SA308 370 \$\$B272 366 \$\$600513 452 \$\$A\$504 341 \$\$B1BU 491 \$\$018 394 \$\$SA310 370 \$\$B279 367 \$\$600513 452 \$\$A\$504 341 \$\$B1BU 491 \$\$09 394 \$\$SA310 370 \$\$B279 367 \$\$600513 452 \$\$A\$506 341 \$\$B1BU 491 \$\$09 394 \$\$SA310 370 \$\$B279 367 \$\$600513 452 \$\$A\$506 341 \$\$B2BU 491 \$\$SA101 365 \$\$SA316 370 \$\$B287 367 \$\$600513 452 \$\$A\$506 341 \$\$B2BU 491 \$\$SA101 365 \$\$SA316 370 \$\$B287 367 \$\$600513 452 \$\$A\$5506 341 \$\$B2BU 491 \$\$SA101 365 \$\$SA316 370 \$\$B287 367 \$\$600513 452 \$\$A\$5506 341 \$\$B2BU 491 \$\$SA103 364 \$\$SA304 370 \$\$B287 367 \$\$600513 452 \$\$A\$551 341 \$\$B2BU 491 \$\$SA103 364 \$\$SA304 370 \$\$B287 367 \$\$600513 452 \$\$A\$551 341 \$\$B2BU 491 \$\$SA103 364 \$\$SA304 370 \$\$B287 367 \$\$600513 452 \$\$A\$551 341 \$\$B2BU 491 \$\$SA109 364 \$\$SA304 370 \$\$SB287 367 \$\$600517 452 \$\$A\$551 341 \$\$B3BU 491 | | | | | | | | | | | | |
| \$AS460 327 \$AS2543A 292 \$B124 26,493 \$SA277 367 \$SB249 371 \$T4006 453 \$AS470 325 \$AS2545A 292 \$B140 494 \$SSA278 367 \$SB250 371 \$T4007 453 \$AS495/5 325 \$ASC 235,299,318,414 \$B141 494 \$SSA280 367 \$SB251 371 \$T6510A 452 \$AS495/24 325 \$ASKIT1 325 \$B142 494 \$SSA280 367 \$SB251 371 \$T9121 466 \$AS4950/12 325 \$ASL 235,310,318,414 \$B143 494 \$SSA284 367 \$SB252 371 \$T9121 466 \$AS4950/12 325 \$ASNOZ 333-334 501 394 \$SSA286 367 \$SB262 367 \$G00507 452 \$ASNOZ 333-334 501 394 \$SSA286 367 \$SB262 367 \$G00507 452 \$ASS00 338 \$ASP 235,315,318,414 \$02 394 \$SSA288 367 \$SB262 367 \$G00508 452 \$ASS01 341 \$ASV 236,290,318,414 \$03 394 \$SSA286 367 \$SB266 367 \$G00508 452 \$ASS01 341 \$ASV 236,290,318,414 \$03 394 \$SSA304 370 \$SB266 367 \$G00508 452 \$AS501 341 \$ASVP1 293 \$04 394 \$SSA304 370 \$SB266 367 \$G00508 452 \$AS502 341 \$ASVP2 293 \$06 394 \$SSA304 370 \$SB268 367 \$G00510 452 \$AS502 341 \$ASVP3 293 \$06 394 \$SSA306 370 \$SB270 366 \$G00510R 454 \$AS504 341 \$B1BU 491 \$018 394 \$SSA306 370 \$SB272 366 \$G00513 452 \$AS504 341 \$B1BU 491 \$018 394 \$SSA310 370 \$SB279 367 \$G00513 452 \$AS504 341 \$B1BU 491 \$018 394 \$SSA310 370 \$SB279 367 \$G00513 452 \$AS504 341 \$B1BU 491 \$018 394 \$SSA310 370 \$SB279 367 \$G00513 452 \$AS506 341 \$B1BU 491 \$022 394 \$SSA310 370 \$SB279 367 \$G00513 452 \$AS506 341 \$B1BU 491 \$022 394 \$SSA310 370 \$SB279 367 \$G00513 452 \$AS506 341 \$B1BU 491 \$5018 394 \$SSA310 370 \$SB287 367 \$G00515R 454 \$AS506 341 \$B2BU 491 \$SSA103 364 \$SSA316 370 \$SB285 367 \$G00515R 454 \$AS506 341 \$B2BU 491 \$SSA103 364 \$SSA316 370 \$SB285 367 \$G00517R 454 \$AS506 341 \$B2BU 491 \$SSA103 364 \$SSA324 370 \$SB285 367 \$G00517R 454 \$AS516 341 \$B3BU 491 \$SSA107 364 \$SSA324 370 \$SB303 370 \$G00524 452 \$AS516 341 \$B3BU 491 \$SSA107 364 \$SSA324 370 \$SB303 370 \$G00524 452 \$AS516 341 \$B3BU 491 \$SSA107 364 \$SSA324 370 \$SB303 370 \$G00524 452 \$AS516 341 \$B3BU 491 \$SSA113 364 \$SSA404 372 \$SB303 370 \$G00524 452 \$AS516 341 \$B3BU 491 \$SSA113 364 \$SSA404 372 \$SB303 370 \$G00524 452 \$AS516 341 \$B3BU 491 \$SSA113 364 \$SSA404 372 \$SB303 370 \$G00524R 454 \$AS530 338 \$B7RE 491 \$SSA113 364 \$SSA404 372 \$SB313 37 | | | | | | | | | | , | | |
| \$AS470 325 \$AS2545A 292 \$B140 494 \$SA278 367 \$SB250 371 \$T4007 453 \$AS495/5 325 \$ASC 235,299,318,414 \$B141 494 \$SA282 367 \$SB251 371 \$T6510A 452 \$AS495/24 325 \$ASKIT1 325 \$B142 494 \$SA282 367 \$SB252 371 \$T9121 466 \$AS4950 325 \$ASKIT1 325 \$B142 494 \$SA282 367 \$SB252 371 \$T9121 466 \$AS4950 325 \$ASKIT1 325 \$B142 494 \$SA282 367 \$SB252 371 \$T9121 466 \$AS4950 325 \$ASKIZ 235,310,318,414 \$B143 494 \$SA282 367 \$SB252 371 \$T9126 466 \$AS4950/12 325 \$ASNOZ 333334 \$O1 394 \$SA288 367 \$SB262 367 \$T600507 452 \$AS500 338 \$ASP 235,315,318,414 \$O3 394 \$SA288 367 \$SB264 367 \$T600508 452 \$AS501 341 \$ASV 236,290,318,414 \$O3 394 \$SA302 370 \$SB266 367 \$T600508 452 \$AS501 341 \$ASVP1 293 \$O4 394 \$SA300 370 \$SB266 367 \$T600508 452 \$AS501 341 \$ASVP2 293 \$O6 394 \$SA306 370 \$SB270 366 \$T600510 452 \$AS503 341 \$ASVP2 293 \$O6 394 \$SA306 370 \$SB270 366 \$T600510 452 \$AS503 341 \$ASVP2 293 \$O8 394 \$SA308 370 \$SB272 366 \$T600510 452 \$AS504 341 \$B1BU 491 \$O18 394 \$SA308 370 \$SB272 366 \$T600513 452 \$AS504 341 \$B1BU 491 \$O18 394 \$SA310 370 \$SB272 366 \$T600513 452 \$AS504 341 \$B1BU 491 \$O18 394 \$SA310 370 \$SB279 367 \$T6005158 452 \$AS506 341 \$B1DIV 491 \$O9 394 \$SA314 370 \$SB283 367 \$T600515 452 \$AS506 341 \$B2BU 491 \$SA101 365 \$SA316 370 \$SB283 367 \$T6005157 452 \$AS506 341 \$B2BU 491 \$SA103 364 \$SA318 370 \$SB283 367 \$T6005177 452 \$AS506 341 \$B2BU 491 \$SA103 364 \$SA322 370 \$SB303 370 \$T600519R 454 \$AS511 341 \$B3BU 491 \$SA107 364 \$SA322 370 \$SB303 370 \$T600519R 454 \$AS511 341 \$B3BU 491 \$SA107 364 \$SA322 370 \$SB303 370 \$T600519R 454 \$AS511 341 \$B3BU 491 \$SA107 364 \$SA322 370 \$SB307 370 \$T600521 452 \$AS516 341 \$B3BU 491 \$SA113 364 \$SA402 372 \$SB303 370 \$T600521 452 \$AS516 341 \$B3BU 491 \$SA113 364 \$SA402 372 \$SB307 370 \$T600522 452 \$AS530 340 344 \$B7BU 491 \$SA113 364 \$SA402 372 \$SB303 370 \$T600522 452 \$AS5516 341 \$B3BU 491 \$SA117 365 \$SA406 372 \$SB307 370 \$T600522 452 \$AS530 340 \$BBRE 491 \$SA117 365 \$SA408 372 \$SB315 370 \$T600524 452 \$AS542 340 \$BBBU 491 \$SA123 364 \$SA412 372 \$SB315 370 \$T600536 452 \$AS542 340 \$BBBU 491 \$SA123 364 \$SA412 372 \$SB319 370 \$T600536 | | | | | | | | | | | | |
| \$\frac{\sample{sa495}/5}{\sample{sa5495}/5}\$ 325 \$\frac{\sample{sa5}}{\sample{sa6495}/24}\$ 325 \$\frac{\sample{sa64}}{\sample{sa6495}/24}\$ 325 \$\sample{sa64000000000000000000000000000000000000 | | | | | | 10.1 | | | | | | |
| SAS495/24 325 SASKIT1 325 SB142 494 SSA282 367 SSB252 371 T9121 466 SAS4950 325 SASL 235, 310, 318, 414 SB143 494 SSA284 367 SSB252 371 T9126 466 SAS4990/12 325 SASNOZ 33334 SO1 394 SSA286 367 SSB262 367 T6005007 452 SAS500 338 SASP 235, 315, 318, 414 SO2 394 SSA288 367 SSB264 367 T6005008 452 SAS501 341 SASVP1 293 SO4 394 SSA302 370 SSB266 367 T600508 452 SAS501 341 SASVP1 293 SO4 394 SSA306 370 SSB268 367 T6005108 454 SAS502 341 SASVP2 293 SO8 394 SSA306 370 SSB272 366 T6005108 454 | | | | | | | | | | | | |
| SAS4950 325 SASL 235, 310, 318, 414 SB143 494 SSA284 367 SSB253 371 T9126 466 SAS4950/12 325 SASNOZ 333-334 SO1 394 SSA286 367 SSB262 367 T600508 452 SAS501 341 SASV 236, 290, 318, 414 SO3 394 SSA302 370 SSB266 367 T600508R 454 SAS501A 341 SASVP1 293 SO4 394 SSA304 370 SSB268 367 T600510R 454 SAS501A 341 SASVP1 293 SO6 394 SSA306 370 SSB268 367 T600510R 454 SAS503 341 SASVP3 293 SO8 394 SSA306 370 SSB270 366 T600510R 454 SAS504 341 SB1BU 491 SO18 394 SSA310 370 SSB279 367 T600513R 454 | | | | | | | | | | | T9121 | |
| SAS500 338 SASP 235, 315, 318, 414 SO2 394 SSA288 367 SSB264 367 T600508 452 SAS501 341 SASV 236, 290, 318, 414 SO3 394 SSA302 370 SSB266 367 T600508R 454 SAS501A 341 SASVP1 293 SO4 394 SSA304 370 SSB268 367 T600510R 454 SAS502 341 SASVP2 293 SO6 394 SSA306 370 SSB270 366 T600510R 454 SAS503 341 SASVP3 293 SO8 394 SSA308 370 SSB272 366 T600513 452 SAS504 341 SB1BU 491 SO18 394 SSA310 370 SSB279 367 T600513R 454 SAS504A 341 SB1BU 491 SO22 394 SSA312 370 SSB281 367 T600513R 454 SAS506 | | | SASL 235, 310 | | | | | | | | | |
| SAS501 341 SASV 236, 290, 318, 414 SO3 394 SSA302 SSB266 367 T600508R 454 SAS501A 341 SASVP1 293 SO4 394 SSA304 370 SSB268 367 T600510 452 SAS502 341 SASVP2 293 SO6 394 SSA306 370 SSB270 366 T600510R 454 SAS503 341 SASVP3 293 SO8 394 SSA308 370 SSB272 366 T600513 452 SAS504 SSAS504 341 SB1BU 491 SO18 394 SSA310 370 SSB279 367 T600513R 454 SAS504 SSAS504 341 SB1DW 491 SO22 394 SSA312 370 SSB281 367 T600513R 454 SAS505 SSAS505 341 SB1DW 491 SO22 394 SSA314 370 SSB281 367 T600513R 454 SSAS506 SSAS505 341 SB2DW 491 SSA101 365 SSA314 370 SSB281 367 T600515R 454 SSAS506 SSAS505 341 SB2DW 491 SSA103 364 SSA314 370 SSB285 367 T600517R 454 SSAS506 SSAS506 341 SB2DW 491 SSA103 364 SSA318 370 SSB287 367 T600517R 454 SSAS511 341 SB2DW 491 SSA103 364 SSA320 370 SSB301 370 T600517R 454 SSAS512 342 SSAS512 370 SSB301 370 T600519R | | | | | | | | | | | | |
| SAS501A 341 SASVP1 293 SO4 394 SSA304 370 SSB268 367 T600510 452 SAS502 341 SASVP2 293 SO6 394 SSA306 370 SSB270 366 T600510R 454 SAS503 341 SASVP3 293 SO8 394 SSA308 370 SSB272 366 T600513R 454 SAS504 341 SB1BU 491 SO18 394 SSA310 370 SSB279 367 T600513R 454 SAS504 341 SB1RE 491 SO22 394 SSA312 370 SSB281 367 T600515 452 SAS505 341 SB1DIV 491 SO99 394 SSA316 370 SSB283 367 T600515R 454 SAS506 341 SB2BU 491 SSA103 364 SSA318 370 SSB285 367 T600517R 452 SAS51 | | | SASP 235, 315 | 5, 318, 414 | | | | | | | | |
| SAS502 341 SASVP2 293 SO6 394 SSA306 370 SSB270 366 T600510R 454 SAS503 341 SASVP3 293 SO8 394 SSA308 370 SSB272 366 T600513 452 SAS504A 341 SB1BU 491 SO18 394 SSA310 370 SSB279 367 T600513R 454 SAS504A 341 SB1BU 491 SO22 394 SSA312 370 SSB281 367 T600515R 454 SAS505 341 SB1DIV 491 SO9 394 SSA314 370 SSB283 367 T600515R 454 SAS506 341 SB2BU 491 SSA101 365 SSA316 370 SSB283 367 T600515R 454 SAS506A 341 SB2BU 491 SSA103 364 SSA318 370 SSB287 367 T600517R 452 S | | | | | | | | | | | | |
| SAS503 341 SASVP3 293 SOB 394 SSA308 370 SSB272 366 T600513 452 SAS504 341 SB1BU 491 SO18 394 SSA310 370 SSB279 367 T600513R 454 SAS504 341 SB1RE 491 SO22 394 SSA312 370 SSB281 367 T600515R 454 SAS505 341 SB1DIV 491 SO9 394 SSA316 370 SSB283 367 T600515R 454 SAS506 341 SB2BU 491 SSA101 365 SSA316 370 SSB285 367 T600517R 452 SAS511 341 SB2RE 491 SSA103 364 SSA318 370 SSB287 367 T600517R 454 SAS512 341 SB3BU 491 SSA105 364 SSA322 370 SSB301 370 T600519R 454 SA | | | | | | | | | SSB270 | | | |
| SASSO4A 341 SB1RE 491 SO22 394 SSA312 370 SSB281 367 T600515 452 SAS505 341 SB1DIV 491 SO9 394 SSA314 370 SSB283 367 T600515R 454 SAS506 341 SB2BU 491 SSA101 365 SSA316 370 SSB285 367 T600517R 452 SAS506A 341 SB2RE 491 SSA103 364 SSA318 370 SSB287 367 T600517R 454 SAS511 341 SB2RE 491 SSA105 364 SSA320 370 SSB301 370 T600519R 454 SAS512 341 SB3BU 491 SSA107 364 SSA322 370 SSB303 370 T600519R 454 SAS514 341 SB3DIV 491 SSA113 364 SSA324 370 SSB305 370 T600521 452 | | | | | | | | | SSB272 | | | |
| SAS505 341 SB1DIV 491 SO9 394 SSA314 370 SSB283 367 T600515R 454 SAS506 341 SB2BU 491 SSA101 365 SSA316 370 SSB285 367 T600517 452 SAS506A 341 SB2RE 491 SSA103 364 SSA318 370 SSB287 367 T600517R 454 SAS511 341 SB2DIV 491 SSA105 364 SSA320 370 SSB301 370 T600519R 452 SAS512 341 SB3BU 491 SSA107 364 SSA322 370 SSB303 370 T600519R 452 SAS514 341 SB3RE 491 SSA107 364 SSA322 370 SSB303 370 T600519R 452 SAS515 341 SB3DIV 491 SSA111 364 SSA324 370 SSB305 370 T600521 452 | | | | | | | | | | | | |
| SAS506 341 SB2BU 491 SSA101 365 SSA316 370 SSB285 367 T600517 452 SAS506A 341 SB2RE 491 SSA103 364 SSA318 370 SSB287 367 T600517R 454 SAS511 341 SB2DIV 491 SSA105 364 SSA322 370 SSB301 370 T600519 452 SAS514 341 SB3BU 491 SSA107 364 SSA322 370 SSB303 370 T600519R 452 SAS514 341 SB3RE 491 SSA107 364 SSA322 370 SSB305 370 T600521 452 SAS515 341 SB3DIV 491 SSA111 364 SSA326 370 SSB307 370 T600522 452 SAS516 341 SB4 491 SSA113 364 SSA402 372 SSB309 370 T600522R 454 | | | | | | | | | SSB281 | | | |
| SAS506A 341 SB2RE 491 SSA103 364 SSA318 370 SSB287 367 T600517R 454 SAS511 341 SB2DIV 491 SSA105 364 SSA320 370 SSB301 370 T600519 452 SAS512 341 SB3BU 491 SSA107 364 SSA322 370 SSB303 370 T600519R 454 SAS514 341 SB3RE 491 SSA109 364 SSA324 370 SSB305 370 T600521 452 SAS515 341 SB3DIV 491 SSA111 364 SSA326 370 SSB307 370 T600522 452 SAS516 341 SB4 491 SSA113 364 SSA402 372 SSB309 370 T600522R 454 SAS520 340,344 SB7 491 SSA115 364 SSA404 372 SSB311 370 T600524 452 | | | | | | | | | 55B283 CCD29E | | | |
| SAS511 341 SB2DIV 491 SSA105 364 SSA320 370 SSB301 370 T600519 452 SAS512 341 SB3BU 491 SSA107 364 SSA322 370 SSB303 370 T600519R 454 SAS514 341 SB3RE 491 SSA109 364 SSA324 370 SSB305 370 T600521 452 SAS515 341 SB3DIV 491 SSA111 364 SSA326 370 SSB307 370 T600522 452 SAS516 341 SB4 491 SSA113 364 SSA402 372 SSB309 370 T600522R 454 SAS520 340,344 SB5 491 SSA115 364 SSA404 372 SSB311 370 T600524R 452 SAS527 340,344 SB7BU 491 SSA117 365 SSA406 372 SSB313 370 T600524R 452 | | | | | | | | | | | | |
| SAS512 341 SB3BU 491 SSA107 364 SSA322 370 SSB303 370 T600519R 454 SAS514 341 SB3RE 491 SSA109 364 SSA324 370 SSB305 370 T600521 452 SAS515 341 SB3DIV 491 SSA111 364 SSA326 370 SSB307 370 T600522 452 SAS516 341 SB4 491 SSA113 364 SSA402 372 SSB309 370 T600522R 454 SAS520 340,344 SB5 491 SSA115 364 SSA404 372 SSB311 370 T600524R 452 SAS527 340,344 SB7BU 491 SSA117 365 SSA406 372 SSB313 370 T600524R 452 SAS530 338 SB7RE 491 SSA119 365 SSA408 372 SSB313 370 T600524R 452 | | | | | | | | | | | | |
| SAS515 341 SB3DIV 491 SSA111 364 SSA326 370 SSB307 370 T600522 452 SAS516 341 SB4 491 SSA113 364 SSA402 372 SSB309 370 T600522R 454 SAS520 340,344 SB5 491 SSA115 364 SSA404 372 SSB311 370 T600524 452 SAS527 340,344 SB7BU 491 SSA117 365 SSA406 372 SSB313 370 T600524R 454 SAS530 338 SB7RE 491 SSA119 365 SSA408 372 SSB315 370 T600527 452 SAS540 340 SB7DIV 491 SSA121 365 SSA410 372 SSB317 370 T600530 452 SAS541 340 SB8BU 491 SSA123 364 SSA412 372 SSB319 370 T600536 452 | SAS512 | 341 | SB3BU | 491 | SSA107 | 364 | SSA322 | 370 | SSB303 | 370 | T600519R | 454 |
| SAS516 341 SB4 491 SSA113 364 SSA402 372 SSB309 370 T600522R 454 SAS520 340,344 SB5 491 SSA115 364 SSA404 372 SSB311 370 T600524 452 SAS527 340,344 SB7BU 491 SSA117 365 SSA406 372 SSB313 370 T600524R 454 SAS530 338 SPRE 491 SSA119 365 SSA408 372 SSB315 370 T600527 452 SAS540 340 SB7DIV 491 SSA121 365 SSA410 372 SSB317 370 T600527 452 SAS541 340 SB8BU 491 SSA123 364 SSA412 372 SSB319 370 T600536 452 SAS542 340 SB8RE 491 SSA125 364 SSA414 372 SSB321 370 T601013 452 | | | | | | | | | | | | |
| SAS520 340,344 SB5 491 SSA115 364 SSA404 372 SSB311 370 T600524 452 SAS527 340,344 SB7BU 491 SSA117 365 SSA406 372 SSB313 370 T600524R 454 SAS530 338 SB7RE 491 SSA119 365 SSA408 372 SSB315 370 T600527 452 SAS540 340 SB7DIV 491 SSA121 365 SSA410 372 SSB317 370 T600527 452 SAS541 340 SB8BU 491 SSA123 364 SSA412 372 SSB319 370 T600536 452 SAS542 340 SB8RE 491 SSA125 364 SSA414 372 SSB321 370 T601013 452 | | | | | 55A111 CCA112 | | | | | | | |
| SAS527 340,344 SB7BU 491 SSA117 365 SSA406 372 SSB313 370 T600524R 454 SAS530 338 SB7RE 491 SSA119 365 SSA408 372 SSB315 370 T600527 452 SAS540 340 SB7DIV 491 SSA121 365 SSA410 372 SSB317 370 T600530 452 SAS541 340 SB8BU 491 SSA123 364 SSA412 372 SSB319 370 T600536 452 SAS542 340 SB8RE 491 SSA125 364 SSA414 372 SSB321 370 T601013 452 | | | | | SSA115 | | | | | | | |
| SAS530 338 SB7RE 491 SSA119 365 SSA408 372 SSB315 370 T600527 452 SAS540 340 SB7DIV 491 SSA121 365 SSA410 372 SSB317 370 T600530 452 SAS541 340 SB8BU 491 SSA123 364 SSA412 372 SSB319 370 T600536 452 SAS542 340 SB8RE 491 SSA125 364 SSA414 372 SSB321 370 T601013 452 | | | | | | | | | | | | |
| SAS541 340 SB8BU 491 SSA123 364 SSA412 372 SSB319 370 T600536 452 SAS542 340 SB8RE 491 SSA125 364 SSA414 372 SSB321 370 T601013 452 | SAS530 | 338 | SB7RE | | SSA119 | 365 | SSA408 | 372 | SSB315 | 370 | T600527 | 452 |
| SAS542 340 SB8RE 491 SSA125 364 SSA414 372 SSB321 370 T601013 452 | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | |
| | | | | | | | | | | | | |



























| TL670 | 429 | TL930 | 58 | TL8014 | 461, 487 | TM120519 | 462 | TM380519 | 462 | TNAV28 | 424 |
|--------------------|--------------------------|-------------------|-----------------|----------------------|-----------------|----------------------|------------|----------------------|------------|----------------------|------------|
| TL671 | 428 | TL931 | 58 | TL8020 | 290 | TM120520 | 462 | TM380520 | 462 | TNAV32 | 424 |
| TL672 | 428 | TL932 | 58 | TL8021 | 290 | TM120521 | 462 | TM380521 | 462 | TNAV36 | 424 |
| TL673 | 430 | TL933 | 58 | TL8022 | 290 | TM120522 | 462 | TM380522 | 462 | TNAV40 | 424 |
| TL675 | 430 | TL934 | 58 | TL8038 | 461, 487 | TM120523 | 462 | TM380607 | 463 | TNAV44 | 424 |
| TL676 | 430 430 | TL935 TL936 | 58 36,58 | TL8050 | 452, 487 155 | TM120524 | 462 462 | TM380608 | 463 463 | TNAV48 TNAV64 | 424 |
| TL677 TL678 | 430 | TL930 | 58 | TL8100 TL8110 | 155 | TM120525 TM120526 | 462 | TM380609 TM380610 | 463 | TNAV04 | 424 |
| TL682 | 429 | TL952 | 394 | TL9000 | 473 | TM120527 | 462 | TM380611 | 463 | TNAV155 | 424 |
| TL683 | 429 | TL955 | 395 | TL9190 | 456 | TM120528 | 462 | TM380612 | 463 | TNAV315 | 424 |
| TL689 | 437 | TL956 | 398 | TL9190H | 456 | TM120529 | 462 | TM380613 | 463 | TNAVP2 | 424 |
| TL695 | 437 | TL961 | 474 | TL9240 | 208 | TM120530 | 462 | TM380614 | 463 | TNB2TM | 481 |
| TL698 | 437 | TL961R | 474 | TL9241 | 208 | TM120532 | 462 | TM380615 | 463 | TNB12592 | 450 |
| TL700 | 439 | TL962 | 475 | TL9290 | 456 | TM120610 | 463 | TM380616 | 463 | TNB12595 | 450 |
| TL701 TL702 | 438 438 | TL962F TL965 | 475 475 | TL9290H TL9370 | 456 482 | TM120611 TM120612 | 463 463 | TM380617 TM380618 | 463 463 | TNB12632 TNB12634 | 450 450 |
| TL702 | 438 | TL965M | 475 | TL13109 | 448 | TM120612 | 463 | TM380619 | 463 | TNB20199 | 450 |
| TL704 | 438 | TL970 | 475 | TL13110 | 448 | TM120614 | 463 | TM380620 | 463 | TNB69499 | 451 |
| TL705 | 438 | TL971 | 475 | TL13111 | 448 | TM120615 | 463 | TM380621 | 463 | TNB69699 | 451 |
| TL706 | 438 | TL972 | 475 | TL13112 | 448 | TM120616 | 463 | TM380622 | 463 | TNBZ1 | 446 |
| TL707 | 438 | TL973 | 475 | TL13113 | 448 | TM120617 | 463 | TMB416 | 436 | TNBZ2 | 446 |
| TL708 | 438 | TL974 | 475 | TL13114 | 448 | TM120618 | 463 | TMB441-6 | 430 | TNBZ3 | 446 |
| TL711 | 438 | TL975 | 475 | TL13160 | 448 | TM120619 | 463 | TMB442-8 | 430 | TNC1/135 | 436 |
| TL712 TL713 | 438 438 | TL976 TL977 | 475 475 | TL13164 TL13168 | 448 448 | TM120620 TM120621 | 463 463 | TMB452-8 TMB461-8 | 435 435 | TNC1/175 TNC1/220 | 436 436 |
| TL714 | 439 | TL978 | 475 | TL13172 | 448 | TM120621 | 463 | TMB481-10 | 436 | TNC1/220 | 436 |
| TL715 | 439 | TL979 | 475 | TL13176 | 448 | TM120624 | 463 | TMD691 | 445 | TNC2/165 | 436 |
| TL716 | 439 | TL980 | 475 | TL13252 | 448 | TM120627 | 463 | TMD692 | 445 | TNC2/200 | 436 |
| TL721 | 438 | TL981 | 475 | TL13254 | 448 | TM120630 | 463 | TMD912N | 445 | TNC3/135 | 436 |
| TL723 | 438 | TL982 | 475 | TL13256 | 448 | TM120632 | 463 | TMD920 | 445 | TNC3/175 | 436 |
| TL724 | 438 | TL983 | 475 | TL13352 | 448 | TM120636 | 463 | TMD921 | 445 | TNC3/220 | 436 |
| TL725 | 438 438 | TL984 TL985 | 475 475 | TL13354 | 448 448 | TM140020 | 457 457 | TMD922 TMD923 | 445 445 | TNC3/310 | 436 436 |
| TL727 TL729 | 438 | TL986 | 475 | TL13356 TL13360 | 448 | TM140021 TM140022 | 457 | TMD928 | 445 | TNC4/165 TNC4/200 | 436 |
| TL730 | 271 | TL992 | 250 | TL13364 | 448 | TM140030 | 457 | TMD933 | 445 | TNE3 | 59, 430 |
| TL751 | 412 | TL994 | 250 | TL13368 | 448 | TM140036 | 457 | TMD934 | 445 | TNFG135 | 437 |
| TL766 | 412 | TL995 | 437 | TL13372 | 448 | TM140504 | 462 | TMD940 | 445 | TNH25C | 481 |
| TL784 | 412 | TL996 | 437 | TL13376 | 448 | TM140505 | 462 | TMD941 | 445 | TNH160 | 209 |
| TL800 | 154 | TL1000 | 246, 477 | TL33009 | 448 | TM1405055 | 462 | TMD948 | 445 | TNH170 | 481 |
| TL801 TL802 | 154 154 | TL1000C TL1001 | 246, 477 331 | TL33010 | 448 448 | TM140506 | 462 462 | TMD952 TMD953 | 445 445 | TNH251 | 478 478 |
| TL803 | 154 | TL1001 | 444 | TL33015 TL33020 | 448 | TM140507 TM140508 | 462 | TMD960 | 445 | TNH253 TNH255 | 478 |
| TL804 | 154 | TL1009 | 444 | TL33025 | 448 | TM140509 | 462 | TMD961 | 445 | TNH259 | 478 |
| TL811 | 154 | TL1100 | 447 | TL33027 | 448 | TM140510 | 462 | TMD972 | 445 | TNH266C | 401, 412 |
| TL816 | 154 | TL1200 | 423 | TL33030 | 448 | TM140511 | 462 | TMD973 | 445 | TNH276 | 478 |
| TL817 | 154 | TL1300 | 479 | TL33040 | 448 | TM140512 | 462 | TN106KM | 441 | TNH277 | 478 |
| TL822 | 154 | TL1310 | 481 | TLA341 | 58 | TM140513 | 462 | TN200 | 424 | TNH278 | 478 |
| TL822-2 TL822-3 | 154 154 | TL1320 TL2620 | 481 455 | TLD19 TLD25 | 419 419 | TM140604 TM140605 | 463 463 | TN250 TN4101KM | 424 441 | TNH297 TNH310 | 478 472 |
| TL822-4 | 154 | TL2630 | 455 | TLD29 | 419 | TM1406055 | 463 | TN7001K | 441 | TNH310 | 472 |
| TL822-5 | 154 | TL2640 | 455 | TM13 | 418 | TM140606 | 463 | TN7014K | 441 | TNH315 | 472 |
| TL822-6 | 154 | TL3860 | 461 | TM1208-6 | 461 | TM140607 | 463 | TN9425 | 481 | TNH316 | 472 |
| TL823 | 154 | TL3890 | 455 | TM1212 | 460 | TM140608 | 463 | TN60000 | 477 | TNH320 | 472 |
| TL825 | 155 | TL4050 | 455 | TM1213TX | 460 | TM140609 | 463 | TN60003 | 477 | TNH321 | 472 |
| TL826 | 155 | TL4060 TL4060H | 456 | TM1215MM | 460 | TM140610 | 463 | TN60150 | 439 | TNH324 | 472 |
| TL831 TL832 | 125 125 | TL4000H TL4100 | 456 440 | TM1407 TM1412 | 461 460 | TM140611 TM140612 | 463 463 | TN61350 TN61355 | 440 440 | TNH325 TNH326 | 477 477 |
| TL833 | 125 | TL4102 | 441 | TM3807 | 461 | TM140613 | 463 | TNA4LN | 434 | TNH326-1 | 472 |
| TL834 | 125 | TL4104 | 441 | TM3812 | 460 | TM380020 | 457 | TNA4WR | 434 | TNH326-3 | 472 |
| TL835 | 125 | TL7108 | 439 | TM3814 | 460 | TM380021 | 457 | TNA5WR | 434 | TNH330 | 472 |
| TL880 | 328 | TL7112 | 412 | TM3816 | 460 | TM380022 | 457 | TNA6LN | 434 | TNH521C | 436 |
| TL881 | 328 | TL7116 | 439 | TM120020 | 457 | TM380030 | 457 | TNA6R | 434 | TNH650 | 476 |
| TL882A | 258, 288 | TL7120 | 401 439 | TM120021 | 457 | TM380036 | 457 | TNA7R | 434 | TNH765 | 474 479 |
| TL885 TL887 | 333-334, 336 242, 329 | TL7124 TL7132 | 439 | TM120022 TM120030 | 457 457 | TM380040 TM380046 | 461 461 | TNA7WR TNA9LN | 434 434 | TNH770 TNH826 | 474 |
| TL890 | 155 | TL7140 | 439 | TM120036 | 457 | TM380507 | 462 | TNA9R | 434 | TNH900 | 473 |
| TL895 | 303 | TL7170 | 439 | TM120508 | 462 | TM380508 | 462 | TNA10R | 434 | TNH52230 | 428 |
| TL899 | 303 | TL7215 | 482 | TM120509 | 462 | TM380509 | 462 | TNA10WR | 434 | TNKBD3 | 440 |
| TL905 | 209 | TL7225 | 473 | TM120510 | 462 | TM380510 | 462 | TNA11R | 434 | TNM24K | 424 |
| TL906 | 209 | TL7400 | 356, <u>473</u> | TM120511 | 462 | TM380511 | 462 | TNAV5M | 424 | TNM34 | 424 |
| TL907 | 209 | TL7402 | 479 | TM120512 | 462 | TM380512 | 462 | TNAV10 | 424 | TNM45P | 424 |
| TL909 TL920 | 209 227, 303 | TL7403 TL7410 | 477 229 | TM120513 TM120514 | 462 462 | TM380513 TM380514 | 462 462 | TNAV12 TNAV14 | 424 424 | TNP1/180 TNP1/205 | 435 435 |
| TL920 | 333-334, 336 | TL7410 | 395 | TM120514 | 462 | TM380515 | 462 | TNAV14 | 424 | TNP2/170 | 43. |
| TL922 | 303 | TL7635 | 422, 479 | TM120516 | 462 | TM380516 | 462 | TNAV19 | 424 | TNP2/205 | 435 |
| TL923 | 208 | TL7636 | 422, 479 | TM120517 | 462 | TM380517 | 462 | TNAV20 | 424 | TNP4/160 | 431 |
| TL928 | 203, 208, 250 | TL8012 | 461, 487 | TM120518 | 462 | TM380518 | 462 | TNAV24 | 424 | TNP4/180 | 431 |
| | | | | | | | | | | | |




























| TNP5/150 | 431 | TTTTD17 | 422 | TUS9045 | 216 | TV172 | 245 | TY417C | 246 | VAC9 | 251 |
|--------------------|--------------------|--------------------|------------|----------------|------------|----------------|------------|------------------|----------------------|-----------------|------------|
| TNP5/180 | 431 | TTTTD17 TTTTX7 | 449 | TUS9048 | 216 | TY173 TY174 | 248, 470 | TY417C TY417R | 246 | VAC9 VAC11 | 351 351 |
| TNP5/200 | 431 | TTTVG05 | 434 | TUS9051 | 216 | TY174 | 246,470 | TY417K | 246 | VAC11 | 352 |
| TNP5/240 | 431 | TTTX2032 | 452 | TUS9057 | 216 | TY175 | 244 | TY418C | 246 | VAC12 VAC13 | 351 |
| TNP6/200 | 431 | TTTXEXT13 | 457 | TUS9060 | 216 | TY177 | 244 | TY419 | 246 | VAC14 | 351 |
| TNP9/300 | 436 | TTTXPB3 | 439 | TW105 | 247 | TY178 | 244 | TY419C | 246 | VAC15 | 352 |
| TNP9/400 | 436 | TTTXPB3A | 440 | TW110 | 247 | TY179 | 244 | TY419R | 246 | VAC16 | 351 |
| TNR1/180 | 435 | TUB2 | 217 | TW115 | 247 | TY180 | 244 | TY421 | 246 | VAC17 | 352 |
| TNR1/205 | 435 | TUB3 | 217 | TW120 | 247 | TY190 | 239 | TY421C | 246 | VAC18 | 351 |
| TNR2/205 | 435 | TUB4 | 217 | TW125 | 247 | TY191 | 239 | TY421R | 246 | VAC19 | 352 |
| TNR4/160 | 431 | TUB5 | 217 | TW130 | 247 | TY192 | 240 | TY422 | 246 | VAC20 | 351 |
| TNR6/180 | 60, 431 | TUB11 | 217 | TW135 | 247 | TY193 | 240 | TY422C | 246 | VAC21 | 352 |
| TNR7/210 | 59, 431 | TUB12 | 217, 269 | TW140 | 247 | TY194 | 240 | TY423 | 246 | VAC23 | 352 |
| TNR8/200 | 60, 435 | TUB13 | 217 | TW405 | 247 | TY195 | 240 | TY424 | 246 | VAC24 | 352 |
| TNR9/200 | 59, 431 | TUB14 | 217 | TW410 | 247 | TY196 | 240 | TY424C | 246 | VAC30 | 352 |
| TNR255 | 431 | TUB21 | 217 | TW415 | 247 | TY197 | 240 | TY424R | 246 | VAC32 | 352 |
| TNS120 | 60, 444 | TUB42 | 217 | TW420 | 247 | TY220 | 243 | TY425 | 246 | VAC33 | 353 |
| TNS130 | 60, 444 | TUB44 | 217 | TW425 | 247 | TY221 | 243 | TY426 | 246 | VAC34 | 353 |
| TNS140 | 60, 444 | TUB45 | 216 | TW430 | 247 | TY222 | 243 | TY426C | 246 | VAC42 | 353 |
| TNS150 | 60, 444 | TUB46 | 216 | TW435 | 247 | TY223 | 243 | TY426R | 246 | VAC50 | 351 351 |
| TNS200 TNS210 | 60, 444 60, 444 | TUB47 TUB48 | 216 216 | TW440 | 247 247 | TY224 TY225 | 243 243 | TY427 TY427C | 246 246 | VAC51 VAC52 | 353 |
| TNS210 | 60, 444 | TUB50 | 217 | TW500 TW560 | 247 | TY240 | 243 | TY427C | 246 | VAC52 VAC53 | 353 |
| TNS300 | 60, 444 | TUB51 | 217 | TW600 | 247 | TY240 | 243 | TY427K | 246 | VAC62 | 353 |
| TNS310 | 60, 444 | TUB52 | 217 | TY100 | 239 | TY241 | 243 | TY428R | 246 | VAC63 | 353 |
| TNS320 | 60, 444 | TUB53 | 217 | TY101 | 238 | TY245 | 243 | TY429 | 246 | VAC64 | 353 |
| TNS500 | 60, 444 | TUB54 | 217 | TY102 | 238 | TY246 | 243 | TY429C | 246 | VAC70 | 351 |
| TNS700 | 60, 444 | TUB56 | 217 | TY103 | 238 | TY247 | 243 | TY429R | 246 | VAC71 | 351 |
| TNV1/180 | 59, 432 | TUB60 | 218, 354 | TY104 | 238 | TY250 | 244 | TY430 | 246 | VAC72 | 353 |
| TNV1/205 | 59, 432 | TUB69 | 216 | TY105 | 238 | TY251 | 243 | TY430C | 246 | VAC73 | 353 |
| TNV2/205 | 59, 432 | TUB70 | 216 | TY106 | 238 | TY252 | 243 | TY430R | 246 | VAC100 | 354 |
| TNV4/160 | 59, 432 | TUB71 | 216 | TY111 | 238 | TY253 | 243 | TY431 | 246 | VC51 | 398 |
| TNV5/190 | 59, 432 | TUB72 | 216 | TY112 | 238 | TY254 | 243 | TY432 | 246 | VC99 | 355 |
| TNV6/180 | 60, 432 | TUB73 | 216 | TY113 | 238 | TY255 | 243 | TY432C | 246 | VC115 | 284, 306 |
| TNV8/200 | 60, 432 | TUB74 | 216 | TY114 | 238 | TY256 | 242 | TY432R | 246 | VC115A | 284, 306 |
| TNV9/200 | 59, 432 | TUB75 | 216 | TY115 | 238 | TY257 | 242 | TY433 | 246 | VC116 | 284, 306 |
| TNY1 | 428 | TUB81 | 216 | TY116 | 238 | TY258 | 243 | TY433C | 246 | VC117 | 284, 306 |
| TNY2 | 428 | TUB82 | 216 | TY117 | 238 | TY259 | 242 | TY433R | 246 | VC121 | 345 |
| TNY3 | 428 | TUB83 | 216 | TY118 | 238 | TY260 | 243 | TY434 | 246 | VC122 | 345 |
| TNY119 | 428 428 | TUB99 | 216 217 | TY120 TY121 | 243 242 | TY261 TY262 | 243 | TY436 | 246 | VC124 VC125 | 345 345 |
| TNYP114 TPB16 | 439 | TUB103 TUB104 | 217 | TY121 TY122 | 242 | TY263 | 243 243 | TY438 TY438R | 246 246 | VC125 VC126 | 345 |
| TQ1/250 | 436 | TUB105 | 217 | TY122 | 242 | TY264 | 243 | TY441 | 246 | VC120 VC127 | 345 |
| TQ1/300 | 436 | TUB106 | 217 | TY125 | 243 | TY266 | 243 | TY441R | 246 | VC127 VC131 | 299 |
| TSD501 | 481 | TUB109 | 217 | TY126 | 242 | TY267 | 242 | TY524 | 246 | VC132 | 299 |
| TT20 | 271 | TUB110 | 217 | TY126B | 242 | TY290 | 244 | TY527 | 246 | VC140 | 307-308 |
| TT21 | 271 | TUB111 | 217 | TY127 | 242 | TY291 | 244 | TY530 | 246 | VC145 | 308 |
| TT22 | 271 | TUB112 | 217 | TY127B | 242 | TY292 | 244 | TY530R | 246 | VC151 | 288 |
| TT27 | 271 | TUS6 | 216 | TY130 | 239 | TY300 | 241 | TY532 | 246 | VC152 | 288 |
| TT31 | 271 | TUS9 | 216 | TY131 | 239 | TY301 | 241 | TY532R | 246 | VC153 | 288 |
| TT33 | 271 | TUS13 | 216 | TY132 | 239 | TY302 | 241 | TY533 | 246 | VC161 | 311 |
| TT35 | 271 | TUS16 | 216 | TY133 | 239 | TY303 | 241 | TY533R | 246 | VC162 | 311 |
| TT38 | 271 | TUS19 | 216 | TY136 | 239 | TY310 | 241 | TY601 | 245 | VC163 | 311 |
| TT43 | 270 | TUS22 | 216 | TY136B | 239 | TY330 | 241 | TY602 | 245 | VC174 | 289 |
| TT44 | 270 271 | TUS25 TUS28 | 216 216 | TY137 TY138 | 239 239 | TY331 TY332 | 241 | TY1000 TY1001 | 249, 471 249, 471 | VC171 | 304 304 |
| TT120 TT122 | 271 | TUS28 | 216 | TY138 TY139 | 239 | TY340 | 241 242 | TY1001 TY1002 | 249, 471 | VC179 VC180 | 304 |
| TT124 | 271 | TUS35 | 216 | TY143 | 238 | TY364 | 238 | TY1002 | 249, 471 | VC180 VC181 | 304 |
| TT1221 | 459 | TUS38 | 216 | TY144 | 238 | TY366 | 238 | TY1003 | 249, 471 | VC181A | 304 |
| TT1424 | 458 | TUS41 | 216 | TY145 | 238 | TY368 | 238 | TY1005 | 249, 471 | VC181A VC182 | 304 |
| TT1436 | 458 | TUS45 | 216 | TY146 | 238 | TY370 | 238 | TY1006 | 249, 471 | VC184 | 304 |
| TT3834 | 458 | TUS48 | 216 | TY150 | 242 | TY371 | 238 | TY1011 | 248, 470 | VC187 | 304 |
| TT3839 | 458 | TUS51 | 216 | TY151 | 242 | TY372 | 238 | TY1014 | 248, 470 | VC188 | 304 |
| TTC-MAG | 488 | TUS57 | 216 | TY152 | 242 | TY373 | 238 | TY1020 | 248, 470 | VC189 | 304 |
| TTC-MAT | 488 | TUS60 | 216 | TY153 | 242 | TY374 | 238 | TY1100 | 248, 470 | VC191 | 226 |
| TTF22 | 209 | TUS906 | 216 | TY160 | 241 | TY375 | 238 | TY1101 | 248, 470 | VC199 | 285, 306 |
| TTF30 | 209 | TUS909 | 216 | TY161 | 239 | TY376 | 238 | TY1200 | 245 | VC203B | 334 |
| TTM029 | 447 | TUS9013 | 216 | TY162 | 241 | TY377 | 238 | TY1201 | 245 | VC203BB | 334 |
| TTT01 | 488 | TUS9016 | 216 | TY163 | 241 | TY402 | 245 | V | | VC203W | 334 |
| TTT1236 | 452 | TUS9019 | 216 | TY164 | 240 | TY403 | 245 | | 254 | VC203WB | 334 |
| TTT440 | 435 | TUS9022 TUS9025 | 216 216 | TY165 | 240 | TY404 TY405 | 245 245 | VAC2 | 351 | VC204 VC205 | 334 334 |
| TTT474-7 TTT804 | 437 473 | TUS9025 | 216 | TY166 TY167 | 240 240 | TY412 | 245 | VAC3 VAC4 | 352 351 | VC205 VC211 | 334 |
| TTT917N | 4/3 | TUS9028 | 216 | TY167 TY168 | 240 | TY412 TY413 | 245 | VAC4 VAC5 | 352 | VC211 VC212 | 336 |
| TTT917N | 445 | TUS9035 | 216 | TY169 | 244 | TY413 | 245 | VAC6 | 351 | VC212 VC215 | 336 |
| TTT6508R | 454 | TUS9038 | 216 | TY170 | 247 | TY415 | 245 | VAC7 | 352 | VC216 | 336 |
| TTTHEX7 | 449 | TUS9041 | 216 | TY172 | 244 | TY417 | 246 | VAC8 | 351 | VC224 | 332 |
| | | | | | | | | 22.00 | | | |









































| WS24 | 377 | WS322 | 376 | WS1496 | 379 | WSD33 | 404 | YEFX110 | 501 | YFIX528 | 499 |
|--------|-----|---------|-----|--------------------|----------|---------------|---------------|--------------------|-----|----------------------|-----|
| WS27 | 380 | WS325 | 376 | WS1497 | 379 | WSD34 | 404 | YEFX115 | 501 | YFIX529 | 499 |
| WS28 | 380 | WS326 | 376 | WS1498 | 378 | WSD35 | 404 | YEFX120 | 501 | YFIX530 | 499 |
| WS29 | 347 | WS420 | 377 | WS1500 | 378, 390 | WSD36 | 404 | YEFXM1 | 501 | YFIX531 | 499 |
| WS35 | 377 | WS400 | 384 | WS1505 | 378 | WSD41 | 404 | YEFXM2 | 501 | YFIX532 | 499 |
| WS36 | 390 | WS401 | 384 | WS1506 | 378 | WSD42 | 404 | YEPT1 | 501 | YFIX533 | 499 |
| WS37 | 390 | WS402 | 384 | WS1508 | 378 | WSD43 | 404 | YESL52 | 501 | YFIX534 | 499 |
| WS40 | 376 | WS403 | 377 | WS1511 | 378, 390 | WSD44 | 404 | YET7 | 500 | YFIX535 | 499 |
| WS41 | 377 | WS404 | 383 | WS1514 | 370, 330 | WSD51 | 404 | YET9 | 500 | YHCA11 | 504 |
| | | | | | | | | | | | |
| WS42 | 376 | WS407 | 383 | WS1515 | 379 | WSD52 | 404 | YET10 | 500 | YHCA12 | 504 |
| WS43 | 377 | WS408 | 383 | WS1516 | 378 | WSD60 | 404 | YET15 | 500 | YHCA13 | 504 |
| WS44 | 377 | WS409 | 383 | WS1517 | 378 | WSD61 | 404 | YET16 | 500 | YHFW13 | 502 |
| WS45 | 376 | WS412 | 380 | WS1522 | 379 | WSD62 | 404 | YET18 | 500 | YHFW14 | 502 |
| WS46 | 376 | WS415 | 381 | WS1550 | 379 | WSD63 | 404 | YET19 | 500 | YHFW15 | 502 |
| WS48 | 375 | WS416 | 381 | WS55008 | 386 | WSD64 | 404 | YET22 | 500 | YHNN21 | 502 |
| WS49 | 375 | WS417W | 377 | WS55009 | 386 | WSD65 | 404 | YET23 | 500 | YHNN22 | 502 |
| WS50 | 381 | WS417Y | 377 | WS55010 | 386 | WSD70 | 404 | YET25 | 500 | YHNN23 | 502 |
| WS51 | 381 | WS418 | 385 | WS55104 | 387 | WSD71 | 404 | YET26 | 500 | YHRW2 | 502 |
| WS53 | 392 | WS419 | 385 | WS55105 | 387 | WSD72 | 404 | YET27 | 500 | YHRW3 | 502 |
| WS54 | 393 | WS450M | 385 | WS55106 | 387 | WSD73 | 404 | YET28 | 500 | YHRW15 | 502 |
| WS55 | 393 | WS450L | 385 | WS55107 | 387 | WSD74 | 404 | YET29 | 500 | YHSN22 | 502 |
| WS60 | 393 | WS450XL | 385 | WS55107 WS55108 | 387 | WSD81 | 404 | YET30 | 500 | YHSN24 | 502 |
| WS61 | 393 | | 385 | WS55204 | 387 | | 404 | | 500 | YHSN25 | 502 |
| | | WS451M | | | | WSD91 | | YET33 | | | |
| WS62 | 393 | WS451L | 385 | WS55205 | 387 | WSD100 | 403 | YET34 | 500 | YHSN56 | 502 |
| WS63 | 393 | WS451XL | 385 | WS55206 | 387 | WSD101 | 403 | YET36 | 500 | YHSN58 | 502 |
| WS64 | 393 | WS452L | 384 | WS55207 | 387 | WSD102 | 403 | YET37 | 500 | YHSN60 | 502 |
| WS65 | 393 | WS452XL | 384 | WS55208 | 387 | WSD103 | 403 | YET72 | 500 | YHSP8 | 504 |
| WS66 | 393 | WS453M | 384 | WS55308 | 386 | WSD110 | 407 | YET73 | 500 | YHSP9 | 504 |
| WS67 | 393 | WS453L | 384 | WS55309 | 386 | WSD111 | 407 | YET74 | 500 | YHSS44 | 502 |
| WS68 | 393 | WS453XL | 384 | WS55310 | 386 | V | | YET91 | 500 | YHSS46 | 502 |
| WS70 | 392 | WS454L | 384 | WS55408 | 386 | Y | | YET92 | 500 | YHSS50 | 502 |
| WS72 | 392 | WS454XL | 384 | WS55409 | 386 | YAS4 | 503 | YET93 | 500 | YHSS52 | 502 |
| WS74 | 392 | WS455L | 385 | WS55410 | 386 | YAS23 | 503 | YFIX20 | 503 | YHSS53 | 502 |
| WS76 | 362 | WS455XL | 385 | WS55508 | 387 | YAS33 | 503 | YFIX21 | 503 | YHSS55 | 502 |
| WS77 | 362 | WS457L | 385 | WS55509 | 387 | YBAT25 | 501 | YFIX29 | 503 | YHTK10/4 | 503 |
| WS78 | 363 | WS457XL | 385 | WS55510 | 387 | YBAT32 | 501 | YFIX31 | 503 | YHTK10/4 YHTK10/6 | 503 |
| | 392 | | 384 | | 387 | | 504 | | 503 | | 503 |
| WS84 | | WS458L | | WS55608 | | YBN11 | | YFIX39 | | YHTK6/4 | |
| WS85 | 392 | WS458M | 384 | WS55609 | 387 | YBN13 | 504 | YFIX500 | 498 | YHTK8/6 | 503 |
| WS86 | 392 | WS458XL | 384 | WS55610 | 387 | YBN46 | 504 | YFIX501 | 498 | YHUC3 | 503 |
| WS89 | 392 | WS459L | 384 | WS55708 | 386 | YBR6 | 504 | YFIX502 | 498 | YHUC5 | 503 |
| WS90 | 392 | WS459XL | 384 | WS55709 | 386 | YBR7 | 504 | YFIX503 | 498 | YJCS0 | 504 |
| WS91 | 392 | WS470 | 388 | WS55710 | 386 | YCHART1 | 161, 173, 200 | YFIX504 | 498 | YJCS0X | 504 |
| WS92 | 392 | WS471 | 388 | WS55808 | 386 | YDR18 | 504 | YFIX505 | 498 | YJCSM00 | 504 |
| WS95 | 380 | WS472 | 388 | WS55809 | 386 | YDR316 | 504 | YFIX506 | 498 | YKIT2 | 496 |
| WS101 | 362 | WS473 | 388 | WS55810 | 386 | YDRM3.3 | 504 | YFIX507 | 498 | YLP1 | 504 |
| WS105 | 362 | WS474 | 388 | WS55908 | 386 | YDRM4 | 504 | YFIX508 | 498 | YNP3 | 503 |
| WS110 | 362 | WS475 | 388 | WS55909 | 386 | YDRM5 | 504 | YFIX509 | 498 | YNP4 | 503 |
| WS120 | 346 | WS476 | 388 | WS55910 | 386 | YDRM6 | 504 | YFIX510 | 498 | YNP6 | 503 |
| WS140 | 346 | WS477 | 388 | WS56008 | 386 | YEAC106 | 501 | YFIX511 | 498 | YNP19 | 503 |
| WS160 | 362 | WS478 | 388 | WS56009 | 386 | YEAC108 | 501 | YFIX511 | 498 | YNP33 | 503 |
| WS165 | 362 | WS500 | 391 | WS56010 | 386 | YEAC110 | 501 | YFIX512 YFIX513 | 498 | YNP34 | 503 |
| | | | | | | | | | | | |
| WS170 | 363 | WS501 | 391 | WSB31 | 403 | YEAC406 | 501 501 | YFIX514 | 498 | YNP35 | 503 |
| WS200 | 363 | WS502 | 391 | WSB32 | 403 | YECT81 | 501 | YFIX515 | 498 | YNPM1 | 503 |
| WS200R | 363 | WS503 | 391 | WSB33 | 403 | YECT82 | 501 | YFIX516 | 498 | YNPM2 | 503 |
| WS302 | 375 | WS510 | 375 | WSB51 | 403 | YECT83 | 501 | YFIX517 | 498 | YPR107 | 503 |
| WS303 | 375 | WS511 | 375 | WSB52 | 403 | YECT84 | 501 | YFIX518 | 499 | YPRB11 | 503 |
| WS304 | 375 | WS512 | 375 | WSB53 | 403 | YECT87 | 501 | YFIX519 | 499 | YPRB21 | 503 |
| WS305 | 375 | WS513 | 375 | WSD1 | 404 | YECTG57 | 501 | YFIX520 | 499 | YSTAND1 | 496 |
| WS306 | 375 | WS514 | 375 | WSD2 | 404 | YEFD13 | 501 | YFIX521 | 499 | YTL662 | 504 |
| WS307 | 375 | WS515 | 375 | WSD3 | 404 | YEFDM1 | 501 | YFIX522 | 499 | YTY120 | 504 |
| WS308 | 375 | WS516 | 375 | WSD7 | 404 | YEFH140 | 501 | YFIX523 | 499 | | |
| WS309 | 375 | WS517 | 375 | WSD8 | 404 | YEFH150 | 501 | YFIX524 | 499 | | |
| WS311 | 375 | WS1491 | 378 | WSD9 | 404 | YEFX10 | 501 | YFIX525 | 499 | | |
| WS320 | 376 | WS1494 | 379 | WSD31 | 404 | YEFX15 | 501 | YFIX526 | 499 | | |
| WS321 | 376 | WS1495 | 379 | WSD32 | 404 | YEFX20 | 501 | YFIX527 | 499 | | |
| 113321 | 3/0 | -431733 | 313 | 113032 | 404 | 1 LI AZU | 301 | 111/1/2/ | 433 | | |

| , |
|-----------------|
| |
| |
| Thin the second |
| |
| Ō |
| |
| 100 |
| |
| |
| |

































































| U |
|---|
| |
| |





































| | 2 Second | |
|----|----------|---------|
| ī | mm | inch |
| | 1 | 3/64 |
| | 2 | 5/64 |
| | 3 | 1/8 |
| | 4 | 5/32 |
| | 5 | 13/64 |
| | 6 | 15/64 |
| | 7 | 9/32 |
| | 8 | 5/16 |
| - | 9 | 23/64 |
| 1 | 10 | 25/64 |
| 1 | 11 | 7/16 |
| + | 12 | 15/32 |
| Ħ | 13 | 1/2 |
| 1 | 14 | 9/16 |
| H | 15 | 19/32 |
| Ħ | 16 | 5/8 |
| Ħ | 17 | 21/32 |
| Ħ | 18 | 23/32 |
| | 19 | 3/4 |
| | 20 | 25/32 |
| ŧ | 21 | 27/32 |
| | 22 | 7/8 |
| | 23 | 29/32 |
| | 24 | 15/16 |
| | 25 | 31/32 |
| | 26 | 1 1/32 |
| | 27 | 1 1/16 |
| ı | 28 | 1 3/32 |
| ø | 29 | 1 1/8 |
| | 30 | 1 3/16 |
| | 31 | 1 7/32 |
| | 32 | 1 1/4 |
| | 33 | 1 5/16 |
| | 34 | 1 11/32 |
| | 35 | 1 3/8 |
| | 36 | 1 13/32 |
| П | 37 | 1 7/16 |
| ΙL | 38 | 1 1/2 |

| mm | inch |
|----|---------|
| 39 | 1 17/32 |
| 40 | 1 9/16 |
| 41 | 1 5/8 |
| 42 | 1 21/32 |
| 43 | 1 11/16 |
| 44 | 1 3/4 |
| 45 | 1 25/32 |
| 46 | 1 13/16 |
| 47 | 1 27/32 |
| 48 | 1 7/8 |
| 49 | 1 15/16 |
| 50 | 1 31/32 |
| 51 | 2 |
| 52 | 2 1/16 |
| 53 | 2 3/32 |
| 54 | 2 1/8 |
| 55 | 2 5/32 |
| 56 | 2 3/16 |
| 57 | 2 1/4 |
| 58 | 2 9/32 |
| 59 | 2 5/16 |
| 60 | 2 3/8 |
| 61 | 2 13/32 |
| 62 | 2 7/16 |
| 63 | 2 15/32 |
| 64 | 2 1/2 |
| 65 | 2 9/16 |
| 66 | 2 19/32 |
| 67 | 2 5/8 |
| 68 | 2 11/16 |
| 69 | 2 23/32 |
| 70 | 2 3/4 |
| 71 | 2 13/16 |
| 72 | 2 27/32 |
| 73 | 2 7/8 |
| 74 | 2 29/32 |
| 75 | 2 15/16 |
| 76 | 3 |

| inch | mm |
|----------------|--------------|
| 3/64 | 1.2 |
| 1/16 | 1.6 |
| 5/64 | 2.0 |
| 3/32 | 2.4 |
| 7/64 | 2.8 |
| 1/8 | 3.2 |
| 9/64 | 3.6 |
| 5/32 | 4.0 |
| 11/64 | 4.4 |
| 3/16 | 4.8 |
| 13/64 | 5.2 |
| 7/32 | 5.6 |
| 15/64 | 6.0 |
| 1/4 | 6.4 |
| 17/64 | 6.7 |
| 9/32 | 7.1 |
| 19/64 | 7.5 |
| 5/16 | 7.9 |
| 21/64 | 8.3 |
| 11/32 | 8.7 |
| 23/64 | 9.1 |
| 3/8 | 9.5 |
| 25/64 | 9.9 |
| 13/32 | 10.3 |
| 27/64 | 10.7 |
| 7/16 | 11.1 |
| 29/64 | 11.5 |
| 15/32 | 11.9 |
| 31/64 | 12.3 |
| 1/2 | 12.7 |
| 17/32 | 13.5 |
| 9/16 | 14.3 |
| 19/32 | 15.1 |
| 5/8 | 15.9 |
| 21/32 11/16 | 16.7 |
| 23/32 | 17.5 18.3 |
| | |
| 3/4 25/32 | 19.1 19.8 |
| 13/16 | 20.6 |
| 27/32 | 21.4 |
| 7/8 | 22.2 |
| 29/32 | 23.0 |
| 15/16 | 23.8 |
| 31/32 | 24.6 |
| 1 | 25.4 |
| 1 1/32 | 26.2 |
| 1 1/16 | 27.0 |
| 1 3/32 | 27.8 |
| 1 3/32 | 27.0 |

| | | | | | AND STREET | |
|--------------------------|---------------------------|-------------------|---|--------------|---------------------------------------|--------------|
| 1 | | - annui | กับบนกรีโทยมูที่เกิดกฎีขยาย เรียบการได้เกิดกฎีขยาย | | ignapanpanpanpanpan Tititititititi | |
| Tomorphone grant | | | นักแกรกับการเกิดการ | | | |
| Junumini harin | diffit de sus | | inch | mm | inch | mm |
| | | | 3/64 | 1.2 | 1 1/8 | 28.6 |
| | | | 1/16 | 1.6 | 1 3/16 | 30.2 |
| | | | 5/64 | 2.0 | 1 7/32 | 31.0 |
| | | | 3/32 | 2.4 | 1 1/4 | 31.8 |
| | | | 7/64 | 2.8 | 1 5/16 | 33.3 |
| | | | 1/8 | 3.2 | 1 11/32 | 34.1 |
| neter/Inch | Convers | ion Chart | 9/64 | 3.6 | 1 3/8 | 34.9 |
| mm to inch conversions a | re to the nearest 1/32" o | r 1/64" | 5/32 | 4.0 | 1 13/32 | 35.7 |
| iinch to mm conversions | are correct to one decima | Il place | 11/64 | 4.4 | 1 7/16 | 36.5 |
| ., | | | 3/16 | 4.8 | 1 1/2 | 38.1 |
| inch | mm | inch | 13/64 | 5.2 | 1 17/32 | 38.9 |
| 3/64 | 39 | 1 17/32 | 7/32 | 5.6 | 1 9/16 | 39.7 |
| 5/64 | 40 | 1 9/16 | 15/64 | 6.0 | 1 5/8 | 41.3 |
| 1/8 | 41 | 1 5/8 | 1/4 | 6.4 | 1 21/32 | 42.1 |
| 5/32 | 42 | 1 21/32 | 17/64 | 6.7 | 1 11/16 | 42.9 |
| 13/64 | 43 | 1 11/16 | 9/32 | 7.1 | 1 3/4 | 44.5 |
| 15/64 | 44 | 1 3/4 | 19/64 | 7.5 | 1 25/32 | 45.2 |
| 9/32 | 45 | 1 25/32 | 5/16 | 7.9 | 1 13/16 | 46.0 |
| 5/16 | 46 | 1 13/16 | 21/64 | 8.3 | 1 27/32 | 46.8 |
| 23/64 | 47 | 1 27/32 | 11/32 | 8.7 | 1 7/8 | 47.6 |
| 25/64 | 48 | 1 7/8 | 23/64 | 9.1 | 1 15/16 | 49.2 |
| 7/16 | 49 | 1 15/16 | 3/8 | 9.5 | 1 31/32 | 50.0 |
| 15/32 | 50 | 1 31/32 | 25/64 | 9.9 | 2 | 50.8 |
| 1/2 | 51 | 2 | 13/32 | 10.3 | 2 1/16 | 52.4 |
| 9/16 | 52 | 2 1/16 | 27/64 | 10.7 | 2 3/32 | 53.2 |
| 19/32 | 53 | 2 3/32 | 7/16 | 11.1 | 2 1/8 | 54.0 |
| 5/8 | 54 | 2 1/8 | 29/64 | 11.5 | 2 5/32 | 54.8 |
| 21/32 | 55 | 2 5/32 | 15/32 | 11.9 | 2 3/16 | 55.6 |
| 23/32 | 56 | 2 3/16 | 31/64 | 12.3 | 2 1/4 | 57.2 |
| 3/4 | 57 | 2 1/4 | 1/2 | 12.7 | 2 9/32 | 57.9 |
| 25/32 | 58 | 2 9/32 | 17/32 | 13.5 | 2 5/16 | 58.7 |
| 27/32 | 59 | 2 5/16 | 9/16 | 14.3 | 2 3/8 | 60.3 |
| 7/8 | 60 | 2 3/8 | 19/32 | 15.1 | 2 13/32 | 61.1 |
| 29/32 | 61 | 2 13/32 | 5/8 | 15.9 | 2 7/16 | 61.9 |
| 15/16 | 62 | 2 7/16 | 21/32 | 16.7 | 2 15/32 | 62.7 |
| 31/32 | 63 64 | 2 15/32 | 11/16 | 17.5 | 2 1/2 | 63.5 |
| 1 1/32 | | 2 1/2 | 23/32 | 18.3 | 2 9/16 | 65.1 |
| 1 1/16 1 3/32 | 65 66 | 2 9/16 2 19/32 | 3/4 25/32 | 19.1 19.8 | 2 19/32 2 5/8 | 65.9 66.7 |
| 1 1/8 | 67 | 2 5/8 | 13/16 | 20.6 | 2 11/16 | 68.3 |
| 1 3/16 | 68 | 2 11/16 | 27/32 | 21.4 | 2 23/32 | 69.1 |
| 1 7/32 | 69 | 2 23/32 | 7/8 | 22.2 | 2 23/32 | 69.9 |
| 1 1/32 | 70 | 2 3/4 | 29/32 | 23.0 | 2 13/16 | 71.4 |
| 1 5/16 | 71 | 2 13/16 | 15/16 | 23.8 | 2 13/10 | 72.2 |
| 1 11/32 | 72 | 2 27/32 | 31/32 | 24.6 | 2 7/8 | 73.0 |
| 1 3/8 | 73 | 2 7/8 | 1 | 25.4 | 2 29/32 | 73.8 |
| 1 13/32 | 74 | 2 29/32 | 1 1/32 | 26.2 | 2 15/16 | 73.6 |
| 1 7/16 | 75 | 2 15/16 | 1 1/32 | 27.0 | 3 | 74.0 |
| 1 1/2 | 75 | 3 | 1 3/32 | 27.0 | | 10.2 |





For all your workshop consumable needs